

0.72 Aa. 0 B





# HAND-LIST

OF

# GENERA AND SPECIES

OF

# BIRDS,

DISTINGUISHING THOSE CONTAINED

IN THE

# BRITISH MUSEUM.

BY

G. R. GRAY, F.R.S. ETC.,

# PART I.


ACCIPITRES, FISSIROSTRES, TENUIROSTRES, AND DENTIROSTRES.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1869.

# PRINTED BY TAYLOR AND FRANCIS, RED LION COURT, FLEET STREET.



# PREFACE.

The object of this Hand-List is to give a complete List of all the Genera with their subdivisions; and also a comprehensive List of the species of Birds under the respective divisions to which they are supposed to belong.

The specific name in Antique (or thick) type exemplifies those species that are contained in the British Museum; whilst the Roman (or thin) type exhibits those species that are at present desiderata to the Collection.

The second or remaining part of the Hand-List is far advanced towards completion.

JOHN EDWARD GRAY.

May 10, 1869,



# TABLE OF GENERA AND SUBGENERA.

ACCIPITRES.		23. 24.	LeucopternisButeogallus	8
1. GYPAËTIDÆ.		25.	Spizigeranus	9
1. Gypaëtinæ.		26. 27.	Urubitinga Archibuteo	9
1. Gypaëtus	Page 1	28.	Butaquila	10
	1	~~	3. Aquilinæ.	10
2. VULTURIDÆ.		29. 30.	Aquila Uroaëtus	10
<ol> <li>Vulturinæ.</li> </ol>		31.	Heteropus	îi
2. Vultur		32.	Pteroaetus	11
3. Lophogyps	. 2	33.	Pseudaëtus	11
<b>4.</b> Otogyps		34.	Hieraaëtus	12 12
5. Gyps	. 2	35. 36.	Spizaëtus Pternura	$\frac{12}{12}$
2. Sarcoramphinæ.		37.	Spizastur	$\overline{12}$
6. Sarcoramphus	. 3	38.	Lophaëtus	13
7. Cathartes		39,	?	13
8. Catharista	. 3	40.	Limnaëtus	13
9. —-?	. 3	41. 42.	Circaëtus Harpyhaliœtus	14 14
2 Moonbroning		43.	Harpyhaliœtus Spilornis	14
3. Neophroninæ.	. 1	44.	Pandion	$\hat{1}\hat{5}$
10. Neophron		45.	Polioaëtus	15
11. Necrosyrtes	. 4	46.	Poliornis	15
<ol> <li>Gypohieracinæ.</li> </ol>		47.	Pernopsis	16
12. Gypohierax	. 4	48.	Thrasaëtus	16
25. G, ponteral		49. 50.	Morphnus Haliæëtus	16 16
3. FALCONIDÆ.		51.	Thallasoaëtus	16
5. I MECCINIDIE.		52.	Cuneuma	17
<ol> <li>Polyborinæ.</li> </ol>		53.	Geranoaëtus	17
13. Ibyeter		54.	Helotarsus	17
14. Daptrius		55.	Haliastur	18
15. Milvago			4. Falconinæ.	
16. Senex 17. Phaleobænus				
18. Polyborus		56.	Falco Hierofalco	10
20. 20., 50. 46.		57.	Falco	18 18
<ol> <li>Buteoninæ.</li> </ol>		58.	Gennaia	19
19. Buteo	. 6	59.	?	20
20. Gypoictinia	. 7	60.		20
21. Craxirex		61.	Dissodectes	21
22. Tachytriorchis	8	62.	Æsalon	21

		Page		Page
63.	Chiequera	22	4. SERPENTARIIDÆ.	
64.	Polihierax	22		
65.	Ieracidea	•)•)	<ol> <li>Serpentariinæ.</li> </ol>	
66.	Harpe	22	117. Serpentarius	38
67.	Tinnunculus	22	LL7. Cerpentarius	0.5
68.	Erythropus	23		
69.	Tichornis	23	ACCIPITRES Nocturn	i
70.		23	MOOII I I I I I I I I I I I I I I I I I	.1.
	Pœcilornis	24	s amprarp m	
71.	Ierax		5. STRIGIDÆ.	
72.	Harpagus	24	) G	
73.	Spiziapteryx	24	l. Surninæ.	
5.	Milvinæ.		118. Surnia	
	MIIVIII.		119. Nyctea	39
7 <b>4</b> .	Baza	25	120. Athene	39
75.	Aviceda	25	121. Tanioglaux	
76.	Pernis	$^{25}$	122. Tanioptynx	
77.	Henicopernis	26	123. Smithiglaux	
78.	Machaerhamphus	26	124. Microglaux	
79.	Milvus	26	125. Hierocoglaux	
80.	Hydroietinia	26		
81.	Lophoietinia	27	1 10.	
82.	Nauclerus	$\frac{57}{27}$		
83.		$\frac{57}{27}$	128, Rubdoglaux	
	Chelictinia	27	129. Sceloglaux	
84.	Rostrhamus	27	130. Ninox	
85.	Cymindis	27	131. Glaucidium	
86.	Regerbinus	27	132. Microptynx	
87.	Elanus	28	133. Micrathene	43
88.	Gampsonyx	28	134. Spectyto	43
89.	Ictinia	28	1 .	
90.	Nertus	29	2. Buboninæ.	
			135. Bubo	43
6.	Accipitrinæ.		136. Huhua	
91.	<del>-</del>	29	137. Urrua	
	Astur	$\frac{29}{29}$		
92.	Leucospiza			
93.	Lophospiza	30		
94.	Asturina	30	140. Ascalaphia	
95.	Buteola	30	141. Pseudoptynx	
96.	Rupornis	30	142. Ketupa	
97.	Geranospiza	30	143. Scotopelia	45
98.	Micrastur	31	144. Scops	
99.	?	31	145. Lempijius	46
100.	Herpetotheres	31	146. Pisorhina	46
101.	Accipiter	31	147. Acnemis	46
102.	Cooperastur	32	148. Ptilopsis	46
103.	Hieraspiza	33	149. Megascops	
104.	Urospiza	34	150. Gymnasia	
105.	?	34	151. Lophostrix	
106.	Micronisus	35	Dopassii	
107.	Tachyspiza	35	<ol><li>Syrniinæ,</li></ol>	
108.	Sclerospiza	35	-	48
109.		36		
	Kaupifaleo		153. Ptynx	
110.	Melierax	36	154. Bulaca	
-	Circinæ.		155. Myrtha	
			156. Ciccaba	
111.	Circus	36	<b>157.</b> Macabra	
112.	Spilocircus	36	158. Gisella	
113.	Strigiceps	37	159. Pulsatrix	50
114.	Glaucopteryx	37	160. Otus	
115.	Spizacircus	37	161. Nyctalops	
110	To 1 1 1 2 2 3	0.5	100 11	= 1

		Page			Page
163.	Pseudoscops	51	203.	Tachornis	64
164.	Brachyotus	51	204.	Panyptila	64
165.	Phasmaptynx	51	205.	Dendrochelidon	64
166.	Nyetala	51	206.	Collocalia	65
			0	Ol	
4.			2.	Chæturinæ.	0.0
167.	Strix	52	207.	Chætura	66
168.	Glyphidiura	52	208.	Hirundapus	66
169.	Glaux	53	209.	<del></del> ?	67
170.	Dactylostrix	53	210.	<del></del> ?	67
171.	Megastrix	53	211.	Pallenia	67
172.	Phodilus	53 ,	212.	Hemiprocne	67
			213.	Acanthylops	67
1. PA	ASSERES Fissirostre	s.	214.	Nephocates	68
	APRIMULGIDÆ.	•	2 L	HIRUNDINIDÆ.	
1. C	AFRIMULGIDÆ.				
	Podarginæ.			Hirundininæ.	
173.	Podargus	53	215.	Hirundo	68
174.	Batrachostomus	54	216.	Cecropis	69
175.	_Otothrix	55	217.	Lillia	69
176.	.Egotheles	55	218.	Hypurolepsis	69
ຄ	Ctootownithing		219.	Hylochelidon	70
	Steatornithinæ.		220.	Lagenoplastes	70
177.	Steatornis	55	221.	Uromitus	70
9	Mesatihiinm		222.	Psalidoprocne	70
	Nyctibiinæ.		223.	Hemicecrops	70
178.	Nyctibius	55	224.	Phedina	71
	Caprimulginæ.		225.	Petrochelidon	71
	•	-0	226.	Tachycineta	71
179.	Caprimulgus	56	227.	<u> </u>	71
180.	Capripeda	58	228.	Callichelidon	72
181.	Hydropsalis	58	229.	Pygochelidon	72 72
182.	Macropsalis	58	230.	Atticora	$\frac{72}{72}$
183. 184.	Diplopsalis	58 58	231. 232.	Ncochelidon	72
185.	Tetroura Antrostomus	58	233.	Notiochelidon	73
186.	Nyctiphrynus	59	234.	Pristoptera Cheramœca	73
187.	Stenopsis	59	235.		$\frac{13}{73}$
188.	Siphonorhis	60	236.	Cotile	73
189.	Eleothreptus	60	237.	Stelgidopteryx	73
190.	Nyctidromus	60	238.	Ptyonoprogne Chelidon	74
191.	Scortornis	60	239.	Delichon	74
192.	Macrodipteryx	60	240.	Progne	74
193.	Cosmetornis	61	241.	Phaoprogne	75
	Cocamotorino (minimum)	-	242.	Tapera	75
	Podagerinæ.			np	•
194.	Podager	61	4.0	CORACIADÆ.	
195.	Lurocalis	61	7. 0	OKNOINDZE.	
196.	Chordeiles	61	1.	Coracianæ.	
197.	Nyctiprogne	62	243.	Coracias	75
198.	Rhamphaoratus	62	244.	?	75 75
199.	Eurostopodus	62	245.	Coraciura	76
200.	Lyncornis	62	246.	Eurystomus	76
2 6	YPSELIDÆ.		247.	Cornopio	76
	Cypselinæ.	CO		Leptosominæ.	
201.	Cypselus	63	248.	Leptosomus	
202.	Cypsiurus	64	249.	Brachypteracias	77

		'age			rage
250. 251.	Atcloruis?	77 77	286. 287.	Nothriscus	86 86
			288.	Chaunornis	- 86 - 86
5. E	URYLAIMIDÆ.		289. 290.	Nyctalus Monasa	87
1.	Eurylaiminæ.		291.	Malacoptila	87
252.	Eurylaimus	77	292.	Nonnula	88 88
253.	Serilophus	78 78	293.	Chelidoptera	00
254. 255.	Psarisomus Corydon	78	10.	ALCEDINIDÆ.	
256.	Cymbirhynchus	78	1	. Daceloninæ.	
•)	Calyptomeninæ.		294.	Dacclo	89
257.	Calyptomena	78	295.	Choucaleyon	89
207.	(11) Francisco		296. 297.	Cittura	$-89 \\ -89$
6. I	ODIDÆ.		298.	Melidora Monachaleyon	89
1.	Todinæ.		299.	Tanysiptera	90
258.	Todus	79	300.	Haleyon Chelicutia	$-90 \\ -91$
200.			302.	Entomobia	91
7. 1	IOMOTIDÆ.		303.	Calialeyon	91
1.	Momotinæ.		304.	Hyleaon	$-92 \\ -92$
259.	Momotus	79	305. 306.	Pelargopsis C'yanaleyon	92
260.	—— ?	80	307.	Sauropatis	92
261.	Crybelus	80	308.	Todiramphus	93 93
261ª. 262.	Urospatha	.трр. 80	309. 310.	Caridagrus	93
263.	Eumomota	80	311.	Actenoides	93
264.	Prionirhynchus	80	312.	Lacedo	94 94
265.	Hylomanes	81	313. 314.	Caridonax Syma	94
8. T	ROGONIDÆ.		315.	Ceyx	94
			316.	Therosa	95 Ann
266.	Trogoninæ.	81	316a	. Ceycopsis	app.
267.	Trogon Aganus	81	2	Alcedininæ.	
268.	Trogonurus	82	317.	Alcedo	95
269.	Hapalophorus	83 83	318. 319.	Corythornis Ispidina	- 96 - 96
270. 271.	Pothinus Temnotrogon	83	320.	Aleyone	96
272.	Priotelus	83	321.	Ceryle	97
273.	Apaloderma	83 83	322. 323.	Megaceryle Ichthynomus	97 97
274. 275.	Harpactes Pyrotrogon	84	324.	Streptoceryle	97
276.	Duvaucelius	84	325.	Chloroceryle	97
277.	Oreskios	84	326.	Amazonis	98
278. 279	Apalharpactes Pharomacrus	84 84	11	MEROPIDÆ.	
280.	Tanypeplus	85			
281.	Cosmurus	85		Nyctiornithinæ.	00
282.	Leptuas	85	327. 328.	Nyctiornis Bucia	98 98
9. 1	BUCCONIDÆ.		329.		98
	Bucconinæ.		330. 331.	Meropogon	98 93
283.	Bucco	85		Bembylonax	93
284.	Tamatia	85		2. Meropinæ.	
285.	Cyphos	86	332.	Merops	99

333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343.	Page	379. 380. 381. 382.	Carmelita Panacola Hedydipna Mangusia Angladiana Cosmeteira  Promeropinæ.  Promerops Æthopyga Anthobaphes Chalcostetha	109 109 109 109 109 109 110 110
12.	GALBULIDÆ.	383. 38 <b>4</b> .	Hermotimia Chaleoparia	
1.	Galbulinæ.	3,	Arachnotherinæ.	
345. 346. 347. 348. 349. 350. 335.	Galbula         101           Caucalias         102           Urogalba         102           Brachygalba         102           Jacannaraleyon         102           Galbaleyrhynchus         102           Jacamerops         102           Galbuloides         (note)	383. 386. 387. 388. 389. 390. 391.	Arachnothera           Arachnoraphis           — ?           Arachnechthra           Cyrtostomus           Leptocoma           Anthreptes           — ?	111 111 112 112 112 112
0 D	A SIGNED THE STATE OF THE STATE		Drepaninæ.	
1. U 1. 352. 2. 353. 354. 355. 356. 357. 3. 358.	ASSERES Tenuirostres,  ### PUPIDÆ:  Upupinæ.  Upupinæ.  Upupa 103  Irrisorinæ.  Irrisor 103  Lamprolophos 104  Cyanepops 104 Scoptelus 104 Rhinopomastus 104  Epimachinæ.  Ptilornis 104 Craspedophora 105	393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407.	Drepanis Vestiaria Himat one Hemignathus Moho. Psittirostra Loxops Diœutn Phenacistes Microchelidon ——? Pachyglossa Piprisoma Pholidornis Prionochilus Anaimos Melanocharis	113 113 114 114 114 115 115 115 116 116 116
360. 361. 362. 363.	Epimachus         105           Seleucides         105           Semioptera         105           Falculia         105		CEREBIDÆ. Cœrebinæ.	
2. F	ROMEROPIDÆ.	410.	Cœreba Daenis	
	Nectarininæ.           Nectarinia         106           Cinnyris         106           Chalcomitra         107           Chromatophora         107           Anthodiæta         108           Adelinus         108           Cyanomitra         108           Leucochloridia         108           Ademona         108	412. 413. 414. 415. 416. 417. 419. 420. 421. 422.	Polidaenis Eudaenis Eudaenis Ateleodaenis Hemidaenis Chlorophanes Diglossa Tephrodiglossa Pyrrhodiglossa Cyanodiglossa Melanodiglossa Melanodiglossa Diglossopis	117 117 118 118 118 118 119 119

	~ .	110 -		n	
423.	Conirostrum		477.	Cyanomyia 1	nge :33
421.	Spodiornis		478.	Opisthoprora 1	33
425.	Oreomanes		479.	Aithurus I	34
426.	Certhiola		480.	Topaza	34
427.	Glossiptila	120	481.	Florisuga 1	
			482.	Microchera I	
4. 1	ROCHILIDÆ.		483.	Delattria 1	
1	Dhatharnithina		484.	Calothorax 1	
	Phæthornithinæ.		485.	Thaumastura 1	
428.	Phaëthornis		486.	Doricha1	
429.	Guyornis	121	487.	Manilia	
430.	Orthornis	121	488.	Stellula	
431.	Pygmornis	122	489.	Rhodopis	
432.	Momus		430.	Myrtis	
433.	Eremita	122	491.	Lafresnaya	
434.	Grypus		492.	Ionolaima	
<b>4</b> 35.	Eutoxeres	123	493.	Trochilus	
0	D.ltorio		494.	Archilochus	
2.			495.	Docimastes	
436.	Oreotrochilus	123	496.	Eugenes	
437.	Polytmus		497.	Engenia	
	Campylopterus		498.	Heliodoxa	
438.	Androdon		499.	Leadbeatera	
439.	Platystylopterus		500.	——?	
440.	Sæpiopterus	124	501.	Corinnes	
441.	Loxopterus	124	502.	Heliomaster	
442.	Pampa		503.	Oreopyra	
443.	Aphantochroa	125	504.	Helianthea	138
444.	Phaochroa	125	505.	Hypochrysia	138
445.	Eupetomena	125	E05.	Diphlogena	
416.	Lampornis	125	507.	Pterophanes	
447.	Hypophania	125	508.	Bourcieria	
448.	Margarochrysis	126	509.	—— ?	
449.	Cha ybura	126	510.	Lampropygia	
450.	Floresia		511.	Conradinia	
451.	Glaucis		512.	Cœligena	139
452.	Threnetes		513.	—-?	
453.	Sternoclyta	127	514.	Heliangelus	
454.	Colibri		515.	Heliotrypha	
455.	Praxilla		516.	Doryfera	
<b>456</b> .	Telesiella		517.	Clytolama	
457.	Schistes	127	518.	Phaiolaima	
458.	Leucochloris		519.	Lamprolaima	
459.	Polytmus		520.	Aglacactis	
460.	Elvira		521.	Poissonneaua	
461.	Smaragdites	120	522.	Ramphimicron	
462.	Leucippus	120	522.	Eupogonus	141
463.	Urochroa		524.	Lampropogon	141
464.	Cyanochloris		525.	Oxypogon	141
<b>46</b> 5.			526.	Oreonympha	
466.	Eulampis	120	527.	Urosticte	142
467. 468.	Scrieotes	190	528.	Adadomyia	
	—- ?		529.	Phlogophilus	142
469.	Saucerottia		530.	Anthocephala	142
470. 471.	Emilia		531.	Urolampra	142
471.	Amazilis	131	532.	Abcillia	142
473.	Hemistilbou	132	533.	Diotima	
474.	Erythronota		534.	Metallura	
475.	Eupherusa		535.	Saphos	
476.	Chrysures	133	536.	Cynanthus	143
7/0.	cm yourco	130		•	

		Page			Page
537.	Lesbia		593.	Entomophila	
538.	Psalidoprymma		594.	Conopophila	
539.	Discosura		595.	Certhionyx	
540.	Steganurus	144	596.	Gliciphila	155
541.	Uralia		597.	Stigmatops	
542.	Loddigesia		598.	Aeanthorhynchus	155
			. 330,	zacammorny nemas	100
543.	Selasphorus		2.	Molinhagina	
544.	Calypte	144	٠.	Meliphaginæ.	
545.	Atthis	145	599.	Meliphaga	155
546.	Acestrura	145	600.	Ptilotis	156
547.	Chatocercus		601.		
				Stomioptera	
548.	Heliactin		602.	Lichenostomus	
549.	Gorddia		603.	Foulehaio	157
550.	Popelairia	146	604.	Phylidonyris	157
551.	Tryphana	146	605.	Meliornis	
552.	Calliphlox			Prosthemadera	
553.			606.		
	Philodice		607.	Anthornis	
554.	Smaragdochrysis		608.	Anthochæra	158
555.	Lophornis		609.	Anellobia	158
556.	Paphosia	146	610.	Chætoptila	
557.	Telamon	146	611.	Leptornis	
558.	?				
			612.	Xanthotis	
559.	Polemistria		613.	Acanthagenys	
560.	Sephanoides		614.	Pogonornis	159
561.	Chrysolampis	147	615.	Philemon	159
562.	Orthorhynchus	147	616.	Tropidorhynehus	
563.	Cephallepis	148	617.	Entomiza	
564.	II-la shania	110			
	Hylocharis		618.	Manorina	
565.	Eucephala		619.	Myzantha	160
566.	Panychlora				
E67.	——?	149	3.	Melithreptinæ.	
568.	Prasites	149	620.	Malithrantus	1.01
569.	Chlorolampis	149		Melithreptus	
570.	?		621.	P.ectoramphus	
			622.	Zosterops	
571.	Chlorostilbon		623.	Malacirops	164
572.	Mellisuga		624.	Cyclopterops	164
573.	Sp radinus	150	625.	Spirops	
574.	Patagona	150	626.		
575.	Damophila			Orosterops	101
576.	Julianyia		627.	Tephras	
577.			628.	Helaia	164
	Basilinna				
578.	Avocattula		6. A	NABATIDÆ.	
579.	Augastes		,		
580.	Lamprurus	151	1.	Furnariinæ.	
581.	Cyanophaia	151			
582.	Circe		629.	Furnarius	164
583.	Phaeoptila		630.	Cinclodes	165
584.	Kla's		631.	Upuserthia	166
			632.	Ochetorhynchus	
585.	Phemonoë		633.	Lochmias	
586.	Erioenemis				
587.	Threptria	152	634.	Enicornis	
588.	Engyete		635.	Limmornis	
589.	Derbyomyia		636.	Geositta	166
590.	Heliothrix		637.	Geobamon	167
350.	11CHOCH113	100	638.	Geobates	
			1		
5. I	IELIPHAGIDÆ.		2.	Sclerurinæ.	
			639.	Sclerarus	167
1.	Myzomelinæ.				
591.	Myzomela	153	3.	Synallaxinæ.	
592.	Cissom das	154	640.	Synallaxis	100
001.	C1550III 'III5	101	040.	Synanaxis L.O	168

		Page			Pag
641.	Anabates	169	7. C	ERTHIIDÆ.	105
642.	Sylviorthorhynchus	169	1	Certhiinæ.	
643.	Leptustheuura	170			
614.	Bathmicercus	170	696.	Certhia	183
646.	Oxyurus	170	697.	Caulodromus	
646.	Cranioleuca	170	<b>6</b> 98.	Salpornis	18-
647.	Phleocryptes	170	2.	Tichodrominæ.	
<b>64</b> 8,	Asthenes	170			
649.	Melanoparcia	171	699,	Tichodroma	
650.	Certhiaxis	171	700.	Climaeteris	
651.	Coryphistera	171	701.	Rhabdornis	18:
652.	Anumbius		0 10	Entrin In III	
653.	Anabacerthia		8. 1	MENURIDÆ.	
654.	Malaeurus		1.	Menurinæ.	
655.	Phylidor		702.	Menura	LS.
656.	Automolus				
657.	Eusphenura		2.	Orthonycinæ.	
658.	Dendroma		703.	Orthonyx	LSC
659.	Thripophaga		704.	Mohoua	
660.	Pseudoc laptes		. •	23 030 044 044 044 044 044 044 044 044 04	147.
661.	Homorus		9 F	TEROPTOCHIDÆ.	
662.	Thripade tes		٥. ـ	and i douis in .	
663.	Ancistrops		1.	Ptercptochinæ.	
664.	Pseudoselsura		705.	Hylactes	186
665.	Xenops		706.	Pieroptochos	
666.	Sphenops		707.	Acropternis	
667.	Anabasitta		708.	Lioseeles	
668.	Anabatoides		709.	Triptorhinus	
669.	Heliobletus	110	710.	Agathopus	187
4.	Oxyrhamphinæ.		711.	Scytalopus	187
670.	Oxyrhamphus	175	712.	Meruxalis	187
070.	Oxythampaus	110	713.	Rhinocrypta	
5.	Dendrocolaptinæ.	+	_		
671.	Dendrocolaptes		10.	$\mathtt{TROGLODYTID}$ $oldsymbol{x}$ .	
672.	Xiphocolaptes	176	1	Troglodytinæ.	
673.	Dendrexetastes	176			10.1
674.	Nasica		714.	Tesia	
675.	Dendroplex	177	715.	Anura	
676.	Dendrornis		716.	Troglodytes	
677.	Xiphorhynchus	178	717.	Thriothorus	
678.	Drymornis	175	718.	Pheugopedius	181
679.	Picolaptes		719.	Thryophilus	150
680.	Lepidocolaptes	179	7±0.	Tlaryomanes	THE
681.	Daeryophorus		721.	Cistothorus	
682.	Dendroeinela		7.2.	Telmatodytes	100
683.	Dendromanes		723.	Hylemothrous	
684.	Sittasomus		724.	Donacobius	100
685.	Margarornis		725.	Heleodytes	192
686.	Siptornis	180	726.	Campylorhynchus	
687.	Glyphorhynchus	101	727.	Cyphorhinus	
688.	Pygarrhichus	191	723. 729.	Microcercu us	
6.	Sittinæ.		730.	Henicorhina	100
689.	Sitta	181	730.	Catherpes	
<b>6</b> 90.	Callisitta		731.	Od attorhynchus	103
691.	Dendrophila		733.	Cinnicerti.ia	194
692.	Hypherpes	189	,00,	C111111CTT1.111	107
693.	Sitella		2.	Tatarinæ.	
694.	Acanthisi ta		734.	Tatare	193
695.	Xenicus		735.		

	1 age.			Luge
		788.	Iduna	269
3 P	ASSERES Dentirostres.	789.	Lusciniola	
J. 11	ADDITIED Delitingstres.	790.	Potamodus	
	HICOTAID III	791.	Locustella	
1. 1	JUSCINIDÆ.	792.		
,	7.6. 1		Tribura	210
1.	Malurinæ.	793.	.Edon	
736.	Orthotomus 195	794.	Thamnobia	
737.	Prinia 195	795.	Pentholæa	
738.	Franklinia	796.	——?	211
739.	Horeites 196	797.	Thamnola a	211
		798.	Paroptera	212
740.	Drymoipus 196	799.	Parinia	
741.	Suya 197			
742.	Drymoica 197			
743.	Cisticola 200	$\parallel$ 3.	Sylvianæ.	
744.	Graminicola 201	800.	Sylvia	919
745.	Hemipteryx 201	800.		
746.	Burnesia 201	001	Thamnodus	
747.	Catriseus 201	801.	Melizophilus	212
748.	Melocichla 201	802.	Alsœcus	
749.		803.	Erythroleuea	213
	Euprinodes 201	804.	Sterparola	213
750.	Stiphrornis 201	805.	Sibilatrix	213
751.	Hylia 202	806.	Monachus	
752.	Bavoscelis 202	807.	Adophoneus	
753.	Apalis 202	808.	Philacantha	
<b>754.</b>	Eroessa 202	809.		
755.	Barocerea	810.	Epilais Chloropeta	011
756.	Ellisia			
757.	Eremonicla 202	811.	Asilus	
758.	Drycdromas	812.	Phyllopseuste	
759.	Camaroptera	813.	Acanthopneuste	216
760.	Sylvietta 203	814.	Reguloides	
		815.	Tickellia	216
761.	Calamanthus	816.	Abrornis	216
762.	Hylacola 204	817.	Neornis	
763.	Chthonieola	818.	Horornis	
761.	Malurus	819.	Cryptolopha	
765.	Stipiturus 204	820.	Pindalus	
766.	Amytis 205	821.	Regulus	910
767.	Atrichia	822.		
763.	Sphenura 205		Sericornis	
769.	Pyenoptilus 205	823.	Acanthiza	
770.	Chaetornis 205	824.	Geobasileus	
771.	Cincloramphus	825.	Gerygone	
772.	Megalurus	826.	, Pyrrholæmus	220
773.	Sphenœacus 206			
774.	Poodytes 206	4.	Lusciniinæ.	
775.				220
	206	827.	Luscinia	
776.	Laticilla 206	828.	Rutieilla	220
ຄ	Calamodytinæ.	829.	Chalmarrornis	221
	•	830.	Adelura	•)•)•)
777.	Calam dyta	831.	Larvivora	1)-)-)
<b>77</b> 8.	Arundinax 208	832.	Callene	.).).)
779.	Calamoherpe 208	833.	Notodela	(),),)
780.	Eparnetes	834.	Nemura	000
781.	Psamathia	833.	Tarsiger	1).).)
782.	Dumeticola 208	836.	Pogonocichla	1)1)1
783.	Pseudoluscinia 208	837.	Hodgsoniis	223
784.	Cettia	838.	Englished	•)•)•)
			Erythaeus	000
785.	Bradyptetus 209	839.	Cyanecula	223
786.	Phlexis	840.	Calhope	224
787.	Calamodus 202	841.	Grandala	224

		Page			Page
5.	Saxicolinæ.		3. C	HAMÆADÆ.	
842.	Saxicola	224		<b>673</b>	
843.	Campicola	225	١.	Chamæanæ.	
844.	Cercomela	226	891.	Chamæa	. 238
815.	Dromolaa	226			
846.	Agricola	227	4 B	MNIOTILTIDÆ.	
847.	Myrmecoctelila		4. 1	114101111111111111111111111111111111111	
848.	Oreicola	227	1.	Mniotiltinæ.	
849.	Rhodophila	227	892.	Mniotilta	000
850.	Pratineola	227	89 <b>3</b> .	Compsothlypis	999
851.	Petroica	228	894.		
852.	Erythrodryas	228		Protonotaria	990
853.	Melanodryas	229	895. 896.	Helmintophaga Helmitheros	
854.	Amaurodryas	229	897.	Ponissaglacuta	930
855.	Pacilodryas	229	898.	Perissoglossus Dendroica	930
856.	Myiomorra	229	899.	Thaumasioptera(note	
857.	Miro	229	033.	1 natimasiopiera (note	, 211
858.	Drymodes	229	2.	Trichadinæ.	
859.	Sialia	229			. 242
860.	Origma	230	1900.	Oporornis	<del>21</del> 2
	Assembasinm		901.	Trichas	<del>1</del> 1
	Accentorinæ.	OBO	3	Setophaginæ.	
861.	Accentor	230			0.60
862.	Spermolegus	230	902.	Setophaga	242
863.	Tharrhaleus	250	903.	Myioborus	
			904.	Cardellina	<u>2</u> 70
2. I	ARIDÆ.		905.	Ergaticus	
	Di.		906.	Witsonia	<u></u> 1187
1.	Parinæ.	201	907.	Enthlypis	
864.	Parus	231	908,	Basileuterus	2777 210
865.	Pœcile	202	909.	Idiotes	
866.	Cyanistes	232	910.	Myiothlypis	<u></u>
867.	Machlolophus	200			
868.	Lophophanes	200	5. I	MOTACILLIDÆ.	
869.	Baeolophus	000			
870.	Melamparus	100	I.	Motacillinæ.	
871.	Melanochlora	. ≟∂± 001	911.	Motacilla	245
872.	Psaltria	. <u>-0</u> T	912.	Budytes	
873.	Psaltriparus	931	913.	Calobates	247
874.	Auriparus Orites	•231	914.	Limonidromus	248
875.			915.	Grallina	248
876.	Suthora	935	916.	Enicurus	248
877.	Chieffasicus	235	917.	Ephthiannra	
878.	Certhiparus Sphenostoma	235			
879.	Xerophila	235	2.	. Enicocichlinæ.	
880. 881.	Parisoma	235	918.	Eniococichla	249
882.	Egithalopsis	236			
004.	"Egitharopsis	. 200	3.	. Anthinæ.	
-2.	Ægithalinæ.		919.	Anthus	249
883.	Egithalus	236	920.	Pediocorys	
884.	Anthoscopus	236	921.	Notiocorys	256
885.	Egithaliseus		922.	Neoc rys	250
886.	Cephalopyrus	236	923.	Agrodroma	250
887.	Panurus	236	924.	Cincedium	25
888.					
	Sylvinarus	. 237		Pipastes	25
	Sylviparus	. 237	925.	Pipastes	25
889.	Sylviparus	. 237	925. 926.	Pipastes Spipola	25. 25.
889.	Sylviparus	. 237	925. 926. 927.	Pipastes Spipola Corydal a	25. 25. 25:
889. 3.	Sylviparus	. 237	925. 926.	Pipastes Spipola	25 25 25 25

6.	TURDIDÆ.		75	Page
]	. Turdinæ.	1	Mesitinæ.	0.1-
930.	Turdus 255	981.	Mesites	267
931.				
932		9. I	YCNONOTIDÆ.	
933				
934.		( l.	Pycnonotinæ.	
935.			Microscelis	000
936.			Microtarsus	
937.			Trachycomus	
938.			Pyenonotus	
939.			Rubigula	
940.	201		Meropixus	
941.			Kelaartia	
942.			Crocopsis	
943.			Ixos	205
944.			Alcurus	550
945.			Hemixus	
946.			— ?	
947.	Catharus 259	994.	Euptilosus	
948.			Otocompsa	
919.				
950.	Cichiherminia 259		Spizixos Ixidia	971
951.	Nesociella		Brachypodius	$\frac{271}{271}$
952.	Geocichla 259		Apalopteron	971
953.	Chametylas 260		Aparopteron	-11
954.	Monticola 260	2.	Phyllornithinæ.	
955.	<del></del> ? 260			
956.	Petrophila 261			272
957.	Zoothera 261	1001.		
958.	Andromedon 261	1002.		272
959.	Cichlopasser 261	1003. 1004.		
960.	Mimus 261	1004.		
961.	Scotiomimus 262	1006.		273
962.	Oroscoptes 262	1000.	_ 8	
963.	Melanotis	1007.		
964.	Spodesilaura262	1000.		
965.	Mimocichla 263	1010.		219
966.	Mimokitta 263	1010.		270
967.	Harporhynchus 263	1012.		273
968.	Methriopterus 263	1013.		270
969.	Cinclocerthia 263	1014.		
970.	Ramphocinclus 264	1015.		270
971.	Myiophonus 264	1016.		37.7
972.	Arrenga	1017.		275
973.	Chatops	1018.	Andropadus	976
974.	Bessonornis 264	1019.		276
975.	Copsychus 265	1020.	Ixulus	576
976.	Cercotrichas 266	1021.	Myzornis	976
977.	Gervaisia 266	1022.	Phyllornis	576
7. 1	HYDROBATIDÆ.		Crateropodinæ.	-10
1.	Hydrobatinæ.		Pomatorlinus	077
978.	Hydrobata 266	1024.	Pomatostomus	-11
٥,٠.	200	1025.		943
8. 1	EUPETIDÆ.	1026.		-10
	•	1027.	Pterorhinus	578
	Eupetinæ.	1028.	Xiphorhamphus	078
979.	Eupetes	1029.	Malacocircus	270
980.	Ajax 267	1030.	Argya	979

1031.         Chatarrhau         270           1032.         Layardia         270           1033.         Acanthoptila         280           1034.         Cinclosoma         280           1035.         Crateropus         280           1036.         Ischyropodus         281           1037.         Hypergerus         281           1038.         Cichladusa         281           1039.         Garrulax         281	1076.     — ?     291       1077.     Broderipus     291       1078.     Baruffus     292       1079.     — ?     292       1080.     Vanthonotus     292       1081.     Mimeta     293       1082.     Vanthomelus     293       2.     Ftilonorhynchiace.
1040. Janthoeinela 282	1083. Sericulus
1041. Thamnocataphus 282	1084. Ptilonorhynchus 293
1042.       Gampsorhynchus       282         1043.       Trochalopteron       282	1085. Ailuroedus       294         1086. Chalmy.lera       294
1044. Pterocyclus 282	
<b>1045.</b> Leucodio tron	13. PITTIDÆ.
1047 Pellorneum 283	l. Pittinæ.
1048. Turnagra 284	1087. Pitta
1049.       Grammatoptila	1088. Melanopitra 295
	1089. Hydrornis 296 1090. Phœnicocichla 296
10. DICRURIDÆ.	1091. Eucichla
1. Dicrurinæ.	1091.     Eucichla     296       1092.     Iridipitta     296
1051. Dierurus	1093. Erythropitta       296         1094. Philepitta       297
10529 285	2001. Thirty teatment 200
1053.       Musicus       286         1054.       Edolius       286	14. FORMICARIIDÆ.
1055. Dissemurus 286	l. Formicariinæ.
1056. Dicranostreptus 281	1095. Grallaria
1057. Bhringa	1096. Codonistris
1059. Chaptia 287	1097. Grallaricula 298
1060. Melanornis 287	1098.       Hypsibemon       298         1099.       Pittasoma       298
1061.       Melanopepla	1100. Chameza
1063. Sigelus	1101. Formicarius
2. Ireninæ.	1102.       Phlegopsis.       299         1103.       Rhopeterpe       299
1064. Irena	1104. Myrmelastes
1064. Freda	1105. Gymnoeichla 300
11. ARTAMIDÆ.	1105.       Heterocnemis       300         1107.       Hypocnemis       300
l. Artaminæ.	1108. Myrmoborus
1065. Artamus	1109. Myrmeciza 301
1066. ——? 200	1110. Corythopis
1067 2 290	1112. Gymnopithys 302
1068. —? 290 1069. Cyanolanius 290	1113. Conopophaga
<b>1069.</b> Cyanolanius	2. Formicivorinæ.
1071. Oriolia 20)	1114. Formicivora 303
1072. Pseudochelidon 290	1115. Ellipura
1073. Analcipus	1116. Microrhopias 304
12. ORIOLIDÆ.	1117. Terenura       304         1118. Psilorhamphus       304
1 Origina	1119. Cereomaera
1. Oriolinæ. 1074. Spherotheres	1120. Pyriglena
1074. Spile otheres	1121.   Percnostola

		Page			Page
1123.	Myrmotherula	306	1175.	Turdinus	-319
1124.	Rhopias	306	1176.	Trichixos	319
1125.	Myrmophila		1177.	Alethe	319
1126.	Ramphocanus	307	1178.	Illadopsis	319
3.	Thamnophilinæ.		16 1	MIISCICA DID Æ	
1127.	Thamnophilus	307	10. 1	MUSCICAPIDÆ.	
1128.	Batara		1.	Muscicapinæ.	
1129.	Nisius				910
1130.	Hypaedaleus	308	1179.	Peltops	930
1131.	Taraba		1180.	Monarcha	320
1132.	— ?		1181.	Symposiachrus	320
1133.	Erionotus		1182.	Arses	
1134.			1183.	Ophryzone	
	Hylolophus		1184.	Pomarea	
1135.	Rhopocharis		1185.	Metabolus	
1136.	Pygoptila	310	1186.	Muscicapa	321
1137.	Cymbilaimus	311	1187.	Hedymela	321
1138.	Dysithannus	311	1188.	Muscicapula	322
1139.	Thamnomanes		1189.	Alseonax	322
1140.	Thamnistes		1190.	Erythrosterna	
1141.	Neoctantes		1191.	Newtonia	323
1142.	Biatas	311	1192.	Zanthopygia	323
			1193.	Zanthopygia Hemipus	323
15. A	EGITHINIDÆ.		1194.	Pyenosphys	323
			1195.	Hyliota	323
1.	Leothrichinæ.		1196.	Erythrocereus	
1143.	Brachypteryx	312	1197.	Micrœca	323
1144.	Drymochares	312	1198.	Artomyias	
1145.	Kelaartia		1199.	Hemichelidon	
1146.	Microcercus		1200.	Smithornis	
1147.	Leiothrix	312	1201.	Megabias	
1148.	Mesia		1202.	Cassinia	324
1149.	Siva		1203.	Bias	
1150.	Minla		1204.	Cochoa	
1151.	— ?		1205.	Xenogenys	
1152.	Muscitrea		1206.	Niltava	
1153.	Pteruthius		1207.	Bainopus	
1154.	?		1208.	Cyornis	
1155.	Cutia		1209.	Ochromela	
1156.	Leioptila		1210.	Cyanoptila	
1157.	Lioptilus	314	1211.	Eumyias	326
	1		1212.	Stoporala	326
2.	Ægithininæ.		1213.	Siphia	
1158.	Timalia	314	1214.	Anthipes	
1159.	Timalides	315	1215.	Nitidula	
1160.	Dumetia		1216.	Digenea	
1161.	Schœnicola			_	
1162.	Stachyris		2.	Myiagrinæ.	
1163.	Erpornis		1217.	Seisnra	327
1164.	Pyctoris	316	1218.	Piezorhynchus	
1165.	Mixornis		1219.	Myiagra	
1166.	Ægithina		1220.	<del></del> ?	328
1167.	Malacopteron	317	1221.	Elminia	
1168.	Kenopia	317	1222.	Muscitodus	
1169.	Alcippe		1223.	Machaerirhynchus	320
1170.	Macronus		1224.	Platysteira	
1171.	Cacopitta		1225.	Batis	
1172.	Trichastoma		1226.	Dyaphorophyia	
1173.	Napothera		1227.	Myiophila	
1174.	Drymocataphus	318	1228.	Lanioturdus	
	·				

	Page			Page
1229.		1281.	Muscipipra	345
1230.		1282.	Copurus	345
1231.	Leucocirea	1283.	Machetornis	346
1232.	Museylva 332	1284.	Muscisaxicola	
1233.		1285.	Lessonia	
1234.		1286.	Muscigralla	347
1235.		1287.	Philotherus	347
1236.		1207.	i iniotherus	01,
1237.	Xeocephalus	3	Platyrhynchinæ.	
1238.	Philentoma			0.47
1239.		1288.	Platyrhynchus	
1240.	Trochocercus	1289.	Todirostrum	
1240.	Todopsis 334	1290.	Oncostoma	
3	Campephaginæ.	1291.	<del></del> ?	
	-	1292.	Muscylva	349
1241.		1293.	Orcheilus	349
1242.		1294.	Colopterus	
1243.	Crytes 336	1295.	—?	349
1244.	Lobotos 336	1296.	Musciphaga	349
1245.	Grauculus 336	1297.	Phylloscartes	350
1246.	Gazzola 337	1298.	Euscarthmus	350
1247.	Artamides 337	1299.	?	350
1248.	Ptiladera 337	1300.	Culicivora	350
1249,		1301.	Habrura	350
1250.	Edolisoma 337	1302.	Pogonotricens	
1251.	Volvocivora 338	1303.	Leptotriceus	
1252.	<del></del> ? 338	1304.	Stigmatura	
1253.	Lalage 338	1305.	Serpophaga	
1254.	Pseudolalage 339	1306.	Anairetes	
1255.	Symmorphus 339	1307.	Cyanotis	
1256.	Oxynotus 339	1007.	ejanotie	-
1257.		4.	Elaininæ.	
1257.	Ceblepyris 340			951
		1308.	Elainia	
1257. 1258.	Ceblepyris	1308. 1309.	Elainia	353
1257. 1258.	Ceblepyris 340	1308. 1309. 1310.	Elainia	$\frac{353}{353}$
1257. 1258. 17. 7	Ceblepyris	1308. 1309. 1310. 1311.	Elainia Myiozeta Legatus Sublegatus	353 353 353
1257. 1258. 17. 7	Ceblepyris	1308. 1309. 1310. 1311. 1312.	Elainia	353 353 353 353
1257. 1258. 17. 7 1. 1259.	Ceblepyris       340         Cyanograucalus       340         FYRANNIDÆ         Attilinæ       340	1308. 1309. 1310. 1311. 1312. 1313.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Myiocapta	353 353 353 353 354
1257. 1258. 17. 7	Ceblepyris	1308. 1309. 1310. 1311. 1312. 1313. 1314.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta. Rhynchocyclus	353 353 353 354 354 354
1257. 1258. 17. 7 1. 1259. 1260.	Ceblepy ris.   340     Cyanograucalus   340     Cyanograucalus   340     Attila   340     Casiernis   341	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon	353 353 353 354 354 354 354
1257, 1258, 17, 7 1, 1259, 1260,	Ceblepyris	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes	353 353 353 354 354 354 354
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261.	Ceblepyris	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes	353 353 353 354 354 354 354 354
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262.	Ceblepyris	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha	353 353 353 354 354 354 354 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263.	Ceblepyris	1308. 1309. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon	353 353 353 354 354 354 354 355 355
1257. 1258. 17. 3 1. 1259. 1260. 2. 1261. 1262. 1263. 1264.	Ceblepyris       340         Cyanograucalus       340         FYRANNIDÆ         Attila       340         Casiernis       341         Tæniopterinæ       341         Mytotheretes       341         Tænioptera       342         Hemipenthica       342	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis	353 353 353 354 354 354 354 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265.	Ceblepyris. 340 Cyanograucalus. 340 FYRANNIDÆ.  Attilinæ. Attila. 340 Casiernis 341 Tæniopterinæ. Agriornis 341 Myiotheretes 341 Tamioptera 342 Hemipenthica 342 Pyrope 342	1308. 1309. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1320.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias	353 353 353 354 354 354 354 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266.	Ceblepy ris.         340           Cyanograucalus         340           EYRANNIDÆ.         340           Attila.         340           Casic rais         341           Tæniopterinæ.         341           Myiotherctes.         341           Tamioptera         342           Hemipenthica         342           Pyrope         342           Ochthočca         342	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1321.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyelus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion	353 353 353 354 354 354 355 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267.	Ceblepyris         340           Cyanograucalus         340           FYRANNIDÆ         Attilinæ           Attila         340           Casiernis         341           Tæniopterinæ         341           Myiotheretes         341           Tanioptera         342           Hemipenthica         342           Pyrope         342           Ochthočea         342           Ochthočiata         343	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1320. 1321. 1322. 1323.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes	353 353 353 354 354 354 355 355 355 356 356
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268.	Ceblepyris 340 Cyanograucalus 340 FYRANNIDÆ.  Attilinæ. Attila 340 Casiernis 341 Tæniopterinæ. Agriornis 341 Myiotheretes 341 Tamioptera 342 Hemipenthica 342 Pyrope 342 Ochthodea 342 Ochthodea 343 Mecocerculus 343	1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324,	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rliynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma	353 353 353 354 354 354 355 355 355 356 356 356
1257. 1258. 17. 3 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269.	Ceblepyris	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1320. 1321. 1322. 1323. 1324.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyelus Rannphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyrannulus	353 353 353 354 354 355 355 355 356 356 356 356 356
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1269. 1269.	Ceblepyris         340           Cyanograucalus         340           EYRANNIDÆ         340           Attila         340           Casiernis         341           Tæniopterinæ         341           Myiotheretes         341           Tæniopteri         342           Hemipenthica         342           Pyrope         342           Ochthoëca         342           Ochthoëca         342           Ochthodiata         343           Mecocerculus         343           Sayornis         343           Aulanax         343	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1319. 1320. 1321. 1322. 1323. 1324. 1325.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyins Ornithion Myiophanistes Camptostoma Tyranniscus Tyranniscus	353 353 353 354 354 355 355 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269. 1270. 1271.	Ceblepyris         340           Cyanograucalus         340           FYRANNIDÆ           Attilinæ         340           Casiernis         341           Tæniopterinæ         341           Agriornis         341           Tanioptera         342           Hemipenthica         342           Pyrope         342           Ochthočea         342           Ochthočea         342           Ochthočea         343           Sayornis         343           Aulanax         343           Fluvicola         343	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1320. 1321. 1322. 1323. 1324. 1325. 1326.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyrannulus Tyrannicus Pitangus	353 353 353 354 354 354 355 355 355 356 356 356 356 356 356
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269. 1270. 1271.	Ceblepy ris.         340           Cyanograucalus         340           CYRANNIDÆ.         Attilinæ.           Attila.         340           Casicrnis         341           Tæniopterinæ.         341           Myiotheretes.         341           Tamioptera         342           Hemipenthica         342           Pyrope         342           Ochthočea         342           Ochthočea         343           Mecocerculus         343           Sayornis         343           Aulanax         343           Fluvicola         343           Subriri         344	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Rannphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyranniscus Pitangus Sirystes	353 353 353 354 354 354 355 355 355 356 356 356 356 356 356 356
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1270. 1271. 1272.	Ceblepyris         340           Cyanograucalus         340           EYRANNIDÆ         340           Attila         340           Casiernis         341           Tæniopterinæ         341           Myiotheretes         341           Tænioptera         342           Hemipenthica         342           Pyrope         342           Ochthoëca         342           Ochthodiata         343           Sayornis         343           Sayornis         343           Suiriri         344           Knipolegus         344	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyins Ornithion Myiophanistes Camptostoma Tyranniscus Pitangus Sirystes Myiodynastes	353 353 353 354 354 354 355 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1270. 1271. 1272. 1273. 1274.	Ceblepvris         340           Cyanograucalus         340           CYRANNIDÆ         340           Attila         340           Cusicrnis         341           Tæniopterinæ         341           Agriornis         341           Tamiopterinæ         342           Hemipenthica         342           Pyrope         342           Ochthočea         342           Ochthočea         342           Ochthočea         343           Sayornis         343           Aulanax         343           Suiviri         344           Knipolegus         344           Kuipolegus         344           Ada         344	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyramnilus Tyramniscus Pitangus Sirystes Myiodynastes Hypermitres	353 353 353 354 354 354 355 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1270. 1271. 1272. 1273. 1274. 1275.	Ceblepyris	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynchocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyins Ornithion Myiophanistes Camptostoma Tyranniscus Pitangus Sirystes Myiodynastes	353 353 353 354 354 354 355 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1266. 1267. 1268. 1270. 1271. 1272. 1273. 1274. 1275.	Ceblepyris 340 Cyanograucalus 340 Cyanograucalus 340 CYRANNIDÆ.  Attila 340 Casiernis 341 Tæniopterinæ.  Agriornis 341 Myiotheretes 341 Temioptera 342 Hemipenthica 342 Pyrope 342 Ochthočea 342 Ochthočea 342 Ochthočea 343 Mecocerculus 343 Mecocerculus 343 Sayornis 343 Sayornis 343 Suiviri 344 Knipolegus 344 Ada 344 Arundinicola 344 Arundinicola 344	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1329.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyramulus Tyramulus Tyramiscus Pitangus Sirystes Myiodynastes Hypermitres Kaupornis.	353 353 353 354 354 354 355 355 355 355
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1277. 1278. 1271. 1272. 1273. 1274. 1275. 1276.	Ceblepvris.         340           Cyanograucalus         340           Cyanograucalus         340           Cryrantinæ.         341           Attila.         340           Cusiernis         341           Tæniopterinæ.         342           Agriornis         341           Tamioptera         342           Hemipenthica         342           Ochthoëca         342           Ochthoëca         342           Ochthodiata         343           Sayornis         343           Suveris         343           Suirir         344           Knipolegus         344           Ada         344           Sericoptila         344           Alectrurus         345	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1329. 1330.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyramnulus Tyramnius Sirystes Myiodynastes Ilypermitres Kaupornis.	353 353 353 353 354 354 355 355 355 356 356 356 356 356 357 357 357 358
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1270. 1271. 1272. 1273. 1274. 1275. 1276.	Ceblepyris         340           Cyanograucalus         340           CYRANNIDÆ         340           Attila         340           Casicrnis         341           Tæniopterinæ         341           Myiotheretes         341           Tamioptera         342           Hemipenthica         342           Pyrope         342           Ochthočea         342           Ochthočea         343           Mecocerculus         343           Sayornis         343           Aulanax         343           Fluvicola         343           Subriri         344           Knipolegus         344           Ada         344           Sericoptila         344           Arumdinicola         344           Alectrurus         345           Yetapa         345	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1319. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1331. 5. (1332.)	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rliynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyrannilus Tyrannises Pitangus Sirystes Myiodynastes Hypermitres Kaupornis Tyranninæ. Megarhynchus	353 353 353 354 354 355 355 355 356 356 356 356 356 356 357 357 358
1257. 1258. 17. 7 1. 1259. 1260. 2. 1261. 1262. 1263. 1264. 1265. 1266. 1277. 1278. 1271. 1272. 1273. 1274. 1275. 1276.	Ceblepvris.         340           Cyanograucalus         340           Cyanograucalus         340           Cryrantinæ.         341           Attila.         340           Cusiernis         341           Tæniopterinæ.         342           Agriornis         341           Tamioptera         342           Hemipenthica         342           Ochthoëca         342           Ochthoëca         342           Ochthodiata         343           Sayornis         343           Suveris         343           Suirir         344           Knipolegus         344           Ada         344           Sericoptila         344           Alectrurus         345	1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1329. 1330.	Elainia Myiozeta Legatus Sublegatus Empidagra Myiocapta Rhynehocyclus Ramphotrigon Myiacleptes Mionectes Pipromorpha Leptopogon Capsiempis Phyllomyias Ornithion Myiophanistes Camptostoma Tyramnulus Tyramnius Sirystes Myiodynastes Ilypermitres Kaupornis.	353 353 353 354 354 355 355 355 355 355

	Page			Page
1335.	Myiobius 359	1383	Ampelion	371
			Ti-ba-ba	970
1336.	Planchesia 359	1384.	Heliochera	917
1337.	Cephalanius 359	1385.	Tijuca	3/2
<b>133</b> 8.	Capnixus 359			
1339.	Cariornis 359		Lipanginæ.	
1340.	Myiophobus 360	1386.	Lipangus	373
1341.	Empidochanes 360	1387.	Laniocera	270
1342.				
	Pyrocephalus 360	1388.	Lathria	
1343.	Mitrephorus 361		Lauiisoma	373
1344.	Empidonax 361	1390.	Heteropelma	373
1345.	Contopus 361	1391.	? Schiffornis	373
1346.	Syrichtha 362	1392.	Neopelma	373
1347.	Myionax 362	1393.	Heterocereus	
1348.		1000.	Trettoctions	913
	Onychopterus 362	.1	Gymnoderinæ.	
1349.	Myiarchus 363	1.	dymnodermæ.	
1350.	Blacicus 363	1394.	Querula	374
1351.	Empidias 363	1395.		
1352.	Empidonomus 363		Pyroderus	374
1353.	Tyrannus 364	1307	Granadama	271
1354.	Dioctes 364	1337.	GymnoderusGymnocephalus	071
1355.		1398.	Gymnocephanis	374
	Laphyetes 364	1399.	Cephalopterus	375
1356.	Satellus 364	1400.	Casmarliynchus	-375
1357.	Melittarchus 365	1401.	Arapunga	375
1358.	Milvulus 365		1 8	
		5.	Piprinæ.	
10 Δ	MPELIDÆ.		<del></del>	075
10. A	INTELIDÆ.		Pipra	
1 .	A mm alim m	1403.	Cercophæna	376
1. 1	Ampelinæ.	1404.	Chiroxiphia?	-376
1359.	Ampelis 365	1405.	——? ·	376
	1	1406.	Cirrhipipra	376
2. 1	Ptilogonydinæ.	1407.	Metopia	376
		1408.		
	Ptilogonys 366		Masius	070
1361.	Phainopepla 366	1409.	Machæropterus	
1362.	Myiadestes 366	1410.	Lepidothrix	377
1363.	Sericolius 366	1411.	Xenopipo	377
1364.	Turdampelis 367	1412.	Dixiphia	377
1365.	Platycichla 367	1413.	Ceratopipra	377
	2 majorema minimi oor	1414.	Corapipo	377
10 0	OTINGID E	1415.	Dasyneetopa	
19. C	OTINGIDÆ.	1416.		
1 7	Titzznia m		Manacus	
	Fityrinæ.	1417.	Chloropipo	3/8
1366.	Tityra 367	1418.	Hemipipo	378
1367.	Érator 367	1419.	Piprites	378
1368.	Hadrostomus 368	1420.	Neopipo	378
1369.	Platypsaris 368	1421.	Metopothrix	
1370.	Pachyramphus 368	1422.	Ilicura	370
		1423.		
1371.	Platyrhynchus 369		Iodopleura	
1372.	Bathmidurus 369	1424.	Calyptura	219
<b>1</b> 373.	Callopsaris 369	e	Dunicalina	
			Rupicolinæ.	
2. (	Cotinginæ.	1425.	Phonicircus	379
1374.	Phibalura 370	1426.	Rupicola	379
1375.			-	
	Cotinga 370	7.	Phytotominæ.	
1376.	Xipholena370		•	00/1
1377.	Carpodectes 371	1447.	Phytotoma	oou
1378.	Orbignesius 371			
1379.	Porphyrolæma 371	20. 1	VIREONIDÆ.	
1380.	Pipreola 371			
1381.	Euchlornis 371	1.	Vireoninæ.	
1382.	Pyrrhorhynchus 371		Vireo	380
	* jiiidoinjudude 0/1	1140.	1 ALCO ::	DC41

1429. Laniovirco	2. Laniinæ.
1430. Vireosylvia	1462. Collyrio 390
1431. Virconella 382	1463. Fiscus 391
1432. Neochloë 382	1464. Leucometopon 391
1433. Vireolanius 382	1465. Laniellus 391
1434. Chlorochroa	1466. —-? 392
<b>1435.</b> Hylophilus 382	1467. Hypocolius 392
1436. Pachysylvia 383	1468. Corvinella
<b>1437.</b> Cyclarhis	1469. Urolestes 392
1438. Laletes 384	1470. Enneoctonus
2. Icteriinæ.	
1439. Icteria	1472. Phoneus
	<b>1473.</b> Cephalophoneus 394
1441. Terctistris 384	3. Malaconotinæ.
3. Dulinæ.	
	1474. Tephrodornis
<b>1442.</b> Dulus	1475. Keroula
	1476. Tephrolanius 394
21. LANIIDÆ.	1477. Myiolestes
	1478. Fraseria
<ol> <li>Pachycephalinæ.</li> </ol>	1479. Hypodes 394
1443. Colluricinela 385	1480. Cuphopterus 395
1444. Rectes 385	1481. Nilaus
1445. ——?	1482. Prionops 395
1446. Craeticus 386	1483. Sigmodus 395
1447. Bulestes 386	1484. Eurocephalus 395
1448. Oreoica	<b>1485.</b> Chaunonotus
1449. Falcunculus 387	1486. Vanga 396
1450. Pardalotus 387	1487. Xenopirostris 396
1451. Smicrornis 387	1488. Laniarius 396
1452. Parmoptila 387	1489. Meristes 396
1453. Pachycephala	1490. Malaconotus 396
1454. Psaltricephus 389	1491. Dryoscopus 397
1454. Timixos 389	1492. Rhynchastatus 397
	1493. Tchagra 398
	1494. Telophorus 398
	1495. Chlorophoneus 398
1458. Hylocharis 389	1496. Pomatorhynchus 398
1459. Eopsaltria 389	1497. Psalter 399
1460. Chasiempis 390	2207. 15.00.01
1461. Phæornis 390	

# AVES.

## Order I. ACCIPITRES, L.

## Suborder I. ACCIPITRES DIURNI, V.

# FAM. I. **GYPAËTIDÆ**, G. R. Gr. 1842.

Subfam. I. Gypaëtinæ,  $B\rho$ . 1831.

Falconinæ, p., Boie, 1826.

### 1. GYPAËTUS, Storr. 1784.

Gyptus, Dum. 1806. Phene, Sav. 1809. "Gypaëtos, Ray," G. R. Gr. 1840.

 $Sw.\ C.\ of\ B.\ f.\ 184\ ;\ G.\ of\ B.\ i.\ p.\ 2, pl.\ 1.\ f.\ 1\ ;\ Reich.\ S.\ A.\ t.\ 98.\ f. \qquad .$ 

1. barbatus, L.; P. C. 431; Naum, Vog. t. 4, 5; Gould, B. E. pl. 4. S. Europe.

grandis, Storr.; barbarus, Gm.; ossifragus, Sav.
leucocephalus et melanocephalus, Meyer.
occidentalis, Schl.
altaicus, Gebl.
hemachalanus, Hutt.
Himalayas.

2. nudipes, Brehm; Rüpp. S. U. t. 1.

meridionalis, Keys. & Bl.; barbatus, p., G.R. Gr. barbatus, var. meridionalis, Brehm.

FAM. II. VULTURIDÆ, Vig. 1825.

Falconidæ, p., 1831, ct Gypohieracidæ, 1859, Bp. Cathartidæ, 1842, ct Sarcoramphidæ, 1848, G. R. Gr.

Subfam. I. Vulturinæ, Bp. 1838.

Gypinæ, Bl. 1849.

2. VULTUR, Mahr. 1752, nec L. 1748, sed p. 1756.

Ægypius, Sav. 1809. Vultur b. Ægypius, Nitzsch, 1840. Polypteryx, Hodgs. 1844.

Sw. C. of B, f, 91; G, of B, i, p, 5, pl, 3, f, 2; Reich, S, A, t, 99, f,

 $\mathfrak{P}$ 

Abyssinia.

Natal.

#### a. Vultur.

3. monachus, L.; P. E. 425; Naum. Vog. t. 1; Gould, B. E. pl. 2. S. Europe. cinereus, Gm.; niger, Gm.; arrianus, Tem. N. Africa. fuscus, Brehm. cupido, Hodgs.

Himalayas. C. India.

b. Lopnogyps, *Pp.* 1854. 3.

4. chincou, Daud.; P. C. 13; Lev. O. A. t. 12. occipitalis, Burch.; galericulatus, Tem. culophus, Ehr.

S. Africa. Abyssinia.

**4.** OTOGYPS, G. R. Gr. 1841.

Hemigyps, Hodgs, 1844. Vultur, G. R. Gr. 1840. Sw. C. of B. f. 21; G. of B. i. p. 6, pl. 3, f. 3; Reich, S. A. t. 99, f.

5. auricularis, Daud.; Lev. O. A. t. 9. tracheliotus, Forst.; ægypius, Rüpp. S. Africa, Eur. N. Africa.

6. ? nubicus, H. Smith, Griff. An. Kingd. i. pl. p. 64. ægypius, Tem. P. C. 407; auricularis, p., G. R. Gr. imperialis, Tem. P. C. 426.

7. calvus, Scop.; P. C. 2; Gr. I. Ind. Z. pl. 15. 2. pondicerianus, Gm.

India Burmah.

5. GYPS, Sav. 1809.

Vultur, Briss. 1760. Gypolis, Agass. Vultur a. Gyps, Nitzsch, 1840. G. of B. i. p. 6. pl. 3. f. 1; Reich. S. A. t. 100. f. .

8. fulvus, Gm.; P. E. 426; Naum. Vog. t. 2.338; Gould, B. E. pl. 1. S. & S.W. Eur. percnopterus et vulgaris, Daud. albicollis, Linderm.; fulvus, occidentalis et orientalis, Schl.;

fulvus, B, Blas. indicus, Tem. P. C. 26. fulvus indicus, Schl.

India, Burmalı.

9. ? Kolbii, Dand.; Lev. O. A. t. 10. fulvus Kolbei, Schl.

S. Africa.

10. indicus, Scop.; G. R. Gr. & M. G. B. pl. 3 (juv.). tenuirostris et tenuiceps, Hodys. bengalensis, p., Bp.

India, Nepal. Malayana.

11. bengalensis, Lath.; P. C. 26; Gr. I. Ind. Z. pl. 15; Gould, India. B. As. pl. changou, Daud.; leuconotus, Gr.

 Rüppellii, Natt.; Rüpp. Atl. t. 32. vulgaris, Bp.; magnificus, Müll. marmoratus, Brehm; Kolbi, Cretzs. fulvus, γ, Blas.; Kolbii, juv., Rüpp. fulvus Rüppellii, Schl.; Rueppellii, Pelz. S. & N.E. Africa. White Nile.

13. ? africanus, Salvad. moschatus, Würt.; bengalensis, p., Pelz. N. Africa. Sennaar.

## Subfam. II. Sarcoramphinæ, G. R. Gr. 1844.

Vulturinæ, p., Bp. 1838. Cathartinæ, Lafr. 1839. Gryphinæ, Reich, 1850.

## 6. SARCORAMPHUS, Dum. 1806.

Vultur, L. 1758-66. Sarcorhamphus, *Agass*. Cathartes, *Nitzsch*, 1840. *G. of B.* i. p. 3, pl. 1, f. 4; *Reich*, S. A. t. 100, f.

#### a. Sarcorhamphus.

gryphus, L.; P. C. 133, 408, 494; Voy. Bonite, t. 2.
 n.W. America. cuntur, Dum.; condor, Less. magellanieus, Shaw.

## **7.** b. Cathartes, *Illig.* 1811.

Sarcoramphus, p., *Dum.*; Gypagus, *I'*. 1816. Sarcoramphus, *Cuv.* 1817. *et I. Geoffr.* 1854. Gyparchus, *Glog.* 1842. Cathartes, p., *Nitzsch*, 1840. *Sw. C. of B.* f. 181.

15. papa, L.; P. E. 428; Lev. O. A. t. 13; Spix, A. B. t. 1. sacra, Bartr.? S. & C. America. Florida?

#### S. CATHARISTA, V. 1816.

Vultur, V. 1807. Coragyps, I. Geoffr. 1854. Cathartes, p., Nitzsch, 1840.

Sw. C. of B. f. 182; G. of B. i. p. 4, pl. 1, f. 3; Reich, S. A. t. 90, f.

#### a. Catharista.

16. atrata, Bartr.; Wils. A. O. pl. 75. 2. aura, p., L.; fœtens, Illig.; iota, Ord. urubu, V. O. A. S. t. 2. urbis incola, Ricord; urbicola et Ricordi, Des Murs. aura, Spix, A. B. t. 2; jota et brasiliensis, Bp. atra brasiliensis, Schl. S. of N. America. Costa Rica. W. Indies. Haiti, St. Domingo. Brazil, N. of S. Am. Chili.

#### 9.

1, \_\_\_\_ 9

Cathartes, G. R. Gr. 1840, et p. Illig. 1811. Cathartes, p., Nitzsch, 1840.

californiana, Shaw, Nat. Misc. pl. 301; P. C. 31; G. R. Gr. & M. G. B. pl. 2.
 columbianus, Ord; vulturinus, Tem.

8 aura I : Wile 4 O pl 75 1: V O 4 S + 9

 aura, L.; Wils. A. O. pl. 75. 1; V. O. A. S. t. 2 bis. septentrionalis, Max.; iota, Mol.

 Burroviana, Cass.; Elliot, B. N. A. pl. urubitinga, p.,?, Pelz.

 urubitinga, Natt. & Pelz.; P. E. 187? ruficollis, Spix? aura. Max. Calif., Oregon.

N. Amer., Calif. N. Mex., W. Ind., Falk I.? Chili? Mex., L. Calif.

Brazil, Guiana.

### Subfam, 111. Neophroninæ, G. R. Gr. 1848.

Cathartinæ, p., G. R. Gr. 1841. Neophrinæ, Cass. 1849. Perc-nopterinæ, Reich. 1850.

#### 10. NEOPHRON, Sav. 1809.

Falco, L. 1748, nec 1735. Perenopterus, Rafinq, 1815.
 Perenopteres, Cuv. 1817. Gypaëtos, Bechst.
 Sw. C. of B. f. 183; G. of B. i. p. 3, pl. 1, f. 2; Reich, S. A. t. 99, f.

#### a. Neophron.

21. percnopterus, L.; P. E. 427, 429; Naum, Vog. t. 3; Gould, B. E. pl. 3.

Europe, Africa. Madeira, Dalmatia.

fulvus, Bodd.; leucocephalus et fuseus, Gm.; meleagris, Pull.; albieans, Meisn. ægyptiaeus, Steph.; albus, Daud.

22. ginginianus, Daud.; Lath. H. B. pl. 5. perenopterus, p., avet.

India.

b. Necrosyrtes, Glog. 1842.

Cathartes, Boie, 1826, nec Illig. 1811. Caprornis, Kaup, 1849.

23. pileatus, Burch.; P. C. 222.

S. & N. Africa.

monachus, Tem.; carunculatus, Smith (1829). niger. Less.

# Subfam. IV. Gypohieracinæ, G. R. Gr. 1844.

Racaminæ, G. R. Gr. 1840.

#### 12. GYPOHIERAX, Rüpp. 1835.

Racama, Gr. 1840. Recama, Selys-Long. 1862. Vultur b. Ægypius, p., Nitzsch, 1840.

G. of B, i. p. 7, pl 3. f. ; Reich. S. A. t. 100. f. .

24. angolensis, Gm.; Shaw, Lev. Mus. pl. p. 153; Jard. & S. I. O. pl. 13; G. R. Gr. & M. G. B. pl. 4. Africa hypoleucus, Benn.

# FAM. III. FALCONIDÆ, Leach, Vig. 1825.

## Subfam. I. Polyborinæ, Lafr. 1839.

Aquilinæ, p., Vig. 1825. Falconinæ, p., Bp. 1838. Cymindinæ, p., Sw. 1837.

#### **8.3. IBYCTER**, *V.* 1816.

Hicter, Kaup, 1845. Gymnops, p., Spix, 1824.

Sw. C. of B. f. 181, 182, 186 a; G. of B. i. p. 9; Reich. S. A. f. 98, f.

a. IBYCTER.

 americanus, Bodd, P. E. 417; Gal. des Ois. t. 6. aquilinus, Gm.; nudicollis, Dand. S. America. Brazil. for mosus,  $\mathcal J$  , Lath. ; leucogaster, V. for mosus, Pelz.

formosus, Q, Lath.; nudicollis, Q, Daud.

Cayenne?, Brazil.

26. gymnocephalus, Lafr.

Bolivia

**14.** b. Daptrius, V. 1816.

Gymnops, Spix, 1824. Polyborus, Nitzsch, 1840. Sw. C. of B. 186, b; G. of B. pl. 9, f. 1; Reich, S. A. t, 98, f.

 ater, V.; P. C. 37, 342; Gal. des Ois. 4, 5, aterrimus, Tem. South America.

28. fasciatus, Spix, A. B. t. 4.

Brazil.

#### 15. MILVAGO, Spix, 1824.

Parasifalco, Less. 1837? Polyborus, p., Nitzsch, 1840. Sw. C. of B. f. 103; G. of B. i. p. 9, pl. 5, f. 3; Reich, S. A. t. 98, f. .

#### a. MILVAGO.

- chimachima, V.; Spix, A. B. t. 5, 4; Jard, § S. I. O. pl. 2. Brazil. degener, Illig.; ochrocephalus et strigilatus, Spix.
- 30. chimango, V.; N. A. N. C. 1834, t. 6; G. R. Gr. & M. G. B. pl. 5. Brazil, Chili. pezoporus, Meyen; hyperstictus, Gould.

#### 16.

b. Senex, Gr. 1839.

Ætotriorchis, Kaup, 1844. Helotriorchis, Reieh. 1850.

Reich. S. A. t. 98. f.

leucurus, Forst.; P. C. 29, 192, 224; Jard. & S. I. O. pl. 5.
 s. of S. America. australis, Gm.; novae-zealandize, Tem. ambustus, Gm.; antarcticus, Less. planeus, P. Forst.

#### 17.

c. Phalcobænus, Lafr. 1837.

Phalcobaenus, Kaup, 1844. Falcobænus, Less. 1830. Reich. S. A. t. 98. f.

 megalopterus, Meyen, N. A. N. C. 1834, t. 8. montanus, Lafr.; D'Orb. Voy. A. M. t. 2. crassirostris, Pelz. Reise Novara, t. 1? Chrli, Bolivia.

 albogularis, Gould, Voy. Beagle, pl. 1. megalopterus, p., Schl. S. Patagonia.

 carunculatus, Des Murs, Ibis, 1861, pl. 1. megalopterus, p., Sclat. Ecuador.

#### **18. POLYBORUS, V. 1816.**

Caracara, Cuv. 1817.

Sw. C. of B. f. 187; G. of B. i. p. 10, pl. 5. f. 2; Reich. S. A. t. 98, f.

35. tharus, Mol.; Spix, A. B. t. 3; Sw. Zool. Ill. n. s. pl. 2.

brasiliensis, Gm.; vulgaris, V.
plancus, Mill. Cimel. Ph. pl. 17; cheriway, Jacq.
Auduboni, Cass.?

Brazil. Str. of Magellan.

Florida, Texas, Mexico.

## Subfam. II. Buteoninæ, Sw. 1837.

Buteonina, Vig. 1825. Falconina, p., Bp. 1831. Thrasaëtina, p., Bl. 1849.

#### 19. BUTEO, Cuv. 1799-1800.

Buses, Cuv. 1797–1798. Buteo, b, Nitzsch, 1840.
Sw. C. of B, f, 109; G. of B, i, p. 11, pl. 5, f, 2; Reich, S, A, t, 95, f.

#### a. Buteo.

36. vulgaris, Beehst.; P. E. 419; Naum. Vög. t. 32, 33; Gould, B. E. pl. 14.

Europe.

buteo, L.; cinereus, Gm.; mutans et fasciatus, V. communis, Cuv.; pojana, Savi; eximius, Brehm. rufiventris, Jerd. Ill. Ind. Orn. pl. 27.

India, Nepal, Sikkim. Japan, China.

37. japonicus, Schl. F. J. t. 6. vulgaris japonicus, Schl.

Nepal.

pygmæus, Jerd.; japonicus, p., Bl.

 desertorum, Daud.; Lev. O. A. t. 17. cirtensis, Lev.; eapensis, p., Schl. vulpinus, Licht.; anceps, Brehm. tachardus, Bree, B. of Eur. pl. p. 97. N.E. Africa.

40. capensis, Schl.

38. plumipes, Hodgs.

S. & W. Africa.

Martini, *Bp.*; tachardus, p., *Hartl.* vulgaris, β, *Blas.*; minor, *Heugl.* vulgaris, var. capensis, *Pelz.* 

 brachypterus, Pelz. Ibis, 1862, pl. 8.
 Delalandi, Des Murs; tachardus, Hartl. desertorum, p., Grandid. Madagascar.

ferox, Gm. Nov. C. Petr. xv. t. 10; Bree, B. of Eur. pl. p. 93. Europe atracanus, Gm.; hypoleucus, Pull.

leucurus, Naum. rufinus, Rüpp. Atl. t. 29. longipes, Würt.

N. Africa.

canescens, Hodgs.; longipes, Jerd. rufinus, Bl.: "pectoralis, V.," Strickl.

N. & C. India.

43. augur, Rüpp. F. A. t. 16, 17.

hydrophilus, Rüpp. E. Africa. auguralis, Salvad.? ( & immat., Newt.).

44. jackal, Daud.; Lev. O. A. t. 16.

S. Africa.

N. Africa.

b. Gypoictinia, Kaup, 1847.

Gypsoictinia, G. R. Gr. 1849. Milvus, p., Kaup, 1851. Gypsictinia, Reich. 1850. Reich, S. A. t. 93, f.

45. melanosternon, Gould, B. A. i. pl. 20.

N. S. Wales, S. & W. Australia.

21. c. Craxirex, Gould, 1838.

Accipiter, V. 1807. Pecilopternis, Kaup, 1847. Pacilopternis, Bp. 1849. Sw. C. of B. f. 110, b.

46. borealis, Gm.; Wils, A. O. pl. 52. 1, 2; V. O. A. S. t. 6 bis. 14; Lemb. B. of Cuba, t. 1.

E. of N. America.

aquilinus, Bartr.; fulvus et americanus, ferrugineicaudus et ruficaudus, V.

Cuba, Jamaica.

Leverianus et jamaicensis, Gm. ventralis, Gould.

Harlani, Aud.?

Galapagos I. 47. galapagoensis, Gould, Voy. Beagle, pl. 2. unicinctus, p., Baird.

48. calurus, Cass.; Baird, B. N. A. pl. 14. borealis, p., Bryant.

N.W. America. New Mexico.

49. montanus, Nutt.; Aud. B. A. i. pl. 6. buteo, Aud.; borealis, p. ?, Baird. Swainsoni, p., Bp.

N.W. America.

50. Swainsoni, Bp.; Faun. B. A. pl. 27; Baird, B.N.A. pl. 12, 13. N. & N.W. Amer. vulgaris, Rich, & Sw.; montanus, p., Coues.

51. fuliginosus, Sclat. Trans. Z. S. iv. pl. 62; Baird, B. N. A. pl. 15. oxypterus, p., Baird.

New Mexico.

52. elegans, Cass.; Baird, B. N. A. pl. 2, 3.

N.W. America. Mexico, Calif. E. & N.W. Amer. Scotland (?).

53. lineatus, Gm.; Wils. A. O. pl. 35. 1, & 53. 3. hyemalis, Wils.; buteoides, Nutt. fuscus, V. O. A. S. t. 5.

E. of N. America.

54. pennsylvanicus, Wils. A. O. pl. 54. 1. latissimus, Ord; platypterus, V. Wilsonii, Bp.

55. unicinctus, Tem.; Aud. B. A. i. pl. 5; Tsch. F. P. t. 1.

S. of U. States, Mexico, Veragua, Argentine Rep. Bolivia.

Harrisii, Aud.; taeniurus. Tsch.

56. Cooperi, Cass.; Baird, B. N. A. pl. 16. California. borealis, p. ?, Bryant. 57. Bairdii, Hoy; Cass. B. of Calif. pl. 41. N. & N. W. Amer. Swainsoni, p., Bryant. New Mexico. 58. oxypterus, Cass.; Baird, B. N. A. pl. 15, 2. Swainsoni, p., Bryant. 59. insignatus, Cass, Ill. B. of Calif. pl. 31. California. Swainsoni, p., Bryant. 22. d. Tachytriorchis, Kaup, 1844. Sw. C. of B, f. 110, a; Reich. S. A, t. 95, f. 60. pterocles, Tem. P. C. 56, 139. Brazil. albicaudatus et leucurus, I. tricolor, Lafr.; albicauda, Less. erythronotus, King. Falkland 1. tricolor, juv., Lafr. Bolivia. braccata, Meyen, N. A. N. C. 1838, t. 8. Chili. leucurus, Lufr. 62. polysomus, Quoy & G. Voy. Uranie, t. 14; U. S. Expl. Exp. Falkland L. pl. 3. 1. unicolor, D' Orb.; varius, Gould. 63. albonotatus, G. R. Gr. Mexico. erythronotus, p., Bp.; abbreviatus, Licht. 64. leucops, G. R. Gr. Galapagos I. infuscatus, Kaup. 65. zonocercus, Sclat. Trans. Z. S. 1859, pl. 59; Elliot, B. N. A. Guatemala, Tripl. nidad, Arizona. e. Leucopternis, Kaup, 1847. 23. Dædalion, Vig. 1824, nec Sav. Pseudastur, Bl. 1848. 66. melanops, Lath.; P. C. 105. Brazil. 67. Kuhlii, Bp.; Sclat. & S. Exot. Orn. pl. 38. ,, Kaupi, Ep.; superciliaris, Pelz. 68, albicollis, Lath.; P. C. 9. picatus, Shaw; pœcilonotus, Cuv. Mexico. melanotus, V. 69. scotopterus, Max.; P. C. 437. Bogota. lacernulatus, Tem. Brazil. 70. polionotus, G. R. Gr.; Selat, & S. Exot, Orn. pl. 49. 29 palhata, Pelz.

Mexico.

71. Ghiesbreghtii, Dubus, E. O. t. 1.

positionotus, p., Bp.

72. princeps, Sclat. Pr. Z S. 1865, pl. 24.

Costa Rica

73. semiplumbeus, Lawr.; Selat. & S. Exot. Orn. pl. .

Panama.

f. Buteogallus, Less. 1831.

Ichthyoborus, Kaup, 1845.

Busarellus, Lafr.? Buteo b, p., Nitzsch, 1840.

Reich, S. A. t. 95, f. .

74. æquinoctialis, Gm.; Lev. O. A. t. 21. buson, Daud.; cathartoides, Less.

Cayenne.

Brazil.

75. nigricollis, Lath.; Lev. O. A. t. 20; Spix, A. B. t. 1d.

busarellus, Daud.; melanobronehus, Shaw.

leucoeephalus, V.; milvoides, Spix.

æquinoctialis, p., Kaup.

25. q. Spizigeranus, Kaup, 1844.

Spizogeranus, Agass. Hypomorphnus, Cab. 1844. Hypomorphinus!, G. R. Gr. 1845.

76. meridionalis, Lath.; P. C. 25.

rutilans, Lieht.; rufulus. V.

buson, Spix.

Brazil

26. h. Urubitinga, Less. 1837.

Morphnus a, Nitzsch, 1840. Harpyia, p., Sw.

77. urubitinga, Gm.; P. C. 55; Spix, A. B. t. 1c.

zonurus, Shaw; pieta, Spix. longipes, Illig.; fulvus, V.

brasiliensis, Strickl.

hemileueura, Licht.?

78. anthracinus, Lieht. mexicanus, Dubus; solitaria, Bp. unicinctus, p., G. R. Gr.

79. schistaceus, Sundev.; Trans. Z. S. iv. pl. 58.

ardesiaeus. Licht.

80. Gundlaehii, Cab.

anthracina, p.?, Sclut. brasiliensis, p., Poey; urubitinga, p., Lemb. Brazil, Cayenne. W. Indies.

Monte Video.

Carthagena. Mexico, Peru. Vera Paz, Guate-

mala. Brazil, Cayenne. Peru, Bolivia.

Cuba.

## 27. ARCHIBUTEO, Brehm, 1828.

Buteo, Cuv. 1817. Triorehis, Kaup, 1829, nec Leach, 1816. Butaëtes, Less. 1831. Buteo a, Nitzsch, 1840.

G. of B. i. p. 12, pl. 5, f. 1; Reich, S. A. t. 95, f. .

#### a. Archibuteo.

81. lagopus, Gm.; Naum. Vog. t. 34; Gould, B. E. pl. 15. plumipes, Daud.; Lev. O. A. t. 18.

pennatus, Cuv.; Lessoni, Smith.

Europe.

S. Africa.

82. **St. Johannis**, *Gm.*; *Wils. A. O.* pl. 53. 1, 2, et 33. 1. spadiceus et novæ terræ, *Gm.* lagopus et niger, *Wils.*; ater, *V.* 

E. of N. Amer.

83. ferrugineus, Licht.; G. R. Gr. & M. G. B. pl. 6. regalis, G. R. Gr.; californicus, Hutch. St. Johannis, p., Bp.

Mexico. W. of N. Amer.

...

b. BUTAQUILA.

Hemiaetus et Hemiaetos, Hodgs. 1844.

84. asiaticus, Lath.
aquilinus et leucocephalus, Hodgs.; strophiatus!, G. R. Gr.

Thibet.

nec Hodgs.

85. hemilasius, Tem. & Schl. F. J. t. 7.

Japan.

strophiatus, p. ?, Bp.

Mongolian Reg.

86. hemiptilopus, *Bl. Calc. Journ. N. H.* 1847, pl. 3. 1. griseogenys, *Bl.*?; cryptogenys, *Hodgs*.

## Subfam. III. Aquilinæ, Sw. 1837.

Aquilina, Vig. 1825. Falconinæ, p., Bp. 1831. Buteoninæ, p., et Accipitrinæ, p., Sw. 1837. Circaëtinæ, Thrasaëtinæ, et Haliaëtinæ, Bl. 1849.

#### 29. AQUILA, Barr. 1745.

Falco, L. 1735–44 et 58. Falco, 1st div. Illig. 1811. Aquilla, 1839, et Aëtos, 1840, Nitzseh. Aëtus, Agass. G. of B. i. p. 13, pl 7. f. 1; Reich, S. A. t. 97. f.

#### a. Aquila.

87. **chrysaëtos**, *L*.; *P. E.* 410, 409; *Naum. Vog.* t. 8, 9, t. 339; *Gould, B. E.* i. pl. 6.

fulvus, L.; nobilis, Pall.; regia, Less. daphænia, Hodgs. canadensis, L.; Wils. A. O. pl. 55. 1.

niger et americanus, Gm.; fulvus, Wils. melanaetus, L.; melanonotus, Lath.

fuscicapilla, Brehm?

Barthelemyi, Jaub. R. et M. de Z. 1852, t. 22?

88. imperialis, Bechst.; Naum. Vög. t. 6, 7, t. 340; P. C. 151, 152; Gould, B. E. i. pl. 5.

heliaca, Sav.; mogilnik, Strickl. chrysætos, Leisl.

bifasciata, Gr. I. Ind. Z. pl. 17. nipalensis, Hodgs.; chrysaëtus, Jerd.

riparia, Würt.

S. Europe, N. Africa, W. and N. Asia, India, Himalayas,

N. & E. Europe.

C. Asia.

N. America.

India.

89. nævioides, Cuv.; P. C. 455; Ibis, 1865, pl. 5.

Africa.

rapax, Tem.; senegallus, Cuv. albicans, Rüpp, F. A. t. 13. choka, Smith; belisarius, Lev. variegata. raptor, lestris et Adalberti, Brehm.

fulvescens, Gr. I. Ind. Z. pl. 16, 27, 29.
 fusea et punetata, Gr.
 vindhiana, Frankl.; navioides, p., Bl.

India.

clanga, Pall.; Naum. Vog. t. 342. 1, 2, & 346. planga, V.; mogilnik, S. G. Gm. nævia, p., Naum.; fuscoater, Wodz.? fusca, bifasciata et nævia, Brehm. longipes, Horns. et Schill.? nævioides, p., Schl.; orientalis, Cab.?

C. S.E. Europe.

 nævia, Gm.; Naum. Vog. t. 11; Hist. de l'Egypte, t. 1. 2; Gould, B. E. i. pl. 8. melanaetos, Sav.; bifasciata, Hornsch.

N. C. Europe.
N. Africa.
W. Asia.
India.

fuseus, V. vittata, Hodgs.

Desmursii, Verr.; Trans. Z. S. iv. pl. 77.

Trop. Africa, Bissao. India.

94. hastata, Less.

punctatus, Jerd.; unicolor, Bl.

30. b. Uroaëtus, 1844,

et Uraëtus, 1845, Kaup.

 audax, Lath.; P. C. 32; Gould, B. A. i. pl. 1, fucosus, Cuv.; albirostris, V. cuneicaudatus, Brehm. Australia.

31.

c. Heteropus, 1842,

et Neopus, 1844, Hodgs. Onychaaëtus, 1844, et Onychaëtus, 1845, Kaup. Letinaëtus, Jerd. 1844. Onichoaëtus, Bp. 1849. Reich. S. A. t. 97. f.

malayensis, Reinw. P. C. 117; Sehl. Valkv. t. 3, 1, 2; Pr. Z. S. 1868, pl. 34.
 pernigra, Hodgs.; ovivorus, Jerd.

Sunda Islands. India, Mergui. Celebes, Sula.

97. Gurneyi, G. R. Gr. Pr. Z. S. 1860, pl. 169; Schl. Valkv. t, 9, 1, 2.

Moluceas, Waigiou, Aru, Gilolo, Morty, Batchian I.

32. d. Pteroaëtus, Kaup, 1844.

Pteraëtus, Reich. 1850. Reich. S. A. t. 97, f.

malayana, Less.

98. vulturina, Daud.; Lev. O. A. t. 6; Less. Cent. Zool. t. 38; Lefebvr. Voy. Abyss. t. 1 (5).

Africa.

Verreauxii, Less.; niger, James, leucoprymna, Licht.; cafer, Tem.

33. c. Pseudaëtus, Hodgs. 1844.

Tolmaëtus, 1845, et Eutolmaëtus, 1848, Bl. Aquilastur, Brehm, 1860. Aquila, p., Nitzsch, 1840.  Bonellii, Tem. P. C. 288; Naum. Vog. t. 341; Mem. Ac. Sc. Turin, 37, t. 1; Gould, B. E. pl. 7.

ducalis. Licht.; intermedia, Bon. fasciata, V.; niveus, Jerd.

S. Europe. W. Africa. India.

grandis, nipalensis et rubriventris, Hodgs.

34. f. Hieraaëtus, 1844.

Hicraëtus, 1845, *et* Ieraëtus, 1851, *Kaup.* Aquila, *Keys.* & *Bl.* 1840.

Hieractus, Bp. 1849. Hieracactus, Agass. Aquila, p., Nitzsch. Reich, S. A. t. 97, f.

100. pennata, Cuv.; P. C.33; Naum. Vog. t. 343; Gould, B. E. pl. 9.

S. Europe.

minuta, Brehm.

dubius et Lessonii, Smith.

longicaudata, Heugl.

Wahlbergii, Sundev.; Brehmii, Müll.

Africa.

strophiata, Hodgs.; milvoides, Jerd.

India.

 morphnoïdes, Gould, B. A. i. pl. 2. pennatus, p., Schl.

New S. Wales.

### 35. SPIZAËTUS, V. 1816.

Falco, L. 1766 nec 1735. Falco, 3 div. Gm. 1788. Plumipeda, Flem. 1822. Harpyia, Spix, 1824, nec Cuv. Aquila, Boic, 1826. Spizaëtus, Kaup, 1851. Spizaëtos, Hartl. 1853. Harpyia, p., Sw. G. of B. i. p. 14, pl. 7, f. 2.

a. Spizaëtus.

102. ornatus, Daud.; Lev. O. A. t. 26; V. Gal. des Ois. t. 21. Brazil, Cayenne.

Brazil, Cayenne. 1sth. of Panama.

Mauduytii, Daud.; superbus. coronatus et fastuosa, Shaw. urutaurana, Drap.; tyrannus, Tayl. braccata, Spix, A. B. t. 3.

36.

b. Pternura, Kaup, 1845.

Pterura!, G. R. Gr. 1848. Morphnus b, Nitzsch, 1840.

103. tyrannus, Max.; P. C. 73.

braceatus, Des Murs, I. O. t. 67.

Surinam.

Brazil.

ornatus, p., Schl.

104. Isidori, Des Murs, I. O. t. 1.

Bogota.

32.

c. Spizastur, Less. 1837.

Spiziastur, Kaup, 1851.

105. melanoleucus, V.; P. C. 79; Gal, des Ois, t. 14.

Cayenne.

atricapillus, Cuv.; atriceps, Kaup. melanops, Less.

35.

d. Lophaëtus, 1847,

et Morphnus, 1845, (nec Cuv.) Kaup. Harpyia, p, Sw.

106. occipitalis, Daud.; Lev. O. A. t. 2. senegalensis, Daud.

S. Africa. Madagascar.

39.

e. -- ?

Spizaëtus, p., Kaup. Aquila, Boie, 1826.

- 107. bellicosus, Daud.; Lev. O. A. t. 1; Smith, I. S. A. Z. pl. 42. Africa. armiger, Shaw; bellicola!, G. R. Gr.
- 108. coronatus, L.; Edw. B. pl. 224; Smith. I. S. A. Z. pl. 40, 41. Africa. albescens. Daud.
- 109. spilogaster, Dubus. zonurus, Müll.; leueostigma. Heugl. Ayresii, Gurn.; Bonelli, p., Brehm.

Abyssinia. Natal,

40.

f. Limnaëtus, Vig. 1831.

Nisaëtus, Hodgs. 1836. Spizaëtus, Sw. 1837. Nisaëtos, Agass. Reich. S. A. t. 94. f.

110. caligatus, Raffl.; Horsf. Zool. Res. pl.; P. C. 134, 127; Schl. Valkv. t. 6, 1, 2, 3, t. 8, 1, 2, 3.
limnaëtus, Horsf.; unicolor ct niveus, Tem.; Horsfieldii, Viq.

Java, Sumatra, Malay P., Burmah, Borneo.

eirrhatus, p., Kaup.

111. cirrhatus, Gm.; Jerd. I. Ind. Orn. pl. 1. linnaëtus, Vig.; niveus, Jerd. pallidus, Hodgs.; ceylonensis, Gm. strenuus, Jerd.; caligatus, p., Gurn. cristatellus. Tem. P. C. 282. Lathami, Tick.?; cirrhatus, Jerd. caligatus, var. A, Horsf.; cirrhatus, p., Schl. India, Ceylon.

112. nipalensis, Hodgs. pulcher, Hodgs.; cirrhatus, p., Schl. orientalis, Schl. F. J. t. 3. Himalayas. Ceylon. Japan, Formosa.

113. albiniger, Bl.; Gould, B. As. pl. . Malae., bornconensis, G. R. Gr.; nanus, Wall. Ibis, 1868, pl. 1 (juv.). Borneo. laneeolatus, p., Bp.; cirrhatus, p., Schl.

Malae., Tenasse. Borneo.

114. lanceolatus, Tem.; Schl. Valkv. t. 7, 1, 2, 3, fasciolatus, Tem.; cirrbatus, p., Schl.

Celebes, Sula, Borneo. Hima., C. Ind.

115. Kienerii, De Sparre, Mag. de Zool. 1835, t. 35, albigularis, Tick, cristatellus, Jard. & S. Ill. Orn. pl. 66.

Java, Borneo. Aberdeen (?).

philippensis, Gurn.
 Kieneri, p., Schl.

Philippine I.

Andaman I.

117. andamanensis, Tytl.

W. Africa.

118. africanus, Cass.

## **41. CIRCAÉTUS**, V. 1816.

Circactos, Keys. & Bl. 1840.

Circaeatus, Vig.

G. of B. i. p. 16, pl. 7, f. 7; Reich. S. A. t. 96, f. .

#### a. Circaëtus.

119. gallicus, Gm.; P. E. 413; Naum. Vog. t. 15; Gould, B. E. i. pl. 24. 1.

brachydactyla, Meyer; leucopsis, Bechst. orientalis, Brehm; longipes, Ill. leucamphomma, Borkh. fasciatus, Heugl.

C. S. Europe. Africa. Indian archip. Timor, Flores.

120. thoracicus, Cuv.

pectoralis, Smith.

121. ? cinereus, V. Gal. des Ois. t. 12. funereus, Rüpp.; circaëtus, Tem. pectoralis, p., Sclat.; thoracicus, p., Hartl.

W. Africa. Sennaar, Abyss.

122. fasciolatus, G. R. Gr.; Ibis, 1862, pl. 3. thoracicus, p., Hartl.

Natal.

Africa.

123. zonurus, Würt.; Ibis, 1850, pl. 7. cinereus, Barr.; melanotis, Verr. cinerascens, Mill.

White Nile. Bissao.

124. **Beaudouini**, Verr. & Desm.; Ibis, 1862, pl. 7.

Sennaar.

42. b. Harpyhalicetus, Lafr. 1842.

Harpyhaliaëtus, G. R. Gr. 1845. Urubitornis, Verr. 1856.

125. coronatus, V.; P. C. 234.

Azaræ, Kaup; unifasciatus, G. R. Gr. Sellowii, Max. (Var.) solitarius, Tsch. F. P. t. 2. anthracina, p.?, Schl.

Brazil.

Parag., La Plata.

Peru.

c. Spilornis, G. R. Gr. 1840. 43.

Hæmatornis, Vig. 1831, nec Sw. 1824. Ophaëtus, Jerd. 1844. Hypaëtus, Geoffr.? Reich, S. A. t. 96, f.

126. bacha, Daud.; Lev. O. A. t. 15; Schl. Valkv. t. 22. bido, Horsf. spilogaster, Bl.; Elgini, Tytl.

Java, Borneo. Cevlon. Andamans.

127. cheela, Daud.; Gould, C. B. pl. 1. undulatus, Vig.; bacha, Frankl.

nipalensis, Hodgs. albidus, Tem. P. C. 19; melanotis, Jerd.

Hoya et orientalis, Swinh.

Nepal. Assam, Burmah. Isl. of Formosa.

Ind., Borneo (?).

128. holospilus, Vig.; G. R. Gr. & M. G. B. pl. 7.

Philippine Isl., S. China.

129. rufipectus, Gould, B. As. pl.; Schl. Valkv. t. 23, 1, 2, 3. Celebes, bacha celebensis, Schl.

130. sulaënsis, Schl. Valkv. t. 23. 4, 5, 6.

Sula.

## **44. PANDION, Sav.** 1809.

Triorchis, Leach, 1816. Balbusardus, Flem. 1828.

G. of B. i. p. 16, pl. 7. f. 5; Reich. S. A. t. 96. f.

#### a. Pandion.

131. **haliaëtus**, L.; P.E.414; Naum. $V\ddot{o}g$ .t.16; Gould, B.E.pl.12. N. C. Europe. fluviatilis, Sav.; balbusardus, Dum. Africa. ichthyaëtus, Kaup; albicollis, Brehm. indicus, Hodgs. India.

132. ? carolinensis, Gm.; Wils. A. O. pl. 37. 1; V. O. A. S. t. 4. N. America. cayanensis et arundinaceus, Gm. Antilles. haliaëtus, Wils., piscatrix et americanus, V. haliaetus, p.

133. leucocephalus, Gould, B. A. i. pl. 6; Sehl. Valkv. t. 3. 3.
 Australia, Molluceas, Ceram.
 Gouldii, Kaup; fluviatilis, var., Less. haliaëtus, p., et haliaëtus minor, Sehl.?
 N. Guinea, Mys., N. Caledonia, Tonga Isl.

## 45. b. Polioaëtus, Kaup, 1847.

Ichthyiaëtus, Lafr. 1839, nee Kaup, 1829. Pontoaëtus, G. R. Gr. 1845, nee Kaup. Ichthyaëtus, Kaup, 1844. G. of B. i. p. 17, pl. 7, f. 9.

134. ichthyaëtus, Horsf. Zool. Res. pl. 5; Schl. Valkv. t. 5, 1, 2. Java, Bor., Bur. plumbeus et bucarius, Hodgs. India. lineatus et bicolor, Gr. Horsfieldii. Jerd.

135. humilis, Tem. Verhandl. t. 6; Schl. Valkv. t. 5. 3. nanus, Bl.

Sunda Isl., Malacca, Celebes. Sandwich I.

136. solitarius, Peale, U. S. Expl. Exp. pl. 4.

## 46. POLIORNIS, Kaup, 1844.

Butastur, 1844, et Bupernis, 184 ?, Hodgs. Valeria, Boie. G. of B.i. p. 29, pl. 10. f. 2; Reich, S. A. t. 96, f.

#### a. Poliornis.

137. teesa, Frankl.; Gr. I. Ind. Z. ii. pl. 30. Hyder, Sykes.

138. barbatus, Eyton.

pygmæus, Bl.; trivirgatus, p.?, Moore.

India.

Assam, Burmah, Malayana. Malacca.

Tenasserim.

139. poliogenys, Ten. P. C. 325; Sehl. Valkv. t. 21, 2, 3, pvrrhogenys!, Schl.; indicus, Gm.?

140. liventer, Tem. P. C. 438; Schl. Valkv. t. 21, 1, pallidus, Less.

Japan, China. Philip. I., Morty, Sanghir. Indian archip.

Timor, Celebes.

47. b. Pernopsis, Dubus, 1850.

141. rufipennis, Strickl. Pr. Z. S. 1850, pl. 22. erythropterus, Dubus; pyrrhopterus, Sundev.; Mülleri, Heugl. N. Africa.

48. THRASAËTUS, G. R. Gr. 1837.

Falco, 2 div. Gm. 1788. Falco, Lath. 1790.
 Harpia, V. 1816. Harpyia, Cuv. 1817, nee Ochsenh. 1810. Nothrophontes, Glog. 1842.

Sw. C. of B. f. 185; G. of B. i. p. 15, pl. 7, f. 3; Reich, S. A. t. 96, f.

142. harpyia, L.; P. C. 14.

British Guiana.

destructor, Tem.; imperialis, calquin et regalis, Shaw; Jacquini et cristata?, Gm.; caracca, Gm. ferox, Less.; maxima, V.

### **49.** MORPHNUS, Cuv. 1817.

Morphinus, Flem. 1822.

143. guianensis, Daud.; Less. Tr. d'Orn. t. 11. 2.

British Guiana.

Sonnini, Shaw; variegatus, V. cristatus, Less.

## **50. HALIÆËTUS,** Sav. 1809.

Aquila, V. 1807, nec Machr. 1752. Haliacatus, 1824 et Haliacatus, 1825, Vig. Haliacatus, Keys. & Bl. 1840. Haliacatus, Thomp. 1838. Haliacatus, G. R. Gr. 1845. Aquila b, Nitzsch, 1840. G. of B. i. p. 17, pl. 7, f. 8; Reich. S. A, t. 96, f.

a. Halleetus.

144. albicilla, L.; P. E. 112, 415; Naum. Vög. t. 12; Gould, B. E. pl. 10.

Europe.

albicauda, ossifragus et melanaetos, Gm.; nisus, Sav. grænlandieus, Brehm.

Greenland.

Steinbergii, Holb. funereus, A. Brehm.

Egypt.

145. leucocephalus, L.; P. E. 411; Naum. Vog. t. 344, 345; Wils. A. O. pl. 36, 55, 2.

N. America.

albicilla, Pall.; pygargus, Daud. ossifragus, Wils.

Washingtoni, Aud. B. A. i. pl. 13.

S. of N. Amer.

Washingtoniana, Aud.

#### **51.** b. Thallasoaëtus, 1844,

Thallasaëtus, 1845, Thalassaëtus, 1847, et Thallosaëtus, 1851, Kaup. Thalassiaëtus, Reich. 1850. Reich. S. A. t. 96. f. .

146. pelagicus, Pall.; Kittl.; Kupf. der Vog. t. 2. 1; Elliot, B. N. A. pl. ; Schl. F. J. t. 4. leucopterus. Tem. P. C. 489.

Russian Amer. Japan.

52.

c. Cuncuma, Hodgs. 1837.

Pontoaëtus, 1844, et Pontaëtus, 1845, Kaup. Blagrus, Bl. 1849. Aquila, p., Nitzseh, 1840.

147. leucoryphus, Pall.

imperator, Kittl.

S. & E. Europe.

deserticola, Eversm.; leucoryphos, Gm.

148. Macei, Cuv.; P. C. 8, 222; Gr. I. Ind. Z. pl. 19. fulviventris, V.; unicolor, Gr. albipes et lanceolatus, Hodgs. albicilla, Raffl.; sinensis, Gm.? leucoryphus, p., Petz.

N. India.

149. leucogaster, Gm.; P. C. 49; Schl. Valkv. t. 4. 1, 2. dimidiatus, Raffl.; cultriunguis, Hodgs.

sphenurus, Gould, B, A. i. pl. 3. maritimus, Gm.; oceanica, Less.

Sumatra, India, Bur., Malaya. Australia. Java, New Irel., N. Guin., Aru.

150. vocifer, Daud.; Lev. O. A. t. 4; Des Murs, I. O. t. 8. vocifera, Dum.; clamans, Brehm?

Africa.

 vociferoides, Des Murs, I. O. t. 7; Poll. & V. D. F. de Madag. t. 15.

Madagasear

vocifer, var. orientalis, Schl. vociferator, Schl. & Poll.

**53.** d. Geran**oa**ëtus, 1844,

et Heteroactus, 1845, Kaup. Heteractus, Reich. 1850. Geranactus, Agass.

Reich, S. A. t. 96. f.

152. melanoleucus, V.; P. C. 302. aguia, Tem.; fuscescens, V.

S. America. E. Patagonia, Chili,

54. HELOTARSUS, Smith, 1830.

Terathopius, Less. 1830. Teratopius, Bl. 1849, G. of B. i. p. 18, pl. 7, f. 11; Reich, S. A. t. 98, f.

153. ecaudatus, Shaw; Lev. O. A. t. 7, 8; Lefev. Voy. Abyss. t. 2. Africa. typus, Smith; brevieaudatus, Natt. bruchyurus, L. Brehm.  leuconotus, Würt, ecaudatus, p. ?

Africa.

### HALIASTUR, Selby, 1840.

Haliceëtus, Sw. 1837. Dentiger, Hodgs, 1844. Ictinoaëtus, Kaup, 1844. Ictinaëtus, Agass, nec Jerd. Milvaquila, Burm, 1850.

Sw. C. of B. f. 99, 196; G. of B. i. p. 18, pl. 7. f. 10; Reich. S. A. t. 96. f.

155. indus, Bodd.; P. E. 416.

ponticerianus, Gm.; rotundicauda, Hodgs. garuda, Less.

intermedius, Gurn.; Schl. Valkv. t. 4. 4.

156. leucosternus, Gould, B. A. i. pl. 4; Shaw, Nat. Misc. pl. 389; V. Gal. des Ois, t. 10.

girrenera, V.; ponticerianus, Shaw. leucosternon, Kaup; indus, p., Schl. leucosternus, var., G. R. Gr.; Schl. Valkv. t. 4, 3.

157. sphenurus, V. Gal. des Ois, t. 15; Gould, B. A. i. pl. 5. canorus, Vig. & Horsf.

India.

Philippine Isl., Malaeca. Java, Sumatra.

Flores, Bor. New S. Wales. New Guinea.

Aru, New Caledo.

Moluc., Celebes.

Australia. N. Caledonia.

Subfam. IV. Falconinæ, Sw. 1837. Falconina et Accipitrina, p., Vig. 1825.

56. FALCO, Mahr. 1752, nec L, 1735.

Hierofalco, Cuv. 1817. Falco, 4 div., Gm. 1788.

Ierafaleo, Kavp, 1851. Rynchodon, Nitzsch, 1840.

### a. HIEROFALCO.

158. candicans, Gm.; Naum. Vög. t. 390. 1. grænlandieus, Daud.; areticus, Holb. fuscus, Fab.; gyrfaleo grænlandieus, Schl. islandicus, Aud.; sacer, Cass.

Greenland. N. Asia.

N. America.

159. islandicus, Brün.; Schl. Tr. de Fauc. t. 2; Naum. Vog. t. 390, 2.

islandus, Fab. gyrfalco islandicus, Schl. candicans, var. \$\beta\$, Blus.

Iceland.

N. of N. Amer.

160. gyrfalco, L.; Schl. Tr. de Fauc. t. 3.4; Naum. Vog. t. 391. Norway, Sweden. gyrfalco norwegicus, Schl. eandieans, var. y, Blus.

161. subniger, G. R. Gr. & M. G. B. i. pl. 8.

S. Australia.

162. hypoleucus, Gould, B. A. i. pl. 7. subniger, p.?, Bl.

S. & W. Austral.

57. b. Falco, auct. Rhynchodon, p., Nitzsch, 1840,

Euhierax, Webb & Berth, 1844.

Sw. C. of B. f. 95 b, 190; G. of B. i. p. 19, pl. 8, f. 1; Reich. S. A. t. 94. f. .

163. peregrinus, L.; P. E. 430, 421, 469; Naum. Voq. t. 24, 25; Gould, B. E. pl. 21. communis. L.

Europe. China, Formosa, Japan,

164. calidus, Lath. micrurus, Hodgs. peregrinus, p., Schl, Valkv. t. 1.

India. Java, Sumatra,

165. orientalis, Gm.; Edw. B. pl. 3; Wils. A. O. pl. 76.

Japan, Vancouver's I., Siberia, Kurile Islands.

peregrinus, Wils.; anatum, Bp. peregrinus, var. B, Blas.

N. America. Cuba.

communis, p., Poey?; peregrinus, p., Lemb.?

S. & W. of North America. Chili. ? S. of Magellan. Australia.

166. nigriceps, Cass.; Baird, B. of N. A. pl. xi.

167. melanogenys, Gould, B. A. i. pl. 8. macropus, Sw.; peregrinus, var. y, Blas.

168. minor, Bp.; Lev. O. A. t. 28?

frontalis, Daud.?; galericulatus, Shaw? peregrinus, var. capensis, Sundev. peregrinus, Smith. communis minor, Schl. peregrinus, var.  $\epsilon$ , Blas.

S. Africa.

169. peregrinator, Sundev.; Jerd. I. Ind. O. pl. 12, 28. sultaneus, Hodas,; shaheen, Jerd, communis indicus, Gm. peregrinus, var. δ, Blas.; herbicola, Tick, ruber, Schl.

India. Between Cevlon

and Sumatra. W. Asia.

170. ? radama. Verr.

communis, var. Schl. & Poll. minor, Sclat. ?; communis, p., Grandid. Madagascar.

58.

c. Gennaia, Kaup, 1847.

Hierofalco, Boie, 1826. Rynchodon, p., Nitzsch, 1840.

171. lanarius, L.; Naum, Vög, t. 23; Schl, Tr, Fauc, t. 6. Feldeggii, Schl.

lanarius, p., Bp.

tanypterus, a, Blas.

Sweden, Dalmat, Greece,

172. cervicalis, Licht.; P. C. 324.

biarmieus, Tem.; peregrinoides, Smith. tanypterus, 8, Blas. lanarius capensis, Schl.

S. Africa. Abyssinia. 173. babylonicus, Sclat. & Irby, Ibis, 1861, t. 7. Oude, Babylon. peregrinator, Horsf. Greece, Persia. lanarius graeus, p., Schl. Nepal. peregrinodes, Frisch; venerata, Würt.

174. barbarus, L.; Ibis, 1859, t. 6; P. C. 479. N. Africa, Nubia, puniceus, Lev.; peregrinoides, Tem. tanypterus, β. Blas. Holland. lanarius, p., Pelz.

175. tanypterus, Licht.; Sehl. Abhand. t. 12, 13. S.E. Europe. lanarius nubicus, Schl. Nubia.

#### 59. 1 --- 9 176. saker, Schl. Tr. de Fauc. t. 5; Naum. Vog. t. 23. 1, 2. E.& S.E. Europe. lanarius, Pall.; sacer, Schl. Egypt. cherrug, Gr.; milvipes, Hodgs. Nepal.

177. jugger, Gr. I. Ind. Z. pl. 26; Gould, B. As. pl. . India. lugger, Jerd.; thermophilus, Hodgs. Scinde, Punjab. 178. polyagrus, Cass.; Ill, B, of Calif. pl, 16. W. of N. Amer.

mexicanus, p., Pelz. et p.? Schl. Oregon, Califor. 179. ?mexicanus, Licht. Mexico.

### 60. HYPOTRIORCHIS, Boie, 1826.

Falco, Boie, 1822. Dendrofalco, G. R. Gr. 1840. Rhynchodon, p., Nitzsch. G. of B. i. p. 20, pl. 8, f. 2.

a. Hypotriorchis. 180. subbuteo, L.; P. E. 432; Naum, Vog. t. 26; Gould, B. E. pl. 22. Europe, Greece. barletta, Dand. N. Asia, India, Himalayas. 181. Iunulatus, Lath.; Gould, B. A. i. pl. 10; Sehl, Valkv. Australia, Tast. 2. 4, 5, 6. mania. frontatus, Gould. Amboina, Ceram, longipennis, Sw. Flores. subbutco frontatus, Sehl.

182. severus, Horsf.; P. C. 128; Sehl. Valkv. t. 2, 2, 3. Java, Malay peninsula. Aldrovandi, Tem.; guttatus, G. R. Gr. Celebes, Philippine Islands. rufipedoides, Hodgs. Nepal, Salwatty.

183. Cuvieri, Smith; Tijdschr. Dierk. i. t. 5. S. & N. Africa. Bossehii, Schl. Gold Coast.

184. rufigularis, Daud.; Don. Nat. Rep. pl. 45. thoracicus, Tem.; cucullatus, Sw. auranticulus, Bp.? S. America. Mexico, Texas, Panama, Trin.

185. aurantius, Gm.; P. C. 348. dieroleueus, Tem. aurantius, Q, Kaup; rufigularis, p., G. R. Gr. Brazil.

 religiosus, Tem. severus, var. nigra, Bp. Ceram.

61. b. Dissodectes, Selat. 1864.

Rhynehodon, p., Nitzseh.

187. **Dickinsonii**, Selat. Ibis, 1864, pl. 8. zoniventris, p., G. R. Gr.

Shiré River, S.E. Africa.

188. ardesiacus, V.; P. C. 330; Lev. O. A. t. 29? concolor. Tem.; tibialis. Daud.? W. Africa.

concolor, Tem.; tibialis, Daud.; ardesiacus, Bp.

189. concolor, Tem. (non Pl.); Poll. & V. D. Faun. de Madag. t. 12. 1.

Africa, Spain.

arcadicus, Bp.; cyanostolus et gracilis?, Brehm; cleonora et horus, Heugl.; schistaceus, Ehr. ardesiacus, p., Hartl.

 ${\bf Madagascar.}$ 

190. eleonora, Gené, Mem. Ac. Taur. 1840, t. 1. 2. arcadicus, Lind.; dichrous, Erhard. plumbeus, Brehm. concolor, p., Ver. & Murs.

S. Europe. Sardinia, Greece. Africa.

191. zoniventris, Peters.

E. Africa.

62. c. Æsalon, Kaup, 1829.

Astur, Boie, 1826, nec Lacép. Hypotriorchis, p., Boie, 1828. Lithofalco, Blas.; Rhynchodon, p., Nitzsch.

intermixtus, Daud.; temerarius, Nutt.

Auduboni, Blackw.; æsalon, Q, Sw.

192. æsalon, L.; P. E. 447, 468; Naum. Vog. t. 27; Gould, B. E. pl. 24.
lithofalco, Gm.; smirillus, Sav.

N. Eur., Persia. China. N.W. India.

regulus, Pall.; sibericus, Shaw.
N.W. India cæsius, Meyer.

193. columbarius, L.; V. O. A. S. t. 11; Wils. A. O. pl. 15.3. N. America.

N. America.

Mexico.
N. of S. America.

194. femoralis, Tem. P. C. 121, 343; Baird, B. of N. A. pl. 1. S. America, cyanescens, V.; thoracicus, Licht. Mexico.

elegans, Sw.; hamorrhoidalis, Hahn. aurantius, Heerm.

E. Patagonia.

63. d. Chicquera, Bp. 1854.

Turamtia, Bl. 1863.

195. chicquera, Daud.; Gould, C. B. pl. 2. typus, Bp.

India.

196. ruficollis, Sw.; Lev. O. A. t. 30; B. of W. Afr. pl. 2.
chicqueroides, Smith?
chicquera, p., Schl.; ruficapillus, Würt.
macrodactylus, Sw.

64. e. Polihierax.

Poliohiërax, 1847, et Poliojërax, 1851, Kaup.

197. semitorquatus, Smith, I. S. A. Z. pl. 1.

S. Africa.

198. ? castanonotus, Heugl. Ibis, 1861, pl. 12. semitorquatus, p., Heugl. Orn. N.E. Afr. t. 1. Abyssinia.

65. IERACIDEA, Gould, 1837.

Hieracidea, Strickl. 1841. Jeracidea, Kaup, 1844. G. of B. i. p. 20, pl. 8. f. 4; Reich. S. A. t. 94. f.

a. IERACIDEA.

199. berigora, Vig.; Gould, B. A. i. pl. 11. berigora, a. orientalis, Schl. New S. Wales, Tasmania, S. Australia. S. & W. Austra.

200. occidentalis, Gould, B. A. i. pl. 12. berigora, b. occidentalis, Schl.

b. Harpe, Bp. 1855.

201. novæ zealandiæ, Gm.; Voy. Pôle Sud, t. 1. 1. harpe, Forst.; australis, Homb. & J.

New Zealand. Auckland Isl.

brunneus, p., Pelz.
202. brunneus, Gould.
ferox, Peale.

New Zealand.

67. TINNUNCULUS, V. 1807.

Falco, Sav. 1809. Cerchneis, Boie, 1826.
Ægypius, Kaup, 1829, nec Sav. 1809.
Falcula, Hodgs. 1837. Rhynchodon, p., Nitzsch.
G. of B. i. p. 21, pl. 8. f. 3; Reich, S. A. t. 94, f.

a. Tinnunculus.

203. alaudarius, Gm.; P.E. 401, 411; Naum. Vog.t. 30; Gould, E. E. pl. 26.

tinnunculus, L.; brunneus, Bechst. fasciatus, Retz.

Europe. Palestine, Pers.

rufescens, Sw.; rupicolæformis, Würt.

Africa.

rufipes, Brehm.

interstinctus, M<sup>\*</sup>Clell. japonicus, Schl. F. J. t. 1. India. Japan, N. China.

204. rupicolus, Daud.; Lev. O. A. t. 35. capensis, Shaw.

S. Africa.

205. rupicoloides, Smith, I. S. A. Z. pl. 87.

S. Africa.

206. punctatus, Cuv.; P. C. 45; Poll. & V. D. F. de Madaq, t. 11. 3.

Maurit., Madag.

207. Newtoni, Gurn. Ibis, 1863, pl. 2; Ivoll. & V. D. F. de Madag. t. 11. 1, 2.

Madagascar.

punctatus, Pelz.; graeilis, Newt. punctatus, p., Schl.

0 . .

 moluccensis, Sehl. Valkv. t. 1.3, 4, 5; Voy. Pôle Sud, t. 1.2. saturatus, Bl.?

Moluc., Ceram.
Timor, Celebes,
Java, Flores,
Borneo.
Australia.

209. cenchroides, Vig.; Gould, B. A. i. pl. 13. immaculatus, Brehm.

N.E. Africa.

210. alopex, Heugl. Ibis, 1861, pl. 4.

Sevehel., Madag.

211. gracilis, Less.; Des Murs, I. O. t. 25; Poll. & V. D. F. de Madag. t. 11. 4, 5. punctatus, p., Schl.

Burmah.

212. atratus, Bl.

68.

b. Erythropus, Brehm, 1828.

Pannychistes, 1829, et Pannychestes, 1847, Kaup. Panychistes, Bp. 1849. Rhynchodon, p., Nitzsch.

213. vespertinus, L.; P. E. 431; Naum. Vog. t. 28; Gould. B. E. pl. 23. rufipes, Bescke; erythrurus, Rafinq.

S.E. & S. Eur.

214. amurensis, Radde; Ibis, 1868, pl. 2. vespertinus, p., G. R. Gr. vespertinus, var. amurensis, Radde.

Amur, Nepal. S.E. Afr., Natal. River Shiré.

69. e. Tichornis, Kaup, 1844.

Rhynchodon, p., Nitzsch.

215. Cenchris, Naum. Vôg. t. 29; Gould, B. E. pl. 27. tinnuncularius, V. tinnunculoides, Têm. Naumannii, Fleisch. S. & S.E. Europe. India, N. Africa Great Britain?

70. d. Pecilornis, Kaup, 1844.

Paecilornis, Bp. 1849.

xanthonyx, Natt.

216. sparverius, L.; P. E. 444, 465; Wils. A. O. pl. 16, 1, 32, 2. N. Amer., Mex. gracilis et isabellinus, Sw. Brazil, British Guiana.

217. cinnamominus, Sw. sparverius, p., Schl.

S. America. Chili, Patagonia.

218. dominicensis, Gm.; Fras. Z. T. pl. ; Voy. Cuba, t. 1. Cuba. sparverioides, Vig.; sparverius, Lemb. mercurialis et plumbiceps, Würt. ferrugineus, Sauss.; sparverius, p., Schl.

**71.** IERAX, Vig. 1824, nec Leach, 1816.

Hierax, Cav. 1829; Ierax et Zerax, Kavp, 1851. Rhynchodon,
 p., Nitzsch.
 G. of B. i. p. 21, pl. 8, f. 6; Reich. S. A. t. 94, f.

219. cærulescens, L.; Edw. B. pl. 108; P. C.97; Horsf. Zool. Res. pl. .; Schl. Valkv. t. 2. 1; V. Gal. des Ois. t. 18. fringillarius, Drap. malaecensis, Strickl.; melanoleucus, Moore.

Java, Sumatra, Borneo. Malacca.

 $220.\ {\tt eutolmos}, \textit{Hodgs}.$ 

bengalensis, Bl. cærulescens bengalensis, Schl.

Nepal, Sikkim. Assam, Arracan.

221. erythrogenys, Vig.; Fras. Z. T. pl. bengalensis, p., El.; sericeus, p., Pelz.

Philippine Isl.

222. sericeus, Kittl. Mem. Ac. Peters. 1835, t. 1. Gironnieri, Eyd. Voy. Bonite, t. 1. erythrogenys, ♀, Kaup.

N. China.

223. melanoleucus, *Bl.* bengalensis, p., *Bp.* 

Assam.

#### 72. HARPAGUS, Vig. 1824.

Bidens, Spix, 1824. Diodon, Less. 1831, nec L. 1766. Diplodon, Nitzsch, 1840.

Sw. C. of B. f. 191; G. of B. i. p. 22, pl. 8, f. 5; Reich. S. A. t. 94, f.

a. Harpagus.

224. bidentatus, Lath.; P. C. 38; Spix, A. B. t. 6, 7. rufiventris et albiventris, Spix; brasiliensis, Less.

Brazil.

225. diodon, Tem. P. C. 198; Spix, A. B. t. 8. femoralis et cincrascens, Spix; brasiliensis, p., Less.

**73.** b. Spiziapteryx, *Kaup*, 1851.

Hemiierax, Burm. 1861.

 circumcinetus, Kaup, Ibis, 1862, pl. 2. punctipennis, Burm. Chili.

# Subfam. V. Milvinæ, Bp. 1838.

Milvina, Buteonina, p. Aquilina, p., et Accipitrina, p., Vig. 1825.
Cymiudinæ, p., Buteoninæ, p., et Accipitrinæ, p., Sw. 1837.
Falconinæ, p., 1831, et Buteoninæ, p., 1838, Bp. Perninæ,
Elaninæ et Haliaetinæ, p., Bl. 1849.

## 74. BAZA, Hodgs. 1836.

Lophotes, Less. 1831, ncc Giorna, 1803.

Lepidogenys, Gr. 1839. Hyptiopus, Hodgs. 1841. Lophastur, Bl. 1842.

Sw. C. of B. f. 192; G. of B. i. p. 23, pl. 9, f. 6; Reich. S. A. t. 95, f.

#### a. BAZA.

227. lophotes, Cuv.; P. C. 10.

eristatus, V.; indicus, Less.; Lathami, Gr. syama, Hodgs.

India.

Gilolo.

228. Reinwardtii, Müll. Verhandl. t. 5. 2; Schl. Valkv. t. 27. 1, 2, 3. Celcb., Amboina, Bouru, Ceram, Timor.

rufa, Schl. Verhandl, t. 5. 1; id. Valkv. t. 27. 4, t. 28. 1, 2, 3.
 Reinwardtii, p., Schl.

Batchian.
Philippine Isl.

230. magnirostris, G. R. Gr.; Schl. Valkv. t. 28. 4, 5. crassirostris, Kaup; Reinwardtii, p., Schl.

Sula, N. Celebes.

New S. Wales,
N. Australia.

231. subcristata, Gould, B. A. i. pl. 25. Reinwardtii, p., Bl.

Java, Sumatra. Bornco.

233. stenozona, G. R. Gr. Reinwardti, p., Wall.

232. sumatrensis, Lafr.

Jerdoni, Bl.

N. Guinca, Aru. Salwatti.

## b. Aviceda, Sw. 1837.

Avicida!, G. R. Gr. 1841. Ichthierax, Bp. 1849.

Hyptiopus, p., Sundev. Sw. C. of B. f. 193; G. of B. i. p. 23, pl. 9. f. 2.

S. Afr., P. Natal.

234. Verreauxii, Lafr.

caffer, Sundcv.; buteoides, Verr. piscator, Gm.?; cuculoides, p., Schl.

235. cuculoides, Sw. B. of W. Afr. i. pl. 1.

W. Africa.

 madagascariensis, Smith; Poll. & V. D. F. de Madag. t. 16. Madagascar. Verreauxii, p., Hartl. cuculoides, juv., Bp.

#### 26. PERNIS. Cuv. 1817.

Butco, Boie, 1826?. Pernes (Pternis) et Pterochalinus, Glog. 1842.

G. of B. i. p. 24, pl. 9. f. 3; Reich. S. A. t. 95, f. .

### a. Pernis.

237. apivorus, L.; P. E. 420; Naum. Vog. t. 35, 36; Gould, B. E. pl. 16. poliorhynchus, Bechst.; variabilis, Koch.

Europe.

dubius, Sparrm.; incertus, Lath. lacertarius, Pall.; communis, Cuv.

238. tachardus, Daud.; Lev. O. A. t. 19. madagascariensis, Smith. capensis, p., Tem. & Schl.; apivorus, p., Hartl. S. Africa. Madagascar.

239. cristatus, Cuv.; P. C. 41; Schl. Valkv. t. 25, 26; Schl. Verhandl. t. 7.

Java, Sumatra.

ptilorhynchus, Tem.; maculosa, Less. Elliottii, James; bharatensis, Hodgs. torquata et ruficollis, Less.; Des Murs, I. O. t. 13, 14. var. celebonsis, Sehl. Valke, t. 24, 3.

India.

240. brachypterus, Bl.

Celebes.

Mergui.

b. Henicopernis, G. R. Gr. 1859.

Dædalion (nec Sav.) et Dædalia?, Ep. 1854.

241. longicauda, Less. & Garn. Voy. Coqu. t. 10.

N. Guin., Waigi., Aru, Mysol, Ké, Ceram.

78. MACHAERHAMPHUS, Westerm. 1851.

Macheiramphus, Schl. Machaerhamphus, Bl. Macherhamphus, Hartl. 1853.Strigonyx, Gurn. 1867.

242. alcinus, Westerm. Bidjr. Dierk. t. . Anderssoni, Gurn. Trans. Z. S. 1867, pl. 29. (Malacca?)
Damaraland, S.
Africa.

79. MILVUS, Cuv. 1799-1800.

Milans, Cuv. 1797-98. Milvus, a, Nitzseh, 1840. G. of B. i. 24, pl. 9, f. 8; Reich, S. A. t. 93, f.

a. MILVUS.

243. regalis, Bp.; P. E. 422; Naum. Vög. t. 31. 1; Gould, B. E. pl. 28.

Europe,

milvus, L.; austriacus, Gm. ictinus, Sau.; castaneus et russicus, Daud.; jaicensis, Lepech.; vulgaris, Flem. ruber, Brehm.

244. govinda, Sykes; Gr. I. Ind. Z. pl. 18; Gould, B. As. pl. . India cheela, Jerd.; lineatus, Gr.; indicus, Hodgs. atc. Bl.

melanotis, Tem. & Schl. F. J. t. 5.

Japan, China, Formosa.

b. Hydroictinia, Kaup, 1844.

Milvus, p., Nitzsch, 1840, et Kaup, 1851. Reich, S. A. t. 93, f.

245. migrans, Bodd.; P. E. 472; Naum. Vog. t. 31. 2; Gould, B. E. pl. 29.

Europe.

ater, Gm.; niger, Br.; atolius, V. fuscoater, Mey.; milvus, Pall. atra, Kaup.

246. affinis, Gould, B. A. i. pl. 21; Schl. Valkv. t. 20. 1.

247. ægypius, Gm.; Lev. O. A. t. 22. Forskahlii, Gm.

parasiticus, Lath, isuroides, Würt.

Aust., Tasmania, Timor, Celebes. S.E. Europe. Africa.

Madagascar. Mayotte.

81. e. Lophoictinia, Kaup, 1847.

Reich, S. A. t. 93. f. .

248. isurus, Gould, B. A. i. pl. 22. pacificus, Lath.?

New S. Wales. S. Australia.

**82. NAUCLERUS,** Vig. 1825.

Milvus, V. 1807, nee Cuv. 1799–1800. Elanoides, G. R. Gr. 1848. Milvus, a, p., Nitzsch. G. of B. i. p. 24, pl. 9, f. 9; Reich. S. A. t. 93, f.

a. NAUCLERUS.

249. furcatus, L.; V. O. A. S. t. 10; Wils. O. A. pl. 51. 3. S. of yetapa, V.

S. of N. America. Texas, England.

**83.** b. Chelictinia, Less. 1843.

Chelidopteryx, 1844, et Cypselopteryx, 1851, Kaup. Milvus, Boie, 1826.

250. Riocouri, V.; P. C. 85; V. Gal. des Ois. t. 16.

W. Africa.

**S4. ROSTRHAMUS,** Less. 1831.

Cymindes, Spix, 1824. Cymindis, Boie, 1826, nec Cuv. 1817.

Sw. C. of B. f. 106; G. of B. i. p. 25, pl. 9. f. 10; Reich, S. A. t. 98, f.

251. sociabilis, V.; Spix, A. B. t. 2; P. C. 61, 231; Baird, B. of N. A. pl. 65.

Brazil, Florida.

hamatus, Ill.; leucopygus, Spix. niger, Less.; tæniurus, Cab.

**S5. CYMINDIS,** Cuv. 1817, nec Latr. 1806.

Leptodon, Sundev. 1836.

Cymindes, Flem. 1822. Odontriorchis, Kaup, 1844. G. of B. i. p. 25; Reich. S. A. t. 95. f.

.

a. Cymindis.

252. cayanensis, Gm.; P. E. 473; P. C. 204, 270. cyanopus, V.; palliatus, Max. monachus, cinereus, et griseus, V.

N. of S. America.

buteonides, Less.

**56.** b. Regerhinus, Kaup, 1845.

Cymindis, Sw. 1837. Cymindis, p., Nitzsch.

Sw. C. of B. f. 104; G. of B. i. pl. 9. f. 7; Reich, S. A. t. 95, f.

253. uncinatus, Ill.; P. C. 104, 115. Guiana. euculoides, Sw. ? vittacaudus, Max. § Pelz. Brazil.

254. megarhynchus, Kaup ; Casteln. Voy. t. 1. Peru. Wilsoni, p., Verr. (?).

255. Wilsoni, Cass. Journ. Ac. Phil. 1847, pl. 7. Cuba. uncinatus, p., Lemb.; cayanensis, p., Poey.

uncinatus, p. ?

257. boliviensis, Burm.

Int. of Bolivia.

#### **57. ELANUS,** Sav. 1809.

Pucherani, Ledd.

Milans, Boie, 1822. Elanoides, V. 1818. Sw. C. of B. f. 105; G. of B. i. p. 25, pl. 9. f. 5; Reich, S. A. t. 93, f. (Ictinia!).

258. melanopterus, Daud.; Lev. O. A. t. 36, 37; Naum. Vög. t. 347; Gould, B. E. pl. 31. casius, Sav.

259. minor, Bp. vociferus et sonnieusis, Gm.? melanopterus, p., Jerd.

260. intermedius, Schl. Valkv. t. 24. 2, 3. axillaris, Tem.; hypoleucus, p., Wall.

261. axillaris, Lath.; Gould, B. A. i. pl. 23.

mclanopterus, Vig.; notatus, Gould. 262. scriptus, Gould, B. A. i. pl. 24.

263. leucurus, V.; P. C. 319; Bp. A. O. pl. 11. 1.

dispar, Tem.; melanopterus, Bp.

Haiti.

264. hypoleucus, Gould, B. As. pl.

Celebes, Amboina.

Int. S. Australia,

Trinidad.

Africa.

Europe.

India.

Nepal.

Java, Borneo.

Australia.

### 88. GAMPSONYX, Vig. 1825.

Chondrohierax, Less. 1847?

Sw. C. of B. f. 188; G. of B. i. p. 26, pl. 9, f. 4; Reich. S. A. t. 93, f. (Elanus!).

265. **Swainsoni**, Vig.; G. R. Gr. & M. G. B. pl. 9. Brazil. torquatus, Cuv.; rufifrons, Max. Holmi, Sundev.

#### **S9. ICTINIA,** V. 1816.

Nertus, p., *Boie*, 1828. Sw. C. of B. f. 194.

a. Ictinia.

266. mississipiensis, Wils. A. O. pl. 25. 1; Gal. des Ois. t. 17. N. America, ophiophagus. V.; plumbous, Aud. Texas, New Mex.

#### 90.

b. Nertus, Boic, 1826,

Poecilopteryx, Kaup, 1844. Paecilopteryx, Bp. 1849. Milvus, b, p., Nitzsch.

Sw. C. of B. f. 97; G. of B. i. p. 26, pl. 9, f. 1.

 plumbeus, V. O. A. S. t. 10 bis; P. C. 180. cenchris. V. S. America.

## Subfam. VI. Accipitrinæ, Sw. 1837.

Accipitrina, Vig. 1825. Falconinæ, p., Bp. 1831. Circinæ, p., Bl. 1849.

## **91. ASTUR**, Laeép. 1800-01.

Autours, Cuv. 1797-98. Dædalion, Sav. 1809. Sparvius,
F. 1816. Aster, Sw. 1837. Phabotypus, Glog. 1842.
Sw. C. of B. f. 98, 195; G. of B. i. p. 27, pl. 10. f. 3; Reich.
S. A. t. 94, f.

#### a. Astur.

268. palumbarius, L.; P. E. 418, 461, 423; Naum. Vög. t. 17, 18; Gould, B. E. pl. 17.

gentilis, L. marginatus, Lath.; albescens, Bodd. gallinarius, Gm.; aster, Pall. paradoxus, C. L. Brehm.

Europe. Nepal. Himalayas.

269. atricapillus, Wils. A. O. 52, 3; P. C. 495. regalis, Tem.; pietum, Less. palumbarius, p.

N. America.

270. melanoleucus, Smith, I. S. A. Z. pl. 18. Smithii, Kaup. apoxypterus et hypoxanthus, Lieht.? Africa.

271. Verreauxii, Sehl.

melanoleucos, Hartl.; Temminckii, Pel. leucomelas, Würt.?

C. & W. Africa.

272. radiatus, Lath.; Gould, B. A. i. pl. 16. Calei, Vig. et Horsf.; testaceus, V. Ern.

Now S. Wales. N. Australia.

273. spectabilis, Schl. Tijdschr. Dierk. i. t. 6.

Gold Coast.

274. macrourus, Tem. & Hartl.

,,

275, tibialis, Verr.

W. Africa.

#### 92.

b. Leucospiza, 1844,

et Leucospizia, 1851, Kaup.

276. novæ-hollandiæ, Gm.; White's Journ. Bot. B. pl. Gould, B. A. i. pl. 15; Schl. Valkv. t. 11. 3. albus, Shaw; nævius, V.; candidum, Less.

albus, Shaw; nævius, V.; eandidum, Less. leucaetus, Forst.; novæ-hollandiæ, albino, Gould.

New S. Wales. Tasm., S. Austr. New Guinea. 277. Rayi, Vig. et Horsf.; Gould, B. A. i. pl. 14. clarus, Lath.?; novæ hollandiæ, p., Gould.

New S. Wales.

**93.** c. Lophospizia, 1844, ct Lophospizia, 1851, Kaup.

278. trivirgatus, Cuv.; P. C. 303; Schl. Valkv. t. 10. eristatus, G. R. Gr.

Sunda Islands.
Java, Borneo,
Sumat.,Phil.I.
India.

 indicus, Hodgs. rufitinetus, M·Clell.; palumbarius, Jerd.; anceps, Tem. trivirgatus indicus, Schl.

India, Himalayas, Ceyl.

280. griseiceps, Schl. Valkv. t. 11. 1, 2; This, 1862, pl. 5. trivirgatus, juv., Bp.

Celebes.

94. d. ASTURINA, V. 1816.
Astur, p., Nitesch.
Reich, S. A. t. 94, f.
?

281. nitidus, Lath.; P. C. 294; Baird, B. N. A. pl. 64; V. Gal. des Ois. t. 20.
cinereus, V.; striolatus, Cuv.

S. America. New Mexico.

282. plagiatus, Licht.

Vera Paz, Guatemala, Mexico. Caraccas, Brazil.

283. leucorrhous, Quoy & G, Voy. Uranie, t. 13.

e. Buteola, Dubus, 1855.
 brachyura, V.; Isis, 1847, t. 2, 15.
 melanoleucus, Less.; albifrons, Kaup.

S. America, Brazil.

285. Cabanisii, Schl.
abbreviatus, Q, Licht.
minutus, Natt. & Pelz.

abbreviatus, p., Sclat.

Mexico, Guiana.

Cayenne, Brazil, Para.

**96.** f. Rupornis, Kaup, 1844.
Nisus, Less. 1831.

286. magnirostris, Gm.; P. E. 464; P. C. 86. macrorhynchus, Natt. & Pelz.

287. insectivorus, Spix, A. B. t. 8<sup>a</sup>.
magnirostris, p.

Brazil, Guatemala, Mex.

Cayenne, Costa Rica, Caraccas.

288. **Pucherani**, Verr. gularis, Licht.; magnirostris, p., D'Orb.

Monte Video.
Buenos Ayres,
Bolivia.

### 97. GERANOSPIZA, 1847.

Geranopus ct Geranospizia, 1851, Kaup. Ischnosceles, Striekl.
1844, nee Burm. 1842. Ichnoscelis, G. R. Gr. 1849.
G. of B. i. p. 28, pl. 10. f. 6; Reich. S. A. t. 94. f.

289. gracilis, Tem. P. C. 91.

eærulescens, V. Wiedii brasiliensis, Gr. aterrimus, Licht.; nigra, Dubus. ? hemidactylus, Tem. P. C. 3. E. Brazil, Buenos Ayres. Island of Puna,

Brazil.

**98. MICRASTUR,** G. R. Gr. 1841.

Brachypterus, Less. 1837, nec Kugel. 1794. Carnifex, Less. 1842, nec Sandev, 1836. Climacocercus, Cab. 1844. Herpetotheres, p., Kaup, 1845. Climacourus, 1849, et Rhyncomegas, 1853, Bp. G. of B. i. p. 28, pl. 10. f. 1.

a. Micrastur.

290. brachypterus, Tem. P. C. 141, 116.

semitor quatus et melanoleucus, V.; leucomelas, Ill.; naso!, Less.

b. ——?

Brazil, Bahia.

291. Mirandollei, Schl.

macrorhynchus, Natt. & Pelz.

Surinam. Brazil, E. Peru.

Mexico.

99.

Micrastur, Bp. 1854. Reich. S. A. t. 98. f.

292. ruficollis, V.; P. C. 92. xanthothorax, Tem.

Guiana, Brazil.

293. leucauchen, Max.; P. C. 306. xanthothorax, p., G. R. Gr.

Brazil.

294. gilvicollis, V. ? concentrious, Ill. Brazil, Columb. Mexico?

295. castanilius, Bp.; Selat. & S. Ex. Orn. pl. 18.

S. America.

296. guerilla, Cass. Journ. Ac. Phil. 1848, pl. 40.

Mexico, Jalapa. New Granada.

297. zonothorax, Cab.

100. HERPETOTHERES, V. 1818.

Physta, V. 1816. Macagua, Less. 1831. Cachinna, Flem. 1822. G. of B. i. p. 15, pl. 7. f. 4.

298. cachinnans, L.; I'. Gal. des Ois. t. 19; Spix, A. B. t. 3 a. Guiana, Mexico. herpetotheres, G. R. Gr. Bolivia.

101. ACCIPITER, Br. 1760.

Eperviers, 1798-99, et Nisus, 1799-1800, Cuv. Ierax, Leach, 1816. Nisuoides, Poll. Astur, p., Nitzsch. G. of B. i. p. 28, pl. 10, f. 4; Reich. S. A. t. 94, f.

a. Accipiter.

299. nisus, L.; P. E. 467, 412; Naum, Vog. t. 20, 21; Gould, B. E. pl. 18. accipiter, Ray; striatus, Frisch.

Europe. N. Africa. communis, Cuv.; fringillarius, Kaup. nisosimilis, Tick.; subtypieus, Hodgs. Dussumierii, Jerd.

India, Persia. Japan.

300. rufiventris, Smith, I. S. A. Z. pl. 93; P. C. 496. exilis, Tem.; perspicillaris, Rüpp. fringillarius, p., Kaup. fringillarius ruffventris, Sehl. S. & N. Africa.

301. tachiro, V.; Lev. O. A. t. 27; P. C. 377, 420.

S. Africa.

polyzonos, *Tem.* unduliventer, *Rüpp. F. A.* t. 18. 1. erythroenemius *et* satrapa, *Licht*.

 $N.E.\ \Lambda friea.$ 

W.Afr., Gaboon.

302. **Toussenelli**, Verr. poliopareius, Heugl.?

303. Stevensoni, Gurn. Ibis, 1863, pl. 11.

China.

304. fuscus, Gm.; Wils. A. O. pl. 46. 1; P. C. 67. pennsylvanicus, Wils. Cooperi, Q., Kaup; velox, Wils. Malfini, juv., Less.; lineatus, striatus, et ardosiacus, V.; fringillarius, p., Kaup. N. America.

305. erythrocnemius, G. R. Gr.; Sclat. & S. Ex. Orn. pl. 17. Brazil. fuseus, p. ?, Schl.; nisoides, Cuv. Bolivia. striatus, D Orb. ferrugineus, Licht. erythrocnemis, Sclat. & S.

306. ventralis, Selat. & S. Ex. Orn. pl. 13. erythroenemis, p., Selat.

New Granada.

307. chionigaster, Kaup; Selat. & S. Ex. Orn. pl. 14. erythroenemius, p., Selat. & S.

Coban.

308. madagascariensis, Verr.

Madagascar.

fringillarius, p., Kaup. Francesii, Q or juv., Schl. (!) Lantzii,  $Verr.\ R.\ et\ M.\ de\ Zool.\ 1866,\ t.\ 18\ ;\ Poll.\ \&\ V.\ D.\ F.\ de\ Madaq.\ t.\ 13.$ 

309. zonarius, Tem.; Des Murs, I. O. t. 61. polyzonos, Less.; maerocelides, Tem. tachiro, p., G. R. Gr. W. Africa.

310. Hartlaubii, Verr. guttatus, Heugl.?

311. fringilloides, Vig. fuseus, p., Lemb.

Cuba.

**102.** b. Cooperastur, Bp. 1854.

312. **Cooperi**, Bp.; A. O. pl. 10. 1. Stanleyi, Aud.; Beskii, Licht. pileatus, juv., Kaup.

N. America. W. of Rocky M. 313. ? mexicanus, Sw.
 fuscus, p.?, G. R. Gr.
 314. chilensis, Ph. & Landb.; Selat. & S. Ex. Orn. pl. 37.

Mexico, New Mexico, California,

erythroenemia et pileatus, p., G. R. Gr. Cooperi, p., Pelz.

315. pileatus, Max.; P. C. 205.

Chili, Str. of Magellan.

variatus, Cuv. Cooperi, p., Kaup. Brazil, Cayenne. Str. of Magellan.

316. guttatus, V. pileatus, Lafr.

Bolivia.

317. poliogaster, Tem.; P. C. 264, 265.

Brazil, Bolivia.

318. bicolor, V.; Sclat. & S. Exot. Orn. pl. 69. sexfasciatus, Sw.; dynastes, Bp. pileatus, p., et erythrocnemis, p., Sclat.

Guaiana, Guat. Bogota.

319. Gundlachi, Lawr.
pileatus et Cooperi, Lemb.
Cooperi, p., Cab.

Cuba.

103. c. Hieraspiza, 1844. ct Jeraspizia, 1851. Teraspiza!, 1867, Kaup. Hieracospiza, Agass.

Pr. Z. S. 1867, f. 1, p. 171.

320. tinus, Lath.; G. R. Gr. & M. G. B. pl. 10. subniger et minutus, V. Malfini (adult), Less.; collaris, Lawr. Fontainieri, Verr. & Des M. superciliosus, L.?; Kaup.

S. America. Veragua.

New Granada.

New Granada.

321. collaris, Kaup; Ibis, 1860, pl. 6.

Java, Sumatra, Timor.

Ind. Orn. pl. 4.

Brissonianus, Shaw.

Dussumieri, Sykes; besra et fringillarius, Jerd.
affinis, Hodgs.: minutus, Less.; Delafouii, H. Smith.
gularis, Sehl, F. J. t. 2.
nisoides, Bl.

322. virgatus, Tem.; P. C. 109; Sehl. Valkv. t. 12. 1-4; Jerd.

India.

Japan. Malacea penins.

323. minullus, Daud.; Lev. O. A. t. 34. binotatus, Licht.

S. Africa.

324. pectoralis, Cur.; Ibis, 1861, pl. 10.

S. America. Celebes.

rhodogaster, Schl. Valkv. t. 12, 5, 6.
 virgatus rhodogaster, Schl.

326. erythropus, Tem. minullus, p., Hartl.

Seneg.. Guinea.

104.

d. Urospiza, 1845.

Urospizia, 1848, et Uraspiza, 1867, Kaup. Pr. Z. S. 1867, f. 5. p. 175, et f. 4, C. p. 174.

327. torquatus, Cuv.; P. C. 43, 93; Schl. Valkv. t. 17. cruentus. Gould. B. A. i. pl. 18. N. Austr., Timor. Ternate, Celebes.

328. sylvestris, Wall.; Schl. Valkv. t. 17. 3. 5. torquatus, p., Kaup.

Flores, Sumbava, Java.

329. cirrhocephalus, Lath.; Gould, B. A. i. pl. 19. nisus et melanops, Lath.? torquatus, Vig. & Horsf.; australis, Less. tricolor, V.; macrodactylus, Tem.

Australia. Moluccas. New Calcdonia.

330. approximans, Vig. & Horsf.; Gould, B. A. i. pl. 17. radiatus, Cuv.; fasciatus, Vig. & Horsf.

N. S. Wales, Tasmania, S. Austr. Timor, New Calcdonia.

 rufitorques, Peale; U. S. Expl. Exp. pl. 2, 2; Voy. Pôle Sud, t. 2, 2.

Feejee Islands.

hyiogaster, p., *Bp.* erythrauchen, p.?, *Kaup.* cruentus, p., *Finsch & Hartl.* 

332. haplochrous, Sclat. Ibis, 1859, pl. 8.

New Caledonia.

333. sulaënsis, Schl. Valkv. t. 16. 3, 4.

Sula, Ceram?

335. rubricollis, Wall. Pr. Z. S. 1863, pl. 4; Schl. Valkv. t. 13. 2. cirrocephalus ceramensis, et erythrauchen, p., Schl.

334. erythrauchen, G. R. Gr.; Schl. Valkv. t. 13. 1, 3, 4.

E. Gilolo, Ceram, Morty, Batc. I. Bouru, Morty, Ceram, Gilolo.

336. poliocephalus, G. R. Gr.; Ibis, 1860, pl. 10.

New Guinea, Aru, Kei, Salwatty.

105.

. ..... ?

Erythrospiza, Kaup, 1867, nec Bp. 1830. Pr. Z. S. 1867, fig. 3. p. 173, et fig. 4, A, B, p. 174.

Celebes.

337. trinotatus, Tem.; Schl. Valkv. t. 19. 1-3.338. griseogularis, G. R. Gr.; Schl. Valkv. t. 14. 1, 2, t. 15.

1, 2, 3, t. 16. 1, 2. cruentus, p., Schl.

henicogrammus, G. R. Gr.

Gilolo.
Ternate, Batchian, Morty.
E. Gilolo.

339. ? æquatorialis, Wall.; Schl. Valkv. t. 14. 3, 4. griseogularis, p., Kaup. cruentus, p., Finsch & Hartl.

Morty, Salwatty. Batchian, Gilolo. Waigiou.

 iogaster, Tem.; Yoy, Pôle Sud, t. 2, 1; Schl. Valkv. t. 18. hyiogaster, Bp. Celebes.

341. Muelleri, Wall. griseogularis, p., Kaup. eruentus, p., Schl. Waigiou, Gilolo.

### 106. MICRONISUS, G. R. Gr. 1840.

Nisastur, Bl. 1844. Melierax, Boie, 1855. Astur, p., Nitzsch.

## a. Micronisus.

342. gabar, Daud.; Lev. O. A. t. 33; P. C. 122, 140. erythrorhyuchus, Sw.; leucorrhous, V. nilotica, Sunder.; gabariuus, Sunder.? Africa. Portugal.

343. niger, V.; Gal. des Ois.t. 22; Gould, Syn. A. B. pl. f. (head). gabar, var., Kaup; carbonarius, Licht. Banksii, Ten.

S. Africa. Madagascar.

344. sphenurus, Rüpp. S. U. t. 2; Bree, B. of Eur. pl. app. Rüppellii, Kaup; guttatus, Heugl. badius, p., Schl.

Abyssinia.
W. Africa.

345. polyzonoides, Smith, I. S. A. Z. pl. 11. erythropus, p., Schl.; sphenurus, p., G. R. Gr.

brachydaetylus, Sw.

S. Africa.
Damaraland?

346. brevipes, Severz. Bull. S. Imp. Mosc. 1850, t. 1. 2. sphenurus, p., Gurn. Gurneyi. Bree, B. of Eur. pl. app.

Athens, Damase. S. Russia.

347. badius, Gm.; P. C. 308, 336; Bree, B. Eur. pl. app. Brownii, Shaw; Dussumieri, Tem. dukhunensis, Sykes; fringillanoides et scutarius, Hodgs.; bi-fasciata, Peale. manillensis, Meuen. India, Ceylon. Siam, Europe.

#### 107.

b. Tachyspiza, 1844,

et Tachyspizia, 1851, Kaup.
Hypotriorchis, p., Boie, 1828.
Pr. Z. S. 1867, f. 2, p. 172.

348. soloënsis, Horsf. P. C. 110, 129; Schl. Valkv. t. 19, 4-6, enculoïdes, Tem.; minutus, Less.

Java, Celcbes. Philip. I., Batchian I., N. China, New Guinea.

#### 108.

c. Scelospiza, 1847,

et Scelospizia, 1851, Kaup. Nisuoides, Poll. 1866.

349. Francesii, Smith; Ibis, 1864, pl. 7; Poll. & V. F. D. Ma-Madagascar, dag. t. 14.
Macanna I.

350. Moreli, Poll.; Poll. & V. D. F. de Madag. t. 12. 3. Lantzii, p.?, Newt. Madagascar.

351. Brutus, Poll.; Poll & V. D. F. de Madag. t. 12. 2.

Mayotta.

109. d. Kaupifalco, Bp. 1854.

Asturinula, Hartl, & Finsch, 1869.

352. monogrammicus, Tem. P. C. 314; Sw. B. of W. Afr. pl. 4. W. Africa. musicus, Hartl.

# 110. MELIERAX, G. R. Gr. 1840.

G. of B. i. p. 30, pl. 10. f. 5.

353. musicus, Daud.; Lev. O. A. t. 27. canorus, Thunb.; cantans, Kaup.

354. polyzonus, Rüpp. F. A. t. 15. 1. musicus, p., G. R. Gr.

355. ? metabates, Heugl.

S. Africa.

N.E. Africa. Gambia.

White Nile.

# Subfam. VII. Circinæ, $B_p$ .

Buteonina, p., Vig. 1825. Buteoninæ, p., Sw. 1837. Falconinæ, p., 1831, et Polyborinæ, p., 1849, Bp.

### 111. CIRCUS, Lacép. 1800-1801.

Pygargus, Koch, 1816. Sw. C. of B. f. 107; Reich. S. A. t. 93. f. .

### a. Circus.

356. æruginosus, L.; P. E. 460, 424; Naum. Vog. t. 37, 38; Gould, B. E. pl. 32.

rufus, Gm.; arundinaceus, Beehst. Krameri, Kram.; palustris et rufus, Br. indicus. Lath.; variegatus, Sykes. Svkesi, Less.

byzantina, Ep.

C. & S. Europe. India.

N. Africa.

357. ranivorus, Daud.; Lev. O. A. t. 23.

358. assimilis, Jard. & S. Ill. Orn. pl. 51; Gould, L. A. pl. 26. Jardinei, p., Schl.

359. approximans, Peale.

Wolfii, Gurn. Pr. Z. S. 1865, pl. 44. assimilis, p., Verr. & Des Murs.

360. spilonotus, Kaup; Ibis, 1863, pl. 5.

361. Maillardii, Verr.; Ibis, 1863, pl. 4. melanoleucus, Hartl.

362. macroscelis, A. Newt.

S. Africa.

New S. Wales. S. Australia.

Feejee Isalnds. New Caledonia. New Zealand.

Philippine I., I. of Formosa. I. of Bourbon. Joanna.

Madagascar.

112. b. Spilocircus, Kaup, 1847.

Reich. S. A. t. 93. f.

363. Jardinii, Gould, B. A. i. pl. 27; Schl. Valkv. t. 20. 2, 3. assimilis, p., Schl.

New S. Wales, Tasmania. Celebes.

113.

c. Strigicers, *Bp.* 1831.

Circus, Cuv. 1817.

G. of B. i. p. 32, pl. 11. f. 1; Reich, S. A. t. 93. f. .

364. cyaneus, L.; P. E. 480, 459, 443; Naum. Vög. t. 38, 39; Gould, B. E. pl. 33.

C. Europe.

bohemicus, albicans, griseus, et montanus, Gm.; cinereus et rubiginosus, H. Poseg.; strigiceps, Nils. variabilis, Pall.; gallinarius, Sav. pygargus, L. Cuv.

Himalayas.

pygargas, z. cae.

365. hudsonius, L.; Wils. A. O. pl. 51.2; Bp. A. O. pl. 12; Faun. B. A. pl. 29.

N. America.

uliginosus, varicgatus, albidus, ct Buffoni, Gm.; europogistus, Bosc.

California, Cuba.

cyaneus, var. americanus, Sw. cyaneus, p., Kaup.

366. melanoleucus, Gm.; Lev. O. A. t. 32.

Bengal, Nepal.

367. maurus, Tem. P. C. 461.

Lalandii, Smith; ater, G. R. Gr.

S. Africa.

368. cinereus, V.; Voy. Uranie, t. 15, 16. histrionicus, Quoy & G. acoli, (V.) Kaup; frenatus, Ill. campestris, ? V. S. America.

114.

d. Glaucopteryx, 1844,

Glaucopterix, 1845, et Pterocircus, 1851, Kaup. Reich. S. A. t. 93. f.

cineraceus, Mont.; Naum. Vög. t. 40; V. Gal. des Ois.
 t. 13; Gould, B. E. pl. 35.

C. & S. Eur.

Montagui, V.; einerascens, Flem. einerarius et einerareus, Mont. ater, V. (var.) nipalensis et pallidus, Hodgs.

Himalayas.

370. pallidus, Sykes; Gould, B. E. pl. 34; Naum. Vog. t. 348.
Swainsoni, Smith, I. S. A. Z. pl. 43, 44.
æquipar, Cuv.; Feldeggi, Bruch.
albescens, Less.; dalmaticus, Rüpp.
herbæcola, Tick.; superciliaris, Smith.
acoli, V.?; eineraccus pallidus, Schl.

C. S. E. Eur., S. and W. Africa, India, China.

115.

e. Spizacircus, 1845,

et Spiziacircus, 1851, Kaup. Reich. S. A. t. 93, f. .

macropterus, V.; P. C. 22.
 palustris, Max.; superciliaris, Less.

S. America.
Patagonia, Maldonado.

leucophrys, abicollis et maculosa?, V.; Gouldi, Bp. megaspilus, Gould; G. R. Gr. & M. G. B. pl. 11.

372. poliopterus, Tsch. F. P. t. 3.

Peru, La Plata.

### 116. POLYBOROIDES, Smith, 1830.

Gymnogenys, Less. 1830,

G. of B. i. p. 31, pl. 11, f. 2; Reich, S. A. t. 98, f. . .

373. capensis, Smith, I. S. A. Z. pl. 81, 82. typus, Smith; Malzakii, Verr.

S. W. & N. Afr.

radiatus, p., Gurn.

374. radiatus, Scop.; Sonn. Voy. t. 103; P. C. 307. madagascariensis, Daud. gymnogenys, Tem. Madagascar.

## FAM. IV. SERPENTARIIDÆ, Selys, 1842.

Gypogeranidæ, Steph. 1825.

Subfam. I. Serpentariinæ, G. R. Gr. 1855.

Gypogeraninæ, Bp. 1849. Circinæ, p., G. R. Gr. 1840.

#### 117. SERPENTARIUS, Cuv. 1797-98.

Falco, 1 div., Gm. 1788. Sagittarius, Vosm. 1767. Secretarius, Dum. 1806.
Gypogeranus, Ill. 1811. Ophiotheres, V. 1816.
G. of B. i. p. 31, pl. 11, f. 3; Reich. S. A. t. 93, f.

375. reptilivorus, Daud.; Lev. O. A. t. 25; P. E. 721. serpentarius, Gm.; secretarius, Scop. africanus, Shaw. capensis, gambensis et philippensis, Ogilby.

S. Africa.

W. Afr., Philippine Isl. (?).

# Suborder II. ACCIPITRES NOCTURNI.

# FAM. V. STRIGIDÆ, Leach.

Strixidea, Lafr, 1837.

# Subfam. I. Surninæ, Bp. 1838.

Noctuina, Vig. 1825. Buboninæ, p., et Atheninæ, Bl. 1849. Atheninæ, Nycteininæ et Striginæ, p., Cass. 1849.

Thibet.

## 115. SURNIA, Dum. 1806.

Syrnia, Steph. 1826,

G. of B. i. p. 33, pl. 12, f. 1; Reich, S. A. t. 92, f. ; Trans. Z. S. iv. pl. 56, 6.

376. **ulula,** L.; P. E. 463; Naum,  $V\ddot{o}g$ . t. 42; Gould, B. E. pl. 45; N. Europe, N. Wils. A. O. pl. 50. 6. America.

caparoch, Müll.; nisoria, Bechst.; hudsonia, Gm. doliata, Pall.; funerea, Lath. arctica, Sparrm.; borealis, Less.

## 119. NYCTEA, Steph. 1825.

Strix, 2 div., Gm. 1788. Noctua, Brehm, 1828.
Syrnium, 1829, et Surnia, 1851, Kaup.
Nyetia, Sw. 1837.
G. of B. i. p. 34, pl. 12, f. 2; Reich, S. A. t. 92, f.

377. nivea, Daud.; P. E. 458; Naum, Vog. t. 41; Gould, B. E. i. pl. 43; Wils. A. O. pl. 23. 1.

nyctea, L.; candida, Lath.
erminea, Shaw; arctica, Bastr.
cinerea, Steph.

### 120. ATHENE, Boie, 1822.

Carine, Kaup, 1829. Noctua, Sav. 1809, nec Fab. 1776.
G. of B. i. p. 34, pl. 12. f. 3; Reich. S. A. t. 92. f. ; Trans. Z. S. iv. pl. 56, 3, 4.

#### a. ATHENE.

378. noctua, Retz.; P. E. 439; Naum. Vog. t. 48. 1; Gould, B. E. pl. 48.

passerina, Tem.; veterum, Licht.
Vidgli, Brehm; nudipes, Nils.
psilodactyla et indigena, Brehm.

379. **glaux**, Sav. S. Europe. persica, V.; numida, Lev. N. Africa. meridionalis, Risso; pharaonis,  $M\ddot{u}ll$ . nilotica,  $W\ddot{u}rt$ .; noctua, var.  $\beta$ , Blas.

380. bactriana, *Hutt*.
nudipes *et gy*mnopus, *Hodgs*.; persicus, p., *Bl*.

381. brama, Tem. P. C. 68. India. indica, Frankl.; tarayensis, Hodgs.

## 121. b. Tenioglaux, Kaup, 1848.

382. castanoptera, Horsf.; P. C. 98. Java. spadicca, Reinw.

383. castanonota, Bl. Ccylon. castanoptera, Bl.

384. radiata, Tick. India. erythroptera, Gould; perlineata, Hodgs. undulata, Bl.

385. cuculoides, Vig.; Gould, C. B. pl. 4. Nepal, China. auribarbis, Hodgs.

386. malabarica, *Bl.* castanoptera, p., *Jerd*.

India.

387. Whitelii. Bl.

Japan.

388. superciliaris, V.; P. C. 21.
Sonneratii, Tem.; rufescens, p., Bl.
Pollenii, Poll. & V. D. F. de Madag, t. 17.

Pondicherry? Malacca, Java? Madagascar.

122. c. Tenioptynx, Kaup, 1848. Glaucidium. El.

389. **Brodiei**, Burt. tubiger  $\epsilon t$  badia, Hodgs.; Brodiaei, Pelz.

Himalayas.

390. sylvatica, Müll.

Sumatra.

391. pardalota, Swinhoe.

I. of Formosa.

123. d. Smithiglaux, Bp. 1854.

392. capensis, Smith. I. S. A. Z. pl. 33.

S. Africa.

393. Plencopsis, Hartl. Abh. d. naturw. Ver. in Hamb. 1852, t. 1. St. Thomas I., W. Africa.

e. Microglaux, Kaup, 1848.
 Nyctipetes, Sw. 1837.
 Sw. C. of B. f. 199; Reich. S. A. t. 92. f.

S. Africa.

394. perlata, V.; Lev. O. A. t. 284. licua, Licht.; perlata capensis, Schl. 395. occipitalis, Tem. P. C. 34.

W. Africa. N.E. Africa.

125. f. Hierocoglaux, 1848,

perlata, Schl.; lieua, Licht. (Verz).

Ieraglaux et Zeraglaux, 1851, Kaup. Ieroglaux, Bp. 1854. Trans. Z. S. iv. pl. 56, 7.

396. connivens, Lath.; Gould, B. A. i. pl. 34. frontata, Less.; fortis, Gould. Var. E. & W. Austr.

Cape York.

397. strenua, Gould, B. A. i. pl. 35. rufa, Gould, B. A. i. pl. 36 (juv.).

N.E. Australia. N. Australia.

398. Franseni, Schl.

Waigiou.

399. aruensis, Schl.

Aru.

Table: Van 1010	
9. Spiloglaux, Kaup, 1848. 400. boobook, Lath; Gould, B. A. i. pl. 32.	Austra., Tasma.
bubuk, Kaup.	Port Essington.
Var.	O
401. maculata, Vig. & H.; Gould, B. A. i. pl. 33.	Austra., Tasma.
402. marmorata, Gould.	S. Australia.
403. novæ zealandiæ, $Gm.$ ; $Voy. Astrol.$ t. 2. 2. fulva, $Forst.$ ; zealandica, $Quoy \ G$ .	New Zealand.
404. guteruhi, Müll.	Timor.
405. theomacha, Bp.	New Guinea.
127. h. Сериалогтүүх, Кайр, 1851. 406. punctulata, Quoy & G. Voy. Astrol. t. 1. 1.	Celebes.
125. i. Rabdoglaux	
et Rhodoglaux, Bp. 1854.	G.
407. squamipila, $Bp$ .	Ceram.
408. hantu, Müll.	Bouru.
409. hypogramma, G. R. Gr.	Batchian, Gilolo.
410. humeralis, Homb. & J. Voy. Pôle Sud, t. 4. 1.	New Guinea.
411. variegata, Quoy & G. Voy. Astrol. t. 1. 2.	New Ireland.
<ol> <li>Jacquenoti, Bp.; Voy. Pôle Sud, t. 3. 1. tæniata, Homb. § J.</li> </ol>	Salomon I.
413. florensis, Wall.	Flores.
414. ochracea, Schl.	Celcbes.
415. rufostrigata, G. R. Gr.	E. Gilolo.
416. Forsteri, Hartl.	Tonga I.
bakkamma, Forst.	Tanna.
j. Sceloglaux, Kaup, 1848.	
417. albifacies, G. R. Gr.; Gould, B. A. Suppl. pl.	New Zealand.
130. k. Nixox, Hodgs. 1837. Ctenoglaux, Kaup, 1851.	
418. hirsuta, Tem. P. C. 289. malayensis, Eyton?	Ceylon. Malacca?
419. lugubris, Tick. Madr. Journ. Lit. & Sc. 1837, pl. 14. nipalensis et jeridius, Hodys. seutellata, p., Gr.	1ndia.

420. borneensis, *Bp*. hirsuta borneonensis, *Schl.* hirsuta, p., *Schl*.

Borneo.

421. japonica, Schl. F. J. t. 9 B. hirsuta japoniea, Schl. scutellata, p., Horsf. & M.

Japan, China.

422. **philippensis**, *Bp*. hirsuta philippensis, *Schl*.

Philippine I.

423, affinis, Tytl,

Andaman I.

424. madagascariensis, Bp. hirsuta, Smith.

Madagascar.

425. scutellata, Raffl.

Sumatra.

l. Glaucidium, Boie, 1826.
 Phalænopsis, Bp. 1854.

426. nana, King; G. R. Gr. & M. G. B. pl. 12. ferruginea, Cab. leucolaima, Homb. & J. Voy. Pôle Sud, t. 4, 2, 3. Str. of Magellan.

Chili.

427. infuscata, Tem. P. C. 344. passerinoides, Tem.; pumila, Less. jardinei, Bp.? Brazil.

Guatemala.

428. ferruginea, Max.; P. C. 199. Brazil.

429. pumila, Licht.; P. C. 39. minutissima, Max. ferox, V.

infuscatus, p., Selat. & S.

11

430. **phalænoides**, V. O. A. S. t 15. ferruginea, p., Cass.; infuscatus, p., Selat. & S.

Antilles.
Trinidad.

 siju, D'Orb. Voy. Cuba, t. 3. havanensis, Licht.; sigu, Selat. Cuba.

432. ocellata, Homb. & J. Voy. Pôle Sud, t. 3, 2. bubuk, p., Kaup.

Chili.

m. Microptynx, Kaup, 1851.
 Glaucidium, Brehm, 1828, et p. Boie, 1826.

433. passerina, L.; Lev. O. A. t. 46; Bree, B. E. pl. app. pusilla, Daud.; acadica, Tem. pygmæa, Beehst. N. Europe, Africa.

434. gnoma, Wagl.; Aud. B. Am. i. pl. 30. infuscatum, Cass.; californicum, Sclat.; eluta, Natt.; passerinoides, Aud. California.

Mexico, Oregon.

133. n. Micrathene, Coues, 1866.

435. Whitneyi, Coues; Elliot, B. N. A. pl. .

Arizona Territory.

**134.** o. Speotyto, Glog. 1842.

Pholeoptynx, Kaup, 1848.

436. cunicularia, Mol.; P. C. 46. grallaria, Tem.; patagonica, Peale. urucurea, Less.? Chili. Brazil, Peru.

437. **hypogæa**, *Bp. A. O.* pl. 7. 2. socialis, *Gamb*. cunicularia, *Say*, *et* p. *G. R. Gr*.

N.W. America. Mexico, Texas.

438. domingensis, Müll. dominicensis, Gm.; cunicularia, p., V.

St. Domingo. Nevis, W.Indies.

439. fusea, V.; P. C. 46. Maugei, Tem. Antilles.

# Subfam. II. Buboninæ, Bp. 1838.

Bubonina, Vig. 1825. Surniinæ, p., Bp. 1850.

**135.** BUBO, Dum. 1806.

turcomanus, Ehrenb.

t. 91. f.

Strix, L. 1735-66. Feliceps, Barr. 1745.
Asio, Briss. 1760, § Sw. 1837. Bubotus, Rafinq. 1815.
Heliaptex, Sw. 1837. Albryas, Glog. 1842.
Megaptyux et Pachyptynx, Bp. 1854.
Sw. C. of B. f. 198; G. of B. i. p. 37, pl. 13, f. 3; Reich, S. A.

a. Bubo.

440. maximus, Sibb.; P. E. 435; Naum, Vöy. t. 44; Gould, B. E. pl. 37.

C. S. Europe.

bubo, L.; atheniensis, Daud. scandiaca, L.; maximus, var. β, Blas. microcephala, Leach; europæa, Less. cinerca, Gm.; G. R. Gr. & M. G. B. pl. 13. sibiricus, Licht.; Susem. Vog. Eur. t. 44.

N.E. Europe.

- 441. capensis, Daud.; Lev. O. A. t. 40; Smith, I. S. A. Z. t. 70. S. Africa. africana, Steph.; maximus, p., Kaup.
- 442. virginianus, & Edw. B. pl. 60; Wils. A. O. pl. 50. 1. N. America. pinicola, V. var. atlanticus, pacificus et crassirostris, Cass.? var. arcticus, & Faun. B. A. pl. 30. subarcticus, Hoy? Cassirostris, V. O. A. S. t. 19. macrothyncha, Tem. P. C. 62?
- 443. magellanicus, Gm.; P. E. 385. nacurutu, V.; virginianus, p., Schl.

S. America.

136.

b. Huhua, 1837.

Etoglaux, 1841, et Aëtoglaux, 1844, Hodgs. Ptiloskelos, Tick. 1859.

444. orientalis, Horsf.; P. C. 174, 229. strepitans, Tem.; sumatra, Raffl. orientalis minor, Schl.

Java, Sumatra. Bangka.

445. nipalensis, Hodgs. Madr. Journ. 1831, pl. 1.

0

pectoralis, Jerd.; orientalis, p., Bl. Amherstii, Tick. N. India.

137.

e. Urrua, 1837,

et Mesomorpha, Hodgs. 1841.

446. bengalensis, Frankl.; Gould, C. B. pl. 3. caveria, Hodgs.

India, Ceylon. Affghanistan.

447. coromanda, Lath.; Gr. I. Ind. Z. pl. 20. umbrata, Bl.

India.

138.

d. Nyctaetus, Glog. 1842.

Bubo a, p., Nitzsch. Nyctaetos, Ep.

448. lacteus, Tem. P. C. 4. sultaneus, Less.

W. Afr., Seneg. N. Africa?

449. fasciolatus, Tem.; Proc. Z. S. 1863, pl. 33; Schl. Handb. Dierk. t. 1. 11. poensis, Fras.

Gold Coast.

450. Verreauxii, *Bp.* lacteus, *Gr.*; lacteus, p., *Schl.* 

S. Africa.

leucostictus, Tem.

Gold Coast.

S. Africa.

e. Nisuella, Bp. 1854. Trans. Z. S. iv. pl. 57. 5.

452. maculosus, V.; P. C. 50; Gal. des Ois. t. 23 bis. africana, Tem.; nisuella, Smith. gracilis, Less. Dilloni, Des Murs; Lefebr. Voy. en Abyss. t. 3.

453. cineraceus, Guer.; Ferr. & Gal. Voy. Abyss. t. 2; Lefebr. Voy. Abyss. t. 4.
abyssinicus. Dubus.
selenotis, Würt.

454. madagascariensis, Smith; Arch. du Mus. 1844, t. 23.

Madagascar.

140. f. Ascalaphia, I. Geoffr. 1830.

Otus. Cuv.

africanus, p., Kaup.

455. ascalaphus, Sav. Hist. de l'Egypte, t. 3. 2; P. C. 57; Gould, B. E. pl. 38. Savignyii, I. Geoffr.

N. Africa. S. Europe. 141. g. Pseudoptynx, Kaup, 1848.

456. philippensis, G. R. Gr.; Schl. De Dier. fig. , p. 10.

Philippine Isl.

142. KETUPA, Less. 1831.

Cultrunguis, Hodgs. 1836. Ketupu!, G. R. Gr. 1840. Bubo, β, Nitzsch, 1840.

G. of B. i. p. 38, pl. 13, f. 1; Reich, S. A. t. 91, f. ; Trans. Z. S. iv. pl. 57. 6, 7.

a. Ketupa.

457. ceylonensis, Gm.; P. C. 20; Gr. I. Ind. Z. pl. 31.

India, Ceylon, Bur., China. Palestine.

Hardwickii, Gr.; Leschenaultii, Tem. dumeticola, Tick.; nigripes, Hodgs.

Himalayas.

458. flavipes, Hodys. T. A. S. B. v. fig. p. 364.

Java.

459. javensis, Less.; P. C. 74. ketupa, Horsf.; ceylonensis, Tem. javanensis, Schl.

143. b. Scotopelia, Вр. 1849.

Megapelia, Kaup, 1851, nec 1836. Scotoglaux, Heine, 1860.

460. Peli, Tem.; Schl. Handb. Dierk. t. 1, 10; Tbis, 1859, pl. 15. W. & S. Africa. typica, Ep.

**144.** SCOPS, Sav. 1809, nec Mahr. 1752.

Ephialtes, Keys. & Bl. 1840 (nec Schrank, 1802).

Bubo, p., Boie, 1822.

G. of B. i. p. 38; Reich. S. A. t. 91. f. a. Scops.

461. zorca, Gm.; P. E. 436; Naum. Vog. t. 43. 3; Gould, B. E. pl. 41.

S. Europe.

Scops, L.; Giu, Scop.; europæus, Less. pulchella, Pall.; Aldrovandi, Flem.

ephialtes, Sav. longipennis, Kaup; striolata, Ehren.

N. Africa.

S. & W. Africa.

462. capensis, Smith.

senegalensis, Sw.; ephialtes, var., G. R. Gr. latipennis, Kaup.

zorca africanns, Schl. fazoglensis, Würt.

463. japonicus, Tem. & Schl. F. J. t. 9. bakkamæna, El.; scops japonicus, Schl. Japan.

464. **sunia**, Hodgs.; Jerd. I. Ind. Orn. pl. 41.

India, Ceylon, Himalayas, Burmah.

pennata, Hodgs.; Aldrovandi et spilocephala, Bl.; zorca, p.?, Bp.zorca asiaticus, Schl.

Japan?

465. elegans, Cass.

Flores.

466. sylvicola, Wall,

467. kamtchatchensis, Vcrr. Kamtschatka. 468. novæ zealandiæ, Schl. & Bp. New Zealand. 469. Hendersoni, Cass. Angoli. 470. rutilus, Puch. Arch. du Mus. 1844, t. 22. Madagascar. menadensis, var. Schl. & Poll.; sunia, var. rufus, Bl. Mayotta. madagascariensis, Grandid. 145. b. Lempijius, Bp. 1854. 471. lempiji, Horsf.; P. C. 99. Java, Borneo. noctula, Reinw.; javanicus, Less. Sumatra. 472. lettia, Hodgs. N. India. griseus, Jcrd.; lettoides, Bl. E. Ghats. lempiji, p., G. R. Gr.; semitorques, p. ?, Schl. sagittatus, p.?, Bp.; indicus, Gm.? 473. semitorques, Schl. F. J. t. 8. Japan, China. lettia, p., Swinh.; lempiji, p., Bl. I. of Formosa. Manilla. 474. ? megalotis, G. R. Gr. (juv.). 475. sagittatus, Cass. Journ, Ac, Phil, ii, pl. 12.2. Malacca. semitorques, p.?, Schl.; lettoides?, Jcrd. 476. rufescens, Horsf. Java. superciliaris, p., et "sagittatus, Cass.," Bl. Borneo. 477. mantis, Müll. rufescens, p., Bl.; manadensis, p., Kaup. Celebos. 146. c. Pisornina, 1848. et Psilorhina, 1849, Kaup. N. Celebes. 478. manadensis, Quoy & G. Voy. Astrol. t. 2. 2. Amboina, Celeb. 479. magicus, Müll. Batchian, Gilolo, 480. leucospila, G. R. Gr. Bourn, Morty, magicus, p., Schl. Ternate, Celeb. 147. d. Acnemis, 1848, et Aenemis, 1851, Kaup. 481. gymnopodus, G. R. Gr. India (?). zorca asiaticus, p.?, Schl. saggitatus, p. ?, Bp. 148. c. Ptilopsis, Kaup, 1848. W. Africa. 482. leucotis, Tem. P. C. 16. f. Megascops, Kaup, 1848. 149. G, of B, i. pl. 13, f, 2,

483. asio, L.; Wils. A. O. pl. 19. 1, & 42. 1; P. C. 80.

nævia, Gm.; striata, V.; ocreata, Licht.

N. America.

484. brasiliana, Gm.; Spix, A. B. t. 9, 10. choliba, U.; brasiliensis, Tem. & Schl.; decussata, Licht. crucigera et undulata, Spix, atricapilla, Cuv. P. C. 145. Cayenne, Brazil.

485. ?portoricensis, Less; Des Murs, I. O. t. 26. brasilianus, p., Schl.

Porto Rico, Trin. New Granada.

486. ? usta, Sclat.; Trans. Z. S. iv. pl. 61. brasiliensis, var., Sclat. & S.

Ega, Sarayaca.

487. lophotes, Less. atricapillus, p., Kaup.

Cayenne?

488. Watsoni, Cass. Journ. Ac. Phil. ii. pl. 12. 1. lophotes, Pucher.

Venezuela. Surinam.

489. flammeola, Lieht.; Pr. Z. S. 1868, p. 57. fig. (foot); Selat. § S. Exot. Orn. pl. 50.

Mexico.

490. trichopsis, Wagl.

Antilles.

491. psilopoda, V. O. A. M. t. 22. nudipes, V. nec Daud.

Sitka.

492. Kennicotti, Elliot.493. argentina, Licht.

Watsonii, p. ?, Schl.

Monte Video.

Isl. of St. John.

494. barbarus, Selat. & S. Exot. Orn. pl. 51.

Guatemala.

495. M'Callii, Cass.; Baird, B. of N. A. pl. 39. Maccallii, Aliq.; flammeola, p.?, Schl. trichopsis, p., Solat. & S. W.&S.W. Amer.

150.

g. Gymnasia, *Ep.* 1851.

Athene, Boie, 1826. Gymnoglaux, Cab. 1855.

496. nudipes, Daud.; V. O. A. S. t. 16.
Newtoni, Lawr.; Ibis, 1859, pl. 1.

St. Croix, St.
Thomas.
Porto Rico, St.
Domingo.
Cuba.

 Lawrencei, Selat. & S. Pr. Z. S. 1868, pl. 29. nudipes, Lemb. Voy. Cuba, t. 4. 2. nudipes, p., V.?

151.

h. Lophostrix, Less. 1837.

 cristatus, Daud.; Lev. O. A. t. 43. griseata, Lath. N. of S. Amer.

499. Stricklandi, Selat. § S.; Contr. Orn. 1848, pl. eristata, var. Strickl.; griseata, Griff. An. Kingd. i. pl. ?

C. America.

## Subfam. III. Syrniinæ, G. R. Gr. 1845.

Syrnina et Asionina, Vig. 1825. Ululinæ, Ep. 1838. Buboninæ, p., El. 1849.

### 152. SYRNIUM, Sav. 1809.

Strix, Cnv. 1799, 1800.
Strix, Briss. 1760.
Alnco, Kaup, 1829, nec Flem. 1822.
Uhla, Barr. 1745, et Cnv. 1817.
Seotiaptix, Sw. 1837.
Seoptioptex, Agass.
G. of B. i. p. 39, pl. 14, f. 2; Reich. S. A. t. 92. f.; Trans. Z. S. iv. pl. 57, 9, 10.

#### a Syrvium.

500. aluco, L.; P. E. 441. 437; Naum. Vög. t. 47; Gould, B. E. pl. 47. stridula, L.; sylvatica, Shaw.

N. Europe.

ululans, Sav.
501. nivicolum, Hodgs.

N. India.

502. Woodfordi, Smith, I. S. A. Z. pl. 71.

S. Africa.

503. lapponicum, Retz.; Naum, Vög. t. 349; Gould, B.E. pl. 42. N. Europe. barbatum, Pall.; microphthalma, Tyzensk. cinereum, p., Bp.

504. cinereum, Gm.; Faun. Bor.-Amer. pl. 31. acclimator, Bartr.; fuliginosa, Shaw.

N. America.

505. nebulosum, Forst.; Wils. A. O. pl. 33. 2; Gould, B. E. pl. 46. varius, Bartr.; chichictli, Gm.; fernandina, Shaw.

N. Europe.

506. fulvescens, Sclat. & S. nebulosum, p., Salv.

Guatemala.

507. occidentale, Xantus; Baird, B. N. A. pl. 66.

Port Tejou.

508. rufipes, King. fasciatus, p., Ep.

Str. of Magellan.

509. hylophilum, Tem. P. C. 373.

Brazil.

510. umbrinum, Heugl.

N.E. Africa.

511. fasciatum, Des Murs, I. O. t. 37. hypophila, p., Bp.; rufipes, p.?, Sclat. & S.

Chili.

b. Ptynx, Bl. 1840, nec Mαhr. 1752.

512. uralense, Pall.; P. C. 27; Naum. Vög. t. 42; Gould, B. E. pl. 44.

C. E. Europe.

liturata, Petz.; macroura, Natt. macrocephala, Meism.

513 fulvescens, Tem. & Schl. F. J. t. 10.

Japan.

rufescens, Tem. (letterpr.).

HAMD-LIST OF BIRDS.	40
<ul> <li>c. Bulaca, 1837.</li> <li>d Meseidus, 1841, Hodys. Meseides, G. R. Gr. 1845. Mesides, Agass.</li> </ul>	
514. indranee, Sykes. monticola, Jerd.; lacteus, p., Bp. newarense, p., G. R. Gr.	S. India, Ceylon. Malay penin.
515, <b>newarense</b> , <i>Hodgs.</i> ; <i>G. R. Gr. &amp; M. G. B.</i> pt. 14, indrance, p., <i>Schl.</i>	Himalayas.
516. sinense, Lath.; Gr. I. Ind. Z. pl. 21. orientalis, Shaw.	India, Ceylon.
517. caligatum, Swinhoe. indrance?, Swinhoe.	I. of Formosa.
518. ocellatum, Less. sinensis, p., Schl.	S. Asia.
<b>155.</b> d. Myrtha, Bp. 1853.	
519. leptogrammicum, Tem. P. C. 525.	Borneo.
520. seloputo, Horsf.; P. C. 230. pagodarum, Tem.	Java.
521. sumatranum, $Bp$ . myrtha, $Bp$ .; leptogrammica, var., $Schl$ .	Sumatra.
<b>156.</b> e. Ciccaba, Wagl. 1831.	
522. <b>huhula</b> , Daud.; Lev. O. A. t. 41; Spix, A. B. t. 10*. lineata, Shaw.	Brazil.
523. spilonotum, n. sp.?	Bogota,
524. albomarginatum, Spix, A, B, t, 10 <sup>3</sup> , huhula, p., Kanp.	Brazil,
525. nigrolineatum, Sclat. Trans. Z. S. iv. pl. 63.	S. Mexico.
157. f. Macabra, Bp. 1853?	
526. albitarse, G. R. Gr.; Trans. Z. S. iv. pl. 60. hylophilum. p., Kaup.	S. America.
527. <b>suinda</b> , V. dominicensis, Cab.; cayanense, juv., Kaup. polygrammicum, p., G. R. Gr.	Paraguay.
528. albogulare, Cass. Jaurn. Ac. Phil. iv. pl. 4. albogunctata, G. R. Gr.; macabrum, Bp.	Bogota, Columb. Mexico.
529. virgatum, Cass. Journ. Ac. Phil. iv. pl. 3. squamulata et chrysosticta, Licht.	Mexico, Carac.
zonocercum, G. R. Gr.: cayannense, p., Kaup. lineatum, Laur.	New Granada.

530. polygrammicum, G. R. Gr.

fasciata, p.; eayannense, p., Kaup. 531. cayanense, Gm.: P. E. 442.

fasciata, p., Kaup: cayannensis. Aliq.

Cayenne.

Brazil.

158.

532. fasciatum, V. cayannense, p., Kaup. N. of S. America.

533. superciliare, Natt.

Brazil.

q. Gisella, Bp. 1854.

Nyctalatinus, Kaup, 1854.

534. Harrisii, Cass. Journ. Ac. Phil. 1848, pl. 5. gisella, Bp. albipunctatus, Kaup?

Brazil.

Bogota. --- ?

535. Lathami, Bp.

h. Pulsatrix, Kaup, 1848. 159.

536. torquatum, Daud.; Lath. Syn. pl. 107; Lev. O. A. t. 42, 44. Guiana. personata, Daud.; perspicillata, Lath. larvata et superciliosa, Shaw.

537. melanonotum, Tsch. F. P. t. 4. melanota, Tsch.

Peru.

538, pulsatrix, Max.

major, Bp.; torquatum, Q, Kaup. melanotus, Pucher.

Brazil.

160. OTUS, Cuv. 1729-1800. nec Barr. 1745.

Bubo, Sav. 1809. nec Dum. 1806. Asio, Sw. 1831, nec Briss. 1760. Ægolius, Keys. & Bl. 1840, nec Kaup, 1829. G. of B. i. p. 39, pl. 14, f. 3; Reich, S. A. t. 91, f. .

a. Orus.

539. vulgaris, Flem.; P. E. 29; Naum. Vög. t. 45.1; Gould, B. E. pl. 39.

otus, L.; europæus, Steph. communis, Less.; albicollis, Daud. Europe. India.

540. americanus, Gm.; Wils. A. O. pl. 51. 1.

Wilsonianus, Less.; vulgaris, Aud. otus, Wils.; vulgaris americanus, Schl. N. America.

541. zonurus, G. R. Gr.

Mexico.

542. melanotus, Heugl.

N.E. Africa.

b. Nyctalops, Wagl. 1832. 161.

543. stygius, Wagl.; Arch, du Mus. 1844, t. 24. communis, var. brasiliensis, Less.

St. Paul.

Cuba.

544. siguapa, D' Orb. Voy. Cuba, t. 2. melanopis, Licht.; stygius, p., Kaup.

545. midas, Licht.

Monte Vidco.

N. America.

Oregon, Calif.

E 2

162. c. Rhinostrix, 1848. Rhinoptynx et Rhenoptynx, 1851, Kaup. 546. mexicanus, Gm.; I. O. A. S. t. 20. Mexico. clamator, I.; maculosa, Max. longirostris, Spix, A. B. t. 9ª. Brazil. 163. d, Pseudoscops, Kaup, 1848. 547. grammicus, Gosse, Ill. of B. of Jam. pl. 4. Jamaica. 548. macrurus, Kaup. Mexico. 164. e. Brachyotus, Gould, 1837. Reich, S. A. t. 91, f. 549. brachyotus, L.; P. E. 438; Naum. Vog. t. 45, 2; Gould, B. E. pl. 40. N.C. Europe. ulula ct accipitrina, Gm. India. ægolius, Pall.; caspia, Shaw. N. Africa. tripennis, Schr.; brachvura, Nils. N. China. palustris, Smies. palustris europæus, Bp. 550. Cassinii, Brew.; Wils. A. O. pl. 33, 3, N. America. brachyotus, Wils.; brachyotus, p., Schl. Greenland. palustris americanus, Bp. Cuba. 551. galapagoensis, Gould, Voy. Beagle, pl. 3. Galapagos. brachyotus, p.?, Schl. Chili, Bolivia. 552. ? sandwichensis, Blox. Sandwich I. brachvotus. Peale. 165. f. Phasmaptynx, 1848, et Phasmoptynx, 1851, Kaup. Phasmatoptynx, Bp. 1854. 553. capensis, Smith, I. S. A. Z. pl. 67. S. & N.E. Africa. helvolus, Licht. abyssinicus, Guér.; Ferr. & Gal. Voy. Abyss. t. 3. candida, p., Kaup. tingitanus, Bp. (var. a). S. Spain. 166. NYCTALA, 1828, et Nyctale, 1831, Brehm. Ægolius, Kaup, 1829. Scotophilus, Sw. 1837, nec Leach, 1822. G. of B. i. p. 40, pl. 14. f. 1; Reich, S. A. t. 92, f. . 554. funerea, L.; Edw. B. pl. 228; Naum. Vog. t. 43. 1, 2; Gould B. E. pl. 49? N. Europe. noctua, Teng.; Tengmalmi, Gm. dasypus, Bechst.; passerina, Pall.

555. Richardsoni, Bp.; Faun. Bor.-Amer. pl. 32.

556. acadica, Gm.; Lath. Syn. pl. 5, 2; Wils, A. O. pl. 34, 1.

Tengmalmi, Rich.; funerea, p., Kaup.

acadiensis, Lath.; passerina, Wils.

Dalhousiei, Hall. MS.

557. albifrons, Shaw, Nat. Misc. pl. 171; Cass. B. Calif. pl. 11. frontalis, Licht.; Kirtlandii, Hoy. acadica, p., Bp.

N.W. America Wisconsin,

## Subfam. IV. Striginæ, Bp. 1838.

Strigina, Vig. 1825.

167. STRIX, Sav. 1809, nec L. 1735.

Aluco, Flem. 1822. Hybris, Nitzsch, 1840.

Stridula, Sel. Longch, 1842.

Eustrinx, Webb & Berth. 1844.

Sw. C. of B. f. 197; G. of B. i. p. 41, pl. 15. f. 2; Reich. S. A. t. 92. f. ; Trans. Z. S. iv. pl. 57. 8.

#### a. STRIX.

558. flammea, L.; P. E. 440; Naum. Vög. t. 47; Gould, B. E. pl. 36. C. S. Europe.

splendens, Licht.; guttata et Kirchhoffii, Brehm.

559. africana, Bp.

flammea, Poll. & V. D.

560. indica. Bl.

javanica, Jerd.; flammea, p., Gould.

561. poensis, Fras. affinis. Bl.

562. javanica, Gm.

delicatula, p., Kaup.

563. delicatula, Gould, B. A. i. pl. 31. flammea, p., Vig. & Horsf.; javanica, p., Kaup.

564. lulu, Peale. delicatula, p., G. R. Gr.; Forsteri, Hartl. Bakkamuna, Forst.; Forsteni, Bp.

flammea, p., Schl. 565. pratincola, Bp.; Wils. A. O. pl. 50. 2. flammea, Wils.; americana, Aud. flammea americana, Schl.

566. punctatissima, G. R. Gr. Voy. Beagle, pl. 4.

567. glaucops, Kaup.

568, thomensis, Hartl.; Müll, Beitr, t, 15, Santi Thomæ, Kaup.

569. Walleri, Diggles, Orn. of Austr. pl. .

570. Rosenbergii, Schl.

571. amaurota, v. Mart.

b. GLYPHIDIURA, Reich, 1850.

Strigymnhemipus, Des Murs, 1852. Reich, S. A. t. 92 f. .

572. perlata, Licht.; P. C. 432.

furcata, Tem. flammea americana, Schl. Brazil. Cuba

Canada.

N. Africa.

S. Africa. Madagascar,

Nepal.

W. & S. Africa.

Java.

Australia.

Navigators Isl.

Tonga Islands. Feeiee Islands.

N. America. Mexico.

Galapagos I.

Jamaica. W. Africa.

I. St. Thomas.

Australia.

Celebes.

Philippine I.

Jamaica.

169.

c. Glaux, Bl. 1848.

Scelostrix, Kaup, 1851. Glaucostrix, Bp. 1854.

573. candida, Tick.; Jerd. I. Ind. O. pl. 30. longimembris, Jerd.

India.

574. punctata, Licht.; Smith, I. S. A. Z. pl. 45. capensis, Smith.

S. Africa.

575. pithecops, Swinhoe.

Isl. of Formosa.

170. d. Dactylostrix, Kaup, 1851.

576. novæ hollandiæ, Steph.; Gould, B. A. i. pl. 29. personata et cyclops, Gould.

Australia.

577. castanops, Gould, B. A. i. pl. 28.

Tasmania.

578. Haasti, Buller.

New Zealand, Canterbury.

171. e. Megastrix, Kaup, 1848.

579. tenebricosa, Gould, B. A. i. pl. 30.

New S. Wales.

172. PHODILUS, I. Geoffr. 1830.

Pholidus!, G. R. Gr. 1840. Phodilas!, Kaup, 1851. G. of B. i. p. 41, pl. 15, f. 1; Reich, S. A. t. 92, f.

580. badius, *Horsf. Zool. Res.* pl. ; *P. C.* 318. 581. **nepalensis**, n. sp.

Java.

badius, p., Hodgs.

Nepal.

## Order II. PASSERES, L.

Tribe I. FISSIROSTRES, Cuv.

Subtribe I. FISSIROSTRES NOCTURNÆ.

### FAM. I. CAPRIMULGIDÆ, Viq. 1825.

Ampelidæ, p., et Hirundinidæ, p., Bp. 1831. Coraciadæ, p., Cab. 1847.

Subfam. I. Podarginæ, G. R. Gr. 1840.

Steatorninæ, p., G. R. Gr.

173. PODARGUS, Cuv. 1829.

G. of B. i. p. 44, pl. 16. f. 1; Reich. S. A. t. 90. f.

582. strigoides, Lath.; Jard. & S. I. Orn. pl. 88; Gould, B. A. ii. pl. 3. New S. Wales. podargus, Desm.; australis. Steph.

cinereus, V.; humeralis, Vig. & Horsf. gracilis, Lath.; gigas, Nitzsch?

583. Cuvieri, Vig. & H.; Gould, B. A. ii. pl. 4.

584. megacephalus, Lath. Stanleyanus, Vig. & H.

585. brachypterus, Gould. macrorhynchus, Gould.

589. marmoratus, Gould.

586. **phalænoides**, *Gould*, *B. A.* ii. pl. 5. Vincendonii, *Jacq. & P. Voy. Pôle Sud*, t. 21. 1?

587. papuensis, Quoy & G. Voy. Astrol. t. 13.

588. ocellatus, Quoy & G. Voy. Astrol. t. 14.

590. superciliaris, G. R. Gr. Pr. Z. S. 1861, pl. 42.

591. plumiferus, Gould, B. A. ii. pl. 6.

Tasmania, S.
Australia.
New S. Wales,
Australia.

W. Australia.

N. Australia, Port Essington.

New Guinea, Waig., Salw., Aru, Cape York. New Guinea, Aru, Salwatti. Cape York, New Guinea. Waigiou.

New S. Wales.

### 174. BATRACHOSTOMUS, Gould, 1838.

Podargus, Beie, 1826. Bombycistomus, Horsf. Bombycistomas, Hay, 1841. Bombycistoma, Bl. 1842.
G. of B. i. p. 45, pl. 16, f. 3; Reich. S. A. t. 90, f.

### a. Batrachostomus.

592. javanensis, Horsf. Zool. Res. pl. 6; P. C. 159. cornutus, Tem.

Java, Borneo.

593. moniliger, Bl. javanensis, p., Jerd.

S. India, Ceylon.

594. **stellatus**, Gould. javanensis, p., Bp.

Java.

595. stictopterus, Cab.

Malacca,

596. crinifrons, Tem. stellatus?, p., Moore. Gilolo.

597. psilopterus, G. R. Gr. erinifrons, p., Wall.

Batchian I.

598. auritus, Vig.; Griff. An. Kingd. ii. pl. p. 114; Gould, I. A. pl. . Fullertoni, Hay.

Sunda Islands.

599. affinis, Bl.; Sehl. Handl. Dierk. t. 2, 15, parvulus, Tem.

Malacea. Sumatra. 175. b. Otothrix, G. R. Gr. 1859.

600. Hodgsoni, G. R. Gr.; Pr. Z. S. 1859, pl. 152. affinis, p., et cornutus, Bl. Nepal.

176. ÆGOTHELES, Vig. & H. 1825.

Œgotheles, Less. 1831.

G. of B. i. p. 45, pl. 16, f. 4; Reich, S. A. t. 90, f.

601. novæ hollandiæ, Lath.; White's Voy. pl.; Gould, B. A. Australia, Tasii. pl. 1. mania.

cristatus, Shaw; vittatus, Lath. lunulatus, Jard.; australis, Sw.

602. leucogaster, Gould, B. A. ii. pl. 2.

603. Wallacei, G. R. Gr. brachynrus, v. Rosenb. (apud Schl.), argus, v. Rosenb. (apud Hartl.). N.W. Australia, Port Essington. New Guinea. Aru.

Subfam. II. Steatornithinæ, Bp. 1849.

Podarginæ, p., 1840, et Steatorninæ, 1846, G. R. Gr.

177. STEATORNIS, Humb. 1817?

Podargus, p., *Ep.* 1831.

G. of B. i. p. 44, pl. 16. f. 2; Reich, S. A. t. 90. f. .

604. caripensis, Humb.; Ann. du Mus. 1834, t. 15; Schl. De Caripé, Vene-Dier. fig. p. 116. steatornis, Humb. Trinid., Bogota.

Subfam. III. Nyctibiinæ, Cab. & H. 1860.

Steatorninæ, p., Cab. 1847. Podarginæ, p., Selat. 1866.

178. NYCTIBIUS, V. 1816.

Caprimulgus, Lath. 1790. Nyctornis, Nitzsch, 1840. 1bijus, Rafing. 1815? Nycticorax, Mahr. 1752?
 G. of B. i. p. 46, pl. 16. f. 5; Reich, S. A. t. 90. f.

605. grandis, Gm.; P. E. 325; Jard. & S. I. O. pl. 89; G. R. Gr. Cayenne, S.E. & M. G. E. pl. 16. Brazil. maximus, Shaw; Mus. Lev. pl. 9.

606. æthereus, Max.

longicaudatus, Max.

S.E. Brazil.

607. longicaudatus, Spix, A. B. t. 1. acthereus, p., Max., Cab. & H.

Brazil, R. Japura, E. Peru. 608. jamaicensis, Gm.; Lath. Syn. pl. 57; Gould, I. A. pl. pectoralis, Gould. cornutus, V.; urutau, Lafr.

. Jamaica. Guatemala. Ecuador, E. Peru, Parag., Brazil. New Granada,

609. bracteatus, Gould; P. E. 735?; Sclat. & S. Ex. Orn. pl. 20. rufus. Cab. ? furcatus, Cuv.; ? longicaudatus, D' Orb.

Br. Guiana.

610. pallidus, Gosse. jamaicensis, p.? Jamaica.

611. leucopterus, Max.; Des Murs, I. O. t. 49, 50.

S.E. Brazil.

# Subfam. IV. Caprimulginæ, Sw. 1831.

### 179. CAPRIMULGUS, L. 1756-66.

Hirundo, Klein, 1759, et p., L. 1735. Nyctichelidon, Renn. 1831.

Sw. C. of. B. f. 65; G. of B. i. p. 47, pl. 17. f. 5; Reich. S. A. t. 90. f.

#### a. Caprimiliges.

612. europæus, L.; P. E. 193; Naum, Vog. t. 148; Govld, B. E. pl. 51. maculatus et vulgaris, V.; punctatus, Wolf & M. caprimulgus, Pall.

Europe. Arabia, Egypt.

613. Smithi, Ep.; Smith, I. S. A. Z. pl. 102. europæus, Smith; capensis, Verr.

S. Africa.

614. ruficollis, Tem.; Wern. Icon. t. . rufitorques et rufitorquatus, I. torquatus, Brehm.

S.W. Europe, N. Afr., Palestine.

615. ægyptius, Licht.; P. C. 379. isabellinus, Tem.; ægyptiacus, Aliq. fasciatus, Hempr. & E.? N.E. Africa

616. tamaricis, Tristr.; Ibis, 1866, pl. 11.

Palestine.

617. tristigma, Rüpp. S. U. t. 3. poliocephalus!, Rüpp.

N.E. Africa.

618. lentiginosus, Smith, I. S. A. Z. pl. 101. tristigma, p., Cass.

S. Africa, Damaraland.

619. rufigena, Smith, I. S. A. Z. pl. 100. pectoralis, p., Strickl. & S.; damarensis, Strickl. & S.? S. & W. Africa, Damaraland.

620. pectoralis, Cuv.; Lev. O. A. t. 49. africanus, Steph.; atrovarius, Sundev. asiaticus, I'.

S. Africa.

S. Africa!

<sup>\* 178</sup>a. Selochusa, G. R. Gr. 1841. fornicatus, V.; Lev. O. A. t. 47, 48. est fictitia Avis, Bp.

221	
621. mossambicus, Peters. mozambiquus, Cab.	Mozambique. Tette.
622. madagascariensis, Sganz.	Madagascar.
623. Fossii, Verr.	Gaboon.
624. indicus, Lath. cinerascens, V.; saturatior, Hodgs. (var.).	India. Nepal.
625. asiaticus, Lath.; Gr. I. Ind. Z. pl. 34. 2.	India.
626. albonotatus, Tick. gangeticus et macrurus, Bl. nipalensis, Hodgs.; bimaculatus, Peale.	"
627. mahrattensis, Sykes; Jerd. I. Ind. O. pl. 24; Gould, B. As. pl.	,,
arenarius, Bl.	
628. monticola, Frankl. gymnopus, Hodgs.	••
629. griseatus, n. sp.?	Philippines.
630. spilocircus, G. R. Gr. macrourus et atripennis, Jerd.; mahrattensis, Bl.	Madras. Ceylon.
631. <b>Kelaarti</b> , <i>Bl.</i> indicus, <i>Jerd.</i>	Ceylon, India.
632. jotaka, Ten. & Schl. F. J. t. 12, 13. dytiscivorus, Swinh.; Swinhoii, Bl.	Japan, China. R. Amur.
633. macrurus, Horsf.; Gould, B. A. ii. pl. 9.	Java, Lombock, Australia, Ce-
634. Schlegelii, n. sp.? macrurus, p., G. R. Gr.	ram, Gilo., &c. Aru, Dorey, N. G., Waigiou.
635. <b>affinis</b> , Horsf. europæus, Raffl.; bisignatus, Tem. arundinaceus, Homb. & J. Voy. Pôle Sud, t. 21, 2?	Java, Sumatra. Borneo.
636. assimilis, G. R. Gr.	19
637. manillensis, G. R. Gr.	Manilla.
638. poliocephalus, Rüpp. S. U. t. 4. tetrastigma!, Rüpp.	N.E. Africa.
639. nubicus, Licht.; Rüpp. Atl. t. 6. infuscatus, Rüpp.	N.E. Africa. Natal.
640. eximius, Rüpp.; P. C. 398.	Sennaar, Nubia, Kordofan.
641, Welwitschii, Bocage.	Angola.
642. concretus, Tem.	Ashanti.
643. binotatus, Tem.	W. Africa.
644. fulviventris, Hartl.	31

645, stictomus, Swinkoe.

China, I. of Formosa.

646. papuensis, Schl.

Salwatti, New Guinea.

647. pallidus, Hartl.

Sumatra.

648. Würtembergii, v. Müll.

Sennaar.

180. b. Capripeda, Verr. 1857.

649. natalensis, Smith, I. S. A. Z. pl. 99.

S. Africa, Port Natal.

181. c. Hydropsalis, Wagl. 1832.

Psalurus, Sw. 1837. Hydropsalia, G. R. Gr. 1840. Pydrosalis, Less. 1847. Hydropsallis, Reich. 1850. Reich, S. A. t. 90. f.

Reich, S. A. t. 90. f.

650. torquatus, Gm.; P. C. 157; Journ. Ae. Phil. ii. pl. 14. 4.
furcifer, V.; psalurus, Tem.; Azaræ, Wagl.
fissicaudis, Merr.; grandis, Lieht.
macropterus, Sw.; boliviensis, G. R. Gr.
manurus, V.?; sphenurus, V.

Brazil. Parag., Bolivia.

651. pallescens, Pelz.

Bahia. Brazil.

pallescensee!, Pelz.; furcifer, V.?

182. d. Macropsalis, Selat. 1866.

652. lyra, Gould; Journ. Ac. Phil. ii. pl. 14. 2.

New Granada.

653. segmentatus, Cass.; Journ. Ac. Phil. ii. pl. 14. 3.

New Granada, Ecuador.

654. forfipatus, Nitzseh; Journ. Ac. Phil. ii. pl. 14. 1. limbata, Cass.; forcipatus, Burm. creagra, Bp.? S.E. Brazil.

655. ypanemæ, Pelz.

Brazil.

183. e. Diplopsalis, Selat. 1866.

656. trifurcatus, Natt.

Peru, Ucayali.

657. climacocercus, Tseh. F. P. t. 6. 1. trifurcatus, p.?, Selat.

Peru.

658. Schomburgkii, G.R. Gr.

British Guiana.

f. Tetroura, Less. 1843. Hydropsalis psaluri, Bp.

659. enicurus, V. cordicilla, Merr.; cayennensis, p. ?, Cass.

Paraguay.

**185.** g. Antrostomus, Gould, 1838.

660. carolinensis, Gm.; Wils. A. O. pl. 54, 2; V. O. A. S. t. 25. N. America. lucifugus, Bartr.; rufus, V. Cuba. brachypterus, Steph.

661. vociferus, Wils. A. O. pl. 41. virginianus et elamator, V. vociferans, Koenig, Warth.	E. of U. States. S. Mexico, Gua- temala.
662. <b>Nuttallii</b> , Aud. B. A. vii. pl. 495.	Pacific Coast, Kansas, Ari- zona, Texas.
663. <b>ornatus</b> , <i>Sclat.</i> ; <i>Pr. Z. S.</i> 1866, pl. 45. serico-caudatus, p., <i>Sclat.</i>	Bahia.
664. cubanensis, Lawr. vociferus, p., Gundl.	Cuba.
665. serico-caudatus, Cass. Journ. Ac. Phil. ii. pl. 13.	Venez., Brazil.
666. maeromystax, Wagl. vociferus, p. ?, Cass.	S. Mexico.
667. dominieus, $Bp$ .	St. Domingo.
668. californianus, Bp. asiaticus, p.?, Cass.	California.
669. rufus, Bodd.; P. E. 735.	Cayenne.
670. rutilus, <i>Burm</i> , cortapua, <i>Natt.</i> ; rufus, p., <i>Sclut</i> .	Para, Brazil.
<b>186.</b> h. Nyctiphrynus, Bp. 1857.	
671. ocellatus, Tsch. F. P. t. 5, 2. brasiliensis, Max. et p. Cab.	Peru. S.E. Brazil.
187. i. Stenopsis, Cass. 1851.	
672. cayennensis, Gm.; P. E. 760.	Cayenne.
cayanus, Lath.; odontopteron, Less. odonpteron, Bp.; cayanensis, Hartl. leopetes, Jard. & S. I. O. pl. 87.	Tobago, Parag.
673. longirostris, Bp.; Tsch. F. P.t. 5.1; U. S. Expl. Exp. pl.	Chili.
13. 1. bifasciatus, Gould; decussatus, Tsch. andinus, Phil. & Landb.	Peru.
674. nigrescens, Cab.; G. R. Gr. & M. G. B. pl. 17. semitorquatus, G. R. Gr.	British Guiana. New Granada.
675. maculicaudus, Lawr.; Pr. Z. S. 1866, pl. 46.	Brazil, Bolivia?
676. ruficervix, Sclat. Pr. Z. S. 1866, pl. 14.	New Granada.
677. reticulatus, G. R. Gr.	Brazil.
678. parvulus, Gould; Pr. Z. S. 1866, pl. 13. mixtus, p., Lieht.	La Plata.
679. platurus, Natt. & Pelz.	S. Brazil.
680. leucurus, V. candicans, Natt. & Pelz. cayanensis, p., Cass.	Paragnay. S. Brazil.

681. Langsdorfi, Pelz. candicans, juv. aut \??, Pelz.

fig. (caput), p. 78.

E. Brazil.

682. æquicaudatus, Peale. parvulus, p., Cass.; conterminus, Pcale. Pern.

188. j. Siphonornis, Sclat. 1861.

Jamaica.

Nyctidromus, p., Cass.

### 159. ELEOTHREPTUS, G. R. Gr. 1840.

Amblypterus, Gould, 1837, ncc Agass. 1833. Amplypterus!, Wiegm. Heleothreptus, Sclat. 1866. G. of B. i. p. 48, pl. 17. f. 1; Reich. S. A. t. 90. f. .

683. americanus, L.; Sloane, Jamaica, pl. 255, i.; P. Z. S. 1861,

684. anomalus, Gould, I. A. pl. 1.

Demerara.

#### 190. NYCTIDROMUS, Gould, 1838.

Nyetydromus, Aliq. Eucapripodus, 1843, et Lucapripodus, 1847, Lcss. G. of B. i. p. 48, pl. 17. f. 4; Reich. S. A. t. 90. f. .

685. albicollis, Gm.; Gould, I. A. pl. 2. guianensis, Gm.; americanus, Cass. Derbyanus, Gould; affinis, G. R. Gr.? laticaudatus, Drap.

Guiana, Ucayali. Bolivia.

686. grallarius, Max. americanus, p., Cab. & H. albicollis, p., Sclat.

Brazil.

#### 191. SCORTORNIS, Sw. 1837.

Scotornis, G. R. Gr. 1840. Climacurus, Glog. 1842. G. of B. i. p. 51, pl. 18. f. 3; Reich. S. A. t. 90. f. .

687. longicaudus, Steph.; Lath. Hist. B. pl. 114; Gal. des Ois. t. 112.

W. Africa.

climacurus, V. climaeteris, Sw.; climacturus!, G. R. Gr. macrocercus ct longissimus, Würt.

E. Africa.

688. Finschii, n. sp.?

689. trimaculatus, Sw.

W. Africa.

#### 192. MACRODIPTERYX, Sw. 1837.

macrodipterus, Afz.; africanus, Sw.

Stelidopteryx, Glog. 1842. Macrodypteryx, Bp. 1849. Macrodipterix, Cass. 1851. G. of B. i. p. 51, pl. 18. f. 1; Reich. S. A. i. t. 90. f. .

#### a. Macrodipteryx.

690. longipennis, Shaw, Nat. Misc. pl. 265; Sw. B. W. Afr. i. pl. 5,

Africa.

691. condylopterus, Heugl.

C. Africa.

b. Cosmetornis, G. R. Gr. 1840.
 Semeiophorus, Gould, 1838, nec Wagl. 1830.

692. vexillarius, Gould, I. A. pl. 3; Ibis, 1864, pl. 2. longipennis, p., Schl.; Spekii, Sclat. MS. Red Sea, Madag. E. & W. Africa.

693. ? Burtoni, G. R. Gr.

Fernando Po.

Subfam. V. Podagerinæ, G. R. Gr. 1847.

Caprimulginæ, p., Cab.

**194. PODAGER**, Wagl. 1832.

Proïthera, Sw. 1837. Podarger, Aliq. G. of B. i. p. 52.

a. Podager.

694. nacunda, V.; P. C. 182.

diurnus, Max.; campestris, Licht.

S.E. Brazil.
Paraguay, Brit.
Guiana, Boliv.,
Argent. Rep.

**195.** b. Lurocalis, Cass. 1851. Urocolus, Cab. & H. 1860.

G. of B. i. pl. 18, f. 2; Reich. S. A. t. 90, f. .

695. Nattererii, Tem. P. C. 107. brachynrus, Nordm. S.E. Brazil,

696. semitorquatus, Gm.; P. E. 734; G. R. Gr. & M. G. B. pl. 18.
Gouldii, G. R. Gr.

Cayenne. S. Brazil.

196. CHORDEILES, Sw. 1831.

Chordeilus, G. R. Gr. 1840. Chordedilus, 1861, et Chordediles, 1847, Cab.
G. of B. i. p. 49, pl. 17, f. 2; Reich. S. A. t. 90, f.

a. Chordeiles.

697. virginianus, Gm.; O. A. S. t. 24; Wils. A. O. pl. 40. popetue, V. americanus, Wils. Wiederspergii, Reich, All. deuts. N. Zeit. 1846, t. 5.

N. & C. Amer. Brazil.

698. texensis, Lawr.; Baird, B. N. A. pl. 44. sapiti, p., Cass.; brasiliensis, Lawr.

Texas, Mexico. Guatemala.

699. rupestris, Spix, A. B. t. 2.

Braz., RioNegro, Low. Ucayali. Bahia.

 pusillus, Gould. brasiliensis, p., Pelz.

S.E. Brazil.

 minor, Cab. Gundlachii, Laur.; virginianus, Lemb. Cuba. Jamaica.

702. Henryi, Cass.: Baird, B. N. A. pl. 17.

Utah, New & S. Mexico. 703. brasiliensis, Gm.; Petiv. pl. 59. 1. variegatus, V.; jaspideus, Merr. noitibo, V.?; guianensis, p., Hartl. semitorquatus, p., Max.

704. ? hirundinaceus, Spix, A. B. t. 3. 1. acutipennis, p., Sclat.? brasiliensis, p. ?, Pelz.

197. b. Nyctiprogne, Ep. 1857. Chordeiles (Podochates), Schat. 1866.

705. leucopygus, Spia, A, B, t. 3, 2. leucopycrus, p., Bp.; leucopygius, Bp.

 minutus, Natt. rufulus, Lafr.

c. ? Ramphaoratus, Bp. 1857.
 Microrhynchus, Less. 1847, nec Meig. 1825.

707. acutipennis, Bodd.; P. E. 732. acutus, Gm.; semitorquatus, Max. sapiti, Natt.; labeculatus, Jard.

708. stenopterus, Natt. & Pelz.

709. ? peruvianus, Peale; F. P. t. 6. 2. pruniosus et semitorquatus, Tsch. acutipennis, p., Cass.; exilis, Less.

199. EUROSTOPODUS, Gould, 1837.

Eurystopodus, Wiegm. G. of B. i. p. 49, pl. 17. f. 3; Reich. S. A. t. 90. f.

a. Eurostopodus.

710. guttatus, Vig. & H.; Gould, B. A. ii. pl. 8.

711. albigularis, Vig.; Gould, B. A. ii. pl. 7; P. C. 410. albimaculatus, Cuv.; mysticalis, Tem. brachyurus, v. Rosenb. (apud Hartl. nec Schl.).

**200.** b. Lyncornis, Gould, 1838.

712. cerviniceps, Gould, I. A. pl. 4.

713. macrotis, Vig.; Gould, I. A. pl. 5. Var.

714. **Temminckii**, Gould, I. A. pl. 6. pulcher, Hay; imberbis, Tem.

715. macropterus, Tem.

716. borneensis, Wall. MS.

Brazil.

11

,,

Cayenne, Tobago, S.E. Brazil.

Bahia.

Peru.

Australia.

N. S. Wales, Aru,

Burmah.

Philippine I. N. China.

Borneo. SundaI., Penang.

Celebes.

Borneo,

### Subtribe II. FISSIROSTRES DIURNÆ.

### FAM. I. CYPSELIDÆ, Cab. 1847.

Hirundinidæ, p., Vig. 1825.

### Subfam. I. Cypselinæ, Bp. 1838.

### 201. CYPSELUS, Illig. 1811.

Apus, Scop, 1777, nec Schäff. 1756. Micropus, Wolf & M. 1810. Brachypus, Mey. 1815. Sw. C. of B, f, 292 a; G, of B, i, p. 53, pl. 19, f, 2; Reich, S, A. t. 87. f. .

#### a. Cypselus.

717. apus, L.; P. E. 542. 1; Naum. Vög. t. 147. 2; Gould, B. E. pl. 53, 1. murarius, Tem.; vulgaris, Steph. niger, Leach; barbatus, Tem. aterrimus, Heugl.?

W. Asia, India. C. Africa.

Eur., N. & E. Afr.

718. unicolor, Jard. & S. I. O. pl. 83. murarius, Heinck.

dubius, Antin.

Madeira. Abyss., Madag.

719. melba, L.; Edw. B. pl. 27; Naum. Vog. t. 147. 1; Gould, B, E. pl. 53. 2. alpinus, Scop.

S.W. Eur., Palestine, W. Asia, India, Greece.

720. gutturalis, V.; Lev. O. A. t. 243. gularis, Steph.; Lavardi, Tristr.

S. Africa.

721. caffer, Licht.; P. C. 460. 1. hottentotus, Lafr. pygargus, Tem.; leucorhea, Smith. abyssinicus, Heugl. ? leucorrhous, Steph.; Lev. O. A. t. 244. 1. nigra, V.; Levaillantii, v. Müll. melba, p., Cab. & H.

S. Africa. Natal. Damaraland. Nubia, Abyss.

722. affinis, Gr. I. Ind. Zool. pl. 35, 2. nepalensis, Hodgs.; montanus, Jerd. abessynicus, Streub.; Streubelii, Hartl.

India, Nepal. Kumaon. Abyssinia. Palestine.

723. galilæensis, Antin. abessynieus, p., Streub.; affinis, p., Sclat.

> Malae., Penang. S.Chi., For., Jav.

724. subfurcatus, Bl. affinis, var., Strickl.; leucorrhous, Müll. leucopygialis, Cass. Pr. A. Phil. v. pl. 13. 1.

Sumatra. Nepal.

725. acuticaudus, Bl.

India, Ceylon. Assam, Burmah.

726. palmarum, Gr. I. Ind., Z. pl. 35. 1. batassiensis, Gr.; balassiensis!, Gr.

727. pacificus, Lath.; Gould, B. A. ii. pl. 11. australis. Gould. vittatus, Jurd. & S. I. O. pl. 39. apus, var. β, Pall.; eaffer, p., Radde.

728. ægnatorialis, Müll, Orn. d'Afr. t. 7. Rüppellii, Heugl.?

729. abyssinicus, Licht. affinis, Hartl.; fuliginosus, Verr.

730, infumatus, Sclat.

731. leuconyx, Bl.

202. b. Cypsiurus, Less. 1843.

732. parvus, Licht.; P. C. 460, 2. ambrosiacus, Tem. ambrosiaco, Gm.?; Briss. Orn. ii. t. 45. 4? unicolor, Hartl.

203. c. Tachornis, Gosse, 1847.

Cypselus, B., Sclat. Reich, S. A. t. 87. f. .

733. phœnicobius, Gosse, Ill. B. Jam. pl. 9; Voy. Cuba, t. 7. 4. Iradii, Lemb.

734. squamatus, Cass.; P. Z. S. 1865, pl. 33. marginipennis, Natt.

735. andicolus, Lafr.; D'Orb. Voy. A. M. t. 42. 2.

736. montivagus, D' Orb, Voy. A. M. t. 42. 1.

d. Panyptila, Cab. 1847. 204.

Pseudoprocne, Streub. 1848. Panyptilus!, G. R. Gr. 1849. Reich, S. A. t. 87, f. .

737. cayanensis, Gm.; P. E. 725. 2.

738. melanoleucus, Baird, B. N. A. pl. 18. 1. saxatilis, Woodh.; = "niger, Gm.," Baird.

739, Santi hieronymi, Salv. P. Z. S. 1863, pl. 23.

205. DENDROCHELIDON, Boie, 1828.

Macropteryx, 1832, et Macropterus, Sw. Pallestre, Less. 1837. Palaestra, Agass. Hemiprocne Chelidonia, Streub. 1848, nec Nitzsch, 1840. Sw. C. of B. f. 292, c; G. of B. i. p. 54, pl. 19. f. 1; Reich. S. A. t. 87. f. .

740. Klecho, Horsf.; P. C. 83. 1; Gould. B. As. pl.; Schl. De Dier. fig. p. 114. longipennis, Tem.; urbica, Raft.

New S. Wales. Ca. York. China. Formo., Penang. Siberia.

Abyssinia.

N.E. Africa.

Borneo.

N.W. Himalayas, Malab., Bootan.

Egypt, Nubia. Cape of G. H. BlueNile,W.Afr. Fernando Po. Comoro I., Zanzi., Madag.

Jamaica, Cuba.

British Guiana. Brazil.

Bolivia.

Bolivian Andes.

Cayenne, Brazil, Bahia. New Mexico. Guatemala.

Vera Paz.

Java, Sumatra. Malay penins.

741. coronata,	Tick.;	Gould, B. As. pl.
longipennis, schisticolor,		velatus, Less.

Nepal, C. India, Ceylon.

742. Wallacei, Gould, B. As. pl.

743. comata, Tem.; P. C. 268; Gould, B. As. pl.

Celebes, Sula. Philip. I., Siam,

744. mystacea, Less. Voy. Coqu. t. 12; Gould, B. As. pl.

Borneo, Sumat. Molucc., Celeb., Ceram, Morty, Batchian, Gilolo, Waigiou.

745. ? cristata, V.; Lev. O. A. t. 247.

# **206.** COLLOCALIA, G. R. Gr. 1840.

Salanganes, I. Geoffr. 1836. Colocalia, Gould. Callosalia, Van der Hoeven, 1856. Hemiprocne, Cypseloides, Salangana, Streub. 1848. G. of B. i. p. 54, pl. 19, f. 3; Reich, S. A. t. 87, f.

746. nidifica, G. R. Gr.; Lath, H. B. pl. 113. esculenta, Osbeck? fuciphaga, Thunb. Act. Holm, 33, t. 4; gelatinosa, Streub.? var. brevirostris, M. Clell.; unicolor, Jerd. concolor, Bl. nidifica, var. nidifica?, Garn.; ualensis, Streub.?

747. Linchi, Horsf.; Reise Novara, t. 2. 2. fuciphaga, Horsf.; esculenta, Bernst. fucivora, Streub.; malaisia, Streub.?

nidifica, Freye.

748. troglodytes, G. R. Gr. & M. G. B. pl. 19. philippina, Streub,?

749. hypoleuca, G. R. Gr. esculenta, p., Wall.; viridinitens, G. R. Gr. MS.

750. spilura, G. R. Gr. hypoleuca, p., G. R. Gr.; esculenta, Wall, nec L.

751. neglecta, G. R. Gr. esculenta, var., Less.; esculenta, Ep.; esculenta, p., Wall.

752. francica, Gm.; P. E. 544, 2. virescens, I.; spodiopygius, p.?, Cass. fuciphaga, p., Wall.

753. spodiopygia, Peale, U. S. Expl. Exp. pl. 49. 5.

754. leucopygia, Wall. Linchi, Verr. & Des Murs; troglodytes, Bp.

755. uropygialis, G. R. Gr. leucopygia, p., Wall.

Timor, Celebes, New Guin., Aru,

S. Afr.?, India?

Java, Sumatra.

Andaman Isl. India, Ceylon. Siam. Born., Louisiade, Celeb., Timor. Caroline Isl. Marianne Isl.

Java, Malacca. Nicob.I., Mergui.

Philippine Isl.

Aru, Mysol, N. Guinea, Celeb.

Batchian Isl.

E. Timor.

Isle of France. Madagascar.

Feejee, Navig. I.

New Caledonia.

New Hebrides.

756. vanikorensis, Quoy & G. Voy. Astrol. t. 12. 3. fuciphaga, p.?, Bp.; inquietus, Kittl.

757. affinis, Beav. linchi, p., Bl.

758. ? Forsteri, Hartl. peruvianus, p., Forst.; cinerea, p., Gm. fuciphaga, p., Bp.; spodiopygia, p.?, Finsch & Hartl.

759. ? leucophæa, Peale. cinerea, Cass.; fuciphaga, p., Wall. vanicorensis, p., Finsch & H. I. Vanikoro, Feej.I., Pelew I.

Andaman I.

Otaheite, Marquesas.

Tahiti.

### Subfam. II. Chæturinæ, Selat. 1865.

#### 207. CHÆTURA, Steph. 1825.

Acanthylis, Boie, 1826. Pelasgie, I. Geoffr. Uranteris, Glog. 1842. Acanthura et Chetura, Guild. 1827. Chætura, a, Selat. Acanthyllis, Agass. Sw. C. of B. f. 292, b; G. of B. i. p. 55, pl. 19. f. 4; Reich. S. A. t. 87. f.

#### a. CHÆTURA.

760. pelasgia, L.; Wils. A. O. pl. 39. 1. acutus, Tem.

761. Vauxii, Towns.; Baird, B. N. Am. pl. 18. 2.

762. poliura, Tem.; P. E. 726. 2. cinereicauda, Cass. Pr. Ac. Phil. 1852, pl. 13. 2. pelasgius, Max.; oxyura, Burm.; brachyura, Jard.?

763. spinicauda, Tem.; P. E. 726. 1. pelasgia, var., Lath.

764. rutila, V.; Ibis, 1860, pl. 3. Robini, Less.; brunneitorques, Lafr.

765. brachycerca, Selat. P. Z. S. 1867, pl. 34. brachycerea!, Hartl.

766. Sclateri, Pelz.

767. cinereiventris, Sclat. P. Z. S. 1863, pl. 14. 1. acutus, Max.; spinicauda, Burm.

768. acuta, Gm.; P. E. 544. 1.

oxyura, V. pelasgia, p., Max.

b. Hirundapus, Hodgs. 1836.
 Chætura, Sw. 1837. Hirundinapus et Chætura, a, p., Selat.

E. of N. Am. to Rocky Mounts.

W. of N. Amer., Puget's Sd. to Calif., Mexico, Guatemala. Cayenne. Brazil. Tobago.

Cayenne.

Guatemala.

Upper Amazon. Xeberos.

Brazil, Chamicuros. S.E. Brazil.

.....

Martinique.

Paraguay.

770. caudacuta, Lath.; Sw. Zool. Ill. n. s. pl. ; Gould, B. A. New S. Wales, ii. pl. 10. fusca ct australis, Steph. macropterus, Sw.; ciris, p., Bl.

771. nudipes, Hodys.; Mag. de Zool. 1840, t. 20. Nepal. lenconotus, Deless.; fusca, p., et ciris, p., Bl. caudacuta, p., Jerd.

772. ciris, Pall. China, Dauria. caudaeuta, p. ?, Sclat. Amur.

**209.** c. — . Chætura,  $\beta$ , Solat.

773. Sabini, Gr. W. Africa, Sierra Leone.
 leucopygia, Boie; bicolor, Gr.
 Sabinei, Hartl.

774. Cassini, Sclat. Pr. Z. S. 1863, pl. 14. 2. W. Africa. Hartlaubii, Jard.; Sabinei, p., Cass. Gaboon.

775. Grandidieri, Verr. N. Arch. du Mus. 1867, t. . E. coast of Mada-Coquerelii, Poll. MS. gascar.

**210.** d. —... Chætura, γ, Sclat.

Chatura, a, p., Sclat.

776. sylvatica, Tick.; Sabinei, p., Tick.; coracinus, p.?, Bl.

777. coracina, Müll.; Schl. Handl. Dierk. t. 2, 14. Borneo, Sumat. leucopygialis, Bl. Pinang.

211. e. Pallenia, Bp. 1857.
Pallene, Less. 1837, nec Meig. 1823.

778. gigantea, r. Hass.; P. C. 364.

caudacuta, Bl.
var. celebensis, Sclat.

Gelebes.

212. f. Hemiproene, Nitzsch, 1840. Chætura, b. Selat.

779. zonaris, Shaw; P. C. 195; V. Gal. des Ois, t. 120.
S. America.
albicollis, V.; collaris, Max.; torquatus, Licht,
Jama., St. Domi.

biscutata, Natt.; Selat. Pr. Z. S. 1865, pl. 34. razil. zonaris, var.?, Selat.

781. semicollaris, De Sauss.; Sclat. & S. Exot. Orn. pl. Mexico.

g. Acanthylops, Ep. 1857.
Pallenis, Reich. 1850. nec Lap. 1836.
Hemiprocne, Cypseloides, Senex, Streub. 1848.

Cypseloides, a, Sclat. 1866. Reich. S. A. t. 87. f.

782. fumigatus, Natt.

S.E. Brazil.

783. senex, Tem. P. C. 397. Temminckii, Streub.

214. h. Nephocætes, Baird, 1858.

Cypseloides, b (Nephœcetes), Selat. 1866.

784. niger, Gm.; Gosse, Ill. B. Jam. pl. 10; Elliot, B. N. A. pl. Jamaica, Cuba.

785. borealis, Kenn.
nigra, p., Baird.

N.W. America.

# FAM. II. HIRUNDINIDÆ, Leach.

# Subfam. I. Hirundininæ, Sw. 1831.

#### **215.** HIRUNDO, L. 1735-66.

Cecropis, p., Boie, 1826.

Sw. C. of B. f. 293; G. of B. i. p. 57, pl. 19. f. 7; Reich. S. A. t. 87. f.

a. Hirundo.

786. rustica, L.; P. E. 543. 1; Naum. Vög. t. 383. 2; Gould, B. E. pl. 54.

domestica, Brehm; albifrons, Rüpp. jewan, Sykes; javanica, Hodgs.

panayana, Gm.; gutturalis, Scop.

787. albigula, Bp.; Contr. Orn. 1849, pl. 17. albigularis, Strickl.; rufifrons, Less. nec V.

rustica orientalis, Schl.; rustica, B, Blas.

horreorum, Bart.; V. O. A. S. t. 30; Wils. A. O. pl. 38.1,2.
 rufa, V.; americana, Wils.; rustica, Aud.

789. cahirica, Licht.; Deser. del' Egypte, t. 4. 4; Naum. Vog. t. 383. 1. Savignyi, Leach; Riocourii, Audouin. Boissonneauti, Tem.; castanea, Less.

rustica, var., Hartl. & F.

790. Tytleri, Jerd. rustica, var., p. ?, Hartl. & F.

andamanensis, Tytl.

792. lucida, Verr. & Hartl.

793. rufifrons, V.; Lev. O. A. t. 245. 2.

794. angolensis, Bocage.

Europe, Palest. Africa, Natal. Ind., Malac., Pi-

nang, Tenas., Burmah. Philip. I., Suma., Born., China, Celeb., Bat. I.

S. Africa, Natal.

N. Amer., Green., C. America. W. Indies.

W. Indies. S.E. Europe.

N.E. Africa.

Bengal.

\_\_\_

Andaman I.

W. Africa.

Seneg., Sennaar, S. Nubia. W. Africa. **216.** b. Cecropis, Boie, 1 div. 1826.

Acropis! Reid & Hahn, 1835.

795. cucullata, Bodd.; P. E. 723. 2; Lev. O. A. t. 245. 1. S. Africa. capensis, Gm.; rufula, p., Tem.

796. senegalensis, L.; P. E. 310; Gould, B. E. pl. 55; Sw. B. W. Afr. pl. 6. rnfula, Gould.

W. Africa. Abyssinia.

797. puella, Tem.; Rüpp. S. U. t. 6; Ferr. & Gal. Voy. Abyss. t. 10. striolata, Rüpp.; abyssinica, Guér.

N. Africa.

798. hyperythra, Bl.; Gould, B. As. pl.

C'eylon.

 Gordoni, Jard. melanocrissus, Jard. nec Rüpp. W. Africa. Fantce.

800. Korthalsii, Bp. abyssinica, juv.?, Schl.

—— ?

 striolata, Tem.; Schl. Handl. Dierk. t. 1, 13. rusticoides, Kuhl. Java.

802. semirufa, Sundev.

Caffraria.

803. Montieri, Hartl.; Ibis, 1862, pl. 11.

Angola.

804. badia, Cass.

Malacca?

Siberia.

**217.** c. Lillia, Boie, 1859.

805. daurica, L.; Naum. Vog. t. 383. 4; Gould, B. As. pl. alpestris, Pall. Zoogr. t. 30. 2.

N.E. Asia, Pales.

806. erythropygia, Sykes; Gould, B. As. pl. nipalensis, Hodgs.; europygia, Tick. daurica, p., Jerd. India, Ceylon.

807. melanocrissa, Rüpp. S. U. t. 5. rufula, p., Bp.

E. & W. Africa. Abyssinia.

 rufula, Tem.; Naum. Vög. t. 383, 3; Gould, B. As. pl. duarica, p., Savi; alpestris, p., Hartl.; capensis, Duraz. alpestris, β, Blas. Africa. S. Europe.

809. ? japonica, Tem. & Schl. F. J. t. 11. rufula, p., Tem. alpestris japonica, Tem.

Japan.

810. domicella, Hartl. & F. melanoerissus, Hartl.

Kasamanse.

218. d. Hypurolepsis, Gould, 1868. Herse, Less. 1837, nec Oken, 1815.

828. spilodera, Sundev.

70	HAND-LIST OF BIRDS.	
pyrrhol taitensi		Society Islands.
subfuse	a, Gould.	Feejee Isl., New Hebrides.
neoxena	alis, Quoy & G. Voy. Astrol. t. 12, 1. a, Gould, B. A. ii. pl. 13. a, Viy. & H.	New Guin., Aru. Austral., Tasma. Redcar Island.
813. javan	ica, Sparrm. M. C. t. 100; P. C. 83. 2.	Java, Lombock,
814. <b>domi</b> o javanic	cola, Jerd. a, p., Hartl. & F.	Celebes. Ceylon, Pinang. Neilgherries.
815. fretens rustica,	is, Gould. p.?, Hartl. & F.	W. Australia. Torres Straits.
816. frenata	, Bl.	S. India.
219.	e. Hylochelidon, Gould, 1865.	
817. nigrio	cans, V.; Gould, B. A. ii. pl. 14.	Anstralia.
pyrrho	nota, Vig. & H.; arborea, Gould.	Aru.
220.	f. Lagenoplastes, Gould, 1865.	
818. ariel,	Gould, B. A. ii. pl. 15.	Australia, Aru.
	ola, Jerd.; Gould, B. As. pl., Gould, MS.	India.
221. Ubromitu	g. Uromitus, Bp. 1854. s!, Hartl. 1857.	
filicaud	a, Steph.; Lath. H. B. pl. 113; Gould, B. As. pl. ata, Frankl. eephala, Gm.?; indica, Gm.?	. India. N.W. Himala. Cashmere.
821. rufice	ps, Licht.	Abyssinia.
filifera,	ii, Leach; Smithii, Cranch. p.?, Hartl.; filicaudata, Rüpp. æ, Bocage.	Isl. off Chisalla I.
822. atroca	erulea, Sundev.	Natal, Lower Caffraria.
222.	h. Psalidoprocne, Cab. 1850.	
	nelas, Sundev.; Pr. Ac. Phil. 1850, pl. 12. 2. ra, Cass.; cypselina, Cab.	S. & W. Africa.
824. melbi	na, Verr.	Gaboon.
	, V.; Lev. O. A. t. 244, 2. ra, Aliq.	S. Africa.
826. ? cypse	loides, Heugl.	C. Africa.
223.	i. Hemicecrops, Bp. 1857.	
827. leucos	soma, Sw.	W. Africa.

Caffraria.

Cayenne.

HAND-LIST OF BIRDS.	71	
829. nigrita, G. R. Gr. & M. G. B. pl. 20.	W. Afr., Fantee.	
830. obscura, Tem.	W. Africa.	
831. nitens, Cass.	,,	
832. dimidiata, Sundev. scapularis, Cass. Pr. Ac. Phil. 1852, pl. 12. 3. leucosoma, Grill.	S. Africa. E. Africa.	
833. ? griseopygia, Sundev.	S. Africa, Natal.	
224. j. PHEDINA, Bp. 1855. 834. borbonica, Gm.; P. E. 544. 2, var. ?; Coqu. Alb. de la Ré- union, fig. 2. var. madagascariensis, Hartl.	Isle of France. Isle of Bourbon, Madagascar.	
225. k. Petrochelidon, Cab. 1850.	0	
835. melanogastra, Sw. Swainsoni, Sclat.	Mexico.	
836. lunifrons, Say; Ep. A. O. pl. 7. 1. fulva, Bp. republicana, Aud.; opifex, Clint.	N. America.	
837. pœciloma, Gosse. fulva, p., Bp.	Jamaica.	
838. Alfredi, <i>Hartl.</i> ; <i>Ibis</i> , 1868, pl. 4. lunifrons, p., <i>Layard</i> .	Capc of G. Hope.	
839. ruficollaris, Peale.	Peru.	
840. americana, Gm.; P. E. 724.	Brazil.	
pyrrhonota, V.; platensis, Steph. crythrogaster, p., G. R. Gr. cyanopyrrha, V.	Paragnay.	
226. l. TACHYCINETA, Cab. 1850. Petrochelidon, a. Sclat. Chelidon, Boie, 1826, nec 1822. Hirundo, p., et Tachycineta, a, Baird, 1865.		
841. thalassina, Sw.; Aud. B. A. i. pl. 49. viridis, Lieht.	Mexico. W. & C. Amer.,	
<b>227.</b> m. ——? Tachycineta, b, Baird, 1865.	Guatemala.	
842. <b>bicolor</b> , <i>V</i> .; <i>Wils. A. O.</i> pl. 38, 3; <i>V. O. A. S.</i> t. 31. viridis, <i>Wils.</i> ; leucogaster, <i>Steph</i> .	N. America. California.	
843. albiventer, Bodd.; P. C. 546. 2. leucoptera, Gm.; albiventris, Pelz.	Cayen., Guiana. Brazil, Bolivia.	
844. æquatorialis, Lawr.	Upper Amazon.	
845. albilineata, Lawr. littorea, Salv.; leucoptera, Lawr.	C. America. Panama.	

846. ? maculata, Bodd.; P. E. 546, 1.

leucoptera, var., Lath.

847. leucorrhoa, I'.

leucopyga, *Licht.*; frontalis, *Gould.* Gouldii, *Cass.*; frontata, *Boie.* leucorrhœa, *Burm.* 

 Meyeni, Cab.; Nov. Act. 1834, t. Suppl. 10. leucopyga, Meyen nec Licht.; leucorrhoa, p., Lafr. leucopygia, Gould.

228. n. Callichelidon, Bryant, 1865. Hirundo, p., Baird.

849. euchrisea, Gosse, Ill. B. of Jam. pl. 12. var. dominicensis, Bryant.

850. cyaneoviridis, Bryant.

**229.** o. Pygochelidon, Baird, 1865. Petrochelidon, a, Sclat. Atticora, p., Baird.

851. cyanoleuca, V.; P. C. 209. 1.

melampyga, Licht.; minuta, Max. var. montana, Baird.

852. murina, Cass. cinerea, Gm.??; cyanophæa, Cab. cinerea. Sclat.

853. andicola, Lafr.

854. melanoleuca, Max.; P. C. 209. 2.

855. patagonica, Lafr. hemipyga, Burm.; viridi alba, Lafr.

856. peruviana, Gm. peruviana major, Tsch.

230. ATTICORA, Boie, 1844.

Acticora, Gould. Actocora, Agass. G. of B. i. p. 58, pl. 19. f. 5; Reich. S. A. t. 87. f. .

a. Atticora.

857. fasciata, Gm.; P. E. 724. 2.

2:31. b. Neochelidon, Sclat. 1862.
Microchelidon, Sclat. 1861, nec Reich.
Atticora, p., Baird.

858. **fucata**, *Tem. P. C.* 161. 1. brasiliana, *Lafr*.

859. tibialis, Cass.

2:32. c. Notiochelidon, Baird, 1865. Cotyle, Boie, 1826, nec 1822. Atticora, p., Baird.

860. pileata, Gould. cyanoleuca, juv., Cab. Paraguay.
Brazil, La Plata.
Monte Video.
Parana.

Chili. Patagonia.

Jamaica. St. Domingo.

Bahamas.

Paraguay, Chili, Patagonia. Bolivia, Argent. Rep., Brazil, Costa Rica. Andes of S.Amer. Ecuador.

Bolivia, Tinta, Peru. Brazil.

Patagonia. Chili.

Pern.

Cayenne, Rio Negro.

Paraguay, Brazil.
Argentine Rep.,
La Plata.
Panama to Brazil, New Gran.

Panama. Guatemala. **233.** d. Pristoptera, Bp. 1857.

861. albiscapulata, Boie; Rüpp. F. A. t. 39. 2. pristoptera, Rüpp.; typica, Bp.

862. albieeps, Sclat. Pr. Z. S. 1864, pl. 14.

Abyssima.

52. aroteeps, Setat. 17. 2. S. 1864, pt. 14.

E. Africa.

**234.** *e.* Cheramœca, *Cab.* 1850.

863. leucosternon, Gould, B. A. ii. pl. 12.

New S. Wales, S. & W. Aust.

**235.** COTILE, Boie, 1822.

Cotyle, p., Boic, 1826. Biblis, Less. 1837. G. of B. i. p. 59, pl. 19, f. 6; Reich, S. A. t. 89, f.

a. Cotile.

864. riparia, L.; P. C. 543. 2; Naum. Vög. t. 146. 3, 4; Gould, B. E. pl. ; Aud. B. A. i. pl. 50. einerca, V.

E. Eur., India.
N. Africa, Greenland, Bermuda,
Great Antilles.
N. India.

865. sinensis, Gr. I. Ind. Z. pl. 35. 3. brevicaudata, McClell.; minuta, Hodgs.

866. subsoccata, Hodgs. sinensis, p., G. R. Gr.

Nepal.

236. b. Stelgidopteryx, Baird, 1858.

867. serripennis, Aud. B. A. i. pl. 51.

868. ruficollis, V.

flavigastra, V.; hortensis, Licht. jugularis, Max.; flaviventer, Less.

869. fulvipennis, Sclat. serripennis, p., et flavigastra, p., Sclat.

870. **uropygialis**, *Lawr*. flavigastra, p., *et* ruficollis, p., *Selat*.

871. fulvigula, Baird.

N. America, C. Mexico. La Plata. Brazil.

Paraguay.

Mexico.

Guatemala.

Ist. of Panama. Esmeraldas, Eeuador. Costa Rica.

237. c. Ptyonoprogne, Reich. 1850.

Cotyle, p., *Boie*, 1826. *Reich*, *S. A.* t. 87. f.

872. rupestris, Scop.; Naum. Vog. t. 146, 1, 2; Gould, B. E. pl. 56. rupicola, Hodgs.; inornata, Jerd. montana, Gm.

India, W. Africa. Palestine. India, Behar.

S. Europe.

873. concolor, Sykes.

S. Africa.

874. fuligula, Licht.; Lev. O. A. t. 246. 1.

rupestris, p., Tem.; fulva, Bp.; torquata, Boie. capensis, Less.; hyemalis, Forst.

875. cincta, Seop.; P. E. 723. 1. torquata, Gm.

N.E. Africa.

W. Indies, Porto Rico. St. Domingo.

876. obsoleta, Cab. rupestris, Rüpp.

S. Africa. 877. paludicola, V.; Lev. O. A. t. 246. 2. palustris, Steph.; paludibula, Bp. N E. Africa. 878. minor, Cab. paludibula, Rüpp. Prince's Island. 879. eques, Hartl. 238. CHELIDON, Boie, 1822. Hirundo, Cuv. 1817. G. of B. i. p. 60, pl. 19. f. 9; Reich. S. A. t. 87. f. . a. Chelidon. 880. urbica, L.; P. E. 542. 2; Naum. Vög. t. 145. 2; Gould, Eur., India, N. B. E. pl. 57. Afr., Lebanon. Amoor. 881. lagopoda, Pall. urbica, p., Bp. Japan. 882. Blakistoni, Swinhoe. urbica, p., Blak. Borneo. 883. dasypus, Tem. albigena, Heugl.? Cashmere. 884. cashmeriensis, Gould. b. Delichon, Hodgs. 1854. 239. 885. nipalensis, Hodgs. Pr. Z. S. 1854, pl. 63; Gould, B. As. pl. . Nepal. 240. PROGNE, Boie, 1826. Procne, DesMurs, 1852. G. of B. i. p. 59, pl. 19. f. 8; Reich, S. A. t. 87. f. . a. PROGNE. 886. purpurea, L.; P. E. 722; Wils. A. O. pl. 39. 2. N. America. Brazil, Bolivia. subis, L.; violacea, Gm. Argentine Rep. cærulea et versicolor, V. ludoviciana, Cuv.; chalybea, Max. Guiana. 887. chalybæa, Gm.; P. E. 545. 2. purpurea, p., Lafr. Buenos Ayres. 888. elegans, Baird. Brazil. purpurea, p., Gould. Galapagos I. 889. concolor, Gould, Voy. Beagle, pl. 5. modesta, Gould. Chili. 890. furcata, Baird. modesta, p., G. R. Gr.

891. dominicensis, Gm.; V. O. A. S. t. 28, 29.

albiventris, 17.

892. leucogaster, Baird.

dominieensis, Sclat. chalybæa, p., Cab.

893. domestica, V.

purpurea, p., D' Orb.; chalybea, p., Max.

894. cryptoleuca, Baird. purpurea, p., D' Orb.

**241.** b. Pheoprogne, Baird, 1865.

Progne, p., Cab.

895. fusca, V. tapera, p., Burm.

242. c. Tapera, Bp. 1857.

Phæoprogne, p., Baird.

896. pascuum, Max.

? tapera, L.; Briss. Orn. ii. t. 45. 3. tapera, Cab.

S. Mexico to Ist. of Darien. C. America.

S. America. Paraguay, Brazil.

Cuba, Florida?

Paraguay, Boliv. Argeutine Rep.

S. Brazil.

Rio Grande.

# FAM. III. CORACIADÆ, G. R. Gr. 1845.

Oriolidæ, p., Boie, 1826. Todidæ, p., Corvidæ, p., et Buceridæ, p., Vig. 1825. Ampelidæ, p., 1831, Bp.

Subfam. I. Coracianæ, G. R. Gr. 1840.

Coraciana, Vig. 1825.

**243.** CORACIAS, L. 1758-66, ncc 1735.

Galgulus, Briss. 1760, nec Barr. 1745.

Coratius!, Reid & Hahn, 1835.

Sw. C. of B. f. 289, c; G. of B. i. p. 61, pl. 20. f. 2; Reich, S. A. t. 34, f.

a. Coracias.

897. garrula, L.; P. E. 486; Naum. Vog. t. 60; Gould, B. E. pl. 60.

Madagasear, I. St. Thomas, Egypt, Arabia, Persia, Natal. N.E. Africa. Damaraland.

C. & S. Europe.

899. pilosa, Lath.; Lev. Parad. t. 28, 29. erinita, Shaw; nævia, Licht.; nuchalis, Sw. Levaillantii, Tem.; indica, p., G. R. Gr. nævia, p., Wagl.

899. **Temminckii**, V.; Lev. Prom. t. D. Urvillei, Quoy & G. Voy. Astrol. t. 16.

papuensis, Quoy & G.; pileata, Reinw.

244. h. —.

Galgulus, Reich. 1852, nec Barr.

Celebes, Sula.

900. indica, L.; Edw. B. pl. 326. bengalensis, L.; P. E. 285. nævius, V.; indica, var. bengalensis, Reich. India. Nepal.

901. affinis, McClell.; G. R. Gr. & M. G. B. pl. assamensis, McClell. indica, p., G. R. Gr.

India. Burmah.

902. viridis, Cuv.; Lev. Parad. t. 31.

Burmah India.

#### 245.

#### c. Coraciura, Bp. 1854.

903. cyanogastra, Cuv.; Lev. Parad. t. 26; Sw. B. W. Afr. pl. 13. W. Africa.
cyanogaster, V.

904. caudata, L.; P. E. 88; DesMurs, I. O. t. 28. angolensis, Shaw; natalensis, Licht.

S.W. & E.Africa. Natal.

905. abyssinia, Bodd.; P. E. 626; Lev. Parad. t. 25. abyssinica et senegalensis?, Grm. leucocephalus, Müdl.?; senegalla, Lath.? albifrons, Shaw; caudata, V.

S. Africa. Abyssinia. Arabia.

#### 246. EURYSTOMUS, 1816.

et Eurysthomus, 1825, V. Colaris, Cuv. 1817.

Sw. C. of B. f. 289, b; 5 pt. f. 69; G. of B. i. p. 62, pl. 21, f. 3; Reich, S. A. t. 34, f.

#### a. Eurystomus.

906. orientalis, L.; P. E. 619; V. Gal. des Ois. t. 111; Lev. Parad. t. 36?. cyanicollis et fuscicapillus, V. calornyx, Hodgs.

India, Ceylon.
Malayana, Bor.
Lombock, China.

907. pacificus, Lath.; Gould, B. A. ii. pl. 17. orientalis, Vig. & H.; australis, Sw.

N. S. W., V. D. Land, Waigiou. Aru, N. Guinea.

908. azureus, G. R. Gr.

Batchian I.

# 2.17. b. Cornopio, Cab. & H. 1859.

Eurystomus, Bp. 1854.

 gularis, V.; Lev. Prom. t. 56; Jard. & S. I. O. pl. 109. collaris, Viq. W. Africa.

910. glaucurus, Müll.; P. E. 501; Lev. Purad. t. 34. madagascariensis, Gm. violaceus, V. Africa. Madagascar.

911. afer, Lath.; Lev. Prom. t. 35.
rubescens et purpurascens, V.
orientalis, Rüpp.; viridis, Wagl., juv.

W. Africa.

### Subfam. II. Leptosominæ, Bp. 1850.

Cuculinæ, p., Bp. 1831.

### **248. LEPTOSOMUS**, V. 1816.

Leptosoma, Bp. 1849. Courols, Cuv. 1817.

Crombus, Reich. 1849.

G. of B. app. p. 22, pl. Suppl. 186. f. 7; Reich. S. A. t. 50. f.

912. discolor, Herm.; P. E. 587, 588; Lev. O. A. t. 226, 227; V. Gal. des Ois. t. 40.

Madagascar.

afer, Gm.; africanus, Steph.; viridis, V. crombee, Less.; madagascariensis, Reich.

#### 249. BRACHYPTERACIAS, Lafr. 1834.

Chloropygia, Sw. 1837.

G. of B. i. p. 61, pl. 21, f. 1; Reich, S. A. t. 34, f.

#### a. Brachypteracias.

913. leptosoma, Less. Ill. de Zool. t. 22; Mag. de Zool. 1834, t. 31.

collaris, Pucher.

#### 250. b. Atelornis, Pucher, 1846.

Brachypteracias, Reich, 1849. Corapitta, Bp. 1854.

914. pittoides, Lafr. Mag. de Zool. 1834, t. 32; Ibis, 1862, pl. 9. c. ----

#### 251.

Atelornis, Bp. 1854.

915. squamigera, Lafr.; Des Murs, I. O. t. 39.

### FAM. IV. EURYLAIMIDÆ, Selus, 1842.

Todidæ, p., Vig. 1825. Oriolidæ, p., Boic, 1826. Coraciadæ, p., Cab. 1847.

## Subfam. I. Eurylaiminæ, Sw. 1837.

### 252. EURYLAIMUS, Horsf. 1820.

Platyrhynchus, V. 1825. Eurylæmus, Strickl. Sw. C. of B. f. 144; G. of B. i. p. 65.

#### a. Eurylaimus.

916. javanus, Horsf.; P. C. 130, 131; Gould, B. As. pl. javanicus, Horsf.; Horsfieldii, Tem. Var.

Java, Sumatra.

Moalmaza.

917. ochromelas, Raffl.; P. C. 261; Gould, B. As. pl. ochromelus, Raffl.: cucullatus, Tem. Rafflesii, Less.

Sumatra, Java.

253. b. Serilophus, Sw. 1837.

Serolophus, Agass. Scricolophus, Reich. 1850. Reich, S. A. t. 34, f.

918. lunatus, Gould, Trans. Z. S. i. pl. 25; Gould, B. As. pl. lunulatus. Sw.

Tenasserim. Rangoon.

919. rubropygius, Hodgs.; G. R. Gr. & M. G. B. pl. 23; Gould, B. As. pl. lunatus. Horsf.

Nepal.

254. c. Psarisomus, Sw. 1837.

Crossodera, Gould, 1837. Raya, 1839, Simus, 1841, et Simornis, 1844, Hodgs. Psarosomus, Agass.

920. **Dalhousiæ**, *James.*; *Gould*, *I. A.* pl. ; id. *B. As.* pl. seriogula *et* nipalensis, *Hodgs.* psittacinus, *Müll.*; *P. C.* 598.

Himalayas.
Sunda Islands.

255. d. Corydon, Less. 1828.

Eurylaimus, Wagl. 1827.

G. of B. i. pl. 22. f. 3; Reich, S. A. t. 34. f. (Cymbirhynchus!).

 sumatranus, Raffl.; P. C. 297; Gould, B. As. pl. . Sumatra. corydon, Tcm.; Temminckii, Less.

256. CYMBIRHYNCHUS, Vig. 1831.

Cymborhynchus, Agass. Erolla, Less. 1831. Cymbyrhynchus, Eyton, 1839.

G. of B. i. p. 66, pl. 22. f. 4; Reich. S. A. t. 34. f. (Eurylaimus!).

922. macrorhynchus, Gm.; Lath. Syn. pl. 30; P. C. 154. nasutus, Lath.; ornatus, Desm. lemniscatus, Raffl.; nasica, Less. Var. Sumatra. Java, Borneo.

Malacea.

923. affinis, Bl.; Gould, B. As. pl.

Arac., Siam, Cambodia, Tenasser.

## Subfam. II. Calyptomeninæ.

#### 257. CALYPTOMENA, Raffl. 1820.

Calyptomina, Sw. 1837. Calyptomeina!, G. R. Gr. 1840.
Calyptomene, Reich, 1850. Calyptomena, Bp. 1854.
Sw. C. of B. f. 221, a; G. of B. i. p. 275, pl. 67. f. 1; Reich. S. A. t. 63, f.

924. viridis, Raffl.; P. C. 216; Horsf. Zool. Res. pl. . Rafflesii et caudacuta, Sw. Sumat., Borneo. Java.

### FAM. V. TODIDÆ, Vig. 1825.

Colopteridæ, p., Cab. 1847.

### Subfam, I. **Todinæ,** G. R. Gr. 1841.

### **258. TODUS**, *L.* 1766.

Alcedo, p., L. 1758.

Sw. C. of B. f. 228 c; G. of B. i, p. 63, pl. 22. f. 1.; Reich. S. A. t. 48. f. .

925. viridis, L.; V. O. A. S. t. 56; Gosse, Ill. B. Jam. pl. 14. Jamaica, Antilles.

926, mexicanus, Less.; Dict. Sc. N. t. 32. 1.

Mexico.

Cuba.

viridis. Dict.

927. multicolor, Gould, Ic. Av. pl. ; Voy. Cuba, t. 22. viridis, Fig. portoricensis, Less.; cyanogenys, Sagra. hypochondriacus, Bryant.

Porto Rico.

928. angustirostris, Lafr.

multicolor, p., Sclat.; dominicensis, p., Sallé.

929. subulatus, Gould; G. R. Gr. & M. G. B. pl. 22. dominicensis, Lafr.; P. E. 585, 1, 2?

# St. Domingo.

## FAM. VI. MOMOTIDÆ, Selys, 1842.

Buceridæ, p., Vig. Rhamphastidæ, p., Boie, 1826. Prionitidæ, Bp. 1849.

## Subfam. I. Momotinæ, G. R. Gr. 1840.

Prionitinæ, Cab. 1847.

### 259. MOMOTUS, Briss. 1760.

Ramphastos, p., L. Momots, Lacép. 1800-1. Baryphonus, V. 1816. Prionites, Ill. 1811. Momota, Shaw. Merula, Mochr. 1752. G, of B. i. p. 67.

#### a. Monorus.

930. brasiliensis, Lath.; P. E. 370; Lev. Parad. t. 37, 38. momota, L.; cyanocephalus, V.

N. of S. America. E. Peru, Braz.

931. subrufescens, Sclat. parvirostris, Bp. ?

Santa Martha. Cartagena.

932. bahamensis, Sw.; Jard. & S. I. O. pl. 45.

Bahama. Tobago, Trinid.

Swainsoni, Sclat.

933. æquatorialis, Gould. grandis, Lafr.

Ecuador.

934. microstephanus, Sclat. brasiliensis, p., Sclat.

New Granada.

935. Nattereri, Sclat. brasiliensis, Lafr.?

Bolivia. Brazil.

260.

b. ---.

Prionites, Cab. & H. 1859.

936. cæruliceps, Gould; Baird, B. N. A. pl. 46. cæruleicephalus, Jard. & S. I. O. pl. 42. subhutu, Less.; cæruleiceps, Sclar.

S. Mexico.

 Lessoni, Less.; Des Murs, I. O. t. 62. momotus et psalurus, Bp.

C. America.

261.

c. Crybelus, Cab. & H. 1859.

Momotus, Bp., 1854.

938. mexicanus, Sw.; Jard. & S. I. O. pl. 23; Sw. Zool. Ill. n. s. pl. 81. S. Mexico. Martii, Jard. & S.

939. **Martii**, Spix, A. B. t. 60. semirufus, Sclat.

New Granada. Brazil, Ecuador.

Guatemala.

940. castaneiceps, Gould.

**262.** d. Baryphthengus, Cab. & H. 1859. Baryphonus, Bp. 1854. G. of B. i. pl. 22. f. 5; Reich. S. A. t. 48. f.

Paraguay,Brazil.

941. cyanogaster, V. Gal. des Ois. t. 190. tutu, Ranz. Levaillantii, Less.; Lev. Prom. suppl. t. B.

942. melanocholicus, Cab. & H.

Buenos Ayres?

943. ?ruficapillus, V.; Lev. Parad. t. 39. Dombeyanus, Rantz; Dombeyi, Less. rubricapillus, Steph.; tutu, Less.

Peru.

263.

e. Eumomota, Sclat. 1857.

Spathophorus, Cab. 1859.

944. superciliaris, Sandb.; Jard. & S. I. O. pl. 18; Schl. De Dier. fig. p. 55.

C. America.

superciliosus, Sw.; apiaster, Less. yucatanensis, Cahot.

264. f. Prionirhynchus, Sclat. 1857.

Crypticus, Sw. 1837, nec Latr. 1817.

Reich. S. A. t. 48. f. .

945. platyrhynchus, Leadh.; Jard. & S. I. O. pl. 106. Martii. Tsch. E. Peru, Bolivia.

946. carinatus, Du Bus; Pr. Z. S. 1857, pl. 128.

Guatemala.

**265.** g. Hylomanes, *Licht*, 1838. *Reich*, 8, A, t. 48, f.

947. momotulus, Licht. Abh. Ac. Berl. 1838, t. 4; G. R. Gr. & M. G. B. pl. 24.

Mexico.

948. gularis, Lafr.; Jard. Contr. Orn. 1849, pl. .

Guatemala.

# FAM. VII. TROGONIDÆ, Sw. 1831.

Bucconidæ, p., Boic, 1826. Cuculidæ, p., ? Vig. 1825.

### Subfam. I. Trogoninæ, Bp. 1849.

Bucconinæ, p., *Ep.* 1831.

266. TROGON, Mahr. 1752, et L. 1766.
Curucujus, Bp. 1854. Troctes, Cab. & H. 1863.
G. of B. i. p. 69.

a. Trogon.

949. curucui, L.; P. E. 452, 737; Gould, Trog. pl. 18. melanurus, Sw.: nigricaudatus, Gould, strigilatus, Spix.

Cayenne. Brazil.

950. macrurus, Gould, Trog. pl. 17.

Carthagena.

951. Massena, Gould, Trog. pl. 16.

Guatem.,Hondu.

952. calthratus, Salv.

Veragua. Ecuador.

 mesurus, Cab. & H. melanurus?, Sclat.

954. Hoffmanni, Cab. & H.

Costa Rica,

b. Aganus, Cab. & H. 1863.
 Trogon, Bp. 1854. Agames!, Hartl. 1864.

955. caligatus, Gould. Trog. pl. 7.

Guatemala, Carthagena, Brazil.

956. **aurantius**, *Spix*, *A. B.* t. 36. chrysogaster, *Sw*.

957. viridis, L.; P. E. 765, 766; Gould, Trog. pl. 10, 11 strigilatus, Gm.; violaccus, Spix. Leverianus, Shaw; albiventer, Cuv. melanopterus, Sw.

975. exoptatus, Cab. & H.

958. melanocephalus, Gould, Trog. pl. 12. Mex., Honduras. 959. braccatus, Cab. & H. Mexico. caligatus, G. R. Gr.; violaceus, Pelz. 960. Ramonianus, Dev. & Des M. Pampa, Ucayali, Chamicuros. 961. lepidus, Cab. & H. Ecuador. caligatus, Sclat. 962, meridionalis, Sw., Gould, Trog. pl. 9. Trinid., Cavenne. Brazil. sulphureus, p., Gould; violaceus, C. & H. Santa Maria. 963, Devillei, Cab, & H. meridionalis, p., Dev. & Des M. Amazon. 964. crissalis, Cab. & H. Bahia. ? meridionalis, p., Pelz. 965. concinnus, Lawr. New Granada. caligatus, Lawr. 966. venustus, Cab. & H. heliothrix, Bp. ?; melanopterus, Sclat. viridis, Selat. 967. citreolus, Gould, Trog. pl. 13. Mexico. chrysogaster, Sw.?; capistratum, Less. 265. c. Trogonurus, Bp. 1854. Trogon, Cab, & H. 1863. G. of B. i. pl. 25. f. 1; Reich, S. A. t. 88. f. 968. collaris, V.; Lev. Cour. t. 6; Gould, Trog. pl. 5. Cavenne. enrueni, Max.; auratus, Sw. Brazil. Ucayali. castaneus, Spix; rosalba, Cuv. elegans et erythrinus, Licht. 969. mexicanus, Sw. Zool, Ill. pl. 82, 83; Gould, Trog. pl. 12. Mexico. Vera Paz. Morgani, Sw.; glocitans, Licht. capistratus, Less.? 970. elegans, Gould, Trog. pl. 3. Guatemala. personatus, Hartl.; mexicanus, p., Baird. Mexico. auriceps ♀, Hartl. 971. ambiguus, Gould, Trog. t. 4. mexicanus, Baird, B. of N. A. pl. 40. 972. puella, Gould; Dubus, E. O. t. 5. Guatemala Mexico. xalapensis, Du Bus; Luciana, Less. 973. personatus, Gould. Brazil. New Granada. collaris, p., Sclat. Rio Janeiro 974. Evtoni, Fras.

Venezuela.

976. virginalis, Cab. & H. collaris, p., Sclat.

Ecuador.

977. propinguus, Cab. & H. personatus, p., Sclat.

978. heliothrix. Tsch. assimilis, Gould.

Peru.

979. erythronotus, Miill.

Mexico.

269. d. Hapalophorus, Cab. & H. 1863.

980. variegatus, Spix, A. B. t. 37. purpuratus, Sw. B. Braz. pl. 63, 64. Brazil.

981. **surucua**, V.; Gould, Trog. pl. 15. leucurus, Sw.

Paraguay. Brazil.

270. e. Pothinus, Cab. & H. 1863.

982. atricollis, V. Gal. des Ois. t. 31; P. E. 195, 736; Gould, Trog. pl. 8.

rufus, Gm.; lepturus, Sw. scalaris, Licht.

983. tenellus, Cab. & H. atricollis, p., Salv.

Veragua.

984. aurantiiventris, Gould. Sallæi,  $B\rho$ .

S. Mexico. N. Brazil.

ma).

985. sulphureus, Spix, A. B. t. 38.

Brazil (Ypane-

986. chrysochlorus, Natt. & Pelz. Tmetotrogon, Cab. & H. 1863.

271.

f. Temnotrogon, Bp. 1854.

987. roseigaster, V.; Lev. Cour. t. 13; Gould, Trog. pl. 20. Haiti. domicellus, Sw.; rhodogaster, Tem.

272. PRIOTELUS, G. R. Gr. 1840.

Trogon, Boic, 1826. Temnurus, Sw. 1837, nec Less. 1831. Prionotelus, Reich. 1850.

G. of B. i. p. 70, pl. 25. f. 5; Reich, S. A. t. 88. f.

988. temnurus, Tem. P. C. 326; Gould, Trog. pl. 19. Cuba albicollis, Sw.; silens, Würt.

273. APALODERMA, Sw. 1837.

Hapaloderma, Agass.

G. of B. i. p. 70, pl. 25, f. 4; Reich, S. A. t. 88, f.

989. narina, V.; Lev. Cour. t. 10, 11; Gould, Trog. pl. 26; Lev. S. Africa, Abys-O. A. t. 228, 229. sinia.

274. HARPACTES, Sw. 1837.

Hapalurus, Reich. 1850.

G. of B. i. p. 70, pl. 25, f. 3: Reich, S. A. t. 88, f.

6.2

#### a. HARPACTES.

990. fasciatus, Gm.; Gould, Trog. pl. 31; id. B. As. pl. malabaricus, Gould.

India.

991. kasumba, Raffl.; P. C. 321; Gould, Trog. pl. 29; id. B. As. pl.

Sumatra.

fasciatus, Tem.; Temminckii, Gould. kondea, Cuv.; Duvaucelii, Vig. flagrans, Kuhl.

992. **Diardi**, Boie; P. C. 541; Gould, Trog. pl. 30; id. B. As. pl.

Malac., Sumatra.

275. b. Pyrotrogon, Bp. 1854.

993. ardens, Tem. P. C. 404; Gould, Trog. pl. 35; id. B. As. pl. rhodiosternus, Peale.

Philippine I.

994. **Hodgsoni**, *Gould*, *Trog*. pl. 34; id. *B. As.* pl. erythrocephalus, p., *Gould*.

Nepal.

Sumatra.

 erythrocephalus, Gould, Trog. pl. 33. flagrans, Müll.

Bor., Rangoon, Pegn.

**276.** c. Duvaucelius, Bp. 1854.

996. rutilus, V.; P. C. 291; Lev. Cour. t. 14; Gould, B. As. pl. cinnamomeus et Duvaucelii, Tem. kasumba, juv., Raffl. Sumatra. Borneo.

997. orphophæus, Cab. & H.; Gould, Trog. pl. 32. Duyaueclii, Gould. Malacca.

**277.** d. Oreskios, *Bp.* 1854. Orescius, *Cab. & H.* 1863.

998. oreskios, Tem. P. C. 181; Gould, Trog. pl. 36; id. B. of As. pl. Gouldii, Sw.

Java. Burmah.

? gigas, V.; Lev. Cour. t. 12; Gould, Trog. pl. 28.
 Temminckii, Cuv.; Cuvieri, Sw.

Moluccas?

**278.** *e.* Apalharpactes, *Ep.* 1854. Hapalarpactes, *Cab. & H.* 1863.

1000. Reinwardtii, Tem. P. C. 124; Gould, Trog. pl. 27; id. B. As. pl. sulphureus, Begbie.

Java. Malacca.

1001. Mackloti, Müll. Tijdsch, Nat. Gesch. 1835, t. 8, 1; Gould, B. As. pl. Reinwardtii, p., Horsf. & M.

Sumatra.

279. PHAROMACRUS, De la Llave, 1801.

Calurus, Sw. 1837. Calliurus, Agass.G. of L. i. p. 71, pl. 25, f. 2; Reich. S. A. t. 88, f.

#### a. Pharomacrus.

1002. mocinna, Llave; P. C. 372; Gould, Trog. pl. 21.

Guatemala.

paradiseus, Bp.; resplendens, Gould, pavoninus, Tem.; pavonius, Glog. micinno, Cab. & H.

280. b. Tanypeplus, Cab. & H. 1863. Cosmurus, Ep. 1854.

1003. pavoninus, Spix, A. B. t. 35; Gould, Trog. pl. 23. Peru, Brazil.

1004. auriceps, Gould; G. R. Gr. & M. G. B. pl. 25. New Granada.

1005. fulgidus, Gould, Trog. pl. 24; Sehl, Handl, Dierk. t, 3, 36. Bogota, Venezu. pavoninus, Tem.

1006, heliactin, Cab. & H. Ecuador. auriceps, p., Sclat.

281. e. Cosmurus, Reich. 1850. Antisianus, D' Orb. 1836.

Reieh. S. A. t. 88. f.

1007. antisianus, Lafr. Mag. de Zool. 1837, t. 85; Gould, Trog. Bogota.

pulchellus, Gould; peruvianus, Gould, MS. antisinensis, D' Orb.

d. Leptuas, Cab. & H. 1863. 1008. neoxenus, Gould, Trog. pl. 25. Mexico.

# FAM. VIII. BUCCONIDÆ, Cab. 1862, et p. Boie, 1826.

Haleyonidæ, p.?, Vig. Cuculidæ, p., Cab. 1847. Tamatiadæ, Bl. 1849.

# Subfam. I. Bucconinæ, Bp. 1831.

Tamatiana, G. R. Gr. 1840.

253. BUCCO, L. 1776.

Capito, Tem. 1820. G. of B. i. p. 73.

a. Bucco.

1009. collaris, Lath.; P. E. 395; Lev. Parad. t. 42. Cayenne. capensis, L.; strigilatus, Less.

284. b. Tamatia, Cuv. 1797-98.

Notharchus, Cab. & H. 1862. Reich, S. A. t. 45, f. .

1010. macrorhynchus, Gm.; P. E. 689; Lev. Parad. t. 39. Hondur., Brazil, 1011. pectoralis, G. R. Gr. & M. G. B. pl. 26. S. America.

1012. Swainsoni, G. R. Gr.; Sw. Zool. Ill. pl. 99. macrorbynchus, Sw. 1013. Ordi, Cass.

Brazil.

1014. hyperrhynchus, Sclat. Pr. Z. S. 1855, pl. 105. macrorhynchus, Sclat. et p. Schl. giganteus, Pelz. Venezuela, Ega, Brazil. Upper Amazon.

1015. **Dysoni**, Sclat.

C. America.

Para.

macrorhynchus, p., Sclat.; gigas, Bp.?

Ecuador.

1016. leucocrissus, Sclat. albicrissus, Cab. & H.; macrorhynchus, p., Schl.

Rio Napo.

1017. napensis, Sclat.

285.

c. Cypnos, Spix, 1824.

Argicus, Cab. & H. 1862. Cyphus, Agass.

862.

1018. macrodactylus, Spix, A. B. t. 39. 2. cyphos, Wag!.

Brazil.

286. d. Nothriscus, Cab. & H. 1862.

1019. tectus, Bodd.; P. E. 688, 2; Lev. Parad. t. 40. melanoleucus. Gm. Cayenne. Rio Negro.

1020. picatus, Sclat. tectus, p., Schl.

Amazon. Chamicuros.

1021, subtectus, Selat.

Ecuador.

c. Hypnelus, Cab. & H. 1862.
 Chaunornis, Bp. 1854.
 G. of B. i. pl. 26. f. 1.

1022. bicinctus, Gould. bitorquatus, Sw.

Trinidad. Venezuela.

1023. rufieollis, Licht. gularis, Lafr.

New Granada.

**258.** f. Chaunornis, G. R. Gr. 1841.

Capito, *Boie*, 1826. Bucco, *Gm.* 1788. Nyctactes, *Strickl.* 1841, *ncc Glog.* 1827. Tamatia. *Sw.* 1837.

Guiana. Brazil.

1024. tamatia, Gm.; P. E. 746. 1; Lev. O. Parad. t. 41. maculata, Cuv.; variegatus, Dum. vulgaris, Drap.

. . .

1025. pulmentum, Bp.; Pr. Z. S. 1855, pl. 106.

E. Peru.

289. g. Nyctalus, Cab. & H. 1862.

Nyctactes, *Bp.* 1854. Sw. C. of B. f. 289, e.

Brazil.

1026. maculatus, Gm.; Lev. Parad. suppl. t. F; Sw. B. Braz. pl. 9.

somnolentus, Licht.

1027. striatipectus, Sclat. Bolivia.

flammulatus, Bp.?

1028. chacura, V.; P. C. 94. Brazil.

melanotis, Tem.; leucotis, Sw.

1029. radiatus, Sclat. Pr. Z. S. 1853, pl. 50. New Granada.

ruficervix,  $\mathit{Ep}$ .

1030. striolatus, Natt. & Pelz.
 Brazil.
 1031. lanceolatus, Dev.

## 290. MONASA. V. 1816.

axillaris, Lafr.

Barbacous, V. Lypornix, Wagl. 1827. Scotocharis, Glog. 1827. Monastes, Nitzsch, 1840. Monaste, Cab. 1847. Monassa, Sw. 1837. Sw. C. of B. f. 290, b; G. of B. i. p. 74; Reich. S. A. t. 45, f.

#### a. Monasa.

1032. **nigra**, Müll.; P. E. 512; Lev. O. Parad. t. 44. Cayenne. atra, Bodd.; tranquilla, australis et cinerea, Gm. calcarata, Lath.; allinis, Shaw.

1033. morphæa, Hahn; Spix, A. B. t. 43, 1; V. Gal. des Ois. t. 36.
Brazil.

personata, V.; leucops, Licht.; albifrons, Spix.

1034. nigrifrons, Spix, A. B. t. 43, 2, "
unicolor, Waql. Bolivia.

1035. flavirostris, Strickl.; Contr. Orn. 1850. pl. Bogota.

1036. peruviana, Bp. & Verr. Upper Amazon.

1037. grandior, Schut, & S. Costa Rica,

1038. pallescens, Cass. Pr. Ac. Phil. 1864, pl. 4. New Granada, Panama.

291. b. Malacoptila, G. R. Gr. 1841.

Lypornix, 2 div., Wagl. 1827. Bueco, V. 1823.
Lypornix, Sw. 1837.
Sw. C. of B. f. 290, a; G. of B. i, pl. 26, f. 3.

fuscus, Licht.; striatus, Spix,

1039. **rufa**, Spix, A. B. t. 40. I. Brazil.

senilis, Popp. Upper Amazon 1040. torquata, Hahn, Ausl. Veg. t. 5; Spix, A. B. t. 40, 2. Brazil.

1041. **fusca**, Gm.; Lev. O. Parad. t. 43. Cayenne. torquatus, juv., Wagl.; inormata, Selat. unitorques, Du Bus.

tenebrio, Tem.
1058. albipennis, Bp.

1059. brasiliensis, Sclat.

tenebrosa, Max.

Venezuela. 1042. adspersa, Sclut. Vera Paz. 1043. veræ-pacis, Sclut. & S. Bogota. 1044. nigrifusca, Selat. fusca, Sclat. Bolivia. 1045, fulvogularis, Sclat. pyrrholæmus, Bp.? New Granada. 1046. substriata, Sclat. Pr. Z. S. 1853, pl. 51. Ecuador. 1047. æquatorialis, Cab. & H. panamensis, Sclat. Panama. 1048. panamensis, Lafr. Costa Rica. 1049, costaricensis, Cab. Guatemala. 1050. inornata, Du Bus. Peru. 1051. blacica, Cab. blazika!, Hartl. New Granada. 1052. mystacalis, Lafr. Santa Fé. 1053. castanea, J. Verr. R. et M. de Zool. 1866, pl. 19. 292. c. Nonnula, Sclat, 1853. Scotocharis, Bp. 1854. 1054. rubecula, Spix, A. B. t. 39. 1; P. C. 323. 2. Brazil. phaioleucus et rufalbinus, Tem. 1055. frontalis, Sclat. Bogota, Upper Ucayali. 1056. ruficapilla, Tsch. F. P. t. 24. 1. Upper Amazon. 293. CHELIDOPTERA, Gould, 1836. Monasa, Boie, 1826. Lypornix, 3 div., Wagl. 1827. Brachypetes, Sw. 1837. Sw. C. of B. f. 291; G. of B. i. p. 75, pl. 26, f. 2; Reich, S. A. t. 45. f. . 1057. tenebrosa, Pall.; P. E. 505; P. C. 323.1; Lev. O. Parad. Brazil. t. 46.

> Venezuela, Cumana.

S.E. Brazil.

## FAM. IX. ALCEDINIDÆ, $B_P$ . 1838.

Haleyonidæ, Vig. 1825.

# Subfam. I. Daceloninæ, Bp. 1849.

Alcedininæ, p., Bp. 1831. Haleyoninæ, ? G. R. Gr. 1840.

## 294. DACELO, Leach, 1816.

Aleedo, Lath. 1790. Paraleyon, 1827, et Nyetieeyx, 1842, Glog. G. of B. i. p. 77; Reich. S. A. t. 33. f.

#### a. Dacelo.

1060. gigas, Bodd.; P. E. 663; V. Gal. des Ois. t. 188; Gould, B. A. ii. pl. 18.

gigantea, Lath.; fusca, Gm.; australe, Less. undulata, Scop.; Sonn. Voy. t. 106.

1061. Leachii (Lath.), Vig. & H.; Gould, B. A. ii. pl. 19. N. Australia.

1062. cervina, Gould, B. A. ii. pl. 20; Voy. Pôle Sud, t. 23. 1. cervicalis, Kaup; Salussii, Homb. & J.

295. b. Choucaleyon, Less. 1831.

Chouacalyon!, G. R. Gr. 1847. Sauromarptis, Cab. & H. 1859. G. of B. i. pl. 27. f. 1.

1063. Gaudichaudi, Quoy & G. Voy. Uranie, t. 25; Schl. Vög. Ned. Ind. t. 4. 2, 3; Sharpe, Aleed. pl. 18.

New Guinea, Waig., Guebe, Mysol, Ceram.

New S. Wales.

S. Australia.

1064. Tyro, G. R. Gr. Pr. Z. S. 1858, pl. 133; Schl. Vog. Ned. Ind. t. 4. 4; Gould, B. As. pl.; Sharpe, Alced. pl. 19. Gaudichaudi, p., Schl.

Aru.

206. c. Cittura, Reich, 1851.

1065. cyanotis, Tem. P. C. 262; Sehl. Vog. Ned. Ind. t. 6. 1, 2; Sharpe, Aleed. pl. 10. sanghierensis, juv., Finsch.

Celebes.
"Sumatra," Tem.

1066. sanghierensis, Schl.; Pr.Z. S. 1868, pl. 27; Sharpe, Alced. pl. 9.

Sanghir.

297. d. Melidora, Less. 1831.

1067. macrorhyncha, Less. Voy. Coqu. t. 31 bis. 2; Sehl. Vey. Ned. Ind. t. 4. 1; Sharpe, Alced. pl. 25. euphrasia, Less.

New Guinea.

298. e. Monachaleyon, Reich. 1851.

1068. princeps, Reich.; Schl. Vog. Ned. Ind. t. 7, 1-3, monachus, Tem.; evanocephala, Forst.

Celebes, Ceram. Ternate.

#### 299. TANYSIPTERA, Vig. 1823.

Pyrrhocorax, Mahr. 1742?

1074. nais. G. R. Gr.

G. of B. i. p. 78, pl. 27, f. 3; Reich, S. A. t. 33, f.

1069. dea, L.; P. E. 116; Schl. Vog. Ned. Ind. t. 13. 3? Ternate.

1070. margaretta, Heine; Schl. Vog. Ned. Ind. t. 13. 2. Batchian, Gilolo. Isis, G. R. Gr.; dea, Müll.?; dea, p., Schl.

1071. galatea, G. R. Gr.; Sch'. Vog. Ned. Ind. t. 13. 1, t. 15. 2. New Guinea. Waigiou, Aru. dea, Less.; dea, p., Schl.

1072. nympha, G. R. Gr.; Sharpe, Alced. pl. 19. Philippine I.? N.W. of New dea, p., Schl.

Guinea.

Amboina.

Cape York.

Celebes.

Kaisa, Batchian.

1073. sabrina, G. R. Gr. Pr. Z. S. 1860, pl. 170; Schl. Vog.

Ned. Ind. t. 14. 4, 5?

1075. hydrocharis, G. R. Gr.; Schl. Vog. Ned. Ind. t. 15. 4. Aru.

1077. doris, Wall.; Schl. Vog. Ned. Ind. t. 14, 1, 2, 3, & t. 15, 3. Morty Island.

sabrina, p., Schl. 1078. acis. Wall. Ceram.

nais, var., Schl.

1076. sylvia, Gould, B. A. suppl. pl.

New Guinea. 1079. Rosenbergii, Kaup.

1080. Riedelii, J. Verr.; N. Arch. du Mus. ii. t. 3, 1.

300. HALCYON, Sw. 1821.

Entomothera, Horsf. 1820? Entomophila, Leach? Paraleyon, Glog. 1842. Sw. C. of B. f. 290, d; G. of B. i. p. 79; Reich. S. A. t. 33. f.

#### a. Halcyon.

1081. senegalensis, L.; P. E. 594; Sw. Ill. Zool. pl. 27. W. Africa, Natal.

1082. cinereifrons, V. Gal. des Ois. t. 187. torquata, Sw.; malembiea, Shaw.

1083. semicærulea, Forsk.; Rüpp. Wirbelth. t. 21. Arabia, N.E Afr. canerophaga, Forst.; senegalensis, p., G. R. Gr.

1084. leucocephala, Müll.; P. E. 356, 2; Sw. B.W. Afr. pl. 12. W. Africa. senegalensis, var.  $\delta$ , Gm.; erythrogaster, Tem. rufiventer, Sw.; Swainsoni, Smith. semicærulea, p., G. R. Gr.

1085. erythrorhyncha, Gould.

canerophaga, Strickl.

Cape Verd Isl. 1086. badia, Verr.; Sharpe, Alced. pl. 20. Gaboon.

W. Afr., St. Tho-1087. dryas, Hartl.; Sharpe, Alced. pl. 4. mas, Prince's I. 1088. senegaloides, Smith, I. S. A. Z. pl. 63; Sharpe, Alced. pl. 26. S. Africa. irrirata, Cub.

1089. canerophaga, Bodd.; P. E. 334.

Senegal.

**301.** b. Chelicutia, Reich. 1851.

Haleyon, Bp. 1850. Pagurothera, Cab. & H. 1859.

1000. Chelicuti, Stanl.; Rüpp. Atl. t. 28, b. Abyssinia. pygmæa, Kretzs.; striolata, p., Hartl.

1091. variegata, V. striolata, Licht.

Natal.

1092. fuscicapilla, Lafr. Mag. de Zool. 1833, t. 18.

W2. fuscicapilla, Lafr. Mag. de Zool. 1833, t. 18.
Vaillantii. Tem.

S. Africa.

1093. damarensis, Strickl.

Damaraland.

1094. orientalis, Peters.

Mozambique.

**302.** c. Entomobia, Cab. & H. 1859.

Entomothera, Reich. 1851, nee Horsf. Haleyon, Bp. 1854, nec Sw.

1095. smyrnensis, L.

Asia Minor.

arabica, Hempr. fusca, Bodd.; P. E. 894; Gould, B. As. pl. smyrnensis, var. γ, Gm. smyrnensis, Sykes; albigularis, Bl.

Malacea. India, Ceylon.

1096. gularis, Kuhl; P. E. 232; Gould, B. As. pl. rufirostris, Ill.; smyrnensis, Kittl. ruficollis, Sw.; melanoptera, Tem.

Philippine I. China.

1097. pileata, Bodd.; P. E. 673; Gould, B. As. pl.; Sharpe, Alced. pl. 3.

atricapilla, Gm.; brama, Less. puella, Kreling.; albiventer, Scop.

Sumatra, Borneo. Malacea, Tenas. Ceylon, India, Andam. I. &c.

1008. cyaniventris, V.; P. C. 135; Schl. Vog. Ned. Ind. t. 9. 3, 4; Gould, B. As. pl.

Java.

melanoptera, Horsf. omnicolor, Tem.; multicolor, Kaup.

**303.** d. Calialeyon, Bp. 1850.

Callialeyon, Reich. 1851. Callaleyon, Bp. 1854.

1099. coromandeliana, Seop.; Sonn. Voy. t. 118.

coromanda, Lath.; lilaeina, Sw. coromandelieus, Vig.

coromandelicus, Vig. coromanda minor, Tem. & Schl. Vog. Ned. Ind. t. 8. 1. calipyga, Hodgs.; varia, Eyton.

Sumatra, Java, Borneo, Japan,

Tenasserim.

India.

1100. Schlegeli, Reich.

eoromanda major, Tem. & Schl.

1101. rufa Wall.

Celebes, Sula.

304. e. Hylcaon, Reich, 1851.

1102. melanorhyncha, Tem. P. C. 391; Schl. Vog. Ned. Ind. t. 2. 1.

Celebes.

f. Pelargopsis, Glog. 1842. 305.

Rhamphaleyon, Reich. 1851. Haleyon, Boie, 1826.

1103. capensis, L.; P. E. 590. leucocephala, McClell.; gurial, Pears. brunniceps, Jerd.

India.

1104. javana, Bodd.; P. E. 757; Schl. Vog. Ned. Ind. t. 2. 2, 3, 4. Java, Borneo. Malacca. leucocephala, Gm.; javanica, Shaw.

1105. amauroptera, Pears.

India, Burmah.

g. Cyanalcyon, Verr. 1854. 306.

1106. Macleayi, Jard. & S. I. O. pl. 110; Gould, B. A. ii. pl. 24. unicinctus. Gould.

New S. Wales. W. Australia. Celebes, Ternatc,

Batch.. Gilolo.

Amboina, Gilolo, Batch...Ceram.

1107. diops, Tem. P. C. 272; Schl. Vog. Ned. Ind. t. 11. 3, 4.

1108. lazuli, Tem. P. C. 500; Schl. Vog. Ned. Ind. t. 12. 1, 2.

Solomon Islds. Tonga Island.

1109. leucopygia, Verr.

1110, Jacquinoti, G. R. Gr. diophthalmo rufoventris, Homb. & Jacq. Hombroni et Macleayi, p., Cass.

1111. lazulina, Bp.

---- ?

h. Sauropatis, Cab. & H. 1859. 307. G. of B. i. pl. 27. f. 4; Schl. t. 10. 1.

1112. sancta, Vig. & H.; Gould, B. A. ii. pl. 21. sacra, Steph.; chlorocephala, var., Less. australasiæ, Cass.

Australia. Loyalty 1.

Norfolk L New Zealand.

1113. vagans, Less.; Voy. Ereb. & Terr. pl. 1. chlorocephala, var. γ, Less.; cyanea, Forst.

N. Australia.

1114. sordida, Gould, B. A. ii. pl. 23.

Aru.

1115. Grayi, Cab. & H. sordida, var., G. R. Gr.

Louisiade I.

1116. chloris, Bodd.; P. E. 783. 2; Schl. Vog. Ned. Ind. t. 10. 3, 4. collaris, Scop.; chlorocephala, Gm. abyssinica, Pelz.

India, Malacca. Sunda I. Philippine I.

New S. Wales, S. & W. Austr.

1117. pyrrhopygia, Gould, B. A. ii. pl. 22.

1118. australasiæ, V.; Schl. Vog. Ned. Ind. t. 10. 2. coronata, Müll.

Lomb., Timor.

Tonga I.

1119. superciliosa, G. R. Gr.; U. S. Expl. Exp. pl. 16. 2. superciliaris, Reich.; vitiensis, p., Peale. collaris, var. A, Forst.; sacra, p., Finsch & Hartl.

Philippine I.

1120. vitiensis, Peale, U. S. Expl. Exp. pl. 16, 1. Feejee 1. tuta, Peale, l, c. pl. 15. 1; Cassini, Finsch & H. superciliosa, p., G. R. Gr. 1121. Reichenbachii, Hartl. Marquesas. einnamomina, p., G. R. Gr.; collaris, var. 11, Forst,? 1122. ruficeps, Cuv. New Ireland. cinnamomina, p.?, Cab. 1123. cinnamomina, Sw. Zool, Ill. pl. 67. Mariannes. 1124. Juliæ. Reich. New Hebrides. coronata, p., G. R. Gr.; Grayi, Schl. saera, p., Hartl. 1125. nigrocyanea, Wall. Pr. Z. S. 1862, pl. 19. N.W. of New Guinea. 1126. funebris, Forst.; Sehl, Vog. Ned. Ind. t. 11. 2. Celcbes, Gilolo. 1127. saurophaga, Gould, Voy. Sulph. pl. .; Schl. Vog. Ned. New Guinea. Ind. t. 11. 3, 4. eyanoleuca, Tem.; albicilla, p., Schl. New Ireland, Mysol, Louisiade Isl. 1128. Forsteni, Tem.; Sehl. Vog. Ned. Ind. t. 11. 1. Celebes. 1129. albicilla, Cuv. Mariannes, Ladrone, Pelew Islands. 30%. i. Todiramphus, Less. 1828. Haleyon, Sw. 1837. Coporhamphus, Glog. 1842. 1130. sacra, Gm.; U. S. Expl. Exp. pl. 42, 1, Society I. collaris, Forst. Sandwich I. 1131. tuta, Gm. Society I. cyanea, Forst. New Caledonia. 1132. venerata, Gm.; Mem. Soc. H. N. Paris, iii, t. 12. Society I. divinus, Less.; tuta, G. R. Gr. Friendly I. nullitorques, Peale, U. S. Expl. Exp. pl. 18. 1. Samoan I. 1133. recurvirostris, Lafr.; U. S. Expl. Exp. pl. 45. platyrostris, Gould; minima, Peale. 309. j. Caridagrus, Cab. & H. 1859. Paraleyon, Bp. 1850, nec Glog. 1827. 1134. concreta, Tem. P. C. 846; Schl. Vog. Ned. Ind. t. 8, 2, 3. Sumatra, Java. Borneo. 310. k. Astacophilus, Cab. & H. 1859. Actenoides, p., Hartl. 1855. 1135. Lindsayi, Vig.: Voy. Bonite, t. 7; G. R. Gr. & M. G.

1136. Hombroni, Bp.; Voy. Pôle Sud, t. 23, 2. Mindanao, variegatus, Pucher.

l. Actenoides, Hombr. 1853.

B. pl. 27.

311.

Lessoni, Viq.

312. m. LACEDO, Reich. 1851.

Carcineutes, Cab. & H. 1859.

1137. pulchella, Horef.; P. C. 277; Schl. Vog. Ned. Ind. t. 5. 1, 2; Sharpe, Alced. pl. 2. buccoides, Tem. P. C. 586.

Sunda I. Malacca, Mergui, Burmah.

1138. melanops, Tem.; Schl. Vog. Ned. Ind. t. 5, 3, 4; Sharpe, Alced. pl. 15.

Borneo.

313. n. Caridonax, Cab. & H. 1859.

1139. fulgida, Gould, B. As. pl.; Schl. Vog. Ned. Ind. t. 9. 1; Sharpe, Alced. pl. 1.

Flores Lombock

314.
 SYMA, Less. 1828.

Lyma!, Selby, 1840. Reich, S. A. t. 33. f.

1140. torotoro, Less, Voy. Coqu. t. 31 bis. 1; Schl. Vog. Ned. Ind. t. 6. 3, 4; Sharpe, Aleed. pl. 21. syma, Müll.; Lessonia, Sw.

Aru, Mysol, Waigiou. 2. Cape York, N. Australia.

New Guinea.

1141. flavirostris, Gould, B. A. suppl. pl.; Sharpe, Alced. pl. 22. torotoro, p., Schl.

315. CEYX, Lacép. 1800-1801.

Alcedo, 2 div., Tem. 1820.

G. of B. i. p. 79, pl. 27. f. 1; Reich. S. A. t. 33. f.

1142. tridactyla, L.; Pall. Spic. Zool. t. 2. 1; Sonn. Voy. t. 32; P. E. 778. 2; Schl. Vog. Ned. Ind. t. 16; Sharpe, Alced. pl. 23. I. rubra, Bodd.; purpurea et erythaca, Gm. p. luzoniensis, Steph. microsoma, Burt.

India, Ceylon.
Penang.
Sumatra, Philippines.

1143. rubra, Müll.; Jard. § S. I. O. pl. 55, 2; Sehl. Vog. Ned. Ind. t. 16; Sharpe, Aleed. pl. 13.

tridactyla, var., Shaw; tridactyla, Jard. & S. rufidorsa, Strickl.

Sunda I., Malac.

1144. melanura, Kaup; Sharpe, Aleed. pl. 14. frontalis, Kaup, MS. Luzon, Manilla.

1145. lepida, Tem. P. C. 595, 1; Schl. Vog. Ned. Ind. t. 16. 4, 5; Sharpe, Alced. pl. 11.

S.&S.W. N. Gu., Amboi., Ceram.

1146. Wallacei, Sharpe, Alced. pl. 6; Schl. Vog. Ned. Ind. t. 16, 3? lepida, Wall.

Sula.

1147. cajeli, Wall. Pr. Z. S. 1863, pl. 5; Schl. Vog. Ned. Ind. t. 16, 3; Sharpe, Alced. pl. 5.

Bouru, Matabella. Batchian Gilol

1148. uropygialis, G. R. Gr.; Sharpe, Aleed. pl. 30.

Batchian, Gilolo, Ternate, Labuan.

1149. Dillwynni, Sharpe; Reich, Handb, Aleed, t. 403 b, f. 3389. tridaetyla, Reich.; rufidorsa, Selat. 316. b. "Therosa, Müll.," Bp. 1849.

Ceyx et Ceux, Müll.

1150. solitaria, Tem. P. C. 595, 2; Schl. Vog. Ned, Ind. t, 3, 2; Sharpe, Alced. pl. 12.
solitaria, Will.

merpe, Arca. pl. 12.

N. solitaris, Müll.

meninting, Less.

N. Guinea, Aru, Mysol, Ceram.

# Subfam. II. Alcedininæ, G. R. Gr. 1840.

Haleyoninæ, p., Sw.

## 317. ALCEDO, L. 1756.

Ispida, L. 1735.

Sw. C. of B. f. 290, e; G. of B. i. p. 81, pl. 28, f. 3; Reich, S. A. t. 33, f.

#### a. Alcedo.

1151. ispida, L.; P. E. 77; Naum. Vog. t. 144; Gould, B. E. pl. atthis, Gm.; ægyptia, I.. Pallasii, Reich.

1152. bengalensis, Gm.; Edw. B. pl. 11; Gould, B. As. pl. hispidioides, Less; japonica, Ep.

1154. meningting, Horsf.; P. C. 239, 2; Schl. Vog. Ned, Ind.

1153. euryzona, Tem.; Schl. Vog. Ned. Ind. t. 1, 1, 2. nigricans, Bl.; eærulea, Ep.

t. 2. 2, 3. asiatica, Sw.; bengalensis, var., Gm.

1155. Verreauxi, De la Berg, Rev. et M. de Zool. 1851, t. 9.

1156. molluccensis, Bl.; Schl. Vog. Ned. Ind. t. 1. 4, 5. minor molluccensis, Schl.

1157. sondaica, Reich.; Sehl. Vog. Ned. Ind. t. 1. 3. minor, Schl.

1158. beryllina, V.; P. C. 239, 1; Schl. Vog. Ned. Ind. t. 3, 1. biru, Horsf.; carulescens, V.

1159. quadribrachys, Tem.; Contr. Orn. 1850, pl.

1160. semitorquata, Sw. Zool. Ill. pl. 151; Rüpp. S. U. t. 7. azureus, Less.

1161. cyanopectus, Lafr.; Contr. Orn. 1850, pl.; Sharpe, Alced, pl. 31. cineta, Jard.

1162 philippensis, Gould: Sharpe, Alced. pl. 24.

Europe, Egypt. Red Sea. Russia,

India. Japan, Formosa,

China. Java, Sumatra.

Java, Malacca. Lombock.

Borneo.

Moluccas, Celeb. New Ireland.

Borneo, Java, Flores, Timor.

Java, Sumatra. Lombock,Timor.

Domoock, Timor.

W.Africa, Natal.

N. Africa, Shoa.

Philippine I.

22

1163. grandis, Bl.

Darjeeling,

New Guin., Aru. Tasmania.

Sikhim, 1164. senegalensis, Hartl. Senegal. 318. b. Corythornis, Kaup, 1848. Alcedo, L. 1766. N. & E. ? Africa. 1165. galerita, Müll.; P. E. 356. 1. nigra, Bodd.; cæruleocephala, Gm. cyanocephala, Shaw. nais, Kaup. Gaboon. S. Africa. 1166. cristata, L.; P. E. 756. 1; Rüpp. Wirbelth. t. 24. 2. Abyssinia. cvanostigma, Rüpp, 1167. Hartlaubi, n. sp.? Ashanti. cristata, p. 1168. vintsioides, Eyd. & Gerv. Mag. de Zool. 1836, t. 74. Madagascar, Gambesi and Shiré River. cristata, p., L.?; Edw. B. pl. 336? Johanna, Mayotta. W. Africa. 1169. leucogaster, Fras. Zool. Typ. pl. 32; Sharpe, Alced. pl. 28. 319. c. Ispidina, 1848, et Ipsidina!, Kaup. 1170. picta, Bodd.; P. E. 783. 1; G. R. Gr. & M. G. B. pl. 28; S.&W.Afr., Natal. Sharpe, Alced. pl. 29. cærulea, Gm.; capistrata et pusilla, Shaw. Abvssinia. ultramarina, Daud.; nutans, V. evanotis, Sw. "natalensis, Smith," Layard. S. & W. Africa. 1171. coronata. Smith. nitida, Kaup; picta, Reich. picturata, Schl. 1172. madagascariensis, L.; P. E. 778. 1; Sharpe, Alced. pl. 27. Madagascar. rufulus, Lafr. W. Africa. 1173. ruficeps, Hartl. 1174. Lecontei, Cass. 320. ALCYONE, Sw. 1837. Halevone, Agass. G. of B. i. p. 82, pl. 28, f. 2; Reich, S. A. t. 33, f. 1175. azurea, Lath.; Gould, B. A. ii. pl. 25. Australia. tribrachys, Shaw; cyanea, Less. australis, Sw. 1176. pulchra, Gould. N. Australia.

azurca, p., Schl.; Lessonii, Cass.

1177. diemenensis, Gould. azurea, p., Schl.

1178. affinis, G. R. Gr.; Schl. Vog. Ned. Ind. t. 3, 4. azurea, p., Schl. Batchian.

1179. pusilla, Tem. P. C. 595, 3; Gould, B. A. ii. pl. 26.

N. Austr., New Guin., Aru, Mysol.

321. CERYLE, Boie, 1828.

Alcedo, *Illig.* 1811. Ispida, Sw. 1837, nec L. 1735. G, of B, i. p. 82; Reich, S, A, t. 33. f.

a. CERYLE.

1180. rudis, L.; P. E. 62, 716. bicineta et bitorquata, Sw. S.E. Europe. N.E. Africa.

1181. varia, Strickl. rudis, Sykes; leucomelanura, Reich, rudis, p., Schl. India.

1182. ? tricolor, V.

Senegal.

b. Megaceryle, Kaup, 1848.
 G. of B. i. pl. 28. f. 1.

1183. guttata, Viq.; Gould, C. B. pl. 5.

Nepal.

1184. lugubris, Tem. P. C. 548; F. J. t. 38 b. guttata, p., G. R. Gr. Japan.

**323.** c. Ichthynomus, Cab. 1859. Megaceryle, Reich. 1851, nec Kaup.

1185. maxima, Pall.; P. E. 679; Sw. B. W. Afr. pl. 11. guttata, Bodd.; afra, Shaw; gigantea, Sw.

W. Africa. Abyssinia, Natal.

d. Streptoceryle, Bp. 1854,
 Alcedo, Illiq. 1811.

1186. torquata, L.; P. E. 284. cyanea et cinerea, V. casia, Reich.

Brazil, Bolivia. Argent. Rep. Peru.

1187. alcyon, L.; P. E. 715; Wils. A. O. pl. 23. 1; Sharpe, Alced. pl. 7. ludoviciana, Gm.; jaguacati, Dum.

N. & C. America, Antilles.

Jamaica, St. Domingo.

1188. stellata, Meyen, N. A. N. C. xvi. suppl. t. 14. torquata, Tsch.

guaeu, V.; domingensis, Reich.?

Chili.

**325.** *e.* Chloroceryle, *Kaup*, 1849.

1189. amazona, Lath.

vestita, Dum.; rubescens, V. leucosticta et amazona, Reich.; amazonia, Cab.

Brazil, Bolivia, Argent, Rep.

1190. americana, Gm.; P. E. 591; Baird, B. N. A. pl. 45. viridis, V.; brasiliensis, Gm. chalcites, Reich.

Brazil, Texas, Guatemala, Boliv., Peru. 1191. Cabanisi, Reich.; Sharpe, Alced. pl. 16. americana, p., Tsch.; americana, p., Cass. S. of U. States, C. America, W. of S. Am.

## 326. f. Amazonis, Reich. 1854.

1192. inda, L.; Edw. B. pl. 325; P. E. 592; Sharpe, Alced. pl. 32. viridirufa, Bodd.; surinamensis et bicolor, Gm.; indica, Drap.

Brazil. C. America.

1193. superciliosa, L.; Edw. B. pl. 245; P. E. 756, 2, 3; Sharpe, Aleed, pl. 8. supercilosa, Reich.

Demerara, Brit. Guiana, Brazil, C. America.

# FAM. X. MEROPIDÆ, Leach.

# Subfam. I. Nyctiornithinæ, Cab. & H. 1859. Meropinæ, p., G. R. Gr. 1840.

## 327. NYCTIORNIS, Sw. 1831.

Alcemerops, I. Geoffr. 1832.

G. of B. i. p. 87, pl. 30. f. 2; Reich. S. A. t. 34. f. .

#### a. Nyctiornis.

1194. amictus, Tem. P. C. 310; Sw. Zool. Ill. pl. 56.

Sumatra, Born.

1195. malaccensis, Cab. amietus, Reich.; amietus, p., Schl. Malacea. Burmah.

## 329.

b. Bucia, 1836,

et Napophila, 1841, Hodgs.

1196. Athertoni, Jard. & S. Ill. Orn. pl. 58, carulea, Sw.: Amberstiana, Royle, nipalensis, Bl.; meropina, Hudgs, cyanogularis, Jerd.; paleazureus, Less.; assamensis, McClell. India. Assam, Arakan. Tenasserim.

## 329. c. Meropiscus, Sundev. 1849.

1197. gularis, Shaw, Nat. Misc. pl. 337; G. R. Gr. & M. G. B. pl. 30.

W. Africa.

1198. Mulleri, Cass. Journ. Ac. Phil. 1860, pl. 49, 2.

W. Africa.

# **330.** Meropogon, *Bp.* 1850.

1199. Forsteni, Tem.; Schl. De Dierk. fig. p. 53.

Celebes.

## **331.** Bombylonax, *Heine*, 1859.

Archimerops, Hartl. 1859. Pogonomerops, Cass.

1200. Breweri, Cass. Journ. Ac. Phil. 1861, pl. 49. 1.

Cama R., W.Afr.

# Subfam. II. Meropinæ, Bp. 1831.

## 332. MEROPS, L. 1756.

Ispida, L. 1744. Apiaster, Briss, 1760.
 Sw. C. of B. f. 289, a; G. of B. i. p. 85, pl. 30, f. 1; Reich, S. A. t. 34, f.

## a. MEROPS.

1201. apiaster, L.; P. E. 938; Navm. Vog. t. 143; Lev. Gwip. Eur., N.&W.Afr., t. 1, 2. Schaeghagha, Forsk.; chrysocephalus, Gm. galilæus, Hasselg.; hungariæ, Brehm. Egypt.Cashmere.

#### 333. b. Melittophas, Reich, 1852.

1202. bicolor, Bodd.; P. E. 252; Lev. Guép. t. 12.

badius, Gim.; castaneus, Lath.

sumatranus, Raffl.; Latreillei, V.
eyanopygius, Less.; hypoglaucus, Reich.
americanus, Müll.

# 1203. chlorolæmus, n. sp. ?

334. c. Blepharomerops, Reich, 1852.

1204. superciliosus, L.; P. E. 259; Lev. Guép. t. 19.
ruficapillus, V.; Vaillianti, Bp.
Bonnelli, Lev.

Port Natal.

1205. ? ægyptius, Forsk.; Descr. de l' Egypte, t. 4. 3; Lev. Guép. t. 6. 16. E.& S.E. Europe. persica, Pall.; Savignyi, Cuv. ruffeollis, V.; superciliosus, Licht.

1206. ? Savignyi, Sw. B. of W. Afr. pl. 7; Lev. Guép. t, 6 bis. S. & W. Africa. regyptius, Bp.: longicauda, V. chrysocercus, Cab.

1207. **philippinus,** *L.*; *P. E.* 57. philippensis, *Tem*.

Philippine Isl.

---?

1208. Daudini, Cuv.; Ler. Guép. t. 14; Gould, B. As. pl. eyanorrhous, Tem.; javanicus, Horsf. typicus, Hodys.; philippinus, p., G. R. Gr.

India, Ceylon.
Java, Flores,
Lomb., Timor.

# **335.** d. Aërors, Reich, 1852.

1209. albicollis, V.; Lev. Guép. t. 9; Sw. Zool, Ill. pl. 76. W. Africa. Cuvieri, Licht.; Savignyi, Sw. Xile below Khartoum.

## 336. e. Phlothrus, Reich, 1852.

1210. viridis, L.; Edw. B. pl. 183; Lev. Gwip. t. 10, 11. India. torquatus. Lath.; Lamarckii, Cwr. orientalis. Lath.; ferrugineiceps, Hodgs. indieus, Jerd.; eitrinella, V.

1211. viridissimus, Sw.; P. E. 740.

viridis, p. agyptius, *Licht*.; viridis, *Rüpp*.

W.&N.E.Africa. Isle of France.

1212. eyanophrys, Cab.

Arabia.

**337.** f. Melittotheres, Reich. 1852.

1213. **nubicus**, Gm.; P. E. 649; Lev. Guép. t. 3. carulcocephalus, Lath. superbus, Penn.

W., S., & N.E. Af.

1214. nubicoides, Des Murs, I. O. t. 35. natalensis. Reich.

Africa.

335. q. Tephraërops, Reich, 1852.

1215. malembicus, Shaw, Nat. Misc. pl. 701; Lev. Guêp. t. 5; Ann., du Mus. ji, t. 62, 1.

W. Africa.

bicolor, Daud. nubicus, p.

339. h. Melittias, Cab. & H. 1859.

Urica, Bp. 1854.

1216. quinticolor, V.; Lev. Guêp. t. 15. 18; Sw. Zool. Ill. t. 8. urica, Horsf.; erythrocephala, Bl. Leschenaultii, V.

India, Sunda I. Tenasserim.

**340.** i. Cosmaërops, Cab. & H. 1859. Urica, p., Bp. 1854.

1217. ornatus, Lath.; Lev. Guêp. t. 4; Gould, B. A. ii. pl. 16.
Thouini et tenuipennis, Dum.

Australia.

Moluccas.

Lombock.

1218. cærulescens, n. sp.? ornatus, p., G. R. Gr.

N. Guin., Mysol. Ceram?

**341.** *i.* Sthecophobus, *Reich*, 1852.

melanurus, Lewin, B. N. Holl. pl. 18.

1219. angolensis, Gm.; Briss. Orn. t. 44. 1; Lev. Guép. t. 7. E. Africa. Sonnini et variegatus, I. eyanipectus, Verr.; erythropterus, Rüpp.

1220. Lafresnayi, Guér.; Des Murs, I. O. t. 34; Ferr. & Gal. Voy. en Abyss. t. 15.

N.E. Africa.

Lefebvrei, Des Murs; Lefebr. Voy. en Abyss. t. 5. variegatus, p., Schl.

**342.** k. Dicrocercus, Cab. & H. 1859.

Tachymerops, Fitz. 1864. Melittophagus, Bp. 1854.

1221. hirundinaceus, V.; Lev. Guép. t. 8; Sw. B. W. Afr. W., N.E., & S. pl. 10. Africa.

taiva, Cuv.; chrysolaimus, Jard. azuror, Less.; furcatus, Stanl.

## 343. MELITTOPHAGUS, Boie, 1828.

G. of B. i. p. 86, pl. 30. f. 3; Reich. S. A. t. 34. f.

1222. **pusillus**, Müll.; P. E. 318; Lev. Guêp. t. 17. bicolor, Bodd.; erythropterus, Gm.

N.E. & S. Africa

uninutus, V.; pusillus, Sw. variegatus, Rupp.; minulus, Cuv.

1223. collaris, V.; Kittl. Kupf. der Vög. t. 7, 2. erythropterus, p., Schl. Sonnini, p. ?, Bp. W. Africa.

# **344.** Coccolarynx, *Reich.* 1852. Spheconax, *Cab.* & *H.* 1859.

1924. Bullocki, V.; Don. Nat. Rep. pl. 137; Lev. Guêp. t. 20. cyanogaster, Sw. B. of W. Afr. pl. 8.

1225. Bullockoides, Smith, I. S. A. Z. pl. 9. albifrons, Cab.; Smithii, Schl.; Bullockioides, Reich,

S. Africa.

1226. frenatus, Hartl.; Reich. Handb. t. 450, 3250-51. Bullockii, Rüpp.; Bullockii, p., Schl. N.E. Africa.

1227. Boleslavskii, Pelz. frenatus, p.?, Hartl. & F.

Sudan.

# FAM. XI. GALBULIDÆ, Cab. 1847.

Halcyonidæ, p., Vig. 1825.

# Subfam. I. Galbulinæ, G. R. Gr. 1841.

## **345.** GALBULA, Moehr. 1752.

G. of B. i. p. 83, pl. 28. f. 5; Reich. S. A. t. 34. f.

#### a. Galbula.

1228. viridis, Lath.; P. E. 238; Lev. Jac. t. 47, 48, 49. galbula, L.; rubricollis, Steph. viridicauda, Sw.

Cayenne. Brazil.

,,

# 1229. rufoviridis, Cab.

viridis, V.; maculicauda, Scl. ruficauda, Sw.

1230. ruficauda, Cuv.; Lev. Jac. t. 50; V. Gal. des Ois. t. 29. macroura, V.; leptura, Sw. Venez., Tobago. Cartheg., Brazil,

1231. cyanicollis, Cass. Pr. Ac. Phil. v. pl. 7. cyanopogon, Cab.; albirostris, Burm.

Para, Rio Negro. Brazil.

1232. tombacea, Spix, A. B. t. 58. cyanescens, Dev.?

Peruvian Andes.

1233. fuscicapilla, Sclat. P. Z. S. 1855, pl. 77. tombacea, Sclat.

New Granada.

1234. albirostris, Lath.; Lev. Jac. t. 51. flavirostris. V.

Guiana, Brazil.

1235. castaneopectus, n. sp.?

Amazon, Quito.

1236. chalcocephala, Dev.; Voy. Casteln. t. 9. 2. quadricolor. Verr.

Peru, Rio Negro.

1237. melanogenia, Sclat. Contr. Orn. 1853, pl. 90.

C. America.

**346.** b. Caucalias, Cab. & H. 1863.

1238. leucogaster, V.; Lev. Guép. suppl. t. 11; G. R. Gr. §. M. G. B. pl. 29.

Guiana. Brazil.

1239. chalcothorax, Sclat.

Quito, Ecuador.

,

3-42. c. Urogalea, Bp. 1854. Uroeex, Cab. & H. 1863. Chalcophanes, Reich. 1853, nec Wagl. 1827.

albiventris, Cuv.; albiventer, Sw.

240. paradisea, L.; P. E. 271; Lev. Jac. t. . Cavenne.

Brazil.

paradisea, p., Cab. & H.

**B.4.5.** d. Brachygalba, *Bp.* 1854.

Brachycex, Cab. & H. 1863. Brachygalbula!, Sclat. 1862.

1242. lugubris, Sw.

Upper Amazon.

inornata, Sclut.; alboventer, Bp. chalcoptera, Reich.; albiventris, Less.?

1243. albogularis, Spix, A. B. t. 57. 1.

Rio Janeiro, R. Javari. Brazil, Bolivia.

1244. melanosterna, Sclat.

Venezuela.

1245. Göeringi, Selat. & S.3-49. e. Jacamaraleyon, Cuv. 1829.

Aleyon, Spix, 1824. Galbula, Boie, 1826. Haleyon, Agass. Cauax, Cab, 1847. Reich, S. A. t. 34, f.

1246. tridactyla, Pall.; Lev. Guép. suppl. t. 4; Spix, A. B. t. 57, 2. Brazil. ccyceides, Such; armata, Sw. brasiliensis, Less.

## 350. GALBALCYRHYNCHUS, 1845, et

Jacamaraleyonides, 1849, Des Murs. Cauccias, Cub. 1851. Aleyonides, Reich, 1852. Galbaleyorhynchus!, G. R. Gr. 1849.

1247. leucotis, Des Murs, I. O. t. 17.

Bogota.

351. JACAMEROPS, Cuv. 1829.

Lamprotila, Sw. 1837. Lamproptila, Agass. G. of B. i. p. 84, pl. 28, f. 4; Reich. S. A. t. 34, f.

1248. grandis, Gm.; Lev. Jac. t. 54. jacamarici, Shaw, Nat. Misc. pl. 83 platyrhyncha, Sw. Brazil.

1249. Isidori, Dev. Casteln. Voy. t. 10. grandis, var., Des Murs.

E. Peru.

# Tribe II. TENUIROSTRES, Cuv.

## FAM. I. **UPUPIDÆ**, Bp. 1838.

Promeropida, p., Sw. Certhiada, p., Boie, 1826. Paradiseida, p., Cab. 1851.

## Subfam. I. Upupinæ, Bp. 1831.

## **352.** UPUPA, L. 1735–66.

Hupupa, Bonn.

G. of B. i. p. 89, pl. 31. f. 2; Reich. S. A. t. 41. f. ,

1250. epops, L.; P. E. 52; Lev. Prom. t. 22; Naum. Vog. t. 142; Gould, B. E. pl. 238. vulgaris, Pall.; maculigera, Reich.; bifasciata, Brehm.

1251. senegalensis, Sw. epops, var., Sw.

indica, Hodgs.

1252. minor, Shaw; V. O. D. t. 2; id. Gal. des Ois. t. 184; Jard. & S. I. O. pl. 142. africana, Licht.; cristatella, V. capensis, Sw.

1253. nigripennis, Gould. minor, Sykes; senegalensis, Bl.

indica, Reich.; epops, Burgess. ? cevlonensis, Reich.

1254. ? major, Brehm. 1255. decorata. Hartl.

1256. marginata, Peters.

1257. ? longirostris, Jerd.

madagascariensis, Bp.?

1258. ?? monolophos, Wagl.; Lev. Prom. t. 9. (tail imperf. or artificial).

> Subfam. II. Irrisorinæ, Bl. 1849. Promeroping, G. R. Gr. 1840.

# 353. IRRISOR, Less. 1831.

Promerops, Boie, 1826. G. of B. i. p. 90.

\*351\*. Galbuloides, Des Murs, 1851.

Boersii, Ranz.; Lev. Jac. t. 53. (Avis fictitia.)

S. America.

Europe, India. Assam, Hima.,

Cashmere, Palest., Bagdah, Upp.Burmah? W. Africa. Fernando Po.

S. Africa.

Caffraria.

S. & C. India.

Ceylon.

Egypt.

Angola.

Madagascar.

Burmah.

S. Africa.

#### a. Irrisor.

1259. erythrorhynches, Lath.; Lev. Prom. t. 1-3. viridis, Licht.; capensis, Less.; erythrorhynchus, V. ? Stricklandii, Bp.

S. & N.E. Africa. Damaraland.

1260. senegalensis, V.; G. R. Gr. & M. G. B. pl. 31. melanorhynchos, Licht.

W. Africa.

1261. Bollei, Hartl.

Abyssinia. Ashanti.

1262. caudacutus, V.; Lev. Prom. t. 8, 9. obscurus, Wagl.

Madagascar.

1263. sibilator, V.; Lev. Prom. t. 10. sibilatrix, Wagl.

S Africa.

354. b. Lamprolophos, Des Murs, 1853.

Lamprocephalus, Reich. 1854.

1264. lamprolophos, Wagl.; Lev. Prom. t. 11, 12. Levaillanti, Reich.

355. c. Cyanepops, Reich, 1853.

1265. cæruleus, Shaw, Nat. Misc. pl. 985; V. Ois dor. t. 9. indica, Lath.

Africa.

1266. ? cyaneus, V.; Lev. Prom. t. 7. cæruleus, p., Wagl.

356.

d. Scoptelus, Cab. & H. 1859.

Irrisor, Ep. 1854. Iridoptilus, Fitz. 1864.

W. & E. Africa.

1267. aterrimus, Steph. pusillus, Sw.; unicolor, Wagl. cyanomelas, Rüpp.?

357. e. Rhinopomastus, Smith, 1828.

Rhinopomastes, Cab. 1847. G. of B. i. pl. 31. f. 1; Reich. S. A. t. 41. f.

1268. cyanomelas, V.; Lev. Prom. t. 5, 6; Zool, Journ. iv. pl. 1. purpurea, Burch.; purpurascens!, Cab.; purpuratus, Sw. Smithii, Jard.; Levaillantii, Less.

N.E. Africa. Damaraland.

1269. minor, Rüpp, S. U. t. 8.

Shoa.

1270. Cabanisi, De Fil. icterorhynchus, Heugl. White Nile

Subfam. III. Epimachinæ, G. R. Gr. 1848.

Promeropinæ, p., et Upupinæ, p., G. R. Gr. 1840.

358. PTILORNIS, Sw. 1825.

Ptilorhis, Cab. 1851. Epimachus, p. G. R. Gr.

#### a. Ptilornis.

1271. paradisea, Sw.; Voy. Coqu. t. 28; Less. O. Parad. t. 29, New S. Wales. 30; Gould, B. A. iv. pl. 100. regius, Less.; Brisbani, Wils.

1272. Victoriæ, Gould, Pr. Z. S. 1849, pl. 12; id. B. A. suppl. pl. Cape York.

359. b. Craspedophora, G. R. Gr. 1840.

1273. magnificus, V.; Lev. Prom. t. 16; G. R. Gr. & M. G. B. pl. 32,

New Guinea.

splendidus, Steph. ? major, Schl. ?; Gould, B. A. suppl. pl. Alberti, G. R. Gr. MS.

Cape York.

#### 360. EPIMACHUS, Cuv. 1817.

Cinnamolegus, Less. 1835. G. of B. i. p. 94, pl. 31, f. 4; Reich. S. A. t. 41, f.

#### a. Epimachus.

1274. maximus, Scop.; P. E. 638, 639; Lev. Prom. t. 13-15. New Guinea. magna, Gm.; speciosa et striata, Bodd.; papuensis et superba, Lath.

361. b. Seleucides, Less. 1835.

Nematophora, G. R. Gr. 1840. Ptilornis, Reich. 1850.

1275. albus, Blumenb.; Lev. Prom. t. 17; V. Gul. des Ois. t. 185. Salwatti. nigricans, Shaw; violacea, Bechst. New Gnines candida, Forst.; resplendescens, V. acanthylis, Less.

c. Semioptera, G. R. Gr. 1859. 362.

1276. Wallacei, G. R. Gr.; Gould, B. A. suppl. pl.; Ibis, 1860, pl. 2. Batchian Var. G

**363.** FALCULIA, I. Geoffr. 1836.

G. of B. i. p. 91, pl. 31. f. 3; Reich. S. A. t. 41, f. .

1277. palliata, I. Gcoffr. Mag. de Zool. 1836, t. 49; Poll. & V. D. F. de Madag. t. 33; Schl. De Dierk. fig. p. 188. Madagascar.

## FAM. II. PROMEROPIDÆ, Vig. 1825.

Cinnyridæ, Vig. 1825. Nectarinidæ, Boie, 1826.

## Subfam. I. Nectarininæ, G. R. Gr. 1840.

#### 364. NECTARINIA, Ill. 1811.

Curruca, Moehr. 1752.

Mellisuga, 1816, et Cinnyris, 2 div., 1818, V.

Cinnyris, 2 div., Cuv. 1817.

G. of B. i. p. 97, pl. 33. f. 4; Reich. S. A. t. 41. f. (Anthreptes!).

#### a. Nectarinia.

1278. famosa, L.; P. E. 83. 1; Lev. O. A. t. 289, 290. formosa, Bp.; cinerca, Gm. S. Africa.

## 365. b. Cinnyris, Cuv. 1817, et Cab. 1850.

Soui-manges, Cuv. 1797-98.

Sw. C. of B. f. 288, 1.

1279. splendida, Shaw; V. O. D. t. 82; Lev. O. A. t. 295. 1. W. Africa. splendens et bombyeinus, V. coccinigastra, Lath.; lucidus, Less. nitida, Bechst.

1280. habessynica, Hempr. δ Ehr, Symb. Phys. t. 4. gularis, Rüpp. Atl. t. 31, 2. purpuratus, Kittl. Kupf. t. 28, 1; porphyreocephala, Heugl.? Abyssinia.

1281. afra, L.; Edw. B. pl. 347. 1; Lev. O. A. t. 300; V. O. D. t. 10.

erythrogastra, Shaw; smaragdinis et pectoralis, V.

E. & S. Africa.

1282. chalybea, L.; Edw. B. pl. 265; P. E. 246. 3; Sw. Zool. Ill. pl. 95.

S. & W. Africa.

1283. bifasciata, Shaw; V. O. D. t. 24. nitens, V.; mariquiensis, Smith.

S. Africa, Natal. Damaraland.

1284. fusca, V.; Lev. O. A. t. 296.

Angola, Damaraland, Somanly. Damara., Natal.

1285. Anderssonii, Strickl. talatala, Smith; Andersonii, Reich.

1286. J.rdinei, Verr.

Gaboon.

Jericho.

1287. osea, Bp.; Gould, B. As. pl.1288. canora, Scop.; Sonn. Voy. t. 116. 2.

S. Africa.

viridis, Lath.; scarlatina, Sparrm. M. C. t. 58.

Africa.

1289. virescens, V. O. D. t. 34.

W. Africa.

1290. fasciata, Jard.

. 1

1291. Johannæ, Verr.

Gaboon.

1292. albiventris, Strickl. Contr. Orn. 1852, pl.	Somanli.
1293. sovimanga, Gm.; Briss, Orn, iii. t. 32, 2, 3; V. O. D. t. 18, 19, madagascariensis, Lath.	Madagascar.
1294. erythrocerca, Heugl. Gonzenbachi, Bianc.; erythroceria!, Hartl. & F.	C. Africa.
1295. erythrothorax, V.	Angola.
1296. phwothorax, Hartl.	Ashanti.
1297. rubessens, I'.	Congo.
1298. ænea, V.; Lev. O. A. t. 297.	S. Afr., Ceylon
1299. Perreini, <i>I</i> .	Congo, Angola.
1300. gabonica, Hartl.	Gaboon,
1301. Coquerellii, Verr.	Mayotta.
1302. seychellensis, <i>Hartl</i> , Dussumieri, <i>Newt</i> .	Seychelles 1.
1303. comorensis, Peters.	Joanna I.
1304. ludvicensis, Bocage.	W. Africa.
<b>366.</b> c. Chalcomitra, <i>Reich</i> , 1854. Cinnyris, p., <i>Cab</i> .	
1305. amethystina, Shaw; I. O. D. t. 5, 6. auratifrons, I.; aurifrontalis, Bechst. aurifrons, Licht.	Africa.
1306. senegalensis, L.; Briss. Orn. iii. t. 34.2; V. O. D. t. 8, 9; Kittl. Kepf. Vog. t. 28. 2. discolor, V.; acis et natalensis, Antin.	E. & W. Africa.
1307. gutturalis, L.; Briss. Orn. iii. t. 33. 3; P. E. 573. 3; Jard. Nect. pl. 12; Contr. Orn. 1849, pl. natalensis, Jard.	Natal.
1308. ? Bianconi, Hartl. Contr. Orn. 1849, pl discolor, Bianc.; natalensis, var. zanzibar, Jard. gutturalis, p., Hartl.	S.E. Africa. Zanzibar.
1309. cruentata, Rüpp. S. U. t. 9. protens, Rüpp.	Abyssinia,
1310. Adelberti, Gerv. Mag. de Zool. 1833, t. 19. cboensis. Thoms.	W. Africa. Fernando Po.
1311. angolensis, Less, Ill. Orn. n. s. pl. 48. Stangeri, Jard.	W. Africa.
1312. venusta, Shaw; V. O. D. t. 79. quinticolor, Less.; parvula, Jard. pusilla, Sw.; leucogaster, V.	"
<b>367.</b> d. Сикоматориока, Reich. 1854.	
1313. superba, V. O. D. t. 22.	"

sougnimbindus et sanguineus, Less.

368. c. Anthodiæta, Cab. 1850. Tephrolæma, Heine, 1860. Africa. 1314. collaris, V.; Lev. O. A. t. 299. W. Africa. 1315. subcollaris, Reich.; Jard. Nect. pl. 6. collaris, Jard. 1316. chloropygia, Jard. Nect. pl. 3. chalybea, Sw. 1317. hypodilus, Jard. Fernando Po. hypodelos, Reich. 1318. cyanolæma, Jard. 1319, tephrolæma, Jard. 369. f. Adelinus,  $B\rho$ . 1854. Elwocerthia, Reich, 1854. Mangusia, Bp. S. Africa, Natal. 1320. olivacea, Smith. Fernando Po. 1321. obscura, Jard. Ill. Orn. n. s. pl. 51. S. Africa. 1322. Verroxi, Smith, I. S. A. Z. pl. 57; Jard. Nect. pl. 9. 1323. Reichenbachii, Hartl. Gaboon. 1324. Hartlaubii, Verr. Angola. 370. a. Cyanomitra, Reich. 1854. 1325. cyanocephala, Gm.; Briss. Orn. iii. t. 28. 4; V. O. D. W. Africa. t. 7; Jard. Nect. pl. 10. chloronotus. Sw. 1326. affinis, Rüpp. F. A. t. 31. 1. Abyssinia. h. Leucochloridia, Reich. 1854. 371. 1327. verticalis, V. O. D. t. 25. Angola. Vieilloti, Verr. Ashanti. 372. i. AIDEMONIA, Reich. 1854. 1328. cuprea, Shaw; V. O. D. t. 23. W. Africa. rubrofusca, Cuv.; nibarus, V. 1329. tacazze, Stanl.; Rüpp. F. A. t. 31. 3. Abyssinia. 1330. rnbrofusca, Shaw; Vieill, O. D. t. 27. W. Africa. erythronotus, Sw. B. W. Afr. pl. 15.

37.3. j. CARMELITA, Reich. 1852.

1331. fuliginosa, Shaw; V. O. D. t. 20, 21; Jard. Nect. pl. 14. maculata, Shaw. 374. k. Paneola, Cab. 1850.

Nectarinia, Bp. 1850.

1332. pulchella, L.; P. E. 670. 1; V. O. D. t. 40; Lev. O. A. t. 293. 1. W. Africa. caudatus, V.; melampogon, Ill.

375. l. Hedydipna, Cab. 1850.

1333. platura, V.; Lev. O. A. t. 293. 2; Jard. Nect. pl. 19. sylviella, Tem.; cyanopygos, Licht.; platyura, Cab.

1334. metallica, Licht.; Lev. O. A. t. 293, 1; P. C. 347, 1, 2. Nubia, Abyss.,
White Nile.

**376.** m. Mangusia, *Ep.* 1854. Euchloridia, *Reich.* 1854.

1335. rectirostris, Shaw; V. O. D. t. 75; Gal. des Ois. t. 178. S. Africa. elegans, V.

377. n. Angladiana. et Angaladiana, Reich. 1854.

1336. angladiana, Shaw; P. E. 575, 2, 3; V. O. D. t. 2, 3. Madagascar. madagascariensis, Q. & G.

378. o. Cosmeteira, Reich. 1854.

1337. eques, Less.; Voy. Coqu. t. 31. 1.

N. Guin., Waig.,
Mys., Salwat.
Gilo., Ceram.

Subfam. II. Promeropinæ, G. R. Gr. 1847.

Nectarininæ, p., G. R. Gr. 1840. Ptiloturinæ, Cab. 1850.

379. PROMEROPS, Briss. 1760.

Falcinellus, V. 1816. Nectarinia, Tem. 1820.
Ptiloturus, Sw. 1837. Ptilurus, Strickl. 1841.
G. of B. i. p. 96, pl. 33, f. 5; Reich, S. A. t. 41, f.

a. Promerops.

1338. cafer, L.; P. E. 637; Lev. O. A. t. 287, 288.
 S. Africa, promerops, L. Briss. Orn. ii. t. 43, 2; longicaudatus, V. capensis, Less.

380. b. Æтноруда, Cab. 1850.

Aithopyga, Reich. 1854.

1339. siparaja, Raffl.; P. C. 126, 3; Schl. De Dierk, fig. p. 127. Sumatra. mystacalis, Tem.; Lathami, Jard.

1340. eximia, Horsf.; P. C. 376, 1, 2. Java. Kuhlii, Tem.

1341. nipalensis, Hodgs.; Jard. Nect. pl. 27; Gould, B. As. pl. Nepal, Kha. Hil.

1342. Horsfieldii, Bl. N.W. Himala.

1362. amasia,  $L\epsilon ss$ .

1363. simplex, G. R. Gr.

110	HAND-LIST OF BIRDS.	
B. As. mile	alpariensis, Lath.; Royle, Ill. of Bot. pl. 7. 1; Gould, pl. s. Hodgs.; sheriæ, Tick.?	N. India.
13 <b>44. ig</b> : rubr	nicauda, Hodgs.; Jard. Nect. pl. 29; Gould, B. As. pl. icauda, Bl.; phænicura, Jard. necurus, Hodgs.	Nepal. Assam, Sylhet.
	turata, Hodgs.; Jard. Nect. pl. ; Gould, B. As. pl. gsonis, Jard.; assamensis, M. Clell.	S.E. Himalayas. Assam, Sylhet.
1346. <b>G</b>	ouldiæ, Vig.; Gould. C. B. pl. 56; id. B. As. pl.	Hima., Assam,
1347. <b>T</b> e	emminckii, Müll. Verh. Zool. t. 8. 2.	Sylhet, Arac. Sumatra.
	igorsii, Sykes; Gould, B. As. pl olor, Sykes; goalpariensis, p., G. R. Gr.	Deccan.
	vostriata, Wall. Pr. Z. S. 1865, pl. 29. 2. isia, Salvad.	Celebes.
1350. Da	abrii, Verr. Rev. ct M. dc Zool, 1867, t. 15.	N. China.
1351. ch	alcopogon, Reich, Icon. Av. t. 586, 3982-83.	Borneo.
1352. eu	pogon, Cab.	Born., Malacca.
O. A.	c. Anthobaphes, Cab. 1850.  olacea, L.; Briss. Orn. iii. t. 33. 6; P. E. 670. 2; Lev. i. 292.  ata, Shaw; croccus, Less.	Africa.
calc	d. Снассовтетна, Cab. 1850. etoralis, Tem. P. C. 183. ostetha, Jard.; Macklotii, Вр. gnis, Jard.	Java. Sumatra.
383. Chalco	е. Негмотімія, <i>Reich</i> . 1854. stetha, р., <i>Cab</i> .	
	spasia, Les. Voy. Coqu. t. 30. 4.	New Guinea, Waigiou. Mysol, Salwattie.
1356. as	spasinoides, G. R. Gr. sia, p., Müll.	Moluccas, Bouru.
1357. au	riceps, G. R. Gr.	Moluccas.
1358. pi	rcserpina, Müll.	Bouru.
1359. <b>G</b>	rayi, Wall.	Celebes.
1360. pc	orphyrolæma, Wall.	19
1361. zei	nobia, Less. Yoy. Coqu. t. 30. 3. nentina, Less.	Amboina. Gilolo.

New Guinea,

Amboina. Gilolo, Batch. I. 384. f. Chalcoparia, Cab. 1850.

Chalcoparcia, Reich. 1854.

1364. cingalensis, Gm.; P. C. 108. 1, et 338. 2. plænicotis, Tem.

Malacca. Tenasserim.

Subfam. III. Arachnotherinæ, Cab. 1850.

Nectarininæ, p., G. R. Gr. 1840.

385. ARACHNOTHERA, Tem. 1826.

Arachnocestra, Reich. 1854. Sw. C. of B. f. 288, e; Reich. G. of B. i. p. 99.

a. Arachnothera.

1365. longirostra, Lath.; P. C. 84. 1. einereocollis, V.; longirostris, Reich.

1366. uropygialis, G. R. Gr. & M. G. B. pl. 33.

1367. Temminckii, Horsf. & M.

1368. crassirostris, Reich.

**386.** b. Arachnoraphis, Reich. 1854.

1369. flavigaster, Eyton. flaviventris, Reich.

1370. simplex, Müll. & Schl.; Verh. N. G. t. S. 4.

1371. novæ guineæ, Less.; Verh. N. G. t. 11. 3.

1372. armata, Müll. & Schl.; Verh. N. G. t. 11. 2.

1373. robusta, Müll. & Schl.; Verh. N. G. t. 11. 1.

1374. vagans, Bernst.

387. c. — 5

Aracthnothera, Reich. 1854.

G. of B. i. pl. 33. f. 6; Reich. S. A. t. 41. f.

1375. affinis, Horsf.; P. C. 84. 2. inornata, Tem.

1376. magna, Hodgs. inornata, McClell.; chrysopus, Hodgs.

1377. chrysogenys, Tem. P. C. 388. 1. longirostra, Horsf.; flavigenis, Sw.

1378. pusilla, Bl. affinis et inornatus, Bl.; longirostris, Jerd.

1379. modesta, Eyton. latirostris, Bl.

1380. Phayrei, Bl.

Tenasserim.

Java, Sumatra.

----?

Indian Archipel.

India.

Malacca.

Lombock.

New Guin., Aru, Salwat., Mysol. Lombock.

Sumatra, Born.

Waigiou.

Java.

N. India. Assam, Burmah.

Java, Sumatra. Borneo, Malacc.

India, Malabar. Mysore.

Malacca.

Pegu.

388. d. Arachnechthra, Cab. 1850. 1381. asiatica, L.; V. O. D. t. 12; Jard. Neet. pl. 24; Gould, India, Ceylon. *B. As.* pl. currucaria, L.; mahrattensis, Lath. Burmah. evaneus, V.; orientalis, Frankl. epauletta et strigula, Hodgs. 1382. lotentia, L.; Briss. Orn. iii. t. 33. 4, 5; V. O. D. t. 11; Jard. Nect. pl. 23; Gould, B. As. pl. . Malabar coast. Ceylon. polita, Sparrm.; purpurata, Shaw. notatus, Müll. Penang, Arakan. 1383. flammaxillaris, Bl. Tenasserim. jugularis, Bl. Siam, Pinang. 1384. insignis, Gould, B. As. pl. 389. e. Cyrtostomus, Cab. 1854. Crytostomus!, G. R. Gr. 1855. 1385. pectoralis, Horsf.; P. C. 138. 1, 2; Müll. Verh. Zool. t. 9. 2. Java. eximia, Tem.; Interventris, Less. Lombock. 1386. solaris, Tem.; P. C. 347. 3; Müll, Verh. Zool. t. 8. 5. Timor, Amboina, Gilolo, Flores. Celebes, Molucc., 1387. frenata, Müll. Verh. Zool. t. 8. 1. Sula. 1388. ? australis, Gould, B. A. suppl. pl. Cape York. pectoralis, Macgill. 1389. jugularis, L.; Briss. Orn. ii. t. 32.5; V. O. D. t. 29, 30, 31; Jard. Neet pl. 25. 2. Philippine I. 1390. melanogastra, n. sp. ? Ceram. 1391, flavigastra, Gould, Voy. Sulph. pl. 24, New Ireland. 390. f. Leptocoma, Cab. 1850. Nectarophila, Reich. 1854. 1392. zeylonica, L.; Briss. Orn. iii. t. 34.4; V. O. D. t. 16, 17; Jard. Nect. pl. 20; Gould, B. As. pl. India. Assam.

quadricolor, Scop.; philippensis, Mey. sola, Jerd.; nigralbus, Less.; dubia, Shaw?

1393. sperata, L.; Briss. Orn. iii. t. 31. 2, 3; P. E. 246. 1, 2?;

P. C. 388. 3; Jard. Nect. pl. 21.

1394. Hasseltii, Tem. P. C. 376. 3; Jard. Neet. pl. 22. brasiliana, Shaw; sperata, Raffl. Phayrei, Bl.; ruber, Less.

1395. minima, Sykes; Jard. Nect. frontisp.

W.coast of India, Ceylon.

Phil. I., Manilla.

Sunda I.

301. g. Anthreptes, Sw. 1830. Anthothreptes, Cab. 1850. Anthorheptes, Agass. Hypogramma, Reich. 1854. Sw. C. of B. p. 288, f.; Reich. S. A. t. 41. f. (Nectarinia!). 1396. malaccensis, Scop.; Voy. Sonn. t. 116. 1; P. C. 126. Sunda Island. 2: Gal. des Ois, t. 177. Malacca. lepida, Lath.; javanica, Horsf. Celcb., Sula.

1397. hypogrammica, Müll. Verh. N. G. t. 8. 2. Sumatra, Born.

nuchalis et macularia, Bl.

h. — ? Cinnyricinclus, p., Less. Cinnyricincle, Reich, 1854. Anthreptes, p., Sw. "Cinnyricinela, Bp. 1854," G. R. Gr. 1855.

1398. Longuemarii, Less. Ill. Zool, t. 23; Sw. B. W. Afr. pl. 17. W. Africa.

leucosoma, Sw. 1399. Fraseri, Jard. & S. Ill. Orn. n. s. pl. 53.

1400. melasoma, Less.

1401. aurantia, Verr.

392.

1402. nigralba, V.

W. Africa, Fernando Po. Senegal.

Gaboon.

Subfam. IV. Drepaninæ, Cab. 1850.

Nectarinine, p., 1840, et Promeropine, p., 1847, G. R. Gr.

**393.** DREPANIS, Tem. 1820, nec Rafing. 1815. Falcator, Tem. 1822. Mellisuga, Merr. 1786, nec Briss. Melithreptus, 2 div., V. 1816. Myzomela, p., Vig. & Horsf. Mellithreptus, Less. 1831. G. of B. i. p. 95.

a. Drepanis.

1403. pacifica, Gm.; Lev. Prom. t. 19; V. O. D. t. 63.

Friendly Isl.

---- ?

I

1404. falcata. Gm.

394.

b. Vestiaria. Flem. 1822. Heorotaires, Cuv. 1817. Melithreptus, p., V. G. of B. i. pl. 33, f. 1; Reich. S. A. t. 41. f.

1405. coccinea, Gm.; V. O. D. t. 52; Gal. des Ois. t. 181. Sandwich 1. vestiaria, Lath.; evi et akaroa, Less. obscura, Gm.

o. Himatione, Cab. 1850.

1406. sanguinea, Gm.; V. O. D. t. 66, 67, 68. byronensis, Gr. virens, Gm.; flava, Blox.; tonganensis, Less. chloris et maculata, Cab.

d. Hemignatuus, Licht. 1838. 396. Heterorhynchus, Lafr. 1839. Reich. S. A. t. 41. f. .

1407. lucida, Licht. Berl. Trans. 1838, t. 5. f. 2, 3. olivaceus, Licht.; Voy. Venus, t. 1. heterorhynchus, Less.

1408. Ellisiana, G. R. Gr.; Berl. Trans. 1838, v. t. 5. f. 1. obscura, V. O. D. t. 53?

Sandwich I.

#### **397.** MOHO. Less. 1831.

Gracula, Merr. 1786. Acrulocercus, Cab. 1847. Mohoa, Reich. G. of B. i. p. 96, pl. 33, f. 2; Reich, S. A. t. 41, f.

1409. nobilis, Merr. Vog. t. 2; P. C. 471. niger, Gm.; fasciculatus, Lath.; pacificus, Licht.

1410. apicalis, Gould, Dixon's Voy. pl. 19.

braceata, Cass.
 pacifica, Pcale.

# 398. PSITTIROSTRA, Tem. 1820.

Psittacirostra, Tem. Psittacopis, Nitzsch. Sittacodes, Glog. 1842. Psittacina, Tem. G. of B. ii. p. 389, pl. 94, f. 2; Reich. S. A. t. 80, f.

1412. psittacea, Lath.; P. C. 457. icterocephala, Tem.; sandwichensis, Steph.

#### **399.** LOXOPS, Cab. 1847.

Byrseus, Reich. 1859. Hypoloxias, Licht. 1854. Fringilla, p., Gm. Reich. S. A. t. 76. f.

1413. coccinea, Gm.; V. O. D. t. 31; Voy. Sulph. pl. . rufa et sandwichensis, Bloxh.

1414. inornata, Gould, Voy. Sulph. pl. .

Bow Island.

## 400. DICÆUM, Cuv. 1817.

Diceum, Strickl. 1843. G. of B. i. p. 99.

a. Diceum.

1415. cruentatum, L.; Edw. E. pl. 81; Gould, E. As. pl. coccinea, Scop.; rubricapillum, Less.

erythronotos, Lath.; ignite, Begbie.

1416. trigonostigma, Scop.; Sonn. Voy. t. 117. 2. cantillans, Lath.

1417. chrysorthæum, Tem. P. C. 478. 1. chrysochlorum, Bl.; croceoventre, Vig.

1418. sanguinolentum, Tem. P. C. 478. 2.

1419. ignifer, Wall.

1420. ignicolle, G. R. Gr.

1421. papuense, Lath.; P. E. 707. 2.

India.

Sumatr., Borneo, Labuan, Arak. Assam, Malacca.

Java, Sumatra.
Borneo, Arakan,
Tenasserim.
Java, Sumatra.
Arakan, Tenas-

Arakan, Tenasserim, Malac. Java. Sumatra.

Flores.

Aru.

New Guinea.

1422. celebicum, Müll. Leclancheri, Lafr.

Celebes.

1423. flammeum, Sparrm.; P. C. 108, 2, 3. rubrocana, Tem.; cruentatum, Horsf. rubescens, G. R. Gr.

Java, Banda. Borneo.

1424. concolor, Jerd. Ill. Orn. pl. 39.

Malab., Nilgiris.

1425. mininum, Tick. erythrorhyncha, Lath.?; Tickelliæ, Bl. inornata, Hodgs.

India, Assam, Cevl., Arakan.

1426. schistaceiceps, G. R. Gr.

Batchian, Gilolo New Guinea.

1427. erythrothorax, Less. Voy. Coqu. t. 30. 1, 2. pectoralis, Müll. & Schl.?

Bourn, Ceram.

1428, vulneratum, Wall,

1429. rubrum, Gm. atriceps, V.; scarlatinum, Schinz,

1430. Maugei, Less. rubescens, p., Reich.

Timor.

401. b. Phenacistes, Reich. 1854.

1431. griseum, Scop.; Sonn. Voy. t. 117. 3. tæniata, Shaw; flaviceps, V.

402. c. Microchelidon, Reich. 1854.

Dicæum, Sw. 1837.

1433. Macklotii, Müll.

Sw. C. of B. f. 288, h; G. of B. i. pl. 33. f. 3; Reich. S. A. t. 41.

1432. hirundinaceum, Lath.; Lewin, B. N. H. pl. 7; Gould, B. A. i. pl. 34.

Australia.

rubricollis et gularis, Lath. Desmaresti, Leach; pardalotus, Cuv. atrigaster, Less.; sanguineum, Sw.

Timor, Lombock,

1434. æncum, Homb. & J. Voy. Pôle Sud, t. 22. 4.

Salomon I.

403. d. ---?

Myzanthe, 1843 (nec Less. 1831), et Micrurus, 1844 (nec Ehr. 1831), Hodgs. Microchelidon, p., Reich.

1435. ignipectus, Hodgs.; Gould, B. As. pl.

Nepal, Sikkim, Bootan, Khasia Hills.

1436. pygmæum, Kittl. Mém, Pétersb, 1835, t. 5. Luzon.

404. e. Pachyglossa, 1843, et Pachyglossus, 1846, Hodgs.

1437. melanoxanthum, Hodgs.

Nepal.  $r^2$ 

f. Piprisoma, Bl. 1844. 405.

Parisoma, Jerd. Psarisoma, G. R. Gr. 1849.

1438. agile, Tick.; Ibis, 1867, pl. 10.

vireoides, Jcrd.; squalida, Burt.

India, Ceylon.

406. g. Pholidornis, Hartl. 1857.

1439. Rushiæ, Cass. Pr. Ac. Phil. 1858, pl. 1. 1.

Moonda River. Ashanti.

h. Prionochilus, Strickl. 1841.

1440. percussum, Tem. P. C. 394. 2. ignicapillum, Eyton.

Java, Sumatra.

1441. maculatum, Tem. P. C. 600. 3. thoracicus, p., Bp.

Borneo.

1442. aureolimbatum, Wall. Pr. Z. S. 1865, pl. 29. 1.

N. Celebes.

1443. obsoletum, Müll. & Schl.

Timor, Flores.

408. i. Anaimos, Reich. 1854.

1444. thoracicum, Tem. P. C. 600. 1, 2. Borneo.

409. j. Melanocharis, Sclat. 1854.

1445. nigrum, Less. Cent. de Zool. t. 27. New Guin., Aru.

# FAM. III. **CŒREBIDÆ**, Bp. 1849.

Dacnididæ, Cab. 1850. Nectarinidæ, Vig. 1825. Cinnyridæ, p., Sw. 1837.

# Subfam. I. Cœrebinæ, G. R. Gr. 1840. Dacnidinæ, Cab. 1847.

#### 410. CŒREBA, F. 1807.

Guitguit, Cuv. 1797-98. Guitus, Rafing. 1815?

Nectarinia, Cuv. 1817. Cœreba, Vig. 1825. Cœreba, Boie, 1826. Arbelorhina, Cab. 1847. Arbelorrhina, Reich. 1854.

G. of B. i. p. 101, pl. 34. f. 1; Reich, S. A. t. 38, f.

1446. cyanea, L.; Edw. B. pl. 264. 1; P. E. 83. 2; V. O. D. t. Cavenne, Braz., 41, 42, 43. Bolivia.

cyanogastra, Lath.

1447. carneipes, Sclat. cyanea, p., Sclat.

Mexico. Guatemala.

1448. eximia, Cab.; Reich. Icon. t, 554 b. 4072-73.

Porto Cabello. Trinidad.

eyanea, p.?, Cass.

Gorgona.

1449. Kelletii, n. sp. ?

1450. cærulea, L.; Edw. B. pl. 21. 1; V. O. D. t. 44, 45. ochrochlora, Gm.; surimanensis, Lath. cvanomela, Gm.

Cayenne, Braz. Berbice.

1451. nitida, Hartl. Contr. Orn. 1850, pl. .

Bogota, Ucayali, Guay., Braz.

1452. longirostris, Cab.

Carac., Upper Amazon, Trin. C. America.

1453. lucida, Sclat. & Salv.

1454. brevipes, Cab.; Reich. Icon. t. 554 b. 4071.

Porto Cabello.

## **411. DACNIS**, Cuv. 1817.

Cyanodacnis, Cass. 1864. Dacnis, div. A, Cass. Nectarinia, Sw. 1837.

Sw. C. of B. f. 288c; G. of B. i. p. 101, pl. 34. f. 2; S. A. t. 38. f.

#### a. DACNIS.

1455. cayana, L.; Briss. Orn. iii. t. 23. 2; P. E. 578; V. Gal. dcs Ois. t. 165; Sw. Zool. Ill. pl. 117. cyanocephala, Gm.; cyanater, Less. cærulea, Max.

Trin., Cayenne, Guiana. Brazil.

1456. ultramarina, Lawr. cœrebicolor, Lawr.

Panama.

1457. nigripes, Pelz. Acad. der Wissench. xx. 1856, t. 1. 1, 2. bicolor, Boek, Mem. Mosc. vii. t. 23.

S.E. Brazil.

412. b. Polidacnis, Cass. 1864.

Dacnis, div. B, Cass.

1458. cœrebicolor, Sclat.; Jard. Contr. Orn. 1852, pl. 93, 2. New Granada.

1459. melanotis, Strickl.; P. E. 669. 1? cayana, var. γ, Lath.; cayana, V. angelica, Sclat.

Cavenne. Amazon.

1460. egregia, Sclat. Cat. of Am. B. pl. 7.

New Granada.

1461. venusta, Lawr.; Ibis, 1863, pl. 7.

Panama. Cayenne.

1462. angelica, Defil.; P. E. 669. 2. archangelica, Ep.; melanotis, p.?, Cass.

## 413.

c. EUDACNIS, Cass. 1864.

Dacnis, div. C. Cass.

1463. flaviventer, Laft.; D'Orb. Voy. Am. M. t. 13. 2.

Bolivia, Peru. New Granada.

1464. pulcherrima, Sclat. Cat. of A. B. pl. 8. torquata, Du Bus.

#### 414. d. Ateleodacnis, Cass. 1864.

Daenis, div. D. Cass.

1465. leucogenys, Lafr.

New Granada. Venezuela.

1466. speciosa, Max.; P. C. 293, 2; Jard. Contr. Orn. 1852, pl. 93. 1. analis, Lafr.

Brazil.

1467. bicolor, V. O. A. S. t. 90 bis. cærulescens, Max.; plumbea, Lath,! Peru.

1468. brevipennis, Giraud, An. Lyc. N. Y. v. pl. 3. 1. Q or juv. of speciosa?, Cass.

Cavenne.

415. e. Hemidacnis, Sclat. 1861. Daenis, div. E, Cass, 1864.

1469. albiventris, Sclat. Contr. Ornith. 1852, pl. 100. 2.

Bogota.

416. f. Chlorophanes, Reich. 1853.

1470. spiza, L.; Edw. B. pl. 348; P. E. 578. 1 and 682. 2. atricapilla, V.; mitrata, Licht.

Cavenne, Triu. Bolivia.

micans, Hahn; mclanocephala, Max. spiza, var. a, Edw. B. pl. 25; Cass.

Guatemala.

1471. guatemalensis, Sclat. atricapilla, Sclat. & S.

spiza, var. b, Cass.

1472. cærulescens, Cass.

spiza, var. c. Cass.

Nicaragua.

1473. melanops, Cass. spiza, var. d, Cass.

Rio Negro.

**417.** DIGLOSSA, Wagl. 1832.

Campylops, Lieht. 1837. Serrirostrum, 1838, et Uncirostrum, 1839, *Lafr*.

Agrilorhinus, 1838, et Anchilorhinus, Ep. Agriolorhinus, Wagn. 1841.

Agrilorhynchus, G. R. Gr. 1842. Diglossa, div. A, Cass. 1864. G. of B. i. p. 137.

a. Diglossa.

1474. baritula, Wagl.; G. R. Gr. & M. G. B. pl. 42. hamulus, Licht.; Brelayi et sittaceum, Lafr.

Mexico.

1475. sittcides, Lafr.; D'Orb. Voy. A. M. t. 58. 2.

Bolivia.

olivascens, Fras. juv. or ♀ of brunneiventris?, Cass. Columbia.

1476. D'Orbignii, Boiss.

baritula, p., G. R. Gr.; sittoides, p., Cass.

New Granada.

1477. similis, Lafr.; Reich. Icon. t. 554. 3764. hyperythra, Cab.; D'Orbignyii Q, Boiss.

Bogota, Colum.

1478. ? major, Cab.; Reich. Icon. t. 551 b. 4065.

Guiana.

b. Tephrodiglossa, Cass. 1864. 415. Diglossa, div. B, Cass.

1479. carbonaria, Lafr.; D'Orb. Voy. A. M. t. 58. 1.

Bolivia.

**419.** c. Pyrrhodiglossa, Cass. 1864. Diglossa, div. C, Cass.

G. of B. i. pl. 42. f. 1; Reich, S. A. t. 36. f.

1480. mystacalis, Lafr.; G. R. Gr. & M. G. B. pl. 42. 3. mystacea, G. R. Gr.

1481. brunneiventris, Lafr.; Des Murs, I. O. t. 43.

Peru, Bolivia, Chili?

**420.** d. Cyanodiglossa, Cass. 1864.

Diglossa, div. D, Cass.

1482. personata, Fras.; Reich. Icon. t. 552. 3752-53. cyaneum, Lafr.; mclanopis, Tsch.

1483. indigotica, Sclat. Cat. of Am. B. pl. 6.

New Gran., Ecu. Peru

Ecuador.

421. e. Melanodiglossa, Cass. 1864.

Diglossa, div. E, Cass.

1484. Lafresnayi, Boiss.; Reich. Icon. t. 553. 3757. Bonapartei, Fras.

1485. humeralis, Fras.; Reich. Icon. t. 552. 3754. Lafresnayi, p., Loiss.

1486. aterrima, Lafr.; Reich, Icon, t. 553, 3759.

1487. albilatera, Lafr.; Reich. Icon. t. 553, 3758. albilateralis. Sclat.

New Gran., Bog.

New Granada.

Ecuador, New Granada. Ecuador. Bogota. Columb.

1488. intermedia, Cab. humeralis, p.?, Cass.

**422.** f. Diglossopis, Selat. 1856.

1489. cærulescens, Sclat.

Carace., Bogota.

423. CONIROSTRUM, Lafr. 1838.

Conirostra, Cab. 1847.

G. of B. i. p. 102, pl. 34. f. 4; Reich. S. A. t. 38. f.

a. Controstrum.

1490. cinereum, Lafr.; D'Orb. Voy. Am. M. t. 59. 2.

1491. Fraseri, Sclat.

cinereum, p.?, Cass.

Peru, Bolivia.
Ecuador.

New Granada.

1492. albifrons, Lafr.; Mag. de Zool. 1843, t. 35. atrocyaneum et ceruleifrons. Lafr.

atrocyaneum ct cæruleifrons, Lafr.

1493. sitticolor, Lafr.; G. R. Gr. & M. G. B. pl. 34. bicolor, Less.; rufocinerea. Bp. rufnm, Lafr.? Bogota.

Tulum, Dayr.

Bolivia

1494. ferrugineiventre, Sclat. Pr. Z. S. 1855, pl. 86.

424.

b. Spodiornis, Sclat. 1866.

1495. Jardinii, Sclat. Pr. Z. S. 1866, p. 323. fig.

Quitian Andes.

425.

c. Oreomanes, Sclat. 1860.

1496. Fraseri, Sclat. Pr. Z. S. 1860, pl. 159.

Chimborazo.

426. CERTHIOLA, Sundev. 1835.

Cereba, V. 1807? Colius, Mochr. 1752.

Nectarinia, Less. 1831.

G. of B. i. p. 102, pl. 34, f. 3; Reich, S. A. t. 38, f.

a. Certinola.

1497. **flaveola**, L.; Edw. B. pl. 122. 1, et 362. 3; Gosse, B. Jam. pl. 16.

antillensis et aterrimum. Less.

W. Indies.

1498. chloropyga, Cab.; Reich. Icon. t. 561, 3826.

brasiliensis, Sclat.; flaveola, Licht.

Brazil.
Ecuador.

1499. luteola, Licht.; Reich. Icon. t. 561. 3824.

133. Iuteora, Lunt., Reuch. 1001. 5, 501. 5024.

1500. mexicana, Sclat. luteola, Lawr.

Mexico. Panama.

1501. bahamensis, L.; Catesb. Car. i. pl. 59.

flaveola, var.  $\beta$ , L. 1502. major, Cab.

Carthagena.

1503. guianensis, Cab.; Reich. Icon. t. 561, 3825.

Guiana. Martinique.

1504. martinicana, *Reich. Icon.* t. 561, 3824. albigula, *Bp*, ?

1505. dominicana, Tayl.
1506. Bairdi. Cab.

Dominica. Indian Kev.

1507. columbiana, Cab.

Bogota.

1508. majuscula, Cab.

Monte Video.

1509. peruviana, Cab.

Peru.

flaveola, Tsch.?

**427.** b. Glossiptila, Sclat. 1856.

Neornis, Hartl. 184 ?, neo Hodgs. 1844.

Reich. S. A. t. 77. f.

1510. ruficollis, Gm.; Edw. B. pl. 122. 2; Gosse, B. Jam. pl. 58. Jamaica. campestris, L.?; rufigularis, Lafr. St. Domingo. carulea, Hartl.

### FAM. IV. TROCHILIDÆ, Viq. 1825.

### Subfam. I. Phæthornithinæ, $B_P$ .

Phæthorninæ, G. R. Gr. 1840. Trochilinæ, p. 1855, et Grypinæ, 1848. G. R. Gr.

#### 428. PHAËTHORNIS, Sw. 1831.

Phætornis, Less. 1832. Phrethornis, Boie, 1831. Phæthornis, Jard. 1833. Phæthornis, Sw. 1827. Phætornis, G. R. Gr. 1848. Phætornis, Bp. 1849. G. of B. i. p. 103, pl. 35. f. 3; Reich, S. A. t. 40. f.

#### a. Phaëthornis.

1511. malaris, Licht.; V. O. D. t. 17; Gould, T. i. pl. 17. N. of S. America. superciliosus, V.

1512. eurynome, Less. T. t. 31; Gould, T. i. pl. 16. Brazil. eurynomus, Jard.; melanotis, Licht.

1513. consobrinus, Bourc.

Moorei, Lawr.

Ecuador, Rio
Napo.

1514. fraterculus, Gould, T. i. pl. 18.
1515. longirostris, De Lattr.; Gould, T. i. pl. 19.
cephalus, Bourc, & M.

1516. syrmatophorus, Gould, T. i. pl. 20. Ecuador.

1517. superciliosus, L.; P. E. 600.3; Less. Col. t. 6.7; Gould, T. i. pl. 28.

Pretrei, Delatt.; brasiliensis, Cab.

affinis, Natt. & Pelz.

1518. boliviana, Gould.

Bolivia.

1519. Angusti, Bourc.; Gould, T. i. pl. 29. Venezucla. angusta, Gr. R. Gr.

1520. Cassini, Lawr. New Granada.

**429.** b. GUYORNIS, Bp. 1854.

Toxoteuches, Cab. & H. 1860. Mesophila, Muls. & V. 1865.

1521. Guyi, Sclat.; Less. T. t. 44; Gould, T. i. pl. 26. Trinidad. Guy, Less.; apicalis, Licht.; typus, Bp.

1522. **Emiliæ**, Boure. New Granada. Guyi, p., Cab.

1523. Yaruqui, Bourc.; Gould, T. i. pl. 27. Ecuador.

430. c. Orthornis, Bp. 1854. Ametrornis, Reich. 1851.

1524. Bourcieri, Less. T. t. 18; Gowld, T. i. pl. 25. Cayenne.

New Granada. 1525. Oservi, Bourc. & M.; Gould, T. i. pl. 23. villosus, Lawr. 1526. anthophilus, Bourc.; Gould, T. i. pl. 24. New Gran., Braz. 1527. Philippi, Bourc.; Gould, T. i. pl. 21. Peru or Bolivia. De Filippi, Bourc.; Defilippi, Bp. Filippi, Muls. & V. Brazil. 1528. abnormis, Natt. & Reich. Bolivia. 1529. hispidus, Gould, T. i. pl. 22. 431. d. Pygmornis, Bp. 1854. Ptvonornis, Reich, 1854. Pygornis, Muls. & Verr. 1865. 1530. squalidus, Natt.: Less. C. t. 8; P. C. 120. 1; Gould, T. S.E. Brazil. pl. 30. leucophrys, Licht. brasiliensis, G. R. Gr.1531. Longuemareus, Less. T. t. 2. 62; Gould, T. i. pl. 31. N. of S. America. Trinidad, Brazil. Longuemari, Reich.; Longuemarei, Cab. & H. intermedius, Lcss. T. t. 19. C. America. 1532. Adolphi, Bourc.; Gould, T. i. pl. 35. New Granada. 1533. griseogularis, Gould, T. i. pl. 36. Ecuador? 1534. striigularis, Gould, T. i. pl. 37. New Granada. 1535. episcopus, Gould, T. i. pl. 39. 2. British Guiana, Surin., Demer. 1536. amaura, Bourc.; Gould, T. i. pl. 32. Rio Napo. atrimentalis, Lawr.; striigularis, p., Muls. & V. 1537. nigrocinctus, Lawr.; Gould, T. i. pl. 39. 1. R. Amazon. rufigaster, p., Muls. & V.; nigrieinetus, Gould. Brazil, Peru. 1538, aspasiæ, Bourc. & M.; Gould, T. i. pl. 33. virieaudata, Gould; pygmæus, Tsch. griseogularis, p., Muls. & V. Peru. 1539. zonura, Gould, T. i. pl. 34. zonara!, Muls. & V. c. Momus, Muls. & V. 1866. 432. Pygornis, p., Muls. & V. 1540. Idalia, Bourc. & M.; Gould, T. i. pl. 38. Brazil. obseura, Gould. 433. f. Eremita, Reich, 1854. N. Brazil. 1541. eremita, Gould, T. i. pl. 40; P. C. 120. 2. squalidus et brasiliensis, Tem. rufiventris, Less. 1542. rufigaster, V. O. D. t. 19; Less. T. t. 13. Cavenne. Brazil. Davidianus. Less. pygmæus, Cab.; rufiventris, Cab. & H.

1543. pygmæus, Spix, A. B. t. 80. 1; Gould, T. i. pl. 41.

brasiliensis. Max.

S.E. Brazil.

### 434. GRYPUS, Spix, 1824.

Ramphodon, Less, 1831.

G. of B. i. p. 104, pl. 35, f. 2; Reich, S. A. t. 40, f.

#### a. Grypus.

1544. nævius, Dumont; P. C. 120, 3; Gould, T. i. pl. 1. squamosus, Licht, ; ruficollis, Spix.

S.E. Brazil.

1545. Spixii, Gould, T. i. pl. 2. chrysurus, Reich.

maculatum, Less.

Brazil.

435. b. Eutoxeres, Reich, 1849.

Myiaëtina, Bp. 1854. Reich, S. A. t. 40, f.

1546. aquila, Lodd.; G. R. Gr. & M. G. B. pl. 36; Gould, T. i, pl. 3.

New Granada.

1547. Salvini, Gould. aquila, p., Gould.

Veragua. Costa Rica.

1548. heterura, Gould.

C. Ecuador.

1549. Condaminei, Bourc.; Gould, T. i. pl. 4. Condaminii, Bp.

E. Ecuador.

### Subfam. II. Polytominæ.

Lampornina et Trochilina, p., G. R. Gr. 1840. Lampornithina, Bp. 1849.

### 436. OREOTROCHILUS, Gould, 1847.

Oriotrochilus, Reich, 1849.

Orotrochilus, Cab. & H. 1860.

G. of B. i. p. 104, pl. 35, f. 1; Reich, S. A. t. 40, f.

1550. Estella, Lafr.; D' Orb. Voy. Am. M. t. 61. 1; Gould, T. i. pl. 70. Cccilia, Less.; Estella, Gould.

Bolivia.

1551. leucopleurus, Gould, T. ii. pl. 71. Milleri, Lodd.

Chilian Andes.

1552. pichincha, Bourc. & M.; Gould, T. ii, pl. 69. Jamesoni, Jard, Contr. Orn. 1850, pl. . Pichinchæ, Bp.

Mts. Pichincha & Cotopaxi, in Ecuador.

1553. chimborazo, Bourc.; Gould, T. ii. pl. 68.

Chimborazo M.

1554. mclanogaster, Gould, T. ii. pl. 72.

HighlandofPeru.

1555. Adela, Lafr.; D' Orb. Voy. A. M. t. 61, 2; Gould, T. ii. pl. 73. Bolivia. Adelæ, Gould.

#### 4:37. POLYTMUS, Eriss. 1760.

a. Campylopterus, Sw. 1827.

Kampylopterus, Spix.

G. of B. i. p. 107, pl. 35, f. 5; Reich, S. A. t. 39, f.

1556, largipennis, Bodd.; P. E. 672. 2; Less. O. M. t. 34; Cayenne, British Gould, T. ii. pl. 48.

campulonterus et cinereus. Gm.

Brazil

campylopterus et einereus, Gm. latipennis, Lath.

1557. æquatorialis, Gould. Quito. latipennis, p., Muls. & V.

1558. ensipennis, Sw. Zool. Ill. pl. 107; Less. O. M. t. 35; id. T. t. 46, 47; Gould, T. ii. pl. 46.

latipennis, Jard.; falcipennis, Burm.?

1559. hemileucurus, Licht.; Gould, T. ii. pl. 45.

Mexico, Gua-

Delattre, Less.; Delattrii, Bp.; Delattrei, Reich. temala.

1560. obscurus, Gould, T. ii. pl. 49. Lower Amazon.

latipennis, p., Muls. § V.

1561. splendens, Lawr.; Gould, T. ii. pl. 47, upper fig. Rio Napo, Quito. villavicencio, p., Muls. § V.

1562. villaviceneio, Bourc.; Gould, T. ii. pl. 47, lower fig. R. Napo. villaviseneio, Bp.

1563. inornatus, Burm. La Plata.

438. b. Androdon, Gould, 1863.

1564. æquatorialis, Gould. Ecuador.

439. c. Platystylopterus, Reich. 1854. Platystopterus, Bp. 1854.

1565. rufus, Less.; Gould, T. ii. pl. 50. Guatemala.

4.10. d. Sæpiopterus, Reich. 1854. Sæpiopterus, Bp. 1854. Tæniopterus!, Gould.

1566. **lazulus**, V. Gal. des Ois. t. 179; Less. O. M. t. 36; Gould, T. ii. pl. 44. Venezuela. New Granada.

**4.11.** e. Loxopterus, Cab. & H. 1860. Platystylopterus, p., Reich. Campylopterus, p., Muls. & V.

1567. hyperythrus, Cab.; Gould, T. ii. pl. 51. Brit. Guiana. hypertrurus, Muls. & V.

1.42. f. Рамра, Reich. 1854. Sphenoproctus, Cab. & H. 1860.

1568. pampa, Less. O. M. suppl. t. 15; Gould, T. ii. pl. 43. Guatemala. campyloptera, Reich. Mexico. 1569. curvipennis, Licht. pampa, p., Cab. & H. g. Aphantochroa, Gould, 1853. 443. Agapeta, Cab. & H. 1570. cirrochloris, V.; Gould, T. ii. pl. 54. Brazil. campylostylus, Licht. simplex, Less. O. M. t. 33, suppl. t. 6. cirrhochloris, Gould. 1571. hypostictus, Gould. Ecuador. 1572. gularis, Gould, T. ii. pl. 55. R. Napo. 444. h. Pheochroa, Gould, 1861. 1573. Cuvieri, Delatt. & Bourc.; Gould, T. ii, pl. 52. Venezuela, New Gran. Panama. 1574. Roberti, Salv.; Gould, T. ii. pl. 53. Guatemala. 445. i. Eupetomena, Gould, 1853. Prognornis, Reich. 1854. 1575. macrourus, Gm.; Briss. Orn. iii. t. 36, 9; Less. O. M. t. 25; C. suppl. t. 39; Gould, T. ii. pl. 42. Cavenne. hirundinacea, Less.; forcipatus, Lath. Brazil. LAMPORNIS, Sw. 1827. Anthracothorax, Boie, 1831. Sericotes et Chalybura, p., Reich. Reich, S. A. t. 39, f. . 1576. mango, L.; P. E. 680. 2, 3; Less. C. t. 13, 13\*, 14, 15; Gould, T. ii. pl. 74. N. of S. America. violicauda, Bodd.; alba et punctulatus, Gm. nitidus, Lath.; atricapillus, V.; fasciatus, Shaw; quadricolor et nigrieollis, V. lazulus, Less. 1577. Prevostii, Less. C. t. 24; Gould, T. ii. pl. 75. Guatemala. Honduras. 1578. veraguensis, Gould, T. ii. pl. 76. Veragua, Costa Rica. 1579. viridis, Aud. & V. O. D. t. 15; Less. C. t. 11; Gould, T. ii. pl. 78. Porto Rico. aurcoviridis, Shaw. 1580. iridescens, Gould. Guayaquil. mango, p., Muls. & I'.

**4.17.** k. Hypophania, Reich. 1854.

1581. gramineus, L.; V. O. D. t. 9, 10, 44, 70; Gould, T. ii. pl. 77. Trinidad. pectoralis, Lath.; maculatus (P. E. 671. 1) et gularis, Gm.; Cayenne, Guiana. marmoratus, U.? dominieus, G. R. Gr.

#### 1.18. l. Margarochrysis, Reich. 1854.

1582. aurulentus, V. O. D. t. 12, 13, 16; Gould, T. ii. pl. 79. St. Domingo. margaritaceus, G. R. Gr.; dominicus, L.?

1583. virginalis, Gould, T. ii. pl. 80.

I. of St. Thomas.

# **119.** m. Chalybura, Reich. 1854.

Hypuroptila, Gould, 1853.

1584. Buffonii, Less. T. t. 5; Gould, T. ii. pl. 89.

Venezuela, New Granada. Costa Rica.

1585. melanorrhous, Salv. carnioli, Lawr.

1586. Isauræ, Gould.

1587. urochryseus, Gould, T. ii. pl. 90.

New Granada.

1588, æneicauda, Lawr.

Venezuela.

### **150.** n. Floresia, Reich. 1854.

Lampornis, p., Gosse.

1589. porphyurus, Shaw, Nat. Mise. pl. 333; Gould, T. ii. pl. 81. Jamaica. bromicolor, Less.; Floresii, Boure. mango, Gosse.

### 451. o. Glaucis, Boie, 1831.

Reich. S. A. t. 39. f.

1590. hirsutus, Gm.; V. O. D. t. 20. 68; Less. C. t. 21; Gould, T. i. pl. 5.

E. Bressiliensis Lath: dominious Light.

Trini

brasilieusis, Lath.; dominicus, Licht. ferrugineus, Max.; superciliosus Q, Less.

E. Brazil, Vencz. Trinidad.

1591. mazeppa, Less. T. t. 3; Gould, T. i. pl. 6.
 Cayenne, Guiana, Trinidad.
 1592. affinis, Lawr.; Gould, T. i. pl. 7.
 Cayenne, Guiana, Trinidad.
 New Granada.

1593. Ruckeri, Bourc.; Gould, T. i. pl. 11. Veragua.

1594. lanceolatus, Gould, T. i. pl. 8. hirsutus, var., Muls. & V. Para.

R.Napo & Negro.

1595. melanura, Gould, T. i. pl. 9. hirsutus, var., Muls. & V.

S. Brazil.

1596. Dohrni, Bourc.; Gould, T. i. pl. 10.

Ecuador.

1597. Fraseri, Gould, T. i. pl. 12.
Ruckeri, p., Sclat.; Ruckeri, var., Muls. & V.

Ruckeri, p., Sciat.; Ruckeri, var., mus. q . .
1598. æneus. Lawr.

Costa Rica.

### **452.** p. Threnetes, Gould, 1853.

1599. leucurus, L.; Edw. B. pl. 256, 1; P. E. 600, 4; Less. Surinam, Brit. C. t. 22; Gould, T. i. pl. 13. Guiana.

1600. cervinicauda, Gould, T. i. pl. 14. leucurus, var., Muls. & V.

Ecuador.

1601. Antoniæ, Bourc. & Muls.; Gould, T. i. pl. 15.

Cayenne, Guiana.

453.

q. Sternoclyta, Gould, 1853.

1602. eyanopeetus, *Gould*, *T.* ii. pl. 58. cyanipeetus *et* cyaneipeetus, *Gould*.

Venezuela.

454.

r. Colibri, Spix, 1824.

Petasophora, G. R. Gr. 1840. Anais, Bp. 1854. Petasophorus, Muls. & V. 1865. Colibris, Sclat. 1856.

1603. serrirostris, V.; Less. O. M. t. 1; Gould, T. iv. pl. 223. Brazil. petasophorus, Max.; Vieillotii, Steph. crispus, Spix, A. B. t. 81. 1. Gouldi, Bp.

1604. anais, Less. O. M. suppl. t. 3; Gould, T. iv. pl. 224. thalassinus, p., Jard.

New Granada.

1605. iolatus, Gould, T. iv. pl. 225. anais, Tsch.; rhodotis, Sauc.

Ecuador, Peru. Bolivia.

1606. thalassinus, Sw.; Less. T. t. 55-57; O. M. t. 3; Gould, T. iv. pl. 227.

Mexico. Guatemala.

1607. coruscans, Gould, T. iv. pl. 226.

---?

1608. cabanidis, Heine.

anais. Sw.

Costa Rica.

**455.** s. Praxilla, Reich. 1854. Colibri, Bp. 1849.

1609. cyanotus, Bourc.; Gould, T. iv. pl. 228. cyanotis, Bp.; anais, Less.?

New Granada. Venezuela.

**456.** t. Telesiella, Reich. 1854.

Delphinella, Bp. 1854. Telesilla, Cab. & H. 1860.

1610. Delphinæ, Less. Ill. de Zool. t. 64; Gould, T. iv. pl. 229. N. of S. America. delphina, Bp.

457.

u. Schistes, Gould, 1851.

1611. Geoffroyi, Bourc. & Muls.; Gould, T. iv. pl. 218.

Andes of New Granada.

1612. personatus, Gould, T. iv. pl. 219.

Ecuador.

Geoffroyi, p., Sclat.

1613. albigularis, Reich.; Gould, T. iv. pl. 220.

458. v. Leucochloris, Reich. 1854. Agyrtria, Cab. & H. 1860.

1634. ? medius, Pelz.

1636. Luciæ, Laur.

1635. ? meliphilus, Pelz.

1614. albicollis, V.; P. C. 203. 2; Gould, T. v. pl. 291. Brazil. albigularis, Spix, A. B. t. 82. 1. vulgaris, Max. Bogota. 1615. terpua, Cab. 459. w. Polytmus, Briss, 1760, Emeraudes, Less. 1832. Thaumatias, Bp. 1849. Agyrtria, Reich. 1854. 1616. fluviatilis, Gould. Rio Napo. 1617. candidus, Bourc, & M.; Gould, T. v. pl. 292. Guatem., S. Mex. N. of S. America. 1618, chionopectus, Gould, T. v. pl. 293. niveipectus, Cab. & H. Trinidad. 1619. leucogaster, Gm.; P. E. 672. 3; Gould, T. v. pl. 294. N. of S. America. albirostris, Less. O. M. t. 78; mellisugus, Burm. Bahia Ecuador. 1620. viridiceps, Gould, T. v. pl. 295. New Granada, 1621, Milleri, Lodd.; Gould, T. pl. v. 296. Brazil. S.E. Brazil. 1622. brevirostris, Less. O. M. t. 77; Gould, T. v. pl. 298. versicolor, Licht. Tobago. 1623. Linnæi, Bp. tobacci, Gm.; tobagensis, Lath.; maculatus, Aud. & V. ?N.of S.America. Brazil. viridissima, Less.; ourissia, p., G. R. Gr. viridipectus, Sauc.; thaumatias (L.), Bp.lactea Q et Mangei Q, Reich.; maculata, Cub. & H. Upper Ucayali. 1624. Bartletti, Gould. Costa Rica. 1625. cupreiceps, Lawr. 1626. leucoproctus, Gould. Pern. 1627. affinis, Gould, T. v. pl. 299. brevirostris, var., Muls. & V. New Granada. 1628. apicalis, Gould. 1629. maculicandus, Gould. Brit. Guiana. 1630. nitidifrons, Gould, T. v. pl. 297. Venezuela? New Granada. 1631. cærnleiceps, Gould. 1632. tephrocephalus, V.; Gould, T. v. pl. 301. Brazil. albiventris, Less. O. M. t. Cayenne, Guiana. 1633. ? mellisugus, L.; Edw. B. pl. 360. 1. concinna, Steph.; albirostris, p., Less. atala, p., Gould; bicolor, p., Cub. & H.

> Matogrosso. Barcellos.

Honduras.

460. x. ELVIRA, Muls. & Verr. 1865.

Agyrtria, p., Cab. & H. Thaumatias, p., Gould.

1637. chionurus, Gould, T. v. pl. 300. niveicauda, Lawr. Costa Rica.

461. y. Smaragdites, Boic, 1831.

Polytmus, V. 1807, nec Briss. 1760. Chrysobronchus et Thaumantias, Bp. 1854.
"Chloristes, Reich." Mull. & V. 1805. Smaragditis, Reich. 1854.

1638. viridissimus, Aud. & V. O. D. t. 42; Less. O. M. t. 75; Gould, T. iv. pl. 231.

ould, T. iv. pl. 231.
Theresia, De Silva; viridis, Less.

virescens, Max.; chrysurus, Burm.
639. virescens. Dumont: V. O. D. t.

1639. virescens, Dumont; V. O. D. t. 41; Gould, T. iv. pl. 230. Thaumatias et viridescens, L. chrysobronchus, Shaw; viridis, V. chloroleucurus, Sauc.; albiventris, p., Bp. R. Amazon. Rio Negro.

Trinidad. Venezuela. New Granada? Brazil.

1640. leucochlorus, Heine.

**462.** z. Leucippus, Bp. 1849.

Doleromyia, Bp. 1854. Dolerisca, Cab. & H. & Gould, 1860. Leucolia, Muls. & V. 1865.

1641. fallax, Bourc.; Gould, T. ii. pl. 56, fulviventris, Gould. Venezuela.

1642, cervinus, Gould.

--- ?

**463.** aa. ——?

Leucippus, Cab. & H. 1860. Leucippus, p., Bp. 1849. Leucolia, p., Muls & Verr. 1866.

1643. chionogaster, Tsch. F. P. t. 22, 2; Gould, T. v. pl. 290. Peru, Bolivia. leucogaster, Tsch.; Turneri, Bp. hypoleucus, Gould.

1644. chlorocercus, Gould.

Upper Ucayali.

464. bb. Urochroa, Gould, 1856.

1645. Bougueri, Bourc.; Gould, T. ii. pl. 57. Ecuador. Bouguieri, Reich.; Bougieri, Sclat. Bougheri, Muls. & V.

1646. ? —— ?

leucura, Lawr.

465. cc. Cyanochloris, Reich. 1854.

Chalybura, p., Cab. & H.

1647. cæruleogaster, Gould, T. ii. pl. 91. cæruleoventris, Reich.

New Granada.

466. dd, Eulampis, Boie, 1831.

Culampis, Less. 1832.

Reich, S. A. t. 39, f. .

1648. jugularis, L.; Edw. B. pl. 266. 1; Less. C. t. 10; Gould, T. ii. pl. 82.

Isl. Nevis.

auratus, cyanomelas, violaceus et venustissimus, Gm.; cyaneus, granatinus et Bancrofti, Lath.; prasinoptera, Sparrm.; auritus, V.

Martinique.

467. ec. Sericotes, Reich, 1854.

Sericotis, Bp. 1854. Eulampis, p., Gould.

1649. holosericeus, L.; Edw. B. pl. 36. 1; V. O. D. t. 6; Gould, T. ii. pl. 83. aurigaster, Shaw; atrigaster, Cab.

I. Nevis, Martinique.

1650. chlorolaimus, Reich.; Gould, T. ii. pl. 84. chlorolæmus, Gould; chlorolaemus, Cab. &. H. holosericeus, var., Muls & V.

St. Thomas. St. Croix.

1651. longirostris, Gould. holosericeus, var., Muls. & V. ---- ?

468. ff. Thalurania, Gould, 1848.

Glaucopes, Less. 1822, nec Hübn. Mellisuga, Boie, 1831, nec Briss.

Thaluronia, G. R. Gr. 1849. Thalucania, Bourc. 1856. Tholucania, Hartl. 1857.

1652. furcatus, Gm.; P. E. 599. 2; Less. O. M. suppl. t. 18; Gould, T. ii. pl. 101. elegans, Shaw; gyrinno, Rcich.

Cayenne, Guiana. Rio Negro.

1653. glaucopis, Gm.; Less. O. M. t. 58, 59; Gould, T. ii. pl. 99. S.E. Brazil. frontalis, Lath.

1654. Tschudii, Gould, T. ii. pl. 103. furcatus, Tsch.

E. Ecuador.

1655. furcatoides, Gould. forficata, p., Cab. & H.

Para.

1656. nigrofasciatus, Gould, T. ii. pl. 104. viridipectus, Gould.

Upper Amazon. Rio Izanna.

1657. venustus, Gould, T. ii. pl. 105. puella, Gould.

Costa Rica.

1658. columbicus, Bourc. & M.; Gould, T. ii. pl. 106.

New Granada.

1659. verticeps, Gould, T. ii. pl. 107; Contr. Orn. 1850, pl. Ecuador. Lydia, Reich.; Fanny, p., Cab. & H.

1660. eriphile, Less. O. M. suppl. t. 25; Gould, T. ii. pl. 108. E. Brazil. ervphila, Bp.; meriphile, Less. excisus, Licht.

1661. bicolor, Gm.; V. O. D. t. 36; Gould, T. ii. pl. 109. Wagleri, Less.

Brazil.

1662. forficatus, Cab. & H. furcata, Reich.

Para?

1663. subfurcatus, Cab. & H.

Para, Guiana.

1664. refulgens, Gould, T. ii. pl. 102.

Venezuela?

1665. Fanniæ, Gould.

Andes.

Fannyi, Bourc. & M.; Fanny, Reich.

Tres Marias I.

1666. lusiæ, Lawr,

Ypanema.

1667. iolæmus, Natt.

Y panema

1668. Watertoni, Lodd.; Gould, T. ii. pl. 100. Whatertoni, Reich. British Guiana.

469.

gg. ---?

Hemithylaca, Gould, 1861, nec Cab. & H. Ariana, p., Muls. & V. Hemithylaca, p., Cab. & H.

New Granada.

1669. cyanifrons, Bourc.; Gould, T. v. pl. 323.470. hh. Saucerottia, Bp. 1849.

Hemithylaca, p., Cab. & H. Ariana, p., Muls. & V

1670. Sophiæ, Bourc.; Gould, T. v. pl. 322. caligatus, Gould; Hoffmanni, Cab. & H. Sophia, Bp. Taffmanni!, Muls. & V. Costa Rica. Veragua. New Granada

1671. Warscewiczi, Cab. § H. viridigaster, var., Muls. § V. Warszewiczi, Gould. R. Magdalena.

1672. Saucerottii, Bourc. & Delattr.; Gould, T. v. pl. 321. typica, Bp.

New Granada.

471. ii. Emilia, Muls. & V. 1865.

Hylocharis, Bp. 1854, nec Boie, 1831.

Sapphironia, Gould, 1861. "Lepidopyga, Reich. 1855," Cab. & H. 1861.

Chlorolampis, p., Muls. & Verr.

1673. Goudoti, Bourc.; Gould, T. v. pl. 345.

1674. cæruleogularis, Gould, T. v. pl. 346. Duchassaingui, Bourc. Cælina, Bourc.; cærulescens, Reich. Costa Rica. Panama.

1675. laminosus, Lawr.

New Granada.

172. jj. Amazilis, Less. 1832.

Amazilia, Reich. 1849. Amazilius, Bp. 1849. Amazilia, Sclat. § Salv. 1859. Pyrrhophaena, Cab. & H. 1860. Amizilis!, G. R. Gr.

Reich. S. A. t. 39. f.

1676. amazili, Less. Voy. Coqu. t. 31. 1; Gould, T. v. pl. 303. Peru amazilia, Tsch.; latirostris, Bp. pristina, Gould.

K 2

1677. Dumerilii, Less. O. M. suppl. t.36; Gould, T. v. pl. 305.	Ecuador.
1678. cinnamomeus, Less.; Gould, T. v. pl. 307. corallirostris, Bourc. & M.; rutila, Delattr.	C. America.
1679. cerviniventris, Gould, T. v. pl. 309.	Mexico.
1680. Riefferi, Bourc.; Gould, T. v. pl. 311. Dubusi, Bourc.; fuscicaudatus, Fras. amazili, Delattr.; arsinoïdes, Sauc.	S. Mexico. Guatemala. Andes.
1681. beryllinus, Licht.; Less. O. M. suppl. t. 28, 29; Gould, T. v. pl. 312.	S. Mexico.
Arsonoë, Less.; fuscicaudatus, Licht.	
1682. <b>Devillei</b> , Bourc.; Gould, T. v. pl. 313. Mariæ, Bourc. & M.?; Dumerili, Salv. Maria, Bp.	Guatemala.
1683. viridigaster, Bourc.; Gould, T. v. pl. 314. viridiventris, Reich.	New Granada.
1684. cyanurus, Gould, T. v. pl. 315.	W. of Nicaragua.
1685. alticolus, Gould, T. v. pl. 304.	C. Peru.
1686. amaziliculus, Sauc.; Reich. Troch. t. 777, 4805-6, amazicula!, Gould; leucophaea, p., Cab. & H. Dumerili, p., Gould.	Ecuador.
1687. leucophæus, Reich.; Gould. T. v. pl. 306.	S. Peru.
1688. suavis, Cab. & H.	Carthagena.
1689. Graysoni, Lawr.	Tres Marias I.
1690. yucatacensis, Cabot; Gould, T. v. pl. 308.	Yucatan.
1691. castaneiventris, Gould, T. v. pl. 310.	New Granada.
1692. iodurus, <i>Sauc</i> . Aglaiæ, <i>Bourc</i> .	,, ?
<b>473.</b> kk. Hemistilbon, Gould, 1861. Pyrrhophaena, p., Cab. & H.	
1693. Ocai, Gould, T. v. pl. 289.	Mexico, Xalapa.
1694. Norissii, Bourc. Norrisi, G. R. Gr.	C. Mexico. Guayaquil.
171. ll. Erythronota, Gould, 1860. Ariana, Muls. & U. 1865. Hemithylaca, Cab. & H. 1860. Saurcerottia, p., Bp.	
1695. erythronotos, Less.; Gould, T. v. pl. 316. antigua, Gould.	Trinidad. Tobago, Venez.
1696. Feliciæ, Less.; Gould, T. v. pl. 317.	Venezuela.
1697. <b>Edward</b> , Delatt. & B.; Gould, T. v. pl. 318. Edwardsii, G. R. Gr.; Edwardi, Gould.	Panama, C. Rica Veragua.

1698. <b>niveiventris,</b> Gould, T. v. pl. 319. niveoventer, Gould.	Panama. Veragua.
1699. elegans, Gould, T. v. pl. 320.	?
<b>475.</b> mm. Eupherusa, Gould, 1861. Epherusa, Muls. & V. 1865.	
1700. eximius, Delattr.; Gould, Troch. v. pl. 324.	Guatemala, Hon-
1701. egregius, Sclat. & S.	duras ? Veragua.
1702. nigriventris, Lawr.	Costa Rica.
176. nn. Chrysures, Less. 1832. Chrysuronia, Bp. 1849. Chrysurisca, Cab. & H. 1860. Hylocharis, Muls. & V. 1865.	
1703. Oenone, Less. O. M. suppl. t. 30; Gould, T. v. pl. 325.	Venezuela. New
1704. Josephinæ, Bourc. & M.; Gould, T. v. pl. 326.	Granada. R. Amazon.
1705. cæruleicapillus, Gould.	Peruv. Amazons.
1706. <b>Eliciæ</b> , <i>Boure. &amp; M.</i> ; <i>Gould</i> , <i>T.</i> v. pl. 328. Elicia, <i>Bp</i> .	Guat., C. Rica. Veragua.
1707. chrysurus, Less. O. M. suppl. t. 4; Gould, T. v. pl. 329.	Peru.
1708. neera, Less.	?
1709. Humboldtii, Boure. & Muls.; Gould, T. v. pl 327. viridicaudus, Lawr.	Guat., Verag. Costa Rica.
<b>477.</b> 00. CYANOMYIA, <i>Bp.</i> 1854. Uranomitra, <i>Reich.</i> 1854.	
1710. quadricolor, V.; Gould, T. v. pl. 284. cyanocephala, Less. O. M. suppl. t. verticalis, Licht.	N. Mexico.
1711. violiceps, Gould, T. v. pl. 285.	W. Mexico.
1712. cyanocephalus, Less. O. M. suppl. t. verticalis, G. R. Gr.; Faustine, Reich. Lessoni, Cab. & H.	S. Mexico.
1713. Franciæ, Bourc.; Gould, T. v. pl. 287.	New Granada.
1714. guatemalensis, Gould. cyanocephala, Salv. quadricolor, p., Muls. & V.	Guatemala.
1715. eyanocollis, Gould, T. v. pl. 288.	Peru.
pp. Opisthoprora, Cab. & H. 1860. Avocettinus, Ep. 1854 nec 1849. Avocettina, Muls. & V. 1865.	
1716. eurypterus, Lodd.; Gould, T. iii. pl. 200. Georginæ, Bourc.	New Granada.

### 479. AÏTHURUS, Cab. & H. 1860.

Polythmus, Less. 1832, nec Briss. 1760. Phætornis, Less. 1829, nec Sw. 1827. Trochilus, G. R. Gr. 1840, nec L. 1748. Polytmus, Muls. & V. 1865.

G. of B. i. p. 109, pl. 35. f. 6; Reich. S. A. t. 39. f. (Polytmus).

1717. polytmus, L.; Edw. B. pl. 34; Less. O. M. t. 17; Gould, T. iii. pl. 98.

Jamaica.

cephalatra, Less.; stellatus, Gould.
Maria, Hill; atricapilla, V.; viridans, Reich.

1718. fuliginosus, Hill.

pornis!).

#### 480. TOPAZA, G. R. Gr. 1840.

Topazes, Less. 1832. Trochilus, L. 1758-66, nec 1748. Lampornis, Reich. 1849.
G. of B. i. p. 109, pl. 35. f. 7; Reich. S. A. t. 39. f. (Lam-

# a. Topaza.

1719. pella, L.; Edw. B. pl. 32. 2; Less. C. t. 2-5; Gould, T. ii. pl. 66. surinamensis, Spal.; paradiseus, L.

1720. pyra, Gould, T. ii. pl. 67.

Caycnne. Rio Negro.

Upper Amazon.

### **481.** b. Florisuoa, Bp. 1849.

Orthorhynchus, *Illig.* 1811, nec Cuv. 1799–1800. Lampornis, Less. 1829, nec Sw. 1827.

1721. mellivora, L.; Edw. B. pl. 36. 1; P. E. 640. 2; Gould, T. ii. pl. 113.
surinamensis, Steph.; fimbriatus, L.

1722. flabellifera, Gould, T. ii. pl. 114.

Brazil, Trinidad. New Granada, Guatemala. I. Tobago.

E. Brazil.

٠,

1723. fusca, V.; Less. O. M. t. 38, 39; Gould, T. ii. pl. 115. atratus, Licht.; niger, Sw.; atra, Max. lugubris, Less. leucopygius, Spix, A. B. t. 81. 3.

482. c. Microchera, Gould, 1861.

1724. albocoronata, Lawr.; Gould, T. ii. pl. 116. New Granada. 1725. parvirostris, Lawr. Costa Rica.

483. d. Delattria, Bp. 1849.

Lamprolaima, Reich. 1854. Cœligena, p., Cab. & H.

1726. **Henrica**, Less. & D.; Gould, T. ii. pl. 62. Guatemala. Henrici, Bp.

1727. viridipallens, Bourc. & M.; Gould, T. ii. pl. 63.

#### 484. CALOTHORAX. G. R. Gr. 1840.

Lucifers, Less. 1832. Lucifer, Reich, 1854.

Cyanopogon, Bp. 1854?

G. of B. i. p. 110; Reich, S. A. t. 39. f. (Lucifer)?

#### a. Calothorax.

1728. Lucifer, Sw.; Less. O. M. t. 5, et C. suppl. t. 9, 10;

Gould, T. iii. pl. 143. N. Mexico. cyanopogon et simplex, Less.

coruscans, Licht.

485. THAUMASTURA, Bp. 1849.

Cora, Bp. 1854? Tammastura, Casteln. 1853.

1729. Cora, Less. Voy. Coqu. t. 13. 4, id. O. M. t. 6, T. t. 39, 40; Gould, T. iii. pl. 153. Peru.

486. c. Doricha, Reich. 1854.

Myrtis, Cab. & H. 1861. Amathusia, Muls. & V. 1865.

1730. enicurus, V. P. C. 66. 3; Less. T. t. 66; Gould, T. iii. pl. 157. Guatemala.

heteropygia et Swainsoni, Less. henicura, Reich,

1731, Elizæ, Gould, T. iii. pl. 155. Eliza, Less. & D.; elisa, Bp.

1732. Bryantæ, Lawr.

Costa Rica. 1733. Evelynæ, Boure.; Gould, T. iii. pl. 156. Bahama I.

evillina, Bp.; bahamensis, Bryant.

487. d. Manilia, 1865.

et Amathusia, p., Muls. & V. Calothorax, p., Gould.

1734. pulchra, Gould, T. iii. pl. 144.

S. Mexico.

488. e. Stellula, Gould, 1861,

Stellura, 1865, et Zephyritis, p., Muls. & V. 1735. calliope, Gould, T. iii. pl. 142.

N. Mexico, California.

S. Mexico.

489. f. Rhodopis, Reich, 1854.

Amathusia, p., Muls. & V.

1736. vesper, Less. O. M. t. 19; T. t. 9. 48; Gould, T. iii. pl. 154.

vespera, Reich.

Peru.

490. q. Myrtis, Reich, 1854.

Elisa, Ep. 1854? Zephyritis, Muls. & Verr. 1865. Myrtis, p., Cab. & II.

1737. Fanny, Less.; Gould, T. iii. pl. 151; Ann. Se. Phys. Lyon, 1838, t.

Ecuador, Peru.

labrador, Bourc.; Fannie, Gould.

1738. Yarrellii, Bourc.; Gould, T. iii. pl. 152.

W. Peru.

**491.** h. Lafresnaya, Bp. 1849.

Calothorax, G. R. Gr. 1848 nec 1840. Entima, Cab. & H. 1860. Euclosia, Muls. & V. 1865.
G. of B. i. pl. 35. f. 4.

1739. Lafresnayi, Boiss.; Gould, T. ii. pl. 85. flavicaudatus, Fras.

New Granada. N. Ecuador.

1740. Gayi, Bourc. & M.; Gould, T. ii. pl. 86.

Ecuador, Peru.

1741. Saulæ, Bourc.

Saulii, G. R. Gr.; Gayi, p., Cab, & H.; Saul, Reich.

Popayan?

492. i. Ionolaima, Reich. 1854.

Strophiolæmus, 1853, et Iolæma, 1854, Gould. Ionolæma, Bp. 1854.

1742. Schreibersii, Lodd.; Gould, T. ii. pl. 93.

Upp. Amazon, R. Napo. R. Napo.

1743. frontalis, Lawr.; Gould, T. ii. pl. 92.

493. TROCHILUS, L. 1748-56.

Troglodites, L. 1744. Cynanthus, Sw. 1827. Colubris, Reich. 1849? Ornismia, p., Muls. & V. Mellisuga, Briss. 1760. G. of B. i. p. 111; Reich. S. A. t. 40. f.

a. Trochilus.

1744. colubris, L.; Edw. B. pl. 38; Wils. A. O. pl. 10, 3, 4; E. of N. Amer., Gould, T. iii. pl. 131. Mexico, Cuba, Bermuda.

**494.** b. Archilochus, Reich. 1854. Ornismia, Muls. & V. 1865.

1745. Alexandri, Bourc. & M.; Gould, T. iii. pl. 132. Cassinii, Bρ.

N. Mexico. California.

1746. aurigularis, Lawr.

--- ?

495. c. Docimastes, Gould, 1849.

Mellisuga, G. R. Gr. 1848, nec Briss. Docimaster,  $B\rho$ . 1849.

G. of B. i. p. 111, pl. 35, f. 10; Reich. S. A. t. 40, f. .

1747. ensiferus, Boiss. Mag. de Zool. 1840, t. 15; Gould, T. iv. pl. 233.

Columbia.

Derbianus, Fras.

1748. Schliephackei, Cab. ensifera, p., Gould. Ecuador.

496. d. Eugenes, Gould, 1856.
Delattria, p., et Cœligena, p., Ep. Cyltolæma, p., Muls. & V.

1749. fulgens, Sw.; Less. O. M. t. 4; Gould, T. ii. pl. 59. Mexico.
Rivolii, Less. Guatemala.

1750. spectabilis, Lawr. fulgens ♀?, Salv. Costa Rica.

**497.** e. Eugenia, Gould, 1855. 1751. imperatrix, Gould, T. iv. pl. 234.

Ecuador.

498. f. Heliodoxa, Gould, 1849. Leadbeatera, p., Bp.

1752. jacula, Gould, T. ii. pl. 94.

New Granada.

1753. ? Henryi, Lawr. jacula, p. ?, Gould.

1754. Jamesoni, Bourc.; Gould, T. ii. pl. 95. Jamersoni!, Bourc.

Ecuador.

**499.** g. Leadbeatera, Bp. 1849.

1755. Leadbeateri, Bourc. Ann. Sc. Phys. Lyon, 1843, t. 5; Gould, T. ii. pl. 97. grata, Bp.

New Granada.

1756. splendens, Gould. Leadbeateri, var., Muls. & V. Venezuela.

1757. otero, Tsch.; Gould, T. ii. pl. 96. sagitta, Reich.; Leadbeateri, var., Muls. & V.

Peru, Bolivia.

500.

h. — ?

Heliomaster, p., 1849, et Heliomastes, Bp. 1854. Heliomaster, Reich, 1854.

1758. longirostris, V.; P. C. 299.1; Less. O. M.t. 2, C. suppl. t. 23, T. t. 34; Gould, T. iv. pl. 259. superbus, Shaw.

Trinid., Brazil.

1759. pallidiceps, Gould.

Mexico, Guatem

1760. Stuartæ, Lawr. longirostris, Sclut.

New Granada.

1761. Sclateri, Cab. longirostris, p., Sclat.?

Costa Rica.

Mexico.

1762. Constanti, Delattr.; Gould, T. iv. pl. 260.

Guatema., Costa Rica,

1763. Leocadiæ, Bourc.; Gould, T. iv. pl. 261. pinicola, Gould.

i. Corinnes, Less, 1832.

Trochilus, Sw. 1837, nec L. Heliomastes et Ornithomyia, Bp. 1854. Lepidolarnyx. Reich. 1854. Heliomaster, p., Ep. Lepidolarynx et Lepidoria, Muls. & V. 1865. Diphlogona, p., et Calliperidia, p., Muls. & V.

1764. mesoleucus, Tem. P. C. 203, 1; Gould, T. iv. pl. 262. Brazil. longirostris, Nat.; squamosus, Tem.

mystacinus, V.; Temminckii, Less. melanoleuca!, G. R. Gr.

**502.** j. Heliomaster, Bp. 1849.

Ornithomyia, p., Bp. 1854. Calliperidia, Reich. & Muls. & V.

Callopistria!, Bp. 1854. Calothorax, p., G. R. Gr.

1765. regis, Schreib. F. Bras. t. 1. 1; Gould, T. iv. pl. 263; Ill. de Zool. t. 49, 50.

Buenos Ayres. Tucuman.

angelæ, Less.; inornatus, Burm.

k. OREOPYRA, Gould, 1860.
 Panterpe, Cab. & H. 1860.

1766. hemileucus, Salv.

Costa Rica.

1767. calolæmus, Salv.

venusta, Lawr.

Veragua.

1768. insignis, Cab.

Costa Rica.

1769. leucaspis, Gould, T. iv. pl. 264.

1000 1000 pts, dema, 21111 pts 201

Volcans of Chiriqui.

1770. cinereicaudus, Lawr.

Costa Rica.

**504.** *l.* Helianthea, Gould, 1848.

1771. heliantheus, Less.; Gould, T. iv. pl. 235. typica, Bp. New Granada.

1772. Lutetiæ, Delattr. & B.; Gould, T. iv. pl. 238.

Popayan, Ecuad.

1773. violiferus, Gould, T. iv. pl. 239. violifer, Gould. Bolivia, Peru.

505. m. Hypochrysia, Reich. 1854. Helianthea, p., Gould.

1774. Bonapartei, Boiss. An. Sc. Phys. Lyon, 1842, t. 14; Gould, T. iv. pl. 236.

New Granada.

aurigaster, Lodd.
1775. eos, Gould, P. Z. S. 1848, pl. 1; id. T. iv. pl. 237.

Columbia (Merida).

506. n. Dipilogena, Gould, 1854.

Hypochrysia, p., Reich. Diphogena!, Gould.

1776. Iris, Gould, T. iv. pl. 247.

Andes of Bolivia.

1777. aurora, Gould, T. iv. pl. 248. Warszewizii, Reich. Peru.

1778. hesperus, Gould.

Cuenza, Ecuad.

**507.** o. Pterophanes, Gould, 1848.

1779. **Temmincki**, Boiss. Mag. de Zool. 1840, t. 14; Gould, T. iii, pl. 178.

cyanopterus, Lodd.

New Granada. Ecuador. 50 ⇒. p. Bourcieria, Bp. 1849.
Hamophania, Reich. 1854. Homophania, p., Cab. & H.

1780. Prunellei, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 1; Andes of New Gould, T. iv. pl. 257. Granada.

**509.** q. —?

Bourcieria, Reich. 1854, et p. Bp. 1849. Homophania, p., Cab. & H.

1781. torquatus, Boiss.; Gould, T. iv. pl. 251. Columbia.

1782. fuligidigula, Gould, T. iv. pl. 252. Eeuador.

1783. inca, Gould, T. iv. pl. 254. Bolivia.

1784. insectivorus, Tsch. F. P. t. 28. 1. Peru.

torquatus, p., G. R. Gr.

**510.** r. Lampropyoia, Reich. 1854.

Boureieria, p., Bp. Lampropygia, p., Cab. & H.

1785. Wilsoni, Delattr. & B.; Gould, T. iv. pl. 258. Ecuador.

**511.** s. Conradinia, Reich. 1854.

Bourcicria, p., Bp. Helianthea, p., Cab. & H.

1786. Conradi, Bourc.; Gould, T. iv. pl. 253.

Pamplona, New Granada.

t. CŒLIGENA, Less. 1832.
 Delattria, p., Bρ. 1849.

1787. Clemenciæ, Less. O. M. t. 80, C. suppl. t. 8; Gould, T. ii. pl. 60. Mexico.

typica, Bp.

Urania, Fitz.

513. v. — 9

Lampropygia, Cab. & H. 1860, nec Reich. Caeligena, 1849 (nec Less.), et Cœlegena, 1854, Bp.

Reich. S. A. t. 40. f. .

1788. cœligena, Less. T. t. 53; Gould, T. iv. pl. 255. New Granada. typica, Bp.; Lessoni, Muls. & V.

1789. bolivianus, Gould.

Lessoni, var., Muls. & V. Bolivia.

1790. purpureus, Gould, T. iv. pl. 256. Popayan.

514. v. Heliangelus, Gould, 1848.

Anactoria, Reich. 1854.

1791. Clarisse, De Long.; Gould, T. iv. pl. 242. New Granada. Clarisse, G. R. Gr.; Clarissa, Ep. Libussa, Reich

1792. strophianus, Gould, T. iv. pl. 243. Ecuador.

1793. amethysticollis, Lafr. D'Orb. Voy. Am. M. t. 60. 2; Gould, T. iv. pl. 245.

1794. Mavors, Gould, Pr. Z. S. 1848, pl. 11; Gould, T. iv. pl. 246. New Granada.

**515.** w. Heliotrypha, Gould, 1853.

Parzudakia, Reich. 1854. Heliotrypha, Bp. 1854. Heliotryphon, Cab. & H. 1860.

1795. Parzudaki, De Long.; Gould, T. iv. pl. 240. exortis, Fras.; dispar, Reich.

Ecuador.

1796. viola, Gould, T. iv. pl. 241.

516. x. Doryfera, Gould, 1847.
Doryphera, Bp. 1849. Doryphora, Cab. & H. 1860.
Hemistephania, Reich. 1854.

1797. **Johannæ**, *Bourc.*; *Gould*, *T.* iv. pl. 87. violifrons, *Gould*.

New Granada.

1798. Ludoviciæ, Bourc. & M.; Gould, T. iv. pl. 88.

1799. rectirostris, Gould.

Ecuador.

1800. euphrosinæ, Muls. & V.

New Granada.

517. y. CLYTOLEMA, Gould, 1853.
Heliodoxa, Reich. 1854, nec Gould, 1849. Clytolaema, Cab. & H. 1861.

1801. rubineus, Gm.; Briss. Orn. iii. t. 37. 4; P. E. 276. 4; Gould, T. iv. pl. 249. obscurus, Gm.; ruficaudatus, V.

E. Brazil.

1802. aurescens, Gould, T. iv. pl. 250.

Rio Madeiro et R. Napo.

z. Римовама, Reich. 1854.
 Phæokema, Ep. 1854. Phæokema, Cab. & H. 1860.
 Phæokema, Gould, 1861.

New Granada.

1803. rubinoides, Bourc. & M.; Gould, T. iv. pl. 268. granadensis, Cub. & H.

Ecuador.

 aequatorialis, Gould, T. iv. pl. 269. rubinoïdes, Sclut.

519. aa. Lamprolama, Reich. 1854.
Lamprolama, Bp. 1854. Lamprolama, Gould, 1861.

1805. Rhami, Less.; Gould, T. ii. pl. 61.

Guatemala.

**520.** bb. ΔGLEACTIS, Gould, 1848.

Aglaïactis, Cab. & H. 1860.

1806. cupripennis, Bourc. & M.; Gould, T. iii. pl. 179.

New Granada.

1807. æquatorialis, Cab. & H. curvinennis, v.ar., Muls. & V.

Ecuador.

New Granada.

1808, pamela, Lafr.; D'Orb. Voy. Am. M. t. 60. 1; Gould, T. iii. pl. 181. Bolivia. 1809. parvula, Gould. cupripennis, var., Muls. & V. Peru or Bolivia. 1810. caumatonotus, Gould. ,, cupripennis, var., Muls. & V. olivaceocauda, Lawr. E. Peru. 1811. Castelnaudii, Bourc. & M.; Gould, T. iii, pl. 180. Peru. Castelnaui, G. R. Gr. Castelneaui, Bp. 521. cc. Boissonneaua, Reich, 1854. Panoplites, Gould, 1854. Boissoneaua!, Cab. & H. 1812. flavescens, Lodd.; Gould, T. ii. pl. 111. Ecuador. paradisea, Boiss. New Granada. 1813. Matthewsi, Lodd.; Gould, T. ii. pl. 112. Ecuador. 1814. Jardini, Bourc.; Gould, T. ii. pl. 110. Jardinei, Cab. & H. 522. dd. Ramphomicron, Bp. 1849. Rhamphimicrus, Cab. & H. 1860. 1815. microrhynchus, Boiss, Mag. de Zool, 1840, t. 16; Gould, Audes. T. iii. pl. 189. brachyrhynchus, Fras. 1816. olivaceus, Lawr. Bolivia. 523. ee. Eurogonus, Muls. & V. 1865. Ramphimicron, p., Muls. & V. Chalcostigma, p., Reich. 1817. Herrani, Delattr. & Bourc.; Gould, T. iii. pl. 187. Ecuador. 524. ff. Lampropogon, Ep. 1854. Chalcostigma, Reich. 1854. Ramphimicron, Gould et p. Bp. 1818. heteropogon, Boiss. Mag. de Zool. 1840, t. 12; Gould, T. New Granada. iii. pl. 184. coruscans, Fras. 1819. Stanleyi, Eourc. & M.; Gould, T. iii. pl. 185. Ecuador. 1820. Vulcani, Reich, Aufz, der Col. t. 12; Gould, T. iii. pl. 186. Bolivia. Stanleyi, var., Muls. & I'. 1821. ruficeps, Gould, T. iii. pl. 188. 525. qq. Oxypogon, Gould, 1848.

1822. Guerinii, Boiss.; Gould, T. iii. pl. 182.

1823. Lindenii, Parz. Rev. Zool. 1849, t. 8; Gould, T. iii. pl.

parvirostris, Fras,

183.

526. hh. OREONYMPHA, Gould, 1869. Tinta, Peru. 1824. nobilis, Gould. 527. ii. Urosticte, Gould, 1853. Urosticta, Reich. 1825. Benjamini, Bourc.; Gould, T. iii. pl. 190. Ecuador. 1826. rufierissus, Lawr. 528. ii. Adelomyia, Bp. 1854. Adelisca, Cab. & H. 1860. 1827. melanogenys, Fras.; Gould, T. iii. pl. 198. New Granada, Ecuad., Peru. Sabinæ, Bourc. & M. Ecuador. 1828. maculatus, Gould, T. iii. pl. 199. Bolivia. 1829. inornatus, Gould, T. iii. pl. 197. 529. kk. Phlogophilus, Gould, 1860. R. Napo? 1830. hemileucurus, Gould, T. v. pl. 360. 530. ll. Anthocephala, Cab. & H. 1860. Adelomyia, p., Ep. 1831. ?castaneiventris, Gould, T. iii. pl. 203. Chiriqui. Columbia 1832. floriceps, Gould, T. iii. pl. 202. 531. mm. UROLAMPRA, Cab. & H. 1860. Metallura, Bp. 1854, nec Gould, 1847. 1833. tyrianthinus, Lodd.; Ann. Sc. Phys. Lyon, 1840, t. 3, 4; New Granada. Gould, T. iii. pl. 195. Allardi, Bourc.; Paulinæ, Boiss. Bolivia. 1834. æneocaudus, Gould, T. iii. pl. 192. Ecuador. 1835. quitensis, Gould. 1836. smaragdinicollis, Lafr.; D'Orb. Voy. Am. M. t. 59. 2; Gould, T. iii. pl. 196. Peru. Bolivia. 1837. Williami, Bourc.; Gould, T. iii. pl. 193. Popayan. 1838. Primolina, Bourc.; Gould, T. iii. pl. 194. Peru.

nn. Abeillia, Bp. 1849.
 Myiabeillia, Bp. 1854.

Baucis, Reich. 1854.

Primolii. Gould.

1839. chloropogon, Cab. & H.

1840. Abeillei, Delattr. & L.; Gould, T. iv. pl. 211. Mexico. typica, Ep. Guatemala.

---- ?

533. oo. Diotima, Reich. 1854.

Heliangelus, p., Gould.

1841. Spencei, Bourc.; Gould, T. iv. pl. 244.

New Granada.

**534.** pp. Metallura, Gould, 1848.

1842. cupreicaudus, Gould, T. iii. pl. 191. opaca, Tsch.; cupricauda, Gould.

Bolivia.

**535.** qq. Saphos, Less. 1832.

Comctes, Gould, 1847, nec Hodgs, 1841. Sappho, Reich. 1849. Sparganura, Cab. & H. 1860. Reich. S. A. t. 40. f.

1843. sparganurus, Shaw; Less. O. M. t. 27, 28, T. t. 49; Gould, T. iii. pl. 174.

chrysurus, Cuv.; radiosus, Tem. sappho, Less.; chrysochloris, V.

1844. **Phaon**, Gould, T. iii. pl. 175.

Peru.

1845. ? glyceria, Bp.; Gould, T. iii. pl. 176. Mossai. Gould.

New Granada

1846. ? Caroli, Boure.; Gould, T. iii. pl. 177.

Peru.

**536.** rr. Cynanthus, Sw. 1827.

Lesbia, Cab. & H. 1860, nec Less.

1847. cyanurus, Steph.; Gould, T. iii. pl. 172. Kingii, Less.; forficatus, (L.?) Reich. New Granada.

1848. mocoa, Delattr. & B.; Gould, T. iii. pl. 173. smaragdinus et smaragdinicaudus, Gould. smaragdicaudus, Muls. & V.

Peru, Bolivia.

1849. cœlestis, Gould.

Gorgo, Reich.

Ecuador.

537. ss. Lesbia, Less, 1832.

Cynanthus, Sw. 1837, nec 1827. Discura, Reich. 1854. Agaclyta, Cab. & H. 1860. Cyananthus, Reich. 1854.

1850. Gouldii, Lodd.; Gould, T. iii. pl. 167. sylphia, Less.

New Granada.

1851. nuna, Less. O. M. suppl. t. 35; Gould, T. iii. pl. 169. bifurcata. Sw.?

Peru.

1852. gracilis, Gould, T. iii, pl. 168.

Ecuador.

538. tt. Psalidoprymna, Cab. & H. 1860.

Cynanthus, Ep. 1854. Lesbia, Gould, 1854.

1853. amaryllis, Boure. & M. Mag. de Zool. 1846, t. 4; Gould, T. iii. pl. 170.

New Granada. Ecuador, Peru.

Victoria, Boure,

1854. eucharis, Bourc.; Gould, T. iii. pl. 171. bifurcata, Reich.

New Granada.

539. uu. Discosura, Bp. 1849.

Platures et Platurus, Less, 1829, nec Latr. Ocrcatus, p., Gould. Discura, Cab. & H. 1860.

1855. longicaudus, Gm.; V. O. D. t. 52; Gould, T. iii. pl. 126. Cayenne, Brazil. platurus, Lath.; ligonicauda, Gould. Demerara.

540. vv. Steganurus, Reich, 1849.

Spathura, 1850, et Ocreatus, p., Gould. Steganura, Reich, 1854.

Reich. S. A. t. 40, f.

1856, Addæ, Bourc,; Gould, T. iii. pl. 165. rufocaligatus. Gould.

Bolivia.

1857. Underwoodi, Less. T. t. 37; Gould, T. iii. pl. 162. ventilabrum, Lath.; Kieneri, Less. spatuligera et remiga, Reich.

Bogota, Venezuela.

1858. melanantherus, Jard.; Gould, T. iii. pl. 163.

Ecuador. Peru.

1859, peruanus, Gould, T. iii. pl. 164.

ww. URALIA, Muls. & V. 1865. 541. Spathura, p., Gould.

1860. cissiurus, Gould, T. iii. pl. 166.

xx. Loddigesia, Gould, 1850.

Loddigiornis, 1850, et Loddiggiornis, 1854, Bp. Mulsantia, Reich, 1854.

1861. mirabilis, Lodd.; G. R. Gr. & M. G. B. pl. 37; Gould, T. iii, pl. 161.

yy. Selasphorus, Sw. 1831. 543.

Rubis, Less, 1832. Mellisuga, p., G. R. Gr. 1841. Selosphorus, Bp. 1849. Selasophorus, Reich. 1854.

1862. rufus, Gm.; Lath. Syn. i. pl. 35; Less. O. M. t. 66, 67, suppl. t. 11-13, T. t. 43; Gould, T. iii. pl. 137. collaris, Lath.; sitkensis, Rath.

Mexico, Calif. Nootka S., Sitka.

1863. platycercus, Sw.; Less. O. M. suppl. t. 14; Gould, T. iii. pl. 140.

C. America.

tricolor et montana, Less.

sasin, Less.; rubra, Steph.

1864. scintilla, Gould, T. iii. pl. 138.

Costa Rica.

1865. Floresii, Lodd.; Gould, T. iii. pl. 139.

C. Mexico.

1866, flammula, Salv.

Costa Rica.

zz. CALYPTE, Gould, 1856. 544. Atthis, p., Cab. & H. Zephyrites et Calypte, Muls. & V. 1865. 1867. Annæ, Less. O. M. t. 74; Gould, T. iii. pl. 135. icterocephala, Nutt.; lamprocephalus, Licht.

Mexico, Calif.

1868. Costæ, Bourc.; Voy. Venus, t. 2; Gould, T. iii. pl. 136.

1869. Helenæ, Lemb.; Gould, T. iii. pl. 136. Boothi, Gundl.; Elvira, p., Muls. & V. Cuba.

545. aaa. Atthis, Reich. 1854.

Tryphæna, p., Bp.

1870. **Heloisa**, Less. & D.; Gould, T. iii. pl. 141. Heloisæ, Gould.

C. America. S. Mexico.

546. bbb. Acestrura, Gould, 1861.

Polymnia, Muls. & V. 1865. Ornismia, p., Muls. & V.

1871. Mulsanti, Bourc. Ann. Sc. Phys. Lyon, 1842, t. 20; Gould, T. iii. pl. 145.

Andes.

1872. Heliodore, Bourc. Ann. Sc. Phys. Lyon, 1842, t. 15, 16; Gould, T. iii. pl. 147.

Andes, New
Granada.
——?, New
Granada?
Peru or Bolivia.

1873. decoratus, Gould, T. iii. pl. 146.

1874. micrurus, Gould, T. iii. pl. 148.

ccc. Chetocercus, G. R. Gr. 1853.
 Calothorax, Reich. 1854, nec Gr.
 Callothorax, Bp. 1854. Osalia, Muls. & V. 1865.

1875. Rosæ, Bourc. & M.; Gould, T. iii. pl. 149. rosa, Bp. Venezuela.

1876. Jourdani, Bourc. Ann. S. P. de Lyon, 1840, t. 5, 6; Gould, T. iii. pl. 150.

Trinidad.

548. ddd. Heliactin. Boie, 1831.

Heliaetinia, Reich. 1849. Queues étroites, Less. 1832. Heliaetinus, Burm. 1856.

Reich, S. A. t. 40. f

1877. cornutus, Max.; P. C. 18, 3; Less. O. M. t. 7, 8, suppl. t. 32; Gould, T. iv. pl. 212.

Brazil.

 $\mathbf{L}$ 

dilophus, V.; bilophus, Tem. chrysolopha, Less.

**549.** ece. Gouldia, Bp. 1849.

Gouldomyia, Bp. 1854. Prymmeanthus, Cab. & H. 1860. Mellisuga, Muls. & V.

1878. Langsdorffii, V.; P. C. 66, 1; Less. O. M. t. 26, suppl. 16; T. t. 35, 60; Gould, T. iii. pl. 128. hirundinaceus, Spix.

1879. melanosternon, Gould.

Peru.

1880. Conversii, Bourc. & M. Rev. de Zool. 1846, t. 3; Gould, T. iii. pl. 129.

Bogota,Ecuador.

1881. Letitiæ, Boure.; Gould, T. iii. pl. 130.

Bolivia.

550. fff. Popelairia, Reich. 1854.

Pyrmnacanthus, p., Cab. & H. Prymnacantha, Muls. & V.

1882. Popelairii, Dubus, Esq. O. t. 6; Gould, T. iii. pl. 127. New Granada. tricholopha, Reich.

**551.** ggg. Tryphaena, Gould, 1850.

Tilmatura, Reich. 1854. Thaumatura, p., Ep. 1854.

1883. Duponti, Less. C. t. 1; Gould, T. iii, pl. 158. zemes et celestis, Less.; lepida, Reich.

Guatemala.

**552.** *hhh.* Calliphlox, *Boie*, 1831.

Tryphaena, p., Ep. 1849.

1884. amethystinus, Gm.; P. E. 672. 1; Gould, T. iii. pl. 159. N. of S. Amer. orthura, Less. T. t. 28, 29? Trinidad. campestris, Max.; brevicandus, Spix.

1885, amethystoides, Less. T. t. 25-27, 30.

Brazil.

553. iii. Philodice, Muls. & V. 1865. Calliphlox, p., Muls. & V.

1886. Mitchellii, Boure.; Gould, T. iii. pl. 160.

S. N. Granada,

554. jij. Smaragdochrysis, Gould, 1861.

1887. iridescens, Gould, T. v. pl. 359.

Inter. of Brazil.

**555.** kkk. Lophornis, Less. 1829.

Bellatrix, Boie, 1831. Lophorinus, Bp. 1854. Reich. S. A. t. 40. f.

1888. ornatus, Bodd.; P. E. 640. 3; Gould, T. iii. pl. 117. auratus, Gm.

N. Brazil. Trinidad.

1889. Gouldii, Less. T. t. 36; Gould, T. iii. pl. 118.

N. Brazil.

Peru.

1890. lophotes, Gould.

Peru.

**556.** *Ill.* Paphosia, *Muls.* & V. 1865.

Lophornis, p., Gould.

1891. Helenæ, Delattr.; Gould, T. iii. pl. 123.

Guatemala, S. Mexico.

557. mmm. Telamon, Muls. & V. 1865.

Lophornis, p., Less.

1892. Delattrei, Less.; Gould, T. iii. pl. 121.

New Granada.

1893. Reginæ, Gould; Schreib, F. Bras. t. 1, 2; Gould, T. iii. pl. 122.

New Granada.

1894, regulus, Gould, T. iii, pl. 120.

Bolivia.

558.

nnn. — ?

Bellatrix, Boic; Reich, 1854.

Reich, S. A. t. 40, f. .

1895. magnificus, V.; P. C. 299, 2; Gould, T. iii, pl. 119. S.E. Brazil. decorus, Licht.; strumaria, Less. helios, Spir.

559. 000. POLEMISTRIA, Cab. & H. 1860.

Bellatrix, Bp. 1851.

1896. chalybeus, F.; P. C. 66, 2; Gould, T. iii. pl. 124.

Brazil.

festivus, Licht.; Vieillotii, Less. Audenetii, Less. O. M. suppl. t. 2.

mystax, Spix.

1897. Verreauxi, Boure.; Gould, T. iii. pl. 125.

Peru.

560. ppp. Sephanoides, Less. 1832.

Eustephanus, Reich. 1849.

Thaumaste, Reich. 1854. Stokæsiella, Bp. 1854.

Reich, S. A. t. 40, f.

1898. galeritus, Mol.; Voy. Coqu. t. 31, 2; Gould, T. iv. pl. 265, Chili. Kingii, Vig.; stephanoides, Less.; forficatus, Gould. Juan Fernandez. flammifrons, Lyell.

1899. fernandensis, King; Mag. de Zool. 1835, t. 43; Gould, T. iv. pl. 267.

cinnamomea, Gerv.; Robinson, Less. Stokesi, King; Less. T. t. 50; Gould, T. iv. pl 266.

Q of fernandensis, Landb.

561. qqq. Chrysolampis, Eoic, 1831. Reich, S. A. t. 40, f.

1900. mosquitus, L.; Briss. Orn. iii. t. 37.1; P. E. 227. 2; Gould, T. iv. pl. 204.

N. of S. America

moschitus, pegasus (Briss. Orn. iii. t. 36, 4.), gujanensis, carbunculus et elatus, Gm.; Edw. B. pl. 344; P. E. 640. 1; hypophæus, Shaw.

Trin., Tobago

Reichenbachi, Cab. & H.

562. rrr. Orthornynchus, Cuv. 1799-1800.

Bellona, Muls. & V. 1865. Lepidolopha, Reich, 1854?

1901. cristatus, L.; Edw. B. pl. 37; P. E. 227. 1; Gordd, T.iv. Barbadoes. pl. 205.

pileatus, Lath.; puniceus, Gm. melanolophus, 17,?

St. Vincent.

1902. exilis, Gm.; Less. T. t. 4; Gould, T. iv. pl. 207. eristatellus, Lath.; chlorolophus, Bp.

West Indies.

r 2

1903. ornatus, Gould; Less. O. M. t. 31, 32?; Gould, T. iv. pl. 206. Windward Isl. Hectoris. Muls. & V.

563. SSS. CEPHALLEPIS, Lodd. 1831.

Huppes, Less. 1832. Smaragditis, Reich. 1849. Cephalepis, Bp. 1849. Cephalolepis, Cab. & H. 1860. Reich, S. A. t. 40. f.

1904. Delalandii, V.; P. C. 18.1, 2; Gould, T. iv. pl. 208. S. Brazil. versicolor, V.; Lalandii, Bp.

1905. Loddigesi, Gould; Less. T. t. 51; Gould, T. iv. pl. 209. E. Brazil. opisthotomus, Licht.

1906. Beskii, Pelz. Loddigesii, juv.?, Reich.

## **564.** HYLOCHARIS, Boie, 1831.

Saphirs, Less. 1832. Sapphironia, Bp. 1854. G. of B. i. p. 114.

#### a. Hylocharis.

1907. sapphirina, Gm.; Less. O. M. t. 55, 57, T. t. 15; Gould, T. v. pl. 342. latirostris, Max.

fulvifrons, Lath.? 1908. lactea, Less. O. M. t. 56; Gould, T. v. pl. 343. sappliirina, p., Less.

E. & N. Brazil.

New Granada.

Equador.

,,

E. & N. Brazil.

Brazil.

b. Eucephala, Reich, 1854. 565.

Augasma, Gould, MS. Chlorestes, Cab. & H. 1860, et p. Reich.

1909. Gravi, Delattr. & B.; Gould, T. v. pl. 330.

1910. cærulea, V. O. D. t. 40; Gould, T. v. pl. 335.

Audeberti, Less.; mentalis, Cab. 1911. cyanogenys, Max.; Edw. B. pl. 360. 1. Brazil.

1912. smaragdo-exrulea, Gould, T. v. pl. 331. smaragdineum, Gould.

Wiedii, Less. O. M. suppl. t. 26.

1913, chloroeephala, Bourc.; Gould, T. v. pl. 332.

1914, exruleo-lavata, Gould, T. v. pl. 333.

S.E. Brazil.

Cayenne? 1915. scapulata, Gould.

1916. hypoeyanea, Gould, T. v. pl. 334. Brazil?

1917. ? flavifrons, Gm. & Pelz.

#### 566. c. Panychlora, Cab. & H. 1860.

Chlorostilbon, Bp. 1854. Panichlora, Muls. & V.

1918. Portmanni, Bourc.; Gould, T. v. pl. 358. Esmeralda, Reich.	New Granada.
1919. euchloris, Reich. Troch. t. 694. f. 4544.	., ?
1920. stenura, Cab. & H. acuticauda, Gould.	**
<b>567.</b> d. ——?	
Smaragdites, Muls. & V. 1865. Chlorostilbon, p., Muls. & V. Panychlora, p., Gould.	
1921. Alicie, Bourc.; Gould, T. v. pl. 357. Alicie, Reich.; aurata, Cab. & H. maculicollis, Reich.	Venezuela. New Granada
568. e. Prasitis, Cab. & H. 1860. Prasites, G. R. Gr.	
1922. <b>prasina</b> , <i>Less. O. M.</i> t. 65. alata, <i>Less.</i>	Trinidad, Venezuela.
1923. Daphne, Boure.	Peru.
1924. brevicaudata, Gould.	Cayenne.
1925. peruana, Gould.	Peru.
1926. napensis, Gould.	Rio Napo.
1927. insularis, Lawr.	Tres Marias I.
569. f. Chlorolampis, Cab. & H. 1860.	
1928. chrysogaster, Bourc. mclanorhynchus, Gould? smaragdina, Cab. & H.; alata, Selat.	New Granada. Ecuador.
1929. assimilis, Lawr.	Panama.
1930. nitens, Lawr.	Venezuela.
570. g. ——? Chlorolampis, Gould, 1861. Chlorolampis, p., Cab. s; H. 1860.	
1931. Canivetii, Less. O. M. suppl. t. 37, 38; Gould, T. v. pl. 351. Caniveti, Bp.	S. Mexico.
1932. <b>Salvini</b> , Cab. & H. Canivetii, Selat. & S.	Costa Rica.
1933. Osberti, Gould, T. v. pl. 352.	
1934. auriceps, Gould, T. v. pl. 350. Canivetii, Delattr. & Less.	Mexico.

521. h. Chlorostilbon, Gould, 1853.
Chlorestes, Reich, 1854. Chlorolampis, p., Cab. & H. 1860.

1935. phæthon, Bourc. & Muls.; Gould, T. v. pl. 354. phæton, G. R. Gr.; phæton et similis, Ep.; simila, Boure. flavifrons et metallicus, Gould.

Bolivia. S. Brazil.

1936. angustipennis, Fras.; Gould, T. v. pl. 353.

Panama, New Granada. Carthagena.

1937. Haeberlini, Reich. Troch. t. 755. 4734-35. chrysogaster, Cab. & H.; Herberlini, Muls. & V.

1938. Pucherani, Bourc. & Muls.; Gould, T. v. pl. 355. prasina, Burm.; nitidissimus, Reich.

1939. ignea, Gould.

Para?

1940, aureiventris, D' Orb. & Lafr.

Bolivia, Peru

572. i. Mellisuga, Klein, 1759.

Trochilus, V. 1807, nec L. Ornismva, 1828. Ornithomya et Trochilus, 1832, Less. Myiornis, Agass. Lampornis, p., Less. 1829.

Zephyritis, p., et Dyrinia, Muls. & V. 1865. 1941. minima, L.; Edw. B. pl. 105. low. fig.; Less. O. M. t.

Jamaica. 79; Gould, T. iii. pl. 133. minutulus, V.; Vicilloti, Shaw; humilis, Gosse. Catharinæ, Sallé; niger, Gm.; pygmæus, Sw.

St. Domingo.

i. Sporadinus, Bp. 1854.

Riccordia, Reich, 1854. Sporadicus, Cab. & H. 1860.

1942. Ricordi, De La Sag. Mag. de Zool. 1835, t. 41, 42; Gould, Cuba. T. v. pl. 348. Parzudhaki, Less.; Raimondi, Reich.

1943. elegans, V. O. D. t. 37, 38; Less. O. M. t. 70; Gould, T. v. t. 347. Swainsoni, Less.

St. Domingo.

1944. Maugwa, V. O. D. t. 37, 38; Less. O. M. t. 68, 69; Gould, T. v. pl. 349.

Maugei, Gould; Maugeana, Shaw; ourissia, L.?

Porto Rico.

574. k. Patagona, G. R. Gr. 1840.

Cynanthus, Less. 1829, nec Sw. 1827. Patagons, Less. 1832. Hylocharis, G. R. Gr. 1848, nec Evie. Hypermetra, Cab. & H. 1860. Reich, S. A. t. 40, f.

1945. gigas, V.; Gul. des Ois. t. 180; Less. O. M. t. 3; Gould, T. iv. pl. 232. tristis, Less.; gigantea, D'Orb. & Lafr.

Ecuador, Peru. Bolivia, Chili.

575. l. Damophila, Reich. 1854.

1946. amabilis, Gould, T. v. pl. 341.

New Granada, Ecuador.

576. m. Juliamyia,  $B\rho$ . 1854. Damophila, p., Reich, 1854. Julianya, Gould, 1859. 1947. Julie, Bourc. Ann. Sc. Phys. Lyon, 1843, t. 21; Gould, T. v. pl. 337.

New Granada.

Julie, G. R. Gr.; typica,  $B\rho$ . Feliciana, p., Muls. & V.

1948. Feliciana, Less.

Ecuador.

...., ....

577.

n. Basilinna, Boie, 1831.

Bleuets, Less. 1832. Basilina, Reich. 1849. Heliopaedica, Gould, 1858. Heliopedica, Sclat. § S. 1859. Reich. S. A. t. 39. f. ?

1949. leucotis, V.; Less. O. M. t. 9, suppl. t. 27; Gould, T. ii. pl. 64.

Guatemala. Mexico.

melanotis, Sw.; Arsenni, Less. leucocrotaphus et lucidus, Shaw?

cuculliger, Licht.

1950. Zantusii, Lawr.; Gould, T. ii. pl. 65; Elliot, B. N. A. pl. S. California. castaneocauda, Lawr.

75.
 AVOCETTULA, Reich. 1849.

Avocettes, Less. 1832. Avocetta, Aguss, nec Briss, Avocettinus, Bp. 1849. Campylopterus, Sw. 1837, nec 1827. Streblorhamphus, Cab.  $\S$  H. 1860.

Reich, S. A. t. 39, f.

1951. recurvirostris, Sw. Zool. Ill. pl. 105; Less. O. M. t. 37, suppl. t. 34; Gould, T. iii. pl. 201. avocetta, Less. C. t. 24, T. t. 23; Lessoni, Bp.

Guiana.

579.

p. Augastes, Gould, 1850.

Trochilus, Sw. 1827, nec L. Augaste, Muls. & V.

1952. superba, V.; P. C. 299, 3; Less. O. M. t. 16; Gould, T. iv. pl. 221. scutatus, Natt.; Nattereri, Less.

Ecuador. Brazil.

**580.** 

q. Lamprurus, Reich. 1854.

Lumachellus, Bp. 1854.

1953. lumachella, Less.; Gould, T. iv. pl. 222.

C. & N. Brazil.

581.

r. Cyanophaia, Reich, 1854.

1954. cyanea, F.; Less. O. M. t. 71, suppl. t. 23; Goald, 7. v. pl. 344.

E. Brazil

azureus, Licht.?; bicolor, Less. smaragdo-sapphirinus, Shaw.

552.

s. Circe, Gould, 1861.

1955. latirostris, Sw.; Gould, T. v. pl. 338 eirce, Bourc., Lessom, Delatir. M ....

circe, Bourc. , Lessoni, Delattr. lazula, Reich.: Doubledayi, Cab. & 11.

1956. Doubledays, Besires Gould, T. v. pl. 339

584.

583. t. PHEOPTILA, Gould, 1861.

1957. sordida, Gould, T. v. pl. 340.

Mexico.

1958, zonura, Gould.

sordida Q, Muls. & V.

u. Klais, Reich, 1854.

Guimetia, 1854, ct Myiabeillia, Bp. Myiabellia, Sclat. Adelomya, Muls. & V.

1959. Guimeti, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 2; Gould, T. iv. pl. 210. Merrittii, Lawr.

Venezuela. Andes of New Granada.

585. v. Phemonoë, Reich. 1854.

Luciania, Bp. 1854. Luciana, G. R. Gr. 1855.

1960. cupreiventris, Fras.; Gould, T. iv. pl. 270, 271. vestita ♀, Long.; maniculata, Less.? simplex, Gould.

1961. Luciana, Bourc.; Gould, T. iv. pl. 273.

Ecuador.

1962. Isaacsoni, Parz.; Gould, T. iv. pl. 272.

New Granada.

,,

1963. D'Orbignyi, Bourc.; Gould, T. iv. pl. 278. Orbignyi, Bp.

Ecuador.

1964. Godini, Bourc.; Gould, T. iv. pl. 277.

w. Eriocnemis, Reich. 1849. Eriopus, Gould, 1847, nec Treits. 1825. Vestipes, Less.

1965. vestita, Long.; Gould, T. iv. pl. 275. uropygialis, Fras.; glomata, Less.

Andes of New Granada.

1966. nigrivestis, Bourc.; Gould, T. iv. pl. 276.

Ecuador.

1967. Aureliæ, Bourc.; Gould, T. iv. pl. 283.

New Granada,

1968. smaragdinipectus, Gould.

Ecuador. Ecuador.

587. x. THREPTRIA, Reich. 1854. Mosqueria, Bp. 1854.

1969. Mosquera, Bourc. & D.; Gould, T. iv. pl. 274.

New Granada.

1970. lugens, Gould, T. iv. pl. 282.

Ecuador.

1971. squamata, Gould, T. iv. pl. 281.

588.

y. Engyete, Reich. 1854.

Aline, Bp. 1854. G. of B. i. pl. 35. f. 9; Reich. S. A. t. 40. f.

1972. Aline, Bourc.; Ann. Sc. Phys. Lyon, 1842, t. 19; Gould, T. iv. pl. 280. Alinæ, Bourc.

New Granada.

589. z. Derbyomyta, Bp. 1854.

Derbyomyia, G. R. Gr. 1855. Erebenna, Muls. & V. 1866.

1973. Derbyi, Delatt. & B.; Gould, T. iv. pl. 279. New Granada. Derbyanus, Bp.; Derbiana, Gould.

**590. HELIOTHRYX**, Boie, 1831.

Jacobines, Less. 1832. Heliothrys!, G. R. Gr. 1840. Heliothrix, Strickl. 1841.

G. of B. i. p. 115, pl. 35, f. 8; Reich, S. A. t. 39, f.

1974. auritus, Gm.; Briss. Orn. iii. t. 37. 3; V. O. D. t. 25; Gould, T. iv. pl. 213.

N. Brazil. leueoerotaphus, V.

1975. auriculatus, Licht.; Erman, Voy. t. 2. 1, 2; Gould, T. iv. pl. 214.

Pouchettii, Less.; auritus, juv., Burm.

1976. longirostris, Gould.

1977. phainoleuca, Hartl.; Gould, T. iv. pl. 215. phoenolæma, Cab. & H.; phainolæma, Gould.

1978. Barroti, Bourc. Ann. S. P. de Lyon, 1843, t. 4; Gould, T. Guatemala. iv. pl. 216. Costa Rica.

purpureiceps, Gould; Gabriel, Delattr. 1979. violifrons, Gould, T. iv. pl. 217.

Barroti, Gould.

Carthagena or Veragua.

S.E. Brazil.

Equador.

Rio Negro.

## FAM. V. MELIPHAGIDÆ, Vig. 1825.

Subfam. I. Myzomelinæ, G. R. Gr. 1840.

**591. MYZOMELA**, Vig. & H. 1826.

Meliphaga, 4 div., V. & H. 1826. Phylidonyris, Less. 1837, nec 1831. G. of B. i. p. 117.

a. Myzomela.

1980. sanguinolenta, Lath.; Gould, B. A. iv. pl. 63. New S. Wales. dibapha et erythropygia, Lath. N. Australia. australasiæ, Leach, New Caledonia?

eardinalis, Vig. & II.

1981. erythrocephala, Gould, B. A. iv. pl. 64. N. Austral., Aru.

1982. obscura, Gould, B. A. iv. pl. 67. N. Australia.

1983. major, *Bp*. Caroline I.

1984. jugularis, Peale, U. S. Expl. Exp. pl. 12.2; Finsch & H. F. Central pol. t. 7. 1, 2. Samoan I.

solitaria, Jacq. & Pucher. Voy. Pole Sud, t. 22. 6 Feejee I. 1985. cardinalis, Forst.; Lath. Syn. pl. 71. 2. sanguinea, Less.; melanogastra, Bp.

1986. vulnerata, Müll. Verh. Zool. t. 10. 3, 4.

1987. simplex, G. R. Gr.

1988, nigrita, G. R. Gr.

1989. chermesina, G. R. Gr. & M. G. B. pl. 38.

1990. pectoralis, Gould, B. A. iv. pl. 65.

1991. rubratra, Less.; Kittl. Kupf. Vog. t. 8. 1. sanguinolenta, p., G. R. Gr.

1992. nigriventris, Peale, U. S. Expl. Exp. pl. 12.1; Finsch & H. F. Centralpol. t. 8.3, 4. rubrater, Hartl.; Arnouxi, Verr.

1993. Lafargei, Homb. & J. Voy. Pôle Sud, t. 22. 5. de la Farge, Reich.

1994. Boiei, Müll. Verh. Zool. t. 10. 1, 2.

1995. ? pusilla, G. R. Gr.; V. O. D. t. 58. eardinalis, V.; p., Hartl.

**592.** b. Cissomelas, Ep. 1854.

Myzomela, p., Gould.
G. of B. i. pl. 38. f. 1; Reich. S. A. t. 35. f. .

1996. **nigra**, Gould, B. A. iv. pl. 66.

**593. ENTOMOPHILA,** Gould, 1837, nec Leach. G. of B. i. p. 118, pl. 38. f. 4; Reich. S. A. t. 35. f.

а. Ектоморина.

1997. picta, Gould, B. A. iv. pl. 50.

**594.** b. Сологогина, Reich. 1852. Entomophila, p., Gould.

1998. albogularis, Gould, B. A. iv. pl. 51.

1999. rufogularis, Gould, B. A. iv. pl. 52. rufigularis, Reich.

2000. ? spilodera, G. R. Gr.

595. c. Certhionyx, Less. 1831

Melicophila, Gould, 1844. Melitophila, Cab. 1851, nec Latr. Lichnotentha, Cab. 1851. Entomophila, p., G. R. Gr. Reich. S. A. t. 35, f. (6).

2001. leucomelas, Cuv.; Gould, B. A. iv. pl. 49. variegatus, Less.; picata, Gould.

New Hebrides.

Timor.

Batchian I.

New Guin., Aru.

New Guinea?

N. Australia.

Marian I. Pelew I.

\_\_\_\_

Samoan I.

Solomon I.

Banda.

--- ?

W. Australia.

New S. Wales.

New S. Wates

N. Austra., New Guinea, Aru.

N. Australia.

New Guinea.

S. & W. Australia.

#### 596. GLICIPHILA, Sw. 1837.

Glyciphila, G. R. Gr. 1840. Glyciphila, Cab. 1851. G. of B. i. p. 118, pl. 38. f. 2; Reich, S. A. t. 35. f.

#### a. Glicipiula.

2002. fulvifrons, Lewin, B. N. H. pl. 22; Gould, B. A. iv. pl. 28. Australia. melanops, Lath.; mellivora, Shaw, rubrifrons, Less.; albiventris, Steph.

2003. albifrons, Gould, B. A. iv. pl. 29.

2004. pectoralis, G. R. Gr.; Gould, B. A. iv. pl. 30. fasciata, Gould.

N. Australia.

2005. caledonica, G. R. Gr. modesta, G. R. Gr.

New Caledonia.

2006. modesta, G. R. Gr.

Goold's 1., Aru. Queensland.

subfasciata, Rams.
 chlorophæa, Forst.

New Caledonia.

2009, incana, Lath.

\* 7

2010. fasciata, Forst.

undulata, Sparrm. M. C. t. 34?; fusca, V. O. D. t. 65?

597.

b. Stigmators, Gould, 1865.

Stomiopera, p., Reich. Lichmera, p., Cab.

Australia.

2011. ocularis, Gould, B. A. iv. pl. 31. indistincta, Vig. & H.?

New Guin., Aru, Timor.

2012. subocularis, Gould, B. A. iv. pl. 32.

N. & N.W.Austr.

2013. poliotis, G. R. Gr.

Loyalty I.

598. ACANTHORHYNCHUS, Gould, 1837.

Leptoglossus, Sw. 1837, nec Guér, 1830. Mcliphaga, 5 div., Vig. & H. 1826. G. of B. i. p. 119, pl. 38, f. 3; Reich, S. A. t. 35, f.

2014. tenuirostris, Lath.; V. O. D. t. 60; Gould, B. A. iv. pl. 61. cucullatus, Sw.; dubius, Gould.

New S. Wales. Tasmania.

2015. superciliosus, Gould, B. A. iv. pl. 62.

W. Australia.

Subfam. II. Meliphaginæ, G. R. Gr. 1840.

599. MELIPHAGA, Lewin, 1808.

Melliphaga, Less. 1828. Zanthomyza, Sw. 1837.
 Nanthomyza, Strickl. 1841.
 Philedon, 3 div. 1817, et 2 div. 1829, Cur.
 G. of B. i. p. 121.

#### a. MELIPHAGA.

2016. **phrygia**, *Lath.*; *Lewin*, *B. N. H.* pl. 14; *Gould*, *B. A.* Now S. Wales, iv. pl. 48.

600. b. Ptilotis, Sw. 1837.

Meliphaga, 2 div., Vig. & H. Meliphaga, G. R. Gr. 1840.

2017. **Lewinii**, Sw.; Gould, B. A. iv. pl. 32. chrysotis, Lew.; xanthotis, Shaw.

New S. Wales.

2018. vittata, Cuv.; Gould, B. A. iv. pl. 33. sonorus. Gould: virescens, V.?

S. Australia.

2019. versicolor, Gould, B. A. iv. pl. 34.

N. Australia.

I. off co. Austral.

2020. fasciogularis, Gould, B. A. suppl. pl. .

Tasmania.

2021. flavicollis, V.; Gould, B. A. iv. pl. 35. flavigula, Gould.

2022. leucotis, Lath.; P. C. 435; Gould, B. A. iv. pl. 36.

New S. Walcs, S. & W. Austr.

2023. auricomis, Lath.; V. O. D. t. 85; Gould, B. A. iv. pl. 37. New S. Wales. mystacea et novæ hollandiæ, Lath. auriculata, Shaw; crythrotis, V. melanops et australis, Lath. chrysotis, Don.

S. Australia.

2024. ornata, Gould, B. A. iv. pl. 39.

or reasonation

2025. flavescens, Gould, B. A. iv. pl. 41.

2027. penicillata, Gould, B. A. iv. pl. 43.

N. Australia.

2026. flava, Gould, B. A. iv. pl. 42.

S. Australia, New

2028. fusca, Gould, B. A. iv. pl. 44. chrysotis, Lath.?

S. Wales. New S. Walcs.

2029. chrysops, Lath.; Jard. & S. I. O. pl. 35. l; Gould, B. A. iv. pl. 45.
gilvicapallus, V.; trivirgata, Verr.

S. Australia.

2030. cassidix, Jard.; Gould, B. A. suppl. pl. Leadbeateri, M.Coy.

Victoria, Austr.

2031. notata, Gould.

N.E. Australia.

2032. similis, Homb. & Jacq. Voy. P. S. t. 17. 2. analoga, Reich. Var.

New Guin., Aru.

2033. megarhynchus, G. R. Gr.

Waigiou, Mysol. New Guin., Aru.

2033. megarhynchus, G. R. Gr.

New Guin., Mu.

megarhynchus, var., G. R. Gr.

Waigiou, Mysol.

2035. polygramma, G. R. Gr.

2034. rostrata, Wall.

New S. Wales.

S. Australia, Tasmania.

2036. maculata, Müll.; Tem. P. C. 29. 1.	Timor.
2037. reticulata, Müll.; Tem. P. C. 29. 2.	,,
2038. Cockerellii, Gould.	N. Australia.
2039. plumula, Gould, B. A. iv. pl. 40.	W. Australia.
2040. gracilis, Gould.	Cape York.
2041. sonoroides, G. R. Gr.	Waigiou, Mysol.
2042. fumata, Müll. concolor, Tem.	New Guinea.
2043. striolata, Müll.	***
2044. auriculata, Müll.	17
2045. limbata, Müll.	Timor.
2046. virescens, Wall.	Lombock.
2047. ? olivacca, Shaw; V. O. D. Prom. t. 5.	I. of S. Seas.
601. c. Stomiopera, Reich. 1852. Stomioptera, G. R. Gr. 1855.	
2048. unicolor, Gould, B. A. iv. pl. 46.	Port Essington.
602. d. Lichenostomus, Cab. 1851. Ptilotis, p., Gould.	
2049. cratitia, Gould, B. A. iv. pl. 38.	S. Australia.
2050. occidentalis, Cab. cratitia, p.?, Gould.	W. Australia.
603. e. FOULEHAIO!, Reich. 1852. Creadion, p., V. Sarcogenys, G. R. Gr. 1855. G. of B. i. pl. 39. f. 1.	
2051. carunculata, Forst.; V. O. D. t. 69, 70; Finsch & H. F. Centralpol. t. 5. 2. musicus, V.; chrysotis, Cuv. tabuensis, Steph.	Tonga 1. Samoan I.
2052. procerior, Finsch & H. Fauna Centralpol. t. 5. 3.	Feejce 1.
604. f. Phylidonyris, Less. 1831. Lichmera, Cab. 1851. Melisympotes, Reich. 1852.	
2053. australasiana, Shaw; V. O. D. t. 55; Gould, B. A. iv.	~

**605.** g. Meliornis, G. R. Gr. 1840. Meliphaga, Vig. & H. 1826.

inornata, Gould; pyrrhoptera, Lath. melanoleucus, V.

2054. novæ-hollandiæ, Lath.; White, Voy. pl. p. 186; Gould, New S. Wales, B. A. iv. pl. 23.

balgonera, Steph.; barbata, Sw.

S. Australia. Tasmania.

2055. longirostris, Gould, B. A. iv. pl. 24.

W. Australia.

2056. sericea, Gould; White, Voy. pl. p. 297; Gould, B. A. iv. pl. 25. sericeola, Gould.

New S. Wales.

2057. mystacalis, Gould, B. A. iv. pl. 26.

W. Australia.

# 606. PROSTHEMADERA, G. R. Gr. 1840.

Philedon, 4 div. 1817, et 3 div. 1829, Cuv. Philemon, p., V. 1825, Reich. 1849, nec V. 1816. G, of B, i, p. 122, pl. 39, f. 3; Reich, S. A. t. 35, f.

2058. novæ seelandiæ, Gm.; Brown, Ill. pl. 9; Lev. O. A. t, 92; V. Gal. des Ois. t. 183.

New Zcaland.

concinnatus, Lath.; crispicollis, Daud. circinata!, Reich.

### 607. ANTHORNIS, G. R. Gr. 1840.

Anthomyza, 1837, nec 1833, Sw. Melliphaga, Less. 1831. G. of B. i. p. 123, pl. 39, f. 5; Reich. S. A. t. 35, f. .

2059. melanura, Sparrm. M. C. t. 5; V. O. D. t. 64; Voy. Cogu. t. 21, 2.

sannio, Gm.; Dumerili, Less. caruleocephala, Sw.

2060. melanocephala, G. R. Gr. Voy. Ereb. & Terr. B. pl. 2. Chatham Isl.

2061. auriocula, Buller. 2062. ruficeps, Pelz.

New Zealand.

# 60 S. ANTHOCHÆRA, Vig. & H. 1826.

Philedon, 2 div. 1817, 1 div. 1829, Cuv. Philedon, Sundev. 1835. Creadion, Less. 1837, nec 1. 1816. Meliphaga, Des Murs, 1853. Mimus, p., Bull. G. of B. i. p. 122; Reich. S. A. t. 35. f.

### a. Anthochæra.

2063. carunculata, Lath.; White, Voy. pl. p. 144: Gould, B, A, iv. pl. 55.

Australia.

paradoxus, Lath.; novæ hollandiæ, Steph. Lewinii, Vig. & H. Bulleri, Finsch.

New Zealand?

2064. inauris, Gould, B. A. iv. pl. 54. earunculata, Vig. & H.; goruck, Shaw? Tasmania.

#### 609. b. Anellobia, Cab. 1851.

Melichæra, Reich. 1852. Creadion, Des Murs, 1853. G. of B. pl. 39. f. 2; Reich. S. A. t. 35. f. .

2065. mellivora, Lath.; V. O. D. t. 88; Gould, B. A. iv. pl. 56. New S. Wales. S. & N. Austra. chrysopterus, Lath.

2066. lunulata, Gould, B. A. iv. pl. 57.

W. Australia.

c. Chetoptila, Sclat. 1868. 610.

Anthochæra?, p., Hartl.

2067. angustipluma, Peale, U. S. Expl. Exped. pl. 11. 1. Society Islands. atriceps, Less, ?

611. d. Leptornis, Homb. & J. 1845. Philedon, Reich, 1852.

2068. samoënsis, Homb, & J. Voy. Pôle Sud, t. 17. 1. Samoan Isl. olivacea, Peale; sylvestris, Jacq. & Puch. leptornis, Reich.

2069. Aubryanus, Verr. & M.

New Caledonia.

612. e. Xanthotis, Reich, 1852. Myzantha, Less. 1831, nec Vig. & H. 1826.

2070. chrysotis, Less. Voy. Coqu. t. 21\*. New Guinea. flaviventris, Less.; filigera, G. R. Gr. Wai., Mys. (var.).

2071. filigera, Gould, Pr. Z. S. 1850, pl. 34; Gould, B. A. suppl. pl.

Cape York.

613. f. Acanthagenys, Gould, 1837.

Acanthogenys, G. R. Gr. 1840. Reich. S. A. t. 35. f. .

2072. rufogularis, Gould, B. A. iv. pl. 53.

Australia

**614.** POGONORNIS, G. R. Gr. 1846.

G. of B. i. p. 123, pl. 39. f. 4; Reich. S. A. t. 35. f.

2073. cincta, Dubus, Bull, Ac, S. Erux, 1839, t. auritus, Lafr. Mag. de Zool, 1840, t, 11.

New Zealand.

615. PHILEMON, V. 1816.

Philedon, 1817, Cuv. Strigiceps, Less. 1840?, nec Bp. 1838. Philedon et Philemon, Reich, 1852.

a. PHILEMON.

2074. moluccensis, Gm.; Voy. Astrol. t. 8, 2, Bouru. einereus, V.; bouroensis, Quoy & G.; buruensis, Less. Celebes.

2075. fuscicapillus, Wall. Morty, Gilo., &

Batchian I. 2076. subcornutus, Tem.; Voy. Pôle Sud, t. 16. 1. Ceram, Worou. subcorniculatus, Homb, & J.

2077. inornatus, G. R. Gr. & M. G. B. pl. 39; Voy. Pôle Sud, t. 18. 1.

Timor, Celebes. cineraceus, Müll.: vulturinus, Homb. & J. Solomon I

2078. citreogularis, Gould, B. A. iv. pl. 60.

2079. senex, G. R. Gr.

New S. Wales.

Batch, & Gilo, I.

New S. Wales, S. Aus., Tasm.

2080. Lessonii, G. R. Gr.; Arch. du Mus. vii. t. 21. New Caledonia. Tasmania (?). diemenensis!, Less.; corniculatus, p. ?, Bp. Ké Island. 2081, plumigenis, G. R. Gr. 2082, sordidus, Gould. N. Australia. 2083. ? collaris, Reich, Meropinæ, t. 503. 3515. Celebes. b. Tropidorhynchus, Vig. & Horsf. 1826. Gymnops, p., Cuv. 1829. 2084. corniculatus, Lath.; Lev. O. Amer. t. 24; Gould, B. A. New S. Wales. iv. pl. monachus, Lath. N. Australia. 2085. argenticeps, Gould, B. A. iv. pl. 59. 2086. novæ guineæ, Müll. & S. New Guinea. Waigiou. 2087. marginatus, G. R. Gr. Timor. 2088. timoriensis, Müll. 2089. buceroïdes, Sw. Cl. of B. 5 pt. f. 68; Gould, B. A. suppl. Cape York. mitratus, p. ?, G. R. Gr.; monachus, Vig. & H. New Guinea. 2090. mitratus, Müll. eorniculatus, Müll. I. of Gilolo. 2091, gilolensis, Tem. c. Entomiza, Sw. 1837. 617. Meliphaga, Tem. 1820. Entomyzon, Sw. 1825. Philedon, Reich. 1849. Sw. C. of B. f. 288 b; Reich. S. A. t. 35. f. 2092. cyanotis, Lath.; Lewin, B. N. H. pl. 4; Gould, B. A. iv. New S. Wales. pl. 68. cyanops, Lewin; cyaneus et cyanops, Lath. N. Australia. 2093. albipennis, Gould, B. A. iv. pl. 69. 618. MANORINA, 1818, et Manorhina, 1825, V. Philanthus, Less. 1831, nec Fab. 1793. Manorrhina, Reich. 1852. G. of B. i. p. 127. a. MANORINA. 2094. melanophrys, Lath.; Gal. des Ois. t. 149; Gould, B. A. New S. Wales. iv. pl. 80. viridis, V.; flavirostris, Vig. & H. b. Myzantiia, Vig. & H. 1826.

G. of B. pl. 38, f. 7; Reich. S. A. t. 35, f. . 2095. garrula, Lath.; Gould, B. A. iv. pl. 76.

melanocephala, Lath.

2096. lutea, Gould, B. A. iv. pl. 78.

2097. obscura, Gould, B. A. iv. pl. 77.

2098. flavigula, Gould, B. A. iv. pl. 79.

W. Australia.

\*\*

New S. Wales.

# Subfam. III. Melithreptinæ, G. R. Gr. 1841.

Manorhinæ et Sylvicolinæ, p., G. R. Gr. 1840.

### 620. MELITHREPTUS, J. 1816.

Philedon, 3 div. 1817, et 2 div. 1829, Cuv.

Meliphaga, 3 div., Vig. & H. Hamatops, Gould, 1836.

Gymnophrys et Eidopsaris, Sw. 1837. Gymnophrys et Hæmatops, & R. & r. 1846.

Idopsaris, Agass.

Sw. C. of B, f, 287; G, of B, i, p, 128, pl, 38, f, 5; Reich, 8, A, t, 35, f,

### a. Melithreptus.

2009. lunulatus, Shaw; V. O. D. t. 61; Govld, B. A.iv. pl. 72. atricapilla, Tem.; torquata, Sw. albicollis, V.

S. Australia.

2100. brevirostris, Vig. & H.

New S. Wales.

2101. validirostris, Gould, B. A. iv. pl. 70; Voy. Pole Sud, t. 17. 3.

Tasmania.

bicinctus, Sw.; virescens, Wagl.

2102. gularis, Gould, B. A. iv. pl. 71; G. R. Gr. & M. G. B. pl. 40. E. & S. Australia.

2103. albogularis, Gould, B. A. iv. pl. 74.

New S. Wales, N. Aus., N. Guin

2104. melanocephalus, Gould. B. A. iv. pl. 75. atricapilla, Jard. & S. I. O. pl. 134, 1. agilis, Lath.?; affinis, Less.?

2105. chloropsis, Gould, E. A. iv. pl. 73.

W. Australia.

Tasmania.

### 621. b. Plectoramphus, G. R. Gr. 1840.

Plectorhynchus, Gould, 1837, nec Lacép. 1800. Entomiza, Selby, 1840. Plectrorhamphus, Strickl. 1841 Plectrorhyncha, Wiegm. 1838.

Reich, S. A. t. 35, f.

2106. lanceolatus, Gould, B. A. iv. pl. 47.

# **622. ZOSTEROPS**, Vig. & H. 1825.

Zosteropisylvia, Würt. 1857.

Sw. C. of B, f. 131 a; G. of B, i, p. 197.

# a. Zosterops.

2107. cærulescens, Loth.; Sw. Zool. Illustr. pl. 16; Gould, B. A. iv. pl. 81.

New S. Wales.

lateralis. $Lath$ .; diluta, $Shaw$ ; caruleus, $Cur$ . annulosa, var. $\beta$ , $Sw$ .; dorsalis, $Vig$ . $\&$ $H$ .	Tasmania. New Zealand.
2108. strenua, Gould, B. A. suppl. pl.	Lord Howe's I.
2109. tephropleura, Gould, B. A. suppl. pl.	**
2110. tenuirostris, Gould, B. A. suppl. pl.	Moreton Bay.
2111. albogularis, Gould, B. A. suppl. pl.	New S. Wales.
2112. griseotincta, G. R. Gr.	Louisiade arch.
2113. griseonota, G. R. Gr.	New Caledonia.
2114. xanthochroa, G. R. Gr.	,,
2115. melanops, G. R. Gr.	Loyalty Isl.
2116. flavifrons, Gm.	New Hebrides.
heteroclita, Forst.	
2117. chloris, Müll.	Ternate, Bouru, Banda.
2118. intermedia, Wall.	Celeb., Ternate.
chloris, G. R. Gr.	Lombock.
2119. flava, Horsf.; Voy. Pôle Sud, t. 19. 4. maderaspatana, Vig.; parvulus, Homb. & J.	Java, Sumatra. Borneo.
2120. siamensis, Bl.	Tenasserim.
2121. atrifrons, Wall.	Celebes.
2122. palpebrosa, Tem. P. C. 292. 3.	India, Ceylon.
2123. <b>Meyeni</b> , Bp.; Kittl. Kupf. Vög. t. 19. 2. flava, Kittl.	Luzon.
2124. japonica, Tem. & Sch. F. J. t. 22.	Japan.
2125. aurifrons, Tem. aureifrons, Wall.	Timor, Flores.
2126. senegalensis, Bp.; Sw. B. W. Afr. ii. pl. 3. flava, Sw.; citrina, Hartl.	W. Africa.
2127. ficedulina, Hartl.	Prince's Island.
2128. hæsitata, Hartl.; Poll. & V. D. F. de Madag. t. 19. 3.	I. Bourbon.
2129. virens, Sundev.	Upper Caffraria,
2130. abyssinica, Guér.; Verr. & Gal. Voy. en Abyss. t. 9. 2. lateralis, p., Layard?	Natal. Abyssinia.
2131. capensis, Sundev.; Lev. O. A. t. 9. 2. Levaillantii, Reich.; madagascariensis, p., Aliq.	S. Africa.
2132. <b>Sundevallii</b> , <i>Hartl</i> . lateralis, <i>Sundev</i> .	Upper Caffraria.
2133. madagascariensis, L.; Briss. Orn. iii. t. 27. 2; Poll. & V. D. F. de Madag. t. 19. 1.	Madagascar.

annulosa et flavigula, Sw. leucops, V.; maderaspatana, p., Vig. & H.

2134. Gonldi, Bp.; Gould, B. A. iv. pl. 82. chloronotus, Gould.	W. Australia.
2135. lutea, Gould, B. A. iv. pl. 83.	N. Australia.
2136. westernensis, Quoy & G. Voy. Astrol. t. 11. 2.	W. Australia.
2137. Grayi, Wall. citrinella, p., G. R. Gr.	Ké.
2138. albiventer, Homb. & J.	Warriors' I.
2139. fusca, Bernst.	Waigiou.
2140. cinerca, Kittl. Mém. Ac. Pétersb. 1835, t. 5.	Caroline I.
2141. conspicillata, Kittl. Mém. Ac. Pétersb. 1835, t. 4.	Ladrone 1.
2142. flaviceps, Peale, U. S. Expl. Exped. pl. 10, 4; Finsch $\&$ H. Fauna Centralpol. t. 6.	Fiji I.
2143. obscura, Homb. & J. Voy. Pôle Sud, 20, 6.	
2144. Semperi, Hartl.	Pelew I.
2145. atriceps, G. R. Gr.	Batchian 1.
2146. citrinella, Müll.	Timor.
2147. nigrifrons, Müll. atrifrons, Wall.	,,
2148. chlorates, Müll.	Morty I.
2149. nicobarica, Bl.	Nicobar I.
2150. lateralis, Tem.	Java.
2151. simplex, Swinh. japonica, Swinh.	China. I. of Formosa.
2152. erythropleura, Swinh. chloronotus, v. Schrenck.	N. China.
2153. olivacea, Gm.; Briss. Orn. iii. t. 33. 1.	Madagascar.
2154. mayottensis, Poll. & V. D. F. de Madag, t. 19, 2. flavifrons, Poll.	Mayotta.
2155. pallida, Sw.	S. Africa.
2156. poliogastra, <i>Heugl</i> . euryophthalma, <i>Heugl</i> .	N.E. Africa.
2157, tenella, <i>Hartl.</i> aurifrons, <i>Heugl.</i>	Bongo.
2158. Heuglinii, <i>Hartl</i> . pallescens, <i>Heugl</i> .	N.E. Africa.
2159. modesta, E. Newt.	Seychelles.
2160. semiflava, E. Newt.	**
2161. icterovirens, Würt.	N.E. Africa. M 2

2162. mauritanica, Gm.; Poll. & V. D. F. de Madag, t. 19. 4. Maur., I. of Bour.

2163. rufilata, Hartl. Africa.

2164. melanura, Tem.

2165. ? curvirostris, Bl.

Mauritius.

2166. ? ambigua, Sw.

"Cayenne?"

**623.** b. Malacirofs, Bp. 1854. Sw. C. of B. f. 131. b.

2167. borbonica, Bodd.; P. E. 705, 2; Guér. Icon. t. 23\*. 6; Poll. & V. D. F. de Madag. t. 19, 5, 6. cinerea, Sw.?

Madagascar.

624. c. Cyclopterofs, Bp. 1854. G. of B. pl. 53. f. 2; Reich. S. A. t. 61. f.

2168. chloronota, V.; P. C. 681. 2; V. O. D. t. 28. borbonica, Gm.?; curvirostris, Sw.

625. d. Spirors aut Speirops, Reich. 1851.

2169. melanocephala, G. R. Gr.

Camer., W. Afr.
ii. t. 2. I. of St. Thomas.

2170. lugubris, Hartl. Abh. d. Nat. Ver. in Hamb. ii. t. 2.
 626. e. Orosterops, Bp. 1854.

2171. javanica, Horsf.

Java.

2172. montana, Müll.

Sumatra.

**627.** f. Tephras, Hartl. 1868.

2173. Finschii, Hartl. Pr. Z. S. 1868, pl. 3.

Pelew I.

628. g. Helaia, Hartl. 1865.

Hylophila, Müll. 1835. Helia, Newt. 2174. frontalis, Müll.

Timor.

Mulleri, Hartl.

Sumatra.

2175. frigida, Müll.

----

# FAM. VI. ANABATIDÆ, Bp. 1849.

Uppucerthidæ, D'Orb. Dendrocolaptidæ, Selys, 1842. Certhiadæ, p., Vig. 1825. Paridæ, p., Boie, 1826.

Subfam. I. **Furnariinæ,** *G. R. Gr.* 1840. Certhianæ, p., *Sw.* 1837.

# 629. FURNARIUS, V. 1816.

Opetiorhynchus, Tem. 1820. Opethyorhynchus, Boie, 1816. Figulus, Spix, 1824. Sw. C. of B. f. 280 f, g; G. of B. i. p. 131, pl. 41. f. 6; Reich. S. A. t. 37, f. . . .

Peru.

Chili.

2176. rufus, Gm.; Spix, A. B. t. 78; V. Gal. des Ois. 182. Brazil. Rio Javarri. badius, Licht.; albigularis, Spix. ruficaudus, Max.; Commersoni, Pelz. 2177. figulus, Licht.; P. E. 739. Brazil. rufus, V.; melanotis, Sw. 2178. leucopus, Sw. C. of B. 5th pt. f. 67 a. Guiana. 2179. cinnamomeus, Less.; Akad. der Wissensch. 1856, t. 2. 2. Ecuador. longirostris, Pelz.; griseiceps, Cab. Pern 2180. rectirostris, Max. Brazil. 2181. torridus, Sclat. & S. Exot. Orn. pl. 4. Upper Ueavali. 2182. minor, Pelz. Nauta. 2183, tenuirostris, Pelz. 2184, assimilis, Cah. Brazil. leucopus, p.? 2185. ? longipennis, Sw. Cl. of B. 5th pt. f. 67 b. Peru. 2186. ? fasciatus. Sw. **630.** CINCLODES, G. R. Gr. 1840. Opetiorhynehus, Kittl, 1830. Oppetiorhynchus, Lafr. 1837. Cillurus, Cab. 1844. G. of B. i. p. 132, pl. 41. f. 5; Reich. S. A. i. t. 37. f. a. Cinclodes. 2187. patagonicus, Gm.; Less. Tr. d'Orn. t. 75. 4; Mém. de Terra del Fuego, Pétersb. i. t. 8. Patag., Chili, Chiloe, Bolivia. graeula, Forst.; Lessonii, Dum. chilensis, Less.; rupestris, Lafr. 2188. fuscus, V.; D'Orb. Voy. A. M. t. 57. 1. Terra del Fuego. vulgaris, Lafr. Falkland Island. Mend., Parana. 2189. antarcticus, Gm. Falkland Island. fuliginosus, Less. 2190. nigrofumosus, Lafr.; Voy. Beagle, pl. 20; D'Orb. Voy. A. M. t. 57. 2. Bolivia. lanceolatus, Gould; inornatus, Less. Chili. 2191. bifasciatus, Sclat.; Reise durch d. Urieste Atac. t. 3. Bolivia. atacamensis, Phil. Chili 2192. albidiventris, Sclat. Chimborazo. 2193. minor, Cab. Chili, Port Famine.

2194. palliatus, Tsch. F. P. t. 16, 2.

2195. albiventris, Phil. & Landb.

hypoleuca, Reich.?

631. b. Upucerthia, I. Geoffr, 1832.

Uppucerthia, Lafr. 1837.

Upupicerthia, Agass. Coprotretis, Cab. 1859. Reich. S. A. t. 37. f.

2196. dumetorius, I. Geoffr.; Voy. Beagle, pl. 19. dumetorum, Lafr.

Patagonia, Chili. Rio Negro.

2197. n. sp.?

Bolivia.

632. e. Ochetorhynchus, Meyen, 1834. Reich. S. A. t. 37. f. .

2198. ruficaudus, Meyen, Nov. Act. Bon. xvi. suppl. t. 11.

Peru.

2199. andæcola, Lafr.; D'Orb. Voy. t. 56. 2.

Bolivia.

2200. excelsior, Sclut.

montana, Lafr. D'Orb.

2201. luscinia. Burm. Argentine Rep.

2202. validirostris, Burm. andicola, Burm.

Mendoza.

Pichincha, Chim.

**633. LOCHMIAS, Sw. 1827.** 

Picerthia, I. Geoffr. 1832. Lochmia, Sw. 1837. G. of B. i. p. 133, pl. 41. f. 2; Reich. S. A. t. 37. f. .

2203. nematura, Licht.; Sw. B. of Braz. pl. 33. St. Hilarii, Less.; squamulata, Sw.

Brazil. Parana.

**634. ENICORNIS,** G. R. Gr. 1840.

Eremobius, Gould, 1838. Henicornis, Agass. Ericornis, Cass. 1855. G. of B. i. p. 133, pl. 41. f. 4; Reich. S. A. t. 37. f.

2204. phœnicura, Gould, Voy. Beagle, pl. 21. Gouldii, Cab.

Chili.

2205. melanura, G. R. Gr. & M. G. B. pl. 41. Gouldii, p., Cab.

**635. LIMNORNIS, Gould, 1839.** 

G. of B. i. p. 133, pl. 41. f. 1; Reich, S. A. t. 37. f.

2206. rectirostris, Gould, Voy. Beagle, pl. 26.

Maldonado.

2207. curvirostris, Gould, Voy, Beagle, pl. 25.

Maldonado, Conchitas. Maldonado.

2208. **Darwinii**, sp. n.?

**636. GEOSITTA, Sw. 1837.** 

Euthonyx, Reich. 1850. Geocitta, Sclat.

Sw. C. of B. f. 283; G. of B. i. p. 134, pl. 41, f. 7; Reich, S. A. t. 37, f

#### a. Geositta.

2200. cunicularia, V.; D'Orb. Voy. A. M. t. 43. 1. Chili. anthoides, Sw.; fissirostra, Kittl.? nigrofasciata, Lafr.?

2210. maritima, D'Orb. Voy. A. M. t. 44, 1. Bolivia. fasciata, Phil. & L.? Chili.

2211. tenuirostris, Lafr. D'Orb. Voy. A. M. t. 43, 2. Bolivia.

2212. crassirostris, Sclat. Lima.

2213. Frobeni, Phil. & Landh. Chili.

2214. isabellina, Phil. & Landb. ...

2215. peruviana, Lafr. Peru.

**637.** b. Geobamon, Cab. 1860.

2216. rufipennis, Burm.

Parana.

638. c. Geobates, Sw. 1837. Sw. C. of B. f. 280 d. e.

2217. pœciloptera, Max.; Pr. Z. S. 1866, pl. 21. Brazil. brevicauda, Sw.; fuscus, Burm.

# Subfam. II. Sclerurinæ, Sclat. 1862.

Furnarinæ, p., G. R. Gr. 1840. Certhianæ, p., Sw. 1837.

# 639. SCLERURUS, Sw. 1827.

Tinactor, Max. 1831. Oxypyga, Ménétr. 1834.
Oxypiga, Less. 1839.
Sw. C. of B. f. 76; G. of B. i. p. 210, pl. 55, f. 5.

2218. caudacutus, V. Guiana. brunneus, Sclat.

2219. mexicanus, Sclat. Cat. of A. B. pl. 12. Cordova, Coban. ruficollis, Sw. B. Braz. pl. 79?

2220. umbretta, Licht.; Sw. B. Braz. pl. 78; Mag. de Zool. 1833, t. 10.
Brazil.

fuscus, Max.; scansor, Mênétr. albigularis, Sw.; longirostris. Cuv.

2221. guatemalensis. *Hartl*. C. America. caudacutus, *Lawr*.

# Subfam. III. Synallaxinæ, G. R. Gr. 1846.

Anabatinæ, Sw. 1837.

# 640. SYNALLAXIS, V. 1818.

Synalaxis, Boic, 1826. Parulus, Spix, 1824. Synalaxis, Lafr. 1839.

Sw. C. of B. f. 282 b; G. of B. i. p. 135, pt. 42, f. 2; Reich. S. A. t. 36, f.

### a. Synallaxis.

2222. ruficapilla, V. Gal. des Ois. t. 174. ruficeps, Licht.; einercus, Max. olivascens, Eyton.

2223. Spixii, Sclat.; Spix, A. B. t. 86, 1. albescens, Burm.; ruficeps, p., Spix. ruficapilla, Reich.

2224. elegantior, Sclat.

2225. **albescens,** Tem. P. C. 227, 2, ruficeps, Spix, A. B. t. 86, 2.

2226. pudica, Sclat. brunneicaudalis, Lawr.

2227. fuliginosa, Lafr.

2028. erythrothorax, Sclat. Pr. Z. S. 1855, pl. 86.

2229. terrestris, Jard.

2230. rutilans, Tem. P. C. 227. 1.

2231. castanea, Sclat. Cat. of A. B. pl. 13.

2232. anthoides, King.

2233. rufigularis, Gould, Voy. Beagle, pl. 23.

2234. stictothorax, Sclut.

2235. scutata, Sclat.

2236. phryganophila, V.; P. C. 311. 1. tessellata, Tem.

2237. erythrops, Sclat.

2238. Azaræ, Lafr.

2239. terricolor, Sclat. & S.

2240. vulpecula, Sclat. & &.

2241. inornata, Pelz.

2242. cinerascens, Tem. P. C. 227. 3.

Brazil.

Buenos Ayres.

New Granada. N. Ecuador.

Trinidad. N. Brazil.

New Granada.

S. Mexico.

Tobago.
N. Brazil.

Venezuela.

Chili.

Santa Cruz, Valpar., Patag. Ecuador.

Brazil.

Paraguay, Boliv-Argent. Rep.

Ecuador.

Bolivia.

R. Ucayali.

N. Brazil.

Brazil.

HAND-LIST OF BIRDS.	169
2243. albigularis, Sclat.	E. Ecuador,
2244. brunneicaudis, Sclat. brunneicaudalis, Sclat.	Ucayali. E. Ecuador.
2245. gularis, Lafr.	New Granada, Ecuador.
2246. lamosticta, Sclat. cinnamomea, Lafr.	New Granada.
2247. mœsta, Sclat.	11
2248. Kollari, Pelz, Akad. der Wissensch. 1856, t. 1. 3.	N. Brazil.
2249. striolata, Pelz.	S.E. Brazil.
2250. propinqua, Pelz.	N. Brazil.
2251. alospecias, Pelz,	,,
2252. hypostieta, Pelz.	31
2253. frontalis, Pelz.	S.E. Brazil.
ruficeps, $\circ$ , $Spix$ , $A. B. t. 86, 2.$	Argentine Rep.,
2254. fitis, Pelz.	Bolivia. S.E. Brazil.
obsoleta, Reich.?	
2255. albilora, Pelz.	Int. of Brazil, Bolivia.
2256. vulpina, Pelz.	Int, of Brazil.
2257. canieeps, Sclat.	Brazil.
2258. unirufa, Lafr.	Columbia.
2259. multostriata, Sclat.	New Granada.
2260, Candei, Lafr.	Columbia.
2261. troglodytoides, Lafr.	Patagonia,
2262. ruticilla, Cab.	
2263, striata, Ph. & Landb.	Peru.
2264. brachyura, Lafr.	New Granada.
2265. antisiensis, Sclat.	Ecuador.
2266. nigrofumosa, Lawr.	Niearagua.
2267, poliophrys, Cab.	Cayenne.
2268. sulphurifera, Burm.	Buenos Ayres.
2269. masafueræ, Phil. & Landb.	Chili.
<b>641.</b> b. Anabates, Tem. 1820. Synallaxis, p., Cab.	

2270. guianensis, Gm.; P. E. 686. 2.

Schizura, Cab. 1848. Reich, S. A. t. 57, f. .

642.

ruficaudus, Tem.; cinnamomea, Less.

c. Sylviorthornynchus, Des Murs, 1847.

Guiana.

2271. DesMurii, Gay; Des Murs, I. O. t. 45. maluroides, Des Murs; Des Mursii, Reich.

Chili.

643. d. Leptasthenura, Reich. 1853.

2272. ægithaloides, Kittl. Mém. Ac. Pétersb. 1830, t. 7. Thelotii. Less.

Chili, Patagonia. Bolivia.

2273. humicola, Kittl. Mém. Ac. Pétersb. 1830, t. 6.

Chili, Bolivia.

2274. flammulata, Jard. Contr. Orn. 1850, pl. 56.

Ecuador.

2211. Italianada, our ar conce

2275. platensis, Reich.

Arg. R., Parag., Conchitas. Patagonia.

2276. maluroides, Lafr.; D'Orb. Voy. A. M. t. 14. 3, 4.

2277. leucocephala, Lafr.

**644.** *e.* Bathmicercus, *Fitz.* 1864.

Bathmidura, *Reieh.* 1853, *nee Cab.* 1847. Leptasthenura, p., *Cab.* 

2278. striaticeps, Lafr.; D'Orb. Voy. A. M. t. 16. 1.

Argentine Rep., Bolivia. Bolivia.

2279. D'Orbignyii, Reich.; D'Orb. Voy. A. M. t. 17. 2. humicola, Lafr.

2280. setaria, Tem. P. C. 311. 3.

Brazil.

2281. fuliginiceps, Lafr.; D'Orb. Voy. A. M. t. 17. 1. ruficapilla, Burm.; paranensis, Selat.

Bolivia. Argentine Rep.

2282. ? patagonica, Lafr.

Patagonia.

**6-15.** f. Oxyurus, Sw. 1827, nec Rafinq. 1810.

2283. spinicauda, Gm.; Lath. Syn. pl. 52; Voy. Coqv. t. 29. 1. Terra del Fuego. seticauda, Forst.; ornatus et australis, Sw. tupinieri, Less.

646. q. Cranioleuca, Reich. 1853.

2284. albiceps, Lafr.; D'Orb. Voy. A. M. t. 16.2.

Bolivia.

**6-17.** h. Phleocryptes, Cab. 1859.

2285. melanops, V.; D'Orb. Voy. A. M. t. 14. 1, 2. dorsomaculatus, Lafr.

Chili, Argeut. R.

2286. schænobænus, Cah.

Peru.

648. i. Asthenes, Reich. 1853.

2287. sordida, Less.; Voy. Beagle, pl. 21. flavigularis, Gould.

Patagonia.

2288, brunnea, Gould.

2289. modesta, Eyton.

Bolivia.

Balua, Bolivia

Trinidad.

<b>649.</b> j. Melanopareia, Reich. 1853.	
2290. Maximilliani, D'Orb. Voy. A. M. t. 15. 1. torquata, Lafr.	Paraguay, Boliv.
2291. torquata, Max.; D'Orb. Voy. A. M. t. 15, 2. bitorquata, Lafr.	Brazil, Bolivia.
650. k. Certhiaxis, Less. 1847. Leptoxyura, Reich. 1853.	
2202. cinnamomea, Gm.; V. O. D. t. 62; Spix, A. B. t. 85. 2; Gal. des Ois. t. 173.  russeola, V.; ruficauda, Spix. mentalis, Licht.; inundatus, Tem. caudacutus, Max.; cinnamominus, Sw.	Cayenne, Brazil. Argentine Rep.
2293. <b>pallida</b> , Max. leucophrys, Lafr.	Brazil.
2294. ruficauda, V.	,,
2295. mentalis, Lieht.	**
2296. semicinerea, Reich.	S.E. Brazil.
2297. obsoleta, Brandt.	Brazil.
<b>651.</b> <i>l.</i> Coryphistera, <i>Burm.</i> 1860.	
2298. alaudina, Burm.	La Plata.
652. ANUMBIUS, 1838, et Annumbius, 1841, Lafr. Spheuopyga, Cab. 1847. G. of B. i. p. 136, pl. 42. f. 5; Reich. S. A. t. 36. f.	
a. Anumbius.	
2299. acuticaudatus, Less.; Voy. Beagle, pl. 22. annumbi, V.; anthoides, Lafr. major, Gould.	Brazil. Argentine Rep.
2300. ruber, V.	Brazil, Bolivia,
2301. rufopectus, n. sp.?	Argentine R. Brazil,
2302. striaticeps, Lafr.	Bolivia.
<b>653.</b> b. Anabacerthia, D'Orb. 1841.	
2303. striaticollis, D' Orb.	Buenos Ayres.
<ul> <li>654. c. Malacurus, Reich. 1850.</li> <li>Phacellodomus, Reich. 1853.</li> <li>Synallaxis, Sw. 1837.</li> <li>Reich. S. A. t. 58, f.</li> </ul>	

2304. rufifrons, Spix, A. B. t. 85, 1; Sw. Zool, Ill. pl. 138.

frontalis, Licht.; garrulus, Sw.

### 655. PHILYDOR, Spix, 1824.

Xenops, 3 div., Less. 1837. Anabates, Boie, 1826, nec Tem. 1820. G. of B. i. p. 137 (Anabates).

### a. PHILYDOR.

2305. superciliaris, Licht.; Spix, A. B. t. 73. 1; Guér. Iconog. Brazil. t. 23. atricapillus, Max;; Canneveti et melanocephalus, Less. New Granada. 2306. striaticollis, Sclat. 2307. amaurotis, Tem. P. C. 238. 2. Brazil. 2308. erythrocercus, Pelz. Cayenne. 2309. pyrrhodes, Cab. Rio Napo, Guiana. Veragua. 2310. fuscipennis, Sa/v. 2311. subfulvus. Sclat. Gualaquiza. 2312. ruficaudatus, Lafr. New Granada. ruficaudus, Sclat. Equador. 2313. semirufus. Sclat. Bogota. Porto Cabello. 2314. columbianus, Cab. & H. New Granada. 2315. panerythrus, Sclat. 2316. rufobrunneus, Lawr. Costa Rica.

#### 656. b. Antomolus, Reich. 1853.

Ipoborus, Cab. & H. 1859. Cichlocolaptes, Reich. 1853.

2317. virgatus, Lawr.

2318. sulphurascens, Licht.; Spix, A. B. t. 74. albogularis, Spix; leucophthalmns, Max.

gularis, Valenc.; sulfurascens, Reich. E. Peru. 2319. Sclateri, Pelz. infuscatus, Sclat.; amazonus, Lafr.

2320. ferruginolentus, Max.; Jard. & S. I. O. pl. 93. S.E. Brazil.

leucophrys, Jard. & S. 2321. cervinigularis, Sclat. Mex., Veragua.

S.E. Brazil.

2322. erythropterus, Sclat. Bogota.

2323. rubiginosus, Sclat. Mexico. 2324. turdinus, Natt. & Pelz. Brazil.

2325. ochrolæmus, Tsch. F. P. t. 20, 2, E. Peru.

2326. melanopezus, Sclat. Rie Napo.

2327. montanus, Tsch. F. P. t. 20, 1. Peru.

2328. pallidigularis, <i>Lawr</i> . ochrolæmus?, <i>Lawr</i> .	Panama.
2329. variegaticeps, Sclat.	
2330. concolor, Natt. & Pelz.	Brazil.
2331. dendrocolaptoides, Natt. & Pelz.	,,
2332. echinatus, Tem.	Bahia.
2333. infuscatus, <i>Tem</i> . puncticollis, <i>Natt</i> .	Brazil.
2334. dimidiatus, Pelz. rufus, Natt.	
2335. rufipileatus, Pelz.	,,
2336. obscurus, Pelz.	٠,
2337. contaminatus, Licht.	,,
2338. ferrugineigula, Pelz.	Cape Horn.
2339. rufescens, Laur.	Costa Rica.
657. c. Eusphenura, Fitz. 1864. Sphenura, Spix, 1824, nec Licht. 1823. Sphenura, D'Orb. 1844.	
2340. <b>subulatus</b> , <i>Spix</i> , <i>A. B.</i> t. 83, 1; <i>F. P.</i> t. 21, 1, melanorhynchus, <i>Tsch</i> .	Brazil, Peru.
658. d. Dendroma, Sw. 1837. Dendrodromus, Agass. Anabates, Sundev. 1835.	
2341. rufus, V.; Spix, A. B. t. 75. poliocephala, Licht.; ruficollis, Spix. caniceps, Sw.; rufifrons, Less.	Brazil.
2342. Lichtensteini, Cab. & H. poliocephala, juv., Licht.	,,
<b>659.</b> e. Thripophaga, Cab. 1847. Sphenura, Sundev. 1835, nec Licht. 1823.	
2343. striolatus, Licht.; Spix, A. B. t. 83, 2. striatus, Spix; macrourus, Max. ruficollaris, Less.	"
2344. erythrophthalmus, Max.; Des Murs, I. O. t. 44. aradoïdes, Lafr.	,,
2345. guttuligera, Sclat.	New Granada.
<b>660.</b> f. Pseudocolaptes, Reich. 1853. Oripne, Cab. 1859.	
2346. Boissoneautii, Lafr. auritus, Licht.; semicinnamomeus, Reich.	New Granada. Ecuador, Peru.

Anabates, Cuv. 1829.

2362, ignobilis, Sclat.

et Anabazenops, 1841, Lafr.

667.

2347. cristatus, Spix, A. B. t. 84.

Brazil.

S. America.

q. Homorus, Reich. 1853.

Sw. C. of B. f. 282 a?; G. of B. pl. 42. f. 3.

2348. lophotes, Bp.; Sw. B. of Braz. pl. 81. subcristata, Sw. eristatus, p.?, Lafr.; unirufus, p., Burm. Bolivia. 2349. unirufus, Lafr. · D' Orb. Voy. Am. t. 55. 1. cristatus, p., Cab. 662. h. Thripadectes, Sclat. 1861. Bogota. 2350. flammulatus, Eyton. 663. i. Ancistrops, Sclat. 1861. E. Peru. 2351. lineaticeps, Sclat. 664. j. Pseudoseisura, Reich. 1853. 2352. gutturalis, Lafr.; D' Orb. Voy. A. M. t. 55. 3. Patagonia. 665. XENOPS, Ill. 1811. Neops, V. 1816. Sw. C. of B. f. 74; G. of B. iii, app. p. 7, suppl. pl. 186. f. 4; Reich, S. A. t. 36, f. a. XENOPS. S.E. Brazil. 2353. rutilus, Licht.; P. C. 72, 2; Sw. Zool, Ill. pl. 100. Bolivia. rutilans, Tem.; genibarbis et affinis, Sw. 2354. heterurus, Sclat. Bogota. rutilans, p., Sclat. 2355. genibarbis, Ill.; P. C. 150. 1; V. Gal. des Ois. t. 170; Lcv. Prom. t. 31. 2? Brazil. ruficauda, V.; Hoffmanseggii, Cuv.? 2356. mexicanus, Sclat. Oaxaca. 2357. approximans, Pelz. Braz., Ucayali, Nauta. 2358. littoralis, Sclat. Esmeralda. genibarbis, Sclat. 2359. niger, Natt. & Pelz. Brazil. 2360. tenuirostris, Pelz. 2361. dentirostris, Sw. b. Sphenops 666. ct Sphenopsis, Sclat, 1861.

c. Anabasitta, 1838.

Syndactyla et Cichlocolaptes, p., Reich. 1853. Zenops, 2 div., Less. 1837. Xenicopsis, Cab. 1859.

Mexico.

Pallatanga.

Brazil, Bolivia.

Argentine Rep.

Venezuela.

Costa Rica.

S.E. Brazil.

Brazil.

2363. variegaticeps, Sclat.

2364. subalaris, Sclat. Cat. of A. B. pl. 14.

2365. temporalis, Sclat.

2366. rufosuperciliata, Lafr. M. de Z. 1832, t. 7. ochroblepharus et adspersus, Reich.

2367. guttulatus, Sclat. Pr. Z. S. 1857, pl. 130.

2368. lineatus, Lawr.

668. d. Anabatoides, Des Murs, 1853.

2369. fuscus, V.; P. C. 150. 2. albicollis, Licht.; anabatoides, Tem.

669. e. Heliobletus Reich

669. e. Heliobletus, Reich, 1853. 2370. superciliosus, Licht.

pyrrhophæus, V.; xenops, Tem. MS. contaminatus. Licht.

Subfam. IV. Oxyrhamphinæ, Sw. 1831.

Anabatinæ, p., G. R. Gr. 1840.

670. OXYRHAMPHUS, Strickl. 1841.

Oxyrhynchus, Tem. 1820, nec Gesn. 1604. Oxyruncus, Tem. olim.

Sw. C. of B. f. 79; G. of B. i. p. 138, pl. 42, f. 4; Reich. S. A. t. 36, f.

2371. flammiceps, Tem. P. C. 125; Sw. Zool. Ill. pl. 49; Delic. Fl. et Faun. Bras. t. . . cristatus, Sw.; serratus, Mikan.

2372. frater, Sclat. & S. Exot. Orn. pl. 66.

Veragua.

Subfam. V. Dendrocolaptinæ, G. R. Gr. 1840. Certhianæ, p., Bp. 1831.

671. DENDROCOLAPTES, Herm. 1804.

Dendrocopus, V. 1816, nec Koch, 1816. Orthocolaptes, Less, 1840. Dendrocops, Sw. 1837
 Premnocopus, Cab. 1847.
 Sw. C. of B. f. 281 a; G. of B. i. p. 139, pl. 43, f. 4; Reich. S. A. t. 36, f.

a. Dendrocolaptes.

2373. giganteus, Müll.; P. E. 621; Lev. Prom. t. 26. certhia, Bodd.; cayennensis, Gm.; scandens, Lath. major, Herm.; communis, Less. undulatus. Cab.

2374. Sancti Thomæ, Lafr.

Cayenne. Upp. Amazon. Bolivia.

Hond., Panama, C. Rica, Guat. 2375. **picumnus**, *Licht.*; *Spix*, *A. B.* t. 89. cayanensis, p., *Licht.*; platyrostris, *Spix*. melanops, *Less.*; platyrhynchus, *Reich.* fortirostris. *Such*?

Brazil.

2376. validus, Tsch. F. P. t. 21. 2.

Peru.

2377. radiolatus, Selat.

E. Peru.

2378. puncticollis, Sclat. & S. Pr. Z. S. 1868, pl. 5. multistrigatus, Sclat. & S. Guatemala.

2379. multostrigatus, Eyton. erassirostris, Such?; validus, p., Sclat. & S.

Vera Paz,Nicara.

2380. concolor, Pelz.

Amazonia.

2381. pallescens, Pelz.

Brazil.

2382. ? olivaceus, Euton.

Columbia.

2383. ? simpliciceps, Pucher. & Lafr.

Dendrocopus, Reich. 1853.

Dendrocolaptes, Bp. 1854. Dryocolaptes, Fitz. G. of B. pl. 43. f. 4.

Brazil, Bolivia. Argent. Repub.

2384. albicollis, V.; Abh. Ak. Berl. t. 1. 1. decumanus, Licht.; guttatus, Max. eyanotis, Licht.?

Venezuela.

2386. promeropirhynchus, Less. melanops, Less.

2385. procerus, Cab. & H.

Bogota.

2387. lineatocephalus, G. R. Gr. & M. G. B. pl. 43. promeropirhynchus, p., Sclat.

Bolivia.

2388. major, V.; Mag. de Zool. 1833, t. 16.

Guatemala.

rubiginosus, Lafr.
2389. emigrans, Sclat.

2390. Perrotii, Lafr. Mag. de Zool. 1844, t. 54.

Cavenne.

2391. fortis, Heine.

albicollis, Sclat.

673. c. Dendrexetastes, Eyton, 1851. Cladoscopus, Reich. 1853.

2392. Temminckii, Lafr. Mag. de Zool, 1841, t. 4. capitoides, Eyton.

2393. Devillii, Des Murs; Casteln. Voy. t. 13. 1.

Amazon.

674. d. Nasica, Less, 1831.

Dendrocolaptes, 3 div., Cuv. 1829.

Peru.

HAND-LIST OF BIRDS.	177
2394. longirostris, Licht.; Lev. Prom. t. 24. nasalis et albicollis, Less.	Brazil. R. Negro.
2395. graeilirostris, Burm.	Rio Quinto.
675. c. Dendroplex, Sw. 1827.  Dendrocolaptes, 2 div., Cuv. Dendrocopus, Sundev. 1835.	
2306. picus, Gm.; P. E. 605; Lev. Prom. t. 27. minor, Herm.; rectirostris. V. guttatus. Less.; picoides, Shaw; chrysolophus, Sw. altirostris et nigrirostris, Lafr.	Brazil. Amaz., Bolivia.
2397. picirostris, Lafr.; Des Murs, I. O. t. 51.	N. Gran., Boliv.
2398. intermedius, $Bp$ .	
2399. similis, Natt.	Brazil.
676. f. Dendrornis, Eyton, 1852. Premnocopus, Reich. 1853. Dendroplex, Sw. 1837?	
2400. <b>susurrans</b> , Jard. albisquamata, Lafr.	Tobago. Trinidad.
2401. rostripallens, Des Murs; Casteln. Voy. t. 12, 2. pallidirostris, Sclat.	R. Napo, Ega.
2402. multiguttatus, Lafr.; Casteln. Voy. t. 12. 1.	Cayenne.
2403. eburneirostris, Less.; Des Murs, I. O. t. 52. flavigaster, Su.; flavigastra, Sclat. albirostris, Lafr.	Guatemala. Mexico.
2404. triangularis, Lafr. Mag. de Zool. 1843, t. 32.	Bogota, Ecuador,
2405. <b>erythropygius</b> , Selat. triangularis, Selat.	Venezuela. Jalapa.
2406. pardalotus, V.; Lev. Prom. t. 30. flammeus, Licht.; guttatus, p., Lafr.	Cayenne. Bogota, Bolivia.
2407. palliatus, Des Murs; Casteln. Voy. t. 15. 1.	Gualaquiza.
2408. nanus, Lawr.	Panama.
2409. elegans, Pelz.	Brazil.
2410. Beauperthuysii, <i>Lafr</i> . susurrans, <i>Sclat</i> .?	**
2411. guttatus, Lieht.	14
2412. guttatoides, Lafr.	Cayenne.
2413. mentalis, Lawr.	W. Mexico.
2414. Eytoni, Selat. P. Z. S. 1853, pl. 52.	Lower Amazon, Brazil.
2415. Kieneri, <i>Lafr.</i> ; <i>Casteln. Voy.</i> t. 14. 1.	Ega.

2416. D'Orbignyanus, Pucher.

2436. miniatus, Ill.

rubricaudatus, U.

2417. ocellatus, Tsch. Peru. 2418. obsoletus. III. Brazil. 2419. chunchotambo, Tseh. F. P. t. 22, 1. Peru. Brazil. 2420. lacrymosus, Lawr. 677. XIPHORHYNCHUS, Sw. 1827. Dendrocolaptes, 3 div., Tem. 1830, et 4 div., Cuv. 1829. Ziphorhynchus, Sw 1837. Sw. C. of B. f. 281 b; G. of B. i. p. 140, pl. 43, f. 1; Reich, S. A. t. 36, f. a. Xiphorhynchus, 2421. procurvus, Tem. P. C. 28; V. Gal. des Ois, t. 175. Brazil, Bolivia. falcularius, V.; trochilirostris, Lafr. 2422. Lafresnayanus, D' Orb. Voy. A. M. t. 53, 2. Bolivia. procurvus, Lafr. 2423. venezuelensis, Lafr. Venezuela. 2424. granadensis, Lafr. New Granada. 2425. thoracicus, Sclat. Ecuador. 2426. procuroides, Lafr. Cavenne. 2427. trochilirostris, Licht. Abh. Ak. Berl. 1818, t. 3, Brazil. procurvus, Lafr.; Wiedi, Hartl. 2428. brevirostris, Lafr. 2429. isabella, Verr. 2430. pusillus, Sclat. Bogota. 678. b. Drymornis, Eyton, 1852. 2431. Pucherani, Lafr.; Des Murs, I. O. t. 68. 2432. Brydgesii, Eyton, Contr. Orn. 1849, pl. . Bolivia. **679. PICOLAPTES, Less.** 1831. Thripobrosus, Cab. 1847. G. of B. i. p. 140. a. Picolaptes. 2433. tenuirostris, Lieht.; Spix, A. B. t. 91. 2. Brazil. fuscus, V.; Spixii, Less.; guttata, Less. Cent. Zool. t. 32. 2434. angustirostris, V. Paraguay. bivittatus, p., Lafr. Bolivia. 2435. bivittatus, Licht. Abh. Ak. Berl. 1820, t. 2. 2. Brazil, Bolivia. angustirostris, p., G. R. Gr. Argentine Rep.

Paraguay.

2437. falcinellus, Licht, squamatus, Lafr.	Buenos Ayres.
2438. ocellatus, $Spix$ , $A$ , $E$ , t. 91, 1. guttatus, $Spix$ .	Brazil.
2439. compressus, Cab.	Costa Rica.
680. b. Lepidocolaptes, Reich. 1853.	
2440. squamatus, Licht.; Spix, A. B. t 90, 2. Wagleri, Spix; maculiventris, Less.	Trinidad. Brazil.
2441. leucogaster, Sw. Wagleri, p., G. R. Gr.	Mexico.
2442. Souleyetii, Lafr.; Des Murs, I. O. t. 69.	Ecuador.
2443. lineaticeps, Lafr.	Mexico.
2444. Lafresnayi, Cab. & H.	Venezu., Bolivia.
2445. Warseiwiczi, Cab. & H.	Peru.
2446. atripes, Eyton.	Bolivia.
2447. validirostris, Eyton.	
<b>681.</b> c. Dacryophorus, Bp. 1854.	
2448. lacrymiger, Lafr.; Des Murs, I. O. t. 70.	Ecuador, Bogota.
2449. affinis, Lafr. angustirostris, Ep.	Jalapa.
2450. albilineatus, Lafr.	Mexico, Columb.
2451. fuscicapillus, Pelz.	Brazil.
<b>682. DENDROCINCLA</b> , G. R. Gr. 1840.  Dryocopus, Max. 1831, nec Boie, 1826. G. of B. i. p. 141, pl. 43. f. 5; Reich, S. A. t. 36. f.  a. Dendrocincla.	•
2452. turdina, Licht. Abh. Ak. Berl. 1820, t. 2. 1, turdinea, Burm.	39
2453. atrirostris, Lafr.; D'Orb. Voy. t. 54. 1 olivacea et fumigata, Lawr.? turdinus, var., Lafr.	Bolivia, Ecuad.
2454. fumigata, Licht.; Lev. Prom. t. 28. fuliginosus, U.	Brazil.
2455. ? Delattrii, $Bp$ .	Nicaragua.
2456. minor, Pelz.	Brazil.
2457. tyrannina, Lafr.	Bogota.
2458 longicauda, Natt.	Rio Negro.

683. b. Dendromanes, Sclat. 1859.

2459. anabatina, Sclat. Pr. Z. S 1859, pl. 150. Mexico, Vera Paz, Oayaca.

2460. homochroa, Selat.

2461. merula, Licht. Guiana, Amaz.

2462. meruloides, Lafr. melulina, Cab. & H.

2463, ruficeps, Sclat, & Salv. Panama.

### 684. SITTASOMUS, Sw. 1827.

Synallaxis, 2 div., Cuv. 1829. Dendrocolaptes, 4 div., Tem. 1820. Sittosomus, Cab. 3 H. 1859. Sw. C. of B. f. 281 d; G. of B. i. p. 141, pl. 43, f. 3; Reich. S. A. t. 36, f.

#### a. Sittasomus.

2464. erythacus, Lieht. Abh. Ak. Berl. 1820, t. 1. 2, 3; P. C. 72. 1.

sylviellus, Tem.; Temminckii, Less.

S. Brazil. Bolivia.

Oaxaca.

Venezuela.

2465. amazonus, Lafr. & Dev.; Casteln. Voy. t. 15. 3. Ecuador. erythacus, Selat. Rio Negro.

2466. sylvioides, Lafr. pectinicauda, Cab. & H.

Mexico.

2467. griseus, Jard. Tobago.

2468. pallescens, Lafr.

2469. ? Orbignyanus, Lafr.

2470. olivaceus, Max.

S. Brazil.

Bogota, Veragua.

2471. stictolæmus, Pelz. Borba, Brazil.

# **685.** b. Margarornis, Reich. 1853.

2472. squarniger, Lafr.; D'Orb. Voy. t. 542. Bolivia, Ecuador. perlatus, Less. New Granada.

2473. gutturalis, Lafr. Bolivia.

2474. certhioides, Lafr. Argentine Rep.

2475. rubiginosus, Lawr. Costa Rica.

2477. guttatus, Lawr. Ecuador.

686. c. Siptornis, Reich. 1853.

2476. brunnescens, Sclat. Pr. Z. S. 1857, pl. 116.

2478. flammulatus, Less. Brazil.

### 657. GLYPHORHYNCHUS

et Sphenorhynehus, Max. 1831. Sittacilla, Less. 1837. Zenophasia, Sw. 1837. Xenophasia, Strickl. 1841. Neops, Ep. 1854, nec V.

G. of B. i. p. 141, pl. 43, f. 2; Reich. S. A. t. 36, f.

2479. cuneatus, Licht. Abh. Ak. Berl. 1818, t. 3. 1. ruficaudus, Max.; platyrhyncha, Sw.

Brazil.

2480. Castelnaudii, Des Murs; Casteln. Voy. t. 15, 2. cuneatus, p., Sclat.

Bogota. Pallatanga Vera Paz.

2481. major, Sclat.

cuneatus, Lawr.; pectoralis, Sclat. & Salv.

688. PYGARRHICHUS, Licht. 1837.

Dendrodromus, Gould, 1839.

Dromodendron, G. R. Gr. 1840.

Dromodendrum, Agass. Pigarrhicus, Des Murs, 1853. Pygarhicus, Hartl.

Pygarrhicus, Bp. 1850.

G. of B. i. p. 149, pl. 45. f. 4; Reich, S. A. t. 36. f.

2482. albogularis, King, Voy. Beagle, pl. 27. leucosternus, Gould; sitellus, Licht.

S. Chili.

# Subfam. VI. Sittinæ, Bp. 1831.

### **689. SITTA**, L. 1735.

Sitella, Rafing. 1815.

Sw. C. of B. f. 72; G. of B. i. p. 147, pl. 45. f. 1; Reich. S. A. t. 36. f. .

a. SITTA.

2483. europæa, L.; P. E. 623. 1; Naum. Vog. t. 139; Gould. E. E. pl. 236.

N. Europe.

uralensis, Licht.; sericca, Tem. asiatica, Gould; roseilia, Tem.

Japan.

2484. cæsia, Wolf & Mey.; Gould, E. E. pl. 234. europea, Flem.; Krueperi, Tristr.?

C. S. Europe.

europea, var., Blas.; affinis, Bl.

2485. syriaca, Ehr.; Gould, B. E. pl. 235. Neumayer, Mich.; rupestris, Tem. saxatilis, Schinz.

S.E. Europe. Candahar. N. Africa.

2486. himalayensis, Jard. & S. I. O. pl. 146; Gould, B. As.

Himalayas. Sikkim.

vitticauda, James; indica, Burt. nipalensis, Hodgs.

2487. castaneoventris, Frankl.; Jard. & S. I. O. pl. 145; Gould, B. As. pl.

castanea, Less.; ferrugineoventris. Gould.

S. & C. India.

2506, tenuirostris, Gould.

S. Australia.

2488. cinnamomeoventris, Bl.; Gould, B. As. pl. nipalensis, Bp.; castaneoventris, Hodgs.	Himalayas. Sikkim.
2489. leucopsis, $Gould$ , $B$ . $As$ . pl. castanilia, $Bp$ .	Simla. N.W.Himalayas.
2490. carolinensis, Lath.; V. Gal. des Ois. t. 171; Baird, B. N. A. pl. 33. 4. melanocephala, V.	E. N. America.
2491. canadensis, Lath.; P. E. 623, 3; Wils, A. O. pl. 2, 4. stulta, $V_{\gamma}$ ; varia, Wils.	N. America.
2492. pusilla, Lath.; Wils. A. O. pl. 15. 2.	S.AtlanticStates.
2493. pygmæa, Vig. Beechey's Voy. pl. 4. 2.	N.W. America.
2494. aculeata, Cass.; Baird, B. of N. A. pl. 33. 3.	E. of Rocky Mts.
2495. Krueperi, Pelz. Ibis, 1865, pl. 7.	Asia Minor.
2496. villosa, Verr. N. Arch. du Mus. i. t. 5, 1.	N. China.
<b>690.</b> b. Callisitta, Bp. 1850.	
2497. formosa, $B^{l}$ .; Gould, $B$ . As. pl.	Sikkim.
691. c. Dendrophila, Sw. 1837. Orthorhynchus, Horsf. 182 ?, nec Cuv. 1829.	
2498. <b>frontalis</b> , <i>Horsf.</i> ; <i>P. C.</i> 72. 3. velata, <i>Tem.</i>	Java, Sumatra. Borneo,Burmah.
2499. corallina, Hodgs. frontalis, Bl.	Nepal. Ceylon, Pegu.
2500. azurea, Less.; G. R. Gr. § M. G. B. pl. 45. flavipes, Sw.; gymnophrys, Kuhl; Schl. de Dierg. fig. p. 159. gymnopsis, Schl.	C. Asia.
<b>692.</b> d. Hypherfes, Newt. 1863. Sitta, p., Schl. & Poll.	
2501. corallirostris, Newt. Pr. Z. S. 1863, pl. 13.	Madagascar.
<b>693. SITTELLA</b> , Sw. 1837, nec Rafinq. 1815. G. of B. i. p. 148, pl. 45. f. 2; Reich. S. A. t. 36. f.	
2502. chrysoptera, Lath. Syn. suppl. pl. 127; Gould, B. A. iv. pl. 101.	New S. Wales.
2503. leucocephala, Gould, B. A. iv. pl. 102.	N.S. W., N. Aus.
2504. leucoptera, Gould, B. A. iv. pl. 103.	N. Australia.
2505. pileata, Gould, B. A. iv. pl. 104. melanocephala, Gould.	S.&W.Australia.

# 694. ACANTHISITTA, Lafr. 1843.

Acanthidositta, Aguss.

G. of B. i, p. 148, pl. 45, f. 3; Reich, S. A. t. 36, f. . .

### a. Acanthisitta.

2507. chloris, Sparrm. M. C. t. 33; Mag. de Zool. 1842, t. 27. New Zealand.

tenuirostris, Lafr. Q, citrina, Gm. citrinella, Forst.

juv., punctata, Quoy & G. Voy, Astrol. t. 18. 1.

#### 695. b. Xenicus, G. R. Gr. 1853.

2508. longipes, Gm. Voy. Ereb. & Terr. pl. 3, 1.

2509. Stokesi, G. R. Gr. longipes Q, G, R, Gr, ?

2510. gilviventris, Pelz.

2511. Haasti, Buller.

S. Island, New Zealand.

Europe.

America

Mexico

Nepal.

# FAM. VII. CERTHIIDÆ, Viq. 1825.

# Subfam. I. Certhiinæ, $B_p$ .

# **696.** CERTHIA, L. 1735, 1744, 1758, 1766.

Ispida, p., L. 1748, 1756. Falcatores, Klein, 1759. Sw. C. of B. f. 280 a, b; G. of B. i. p. 143, pl. 44. f. 5; Reich. S. A. t. 38, f.

2512. familiaris, L.; P. E. 681; Naum. Vog. t. 140; Gould, B. E. pl. 237.

Nattereri, Bp.; Costæ, Bailly.

scandulosa, Pall.; brachydaetyla, Natt.

2513. americana, Ep.; Wils, A. O. pl. 8. 1. familiaris, Wils,; albifrons, Bl. ?

2514. mexicana, Reich.; Baird, B. N. A. pl. 83. 2. americana, p., Baird.

2515. himalayana, Vig.; Gould, B. As. pl. Himalaya Mts. asiatica, Sw.

2516. nepalensis, Hodgs.; Gould, B. As. pl. himalayana, Bl.

2517. discolor, Bl.; Gould, B. As. pl. Sikkim.

# 697. CAULODROMUS, G. R. Gr. 1847.

Rimator, Bl. 1847. Merva, Hodgs, 1847. G, of B, i, p, 143, pl, 44, f, 4; Reich, S, A, t, 38, f, ... 2518. Gracei, G. R. Gr. & M. G. B. pl. 44.2; Calc. Journ. N. Darjeeling. H. 1847, p. 32. malacoptilus, Bl.; Jerdonii, Hodgs.

698. SALPORNIS, G. R. Gr. 1847.

G. of B. i. p. 144, pl. 44. f. 3; Reich. S. A. t. 38. f.

2519. spilonota, Frankl.; G. R. Gr. & M. G. B. pl. 44. 1; Gould, B. As. pl.

Behar.

Subfam. II. Tichodrominæ, Bp. 1849.

Certhianæ, p., G. R. Gr. 1840. Climaeterinæ, Cab. 1860.

699. TICHODROMA, Ill. 1811.

Petrodroma, V. 1816. Jetrodroma, Boie, 1826. G. of B. i. p. 144, pl. 44, f. 1; Reich, S. A. t. 38, f.

2520. muraria, L.; P. E. 372; Lev. Prom. t. 20, 21; Naum. Vög. t. 141; Gould, B. E. pl. 239.

phœnieoptera, Tem. subhimalayana, Hodgs.; nipalensis, Bp. muraria, p., Hodgs.

Europe. Egypt, Abyssin. Nepal.

**700.** CLIMACTERIS, Tem. 1820.

Sw. C. of B. f. 73; G. of B. i. p. 145, pl. 44. f. 2; Reich. S. A. t 38, f. .

a. CLIMACTERIS.

2521. leucophæa, Lath.; P. C. 281. 1; Gould, B. A. iv. pl. 98. N. S. W., S. Aus. pieumnus, Tem.; leucoptera, Lath. Bailloni, V. Gal. des Ois. t. 172?

Celebes, Timor.

2522. pyrrhonota, Gould. leucophæa, p., Gould.

Australia.

2523. scandens, Tem. P. C. 281. 2; Gould, B. A. iv. pl. 93; New S. Wales, S. Kittl. Kupf. Vog. t. 6. 1.

Austr., Nor. I.

2524. melanura, Gould, B. A. iv. pl. 97.

N. Australia. W. Australia.

2525. rufa, Gould, B. A. iv. pl. 94.

New S. Wales.

2526. erythrops, Gould, B. A. iv. pl. 95.

2527. melanota, Gould, B. A. iv. pl. 96. melanonota, Gould.

N. Australia.

701. b. Rhabdornis, Reich, 1854.

2528. mystacalis, Tem. P. C. 335; Kittl. Kupf. Vog. t. 6. 2. Luzon.

# FAM. VIII. **MENURIDÆ**, *Bp.* 1849.

Cracidæ, p., Vig. 1825. Penelopidæ, p., Bp. 1831. Megapodidæ, p., Sw. 1837. Eriodoridæ, p., 1847, et Pteroptochidæ, 1859, Cab.

# Subfam. I. Menurinæ, G. R. Gr. 1847.

Megapodinæ, p., 1840, et Troglodytinæ, p., G. R. Gr. 1841.

### 702. MENURA, Davies, 1800.

Parkinsonius, Bechst. Megapodius, Wagl. 1827.
Mænura, Cuv. 1829. Mænura, Less. 1828.
Sw. C. of B. f. 302; G. of B. i. p. 153, pl. 47, f. 9; Reich. S. A. t. 57, f.

2529. superba, Davies, Linn. Trans. vii. pl. 22; V. Gal. des Ois. t. 192; Gould, B. A. iii. pl. 14.

menura, Wagl.; lyra, Shaw; novæ hollandiæ, Lath. mirabilis, Bechst.; vulgaris, Flem.; paradisia, Sw. lyrata, Less.

2530. Alberti, Gould, B. A. suppl. pl.

o. Alberti, Goula, B. A. suppi. pi.

2531. Victoriæ, Gould.

New S. Wales.

Richmond River.

Port Phillip.

# Subfam. II. Orthonycinæ, G. R. Gr. 1840.

# **703.** ORTHONYX, Tem. 1820.

Sw. C. of B. f. 77; G of B. i. p. 151, pl. 44. f. 6; Reich. S. A. t. 38. f.

# a. Orthonyx.

2532. spinicauda, Tem. P. C. 428, 429; Gould, B. A. iv. pl. 99. New S. Wales. maculatus, Steph.; Temminckii, Vig.

2533. Spaldingi, Rams.

Rocking. Bay, Queensland.

# 704. b. Mohoua, Less. 1837.

Clitonyx, Reich. 1853.

2234. ochrocephala, Gm. Voy. Astrol. t. 17, 1; G. R. Gr. & M. G. B. pl. 46.

chloris, Forst.; icterocephala, Lafr. heteroclita,  $Quoy \ G.$ ; hua, Less.

2535. albicilla, Less.; Voy. Ereb. & Terr. pl. 5. 2.
•enilis, Dubus.

New Zealand. South Islds.

New Zealand. South Islds.

# FAM. IX. PTEROPTOCHIDÆ, Sclat. 1858.

Certhiadæ, p., G. R. Gr. 1840. Merulidæ, p., Sw. 1837. Erro doridæ, p., Cab. 1847.

# Subfam. I. Pteroptochinæ, Cab. 1859.

Crateropodinæ, p., Sw. 1837. Troglodytinæ, p., G. R. Gr. 1840. Myjotherinæ, p., Cab. 1847.

### **705.** HYLACTES, King, 1830.

Megalonyx, Less. 1831. Hylaetes, D'Orb. 1844. G. of B. i. p. 154, pl. 47. f. 4; Reich. S. A. t. 57. f.

2536. **Tarnii**, *King*; *D'Orb. Voy. A. M.* t. 8. 1. ruficeps, *Lafr*.

Isld. of Chiloe. Conception.

Chili.

2537. castaneus, Phil. & Landb.; Sclat. & Salv. E. O. pl. 29.

2538. megapodius, Kittl. Mém. Acad. Pétersb. 1831, t. 4; Sm. Z. I. pl. 117.
rufus, Less.; macropus, Sw.

# 706. PTEROPTOCHOS, Kittl. 1830.

Leptonyx, Sw. 1832. Pteroptochus, Wiegm. 1836. Platyurus, p., Sw.
G. of B. i. p. 155, pl. 47. f. 3; Reich. S. A. t. 57. f

### a. Pteroptochos.

2539. rubecula, Kittl. Mém. Acad. Pétersb. 1831, t. 2; D'Orb. Voy, A. M. t. 7. 2. rufogularis, D'Orb.

Chili. I. of Chiloe.

2540. albicollis, Kittl. Mém. Acad. Pétersb. 1831, t. 3; D'Orb. Voy. A. M. t. 8, 2. medius, Less. Ill. de Zool. t. 60.

Chili.

**202.** b. Acropternis, Cab. 1859.

Ommatornis, Sclat. MS.

2541. orthonyx, Lafr. Mag. de Zool. 1844, t. 53.

New Granada.

**708.** c, Liosceles, Sclat. 1864.

2542. thoracicus, Sclat. Pr. Z. S. 1864, pl. 38.

Costa Rica, R. Amazon.

**709.** d. Triptoriinus, Cab. 1847.

Platyurus, p., Sw. Reich, S. A. t. 57, f. .

2543. paradoxus, Kittl. Mém. Acad. Pétersb. 1831, t. 5. chilensis, Ménétr.; lepturus, Sw.

Chili. I. of Chiloe. 210.

e. Agathopus, Sclat. 1858.

2544. micropterus, Sclat.

Rio Napo.

Str. of Magellan.

Chili, Patagonia.

Terra del Fuego, I. of Chiloe.

Falkland Isld.

Brazil.

Chili.

Guatemala.

711. f. Scytalopus, Gould, 1836.

Sylviaxis, Less. 1840.

Reich. S. A. t. 57. f.

2545. magellanicus, Gm.; Jard. Contr. Orn. pl. 77.

fuscus, Gould; niger, Sw.; ethiops, Hartl. obscura, King; speluncæ, Ménétr. fuliginosum, Less.; albifrons, Landb.

Tungmosum, Less.; aronfons, Lando.

2546. indigoticus, Licht.; Jard. Contr. Orn. pl. 76. 2, & pl. 78. albiventris, Ménétr.; albigularis, Gould.

2547. polygramma, n. sp.?

2548. ? fuscoides, Lafr. fuscus, var.?

2549. undulatus, Jard. & S. Ill. O. pl. 19; Contr. Orn. 1851, pl. 76, 1.

2550, nanus, Lafr.

I. of Chiloe.

--- ?

**712.** g. Merulaxis, Less. 1830.

Platyurus, Sw. 1837. Malacorhynchus, Ménétr. 1834, nec Sw. Sarochalinus, Cab. 1847. Merularis, D'Orb.

Reich, S. A. t. 57. f. .

2551. rhinolophus, Max.; Cent. Zool. t. 30; Sw. B. Braz. pl. 55, 56.

ater, Less.; cristatellus, Ménétr. corniculatus, Sw.

2552. analis, Lafr.

Paraguay, Chili.

2553. ? senilis, Lafr.

Bogota.

Brazil.

2554. ? squamiger, Lafr.

I. of Chiloe.

**713. RHINOCRYPTA, G. R. Gr. 1841.** 

Rhinomya, I. Geoffr. 1832, nec Rob. 1830. Megalonyx, Less. 1837. Rhinomyia, Agass.

G. of B. i. p. 154 a, pl. 47. f. 10; Reich, S. A. t. 57. f.

2555. lanceolata, I. Geoffr.; D'Orb. Voy. A. M. t. 7. 1; Mag. de Zool. 1832, t. 3.

Patagonia.

# FAM. X. TROGLODYTIDÆ, Sclat. 1862.

Liotrichidæ, p., Cab. 1847.

# Subfam. I. Troglodytinæ, G. R. Gr. 1840, & Cab. 1847.

Troglodytænæ, Sw. 1831.

## 714. TESIA, 1837,

et Oligura, 1844, Hodgs. G. of B. i. p. 156.

### a. Tesia.

2556. castaneocoronata, Burt.; G. R. Gr. & M. G. B. pl. 47. 1. E. Himalaya. flaviventris, Hodgs.

2557. cyaniventris, Hodgs.; Gould, B. As. pl. auriceps, Hodgs.; olivacea, M\*Clell.

S.E. Himalaya.

### **715.** b. Anura, 1841,

et Pnoëpyga, 1844, et Propyga, et Proepygia, 1846, Hodgs. Microura, Gould, 1837. Micrura, Strickl. 1841. Aipunemia, Sw. 1831? Æpynemia, Strickl. 1840. G. of B. pl. 47. f. 5; Reich. S. A. t. 57. f.

2558. squamata, Gould, I. A. pl. albiventer, rufiventer, unicolor et concolor, Hodgs.

Himalayas.

2559. pusilla, Hodgs.

Darjeeling.

2560. caudata, Bl.2561. longicaudata, Moore.

Nepal. N.W. Himalaya.

# **716.** TROGLODYTES, V. 1807.

Troglodites, Cuv. 1817, nec L. 1744.
Anorthura, Renn. 1831.
Sylvia (Troglodytæ), Meyer, 1815.
Sw. C. of B. f. 71; G. of B. i. p. 157, pl. 47. f. 1; Reich. S. A. t. 57. f.

### a. Troglodytes.

2562. parvulus, Koch; P. E. 651. 2; Naum. Vog. t. 83. 4; Gowld, B. E. pl. 130.

troglodytes, L.; europæus, Cuv. regulus, Meyer.

Europe.

2563. **nipalensis**, *Hodgs*.; *Gould*, *B*. *As.* pl. subhimalayanus, *Hodgs*.

Nepal.

2564. fumigatus, Tem.

Japan.

2565. punctatus, Bl.

Darjeeling.

HAND-LIST OF BIRDS.	100
2566. hyemalis, V.; Wils. A. O. pl. 8. 6. troglodytes, Wils. hyemalis, var. pacificus, Baird.	E. United States. Cordova? Pacific co., U.S.
b. Тикіотнокия, et Thryothorus, I'. 1816. Thryotorus, Reich. 1850. Telmatodytes, Cab. 1850. Thriotherus, Aliq. Thryophilus, Baird. Reich, S. A. t. 57. f.	
2567. ludovicianus, Lath.; P. E. 730. 1; Wils. A. O. pl. 12. 5. caroliniana, Wils.; arundinaceus et littoralis, V.; louisianæ,	United States.  Mexico.
Less,	Brazil.
2568. longirostris, V. Gal. des Ois. t. 168.	Ecuador.
2569. nigricapillus, Sclat.	Vera Paz.
2570. pleurostictus, Sclat. Cat. of A. B. pl. 4.	N.E. Mexico.
2571. Berlandieri, Couch; Baird, B. N. A. pl. 83. 1.	Guatemala.
2572. petenicus, Salv. albinucha, Cabot.	Guatemaia.
2573. leucotis, Lafr.	Mex., L. Amaz., Panama, Cay.
2574. Eidouxi, <i>Bp</i> .	Brazil.
2575. polyglottus. <i>V.</i> omnivorus, <i>Licht</i> .	"
2576. brunneus, Lawr.	Nicaragua.
2577. minor, Pelz.	Brazil.
2578. mexicanus, Licht. guttulatus, Hartl.; murarius, Licht.	Mexico.
2579. erythrophthalmus, Licht.	,,
2580. deflexus, Licht.	,,
2581. rosaceus, Less.	Chili.
718. c. Pheugopedius, Cab. 1850. Thryothorus, Sundev. 1835.	
2582. coraya, Gm.; P. E. 701. 1.	Cayenne.
2583. melanos, V.; Spir, A. B. t. 73, 2. genibarbis, Sw.; coraya, Licht.	Brazil. Bolivia.
2584. mysticalis, Sclat.	Ecuador.
2585. fasciatoventris, Lafr. albogularis, Sclat.	Bogota. Panama.
2586. rutilus, V.; Sw. B. Braz. pl. 15. rutilans, Sw.; gularis, Cuv.	Brazil, Trinidad. Tobago.
2587. maculipectus, Lafr.	S. Mex. to Guat.

2588. euophrys, Sclat.

Quito.

Brazil. 2589. ? albicollis, Cuv. Costa Rica. 2590, atrogularis, Salv. 2591. thoracieus, Salv. Mexico. 2592, felix, Sclat. d. Thryophilus, Baird, 1864. 719. New Granada. 2593, rufalbus, Lafr. Ecuador, Guiana. venezuelanus, Cab.; longirostris, Lawr. Panama, Trin. cumanensis, Licht. Costa Rica. 2594. modestus, Cab. Guatemala. leucotis, Lawr. Panama. 2595. Galbraithi, Lawr. leucotis, p. 2596. castaneus, Lawr. nigricapillus, Lawr. Veragua. New Granada. 2597. albipectus, Cab. N.W. America. 2598. sinaloa, Baird. Guatemala. 2599. poliopleurus, Baird. rufalbus, var. poliopleurus, Baird. Mexico 2600. Schottii, Baird. Isth. of Darien. nigricapillus, Cass. Brazil. 2601. striolatus, Max.; Spix, A. B. t. 79. 2. e. Thryomanes, Sciat. 1861. 720. Telmatodytes, p., Cab. N. America. 2602. Bewickii, Aud. B. A. ii. pl. 118. Mexico. leucogastra, Gould. spilurus, Vig. Beechey's Voy. pl. 4. 1. California. f. Cistothorus, Cab. 1850. 721. 2603. stellaris, Naum.; Aud. B. A. ii. pl. 124. United States.

**722.** g. Telmatodytes, Cab. 1850.

brevirostris, Nutt.; Aud. B. A. ii. pl. 175.

2604. interscapularis, Licht.

2605. clegans, Sclat. & S.
2606. polyglottus, V.

2607. arundinaceus, V.; Wils. A. O. ii. pl. 12. 4. palustris, Wils. var. paludicola, Baird.

N. America. Greenland, Mex Pacific co., U.S.

Mexico. Brazil.

Brazil.

C. America

723. h. Hylemothrous, Max. 1831.	
2608. platensis, Gm.; P. E. 730. 2.	Brazil, N. Patag., Bahia, Blanca, Falkland I.
2609. furvus, $\mathit{Gm}$ .; $\mathit{Brown}$ , $\mathit{Ill}$ . pl. 18; $\mathit{V}$ . $\mathit{Gal}$ . $\mathit{des}$ $\mathit{Ois}$ . t. 167.	1 4124114 11
2610. hornensis, Less. fasciolatus, Burm.	Chili.
2611. aedon, V.; Wils. A. O. pl. 8. domestica, Wils.; fulvus, Nutt. furvus, p., Naum.	E. of U. S.
2612. musculus, Lieht. aquinoctialis, Sw. B. Braz. pl. 13.	Brazil.
2613. brunneicollis, Sclat. & S. E. O. pl. 23. 2.	Mexico.
2614. americanus, Aud. B. A. ii. pl. 119.	N.E. of U.S.
2615. intermedius, Cab. hypaedon et aedon, Sclat.	Oaxaca. Gnatemala.
2616. tessellatus, Lafr. tecellata, D'Orb.	Peru, Veragua.
2617. inquietus, Baird. hypaedon, Lawr.	Panama.
2618. magellanicus, Gould.	Str. of Magellan.
2619. martinicensis, Sclat.	Martinique.
2620. striatulus, Lafr.	Bogota.
2621. audax, Tsch.	Peru.
2622. solstitialis, Sclat. & S. Ex. Orn. pl. 23, 1.	Pinipi, Matos.
2623. Parkmanni, Aud. B. Am. ii. pl. 122. sylvestris, Gamb.	W. of U. States. California.
2624. murinus, Less.	Peru.
2625. chilensis, Less. $\label{eq:chilensis} \text{quereza}, \ Cuv.$	Chili.
2626. pallidus, Lafr.	Patagonia.
2627. guarayanns, Lafr.	Bolivia.
2628. rufulus, Cab.	Guiana.
<b>721.</b> DONACOBIUS, Sw. 1831.	

# G. of B. i. p. 223, pl. 57, f. 6; Reich. S. A. t. 57, f. a. Donacobius.

Cichla, p., Wagl. 1827.

2629. cyaneus, Müll.; P. E. 392; Sw. Zool. Ill. pl. 27. atricapillus, L.; braziliensis et japacani, Gm.; longirostris. Pall.

Brazil.

Paraguay.

vociferans, Sw.: vociferus!. Sclat. pratensis, 1.

2630. albolineatus, Lafr.; D'Orb. Voy. A. M. t. 12. 1.

Bolivia.

725. b. Heleodytes, Cab. 1850. Furnarius, Sw. 1837. Buglodytes, Bp. 1853.

2631. griseus, Sw. albicilius, Bp.

Santa Martha.

2632. albobrunneus, Lawr.

Panama.

2633. minor, Cab.

Chili.

### 226. CAMPYLORHYNCHUS

et Kampylorhynchus, Spix, 1824. Cichla, Wagl, 1827, nec Bl. 1851.

G. of B. i. p. 158, pl. 47, f. 7; Reich, S. A. t. 57, f.

2634. variegatus, Gm.; Spix, A. B. t. 79. 1. scolopaceus, Licht.

Bahia.

2635. brunneicapillus, Lafr. Mag. de Zool. 1835, t. 47; Cass. B. Texas, pl. 25.

2636. zonatus, Less. Cent. Zool. t. 70.

N. Mexico.

Guatemala, Mex.

2637. zonatoides, Lafr. 2638. brevirostris, Lafr. Bogota. ٠.

2639. megalopterus, Lafr.; Des Murs, I. O. pl. 54.

S. Mexico. Ecuador.

2640. pallescens, Lafr. megalopterus, Sclat.

2641. capistratus, Less.; Des Murs, I. O. t. 63.

C. America.

2642. pardus, Verr. & Bp.

New Granada.

2643. hypostictus, Gould.

Peru.

2644. unicolor, Lafr. scolopaceus, Lafr. Bolivia.

2645, rufinucha, Lafr. capistratus, p., Sclat. V. Cruz, Xalapa.

2646, nuchalis, Cab.

Trinidad.

2647. unicoloroides, Lafr.

Bolivia.

2648. jocosus, Sclat. Cat. of A. B. pl. 3.

S. Mexico.

2649. guttatus, Gould.

Mexico.

2650. cinnamomeus, Lafr.

Guayaquil.

2651. striaticollis, Sclat.

Bogota.

2652. affinis, Xantus; Elliot, B. N. Am. pl.

Lower Calif.

2653. gularis, Sclat.

Mexico.

Ecuad., Panama, Veragua.

2654. nigriceps, Sclat. Mexico. 2655, baltcatus, Baird. Guayaquil. pallescens, Sclat. 2656. brevipennis, Lawr. Venezuela. 2657. humilis Sclat. Mazatlan. 727. CYPHORHINUS, Cab. 1844. Leucolepis, Reich, 1850. Cyphorinus, Solat. 1862. G. of B. i. p. 155, pl. 47. f. 6; Reich. S. A. t. 57. f. a. Cyphoriunus. 2658. modulator, Lafr.; Casteln. Voy. t. 17, 2. Peru. thoracicus, Tsch.; rufigularis, Des Murs. affinis, Sw. B. of Braz. pl. 57. 2659. musicus, Bodd.; P. E. 706, 2; Sw. B. Braz. pl. 14. Cavenne. cantans, Gm.; arada, Lath. Bolivia. rubecula et carinatus, Sw. 2660. Lawrencei, Lawr.; Sclat. & S. Exot. Orn. pl. 21. Panama. cantans, Lawr. 2661. phæocephalus, Solat. & S. Exot. Orn. pl. 22. Ecuador. 728. b. Microcerculus, Schat. 1861. Cyphorinus, b, Sclat. 1862. 2662. bambla, Bodd.; P. E. 703. 2. Cayenne. troglodytes, Less. 2663. philomela, Salv. Vera Paz. bambla, Lawr. 2664. marginatus, Sclat.; Casteln. Voy. t. 16, 3. Bogota. bicolor, Des Murs. E. Peru. 2665. albigularis, Sclat. Pr. Z. S. 1855, pl. 88. Panama. 2666. luscinia, Salv. Panama. philomela, Lawr.; philomela, p., Baird. Sta Fé, Veragua. 2667. cinctus, Natt. & Pelz. Brazil. 729. c. Henicorhina, Sclat. & S. 1868. Heterorhina, Baird, 1864, nec Microcerculus, p., Sclat. 1862. 2668. prostheleucus, Sclat. Cordova, Guat. 2669. griseicollis, Lafr. Bogota. 2670. pusillus, Sclat. Oaxaca. 2671. leucostictus, Cab. Guiana, Mexico.

prostheleuca, Baird,

2672. leucophrys, Tsch. guttatus, Hartl.

Peru. Costa Rica.

230. d. Salpinetes, Cab. 1847.

Reich, S. A. t. 57, f. .

2673. obsoletus, Say; Bp. A. O. i. pl. 1, 2. latifasciatus, Licht.?

W. America.

e. Catherpes, Baird, 1858. 231.

Salpinetes, p., Cub.

2674. mexicanus, Sw. Zool. Ill. pl. 9. guttulatus, Lafr.; albifrons, Giraud. R. Grande. Mexico.

f. Odontorhynchus, Pelz. 186.

2675. cinereus, Natt. & Pelz.

Brazil.

q. Cinnicerthia, Less. 1844. Presbys, Cab. 1851. Thelydrias, Reich. 1853.

2676. unirufus, Lafr. cinnamomea et unicolor, Less.

Bogota.

2677. canifrons, Lafr. unirufa, p., Sclat.

2678. unibrunneus, Lafr.

Ecuador.

Subfam. II. Tatarinæ, G. R. Gr.

**734. TATARE**, Less. 1831.

Tatarea, Reich, 1849.

G. of B. iii. app. p. 8, pl. suppl. 186, f. 1; Reich, S. A. t. 37, f.

a. TATARE.

2679. longirostris, Gm.; Voy. Coqu. t. 23. 2. eaffra, Sparrm. M. C. t. otaitiensis, otatare et fuscus, Less.

Society I. Tonga I. Marquesas I.

2680. ? æquinoctialis, Lath.

musæ, Forst.

235.

Christmas I.

b. Hybristes, Reich, 1850.

Reich, S. A. t. 57, f. .

2681. luscinius, Quoy & G. Voy. l'Astrol. t. 5. 2.

Ladrone I.

## Tribe III. DENTIROSTRES, Cuv.

## FAM. I. **LUSCINIDÆ**, G. R. Gr. 1841.

Meliphagidæ, Pipridæ et Sylviadæ, Vig. 1825. Motacillidæ et Paridæ, Boie, 1826. Rhacnemididæ, Sylvicollidæ et Sylviadæ, Cab. 1847.

# Subfam. I. Malurinæ, G. R. Gr. 1840.

Sylvianæ, p., et Motacillinæ, p., Vig. 1825.

### **736.** ORTHOTOMUS, *Horsf.* 1820.

Edela, Less. 1831. Sutoria, Nichols. 1851.

Sw. C. of B. f. 135; G. of B. i. p. 161, pl. 48, f. 1; Reich. S. A. t. 58, f.

2682. sepium, Horsf.; P. C. 599, 1; Mag. de Zool, 1836, t. 51. Java, Sumatra.

2683. edela, Tem. P. C. 599. 3.

sepium, Raffl.; Less. (Cent.).

2684. cucullatus, Tem. P. C. 599, 2.

2685. ruficeps, Less. (Tr.).

sericeus. Tem.

2686, flavoviridis, Moore.

cdela, Bl.

2687. longicaudus, Gm.; Mag. de Zool. 1836, t. 52, 53.

sutoria, Gm.; guzuratta, Lath. Bennettii et lingoo, Sykes. ruficapilla, Hutt.; sphenurus, Sw.

patia, Hodgs.; agilis, Nichols.

2688. coronatus, Jerd. & Bl.

2689. phyllorrhapheus, Swinh. phyllorapheus, Jerd.

2690. Derbyanus, Moore, Pr. Z. S. 1854, pl. 76.

2691. atrogularis, Tem.

2692. cineraceus, Bl. sepium, Lafr.

2693. longirostris, Sw.

2694, maculicollis, Moore,

2695. Hugelii, Pelz.

Sumatra.

Malayan penin-

sula. Java, Sumatra.

Malacca.

India, Ceylon. Burmah.

Sikkim.

S. China.

Philippine Isl.

Borneo, Malac.

Malacca.

N.S. Wales (Sw.). Malacca?

Malacca.

New Holland (?).

737. PRINIA, Horsf. 1820.

Dasyocharis, Cab. 1850.

G. of B, i. p. 162, pl. 48, f. 2; Reich, S. A, t. 58, f.

## a. Prinia.

a. Prinia.	
2696. familiaris, Horsf. Zool. Res. pl.; Sw. Zool. Ill. pl. 97. olivacea, Raffl.; prinia, Tem.	Java, Sumatra.
2697. socialis, Sykes; Fras. Zool. Typ. pl.	S. India, Nepal.
2098. <b>Hodgsoni</b> , Bl. gracilis, Jerd.	Himalaya M.
2699. gracilis, Frankl. lingoo, Sykes.	India.
2700. cinereocapilla, Hodgs.	Nepal.
2701. sonitans, Swinh.	I. of Formosa.
2702. flaviventris, Deless.	Ind., Ass., Syl., Bur., Malaya.
2703. Stewartii, <i>Bl.</i> 2704. Beavani, <i>Wald.</i>	C. India.
2705. rufescens, Bl.	Tenasserim. Burmah.
2706. Adamsi, Jerd.	Poonah.
2100. Italisi, vera.	1 oonan.
738. b. Franklinia, Bl. 1855.	
2707. <b>Buchanani</b> , Bl. rufifrons, Frankl.; brunnifrons, Hodys.	India, Scinde.
2708. Cleghorniw, Jerd.	Delhi.
<b>739.</b> c. Horeites, <i>Hodgs</i> . 1844. Nivicola, <i>Hodgs</i> . 1844.	
2709. brunneifrons, Hodgs.	Nepal.
2710. schistilata, <i>Hodys</i> . brunneifrons, p., <i>Jerd</i> .	77
2711. <b>pollicaria</b> , <i>Hodys</i> . brunneifrons, p., <i>Bl</i> .	**
2712. major, Hodgs.	,,
2713. robustipes, Swinh.	I. of Formosa.
<b>740.</b> d. Drymoipus, Bp. 1854.	
2714. polychroa, <i>Tem. P. C.</i> 466. 2. Blythii, <i>Bp.</i>	Java.
2715. <b>neglecta</b> , <i>Jerd</i> . sylvatica, <i>Bl</i> .	Upper India.
2716. sylvatica, Jerd.	S. India.
2717. longicauda, Tick. nipalensis, Hodgs.; macroura, Jerd.	Nepal.

2718. inornata, <i>Sykes</i> ; <i>Fras. Zool. Typ.</i> pl. macroura, <i>Frankl.</i> ; Franklinii, <i>Bl.</i>	India.
2719. valida, Bl. robustus, Bl.	Ceylon.
2720. extensicauda, Swinh.	S. China.
2721. striolata, Pelz.	Kashmir.
2722. flavirostris, Swinh.	I. of Formosa.
2723, pekinensis, Swinh,	N.E. Amoy.
2724. ? leucophrys, Boie.	Java.
2725. ? phragmitoides, Kuhl.	**
<b>741.</b> e. Suya, 1837, et Decurus, 1841, et Decurus, 1844, Hodgs.	
2726. crinigera, Hodgs.	Nepal, Bootan.
2727. <b>fuliginosa</b> , <i>Hodgs</i> . atrogularis, p.?, <i>Bl</i> .	Nepal.
2728. atrogularis, Moore.	Darjeeling.
2729. striata, Swinh.	I. of Formosa.
2730. gangetiea, Jerd.	Upper Ganges.
<b>742. DRYMOICA</b> , Sw. 1827.  Drymœca, Agass. et Cab. 1850.  G. of B. i. p. 163, pl. 48, f. 3; Reich. 8, A. t. 58, f.	

#### a. Drymoica.

2731. maculosa, Bodd.; P.E. 752, 2; Smith I. S. A. Z. pl. 76, 1; Lev. O. A. t. 129, 130.	S. Africa.
macroura, Lath.; capensis, Steph. & Smith.	

2732. ocularia, Smith, I. S. A. Z. pl. 75. 1.

2733. pectoralis, Smith, I. S. A. Z. pl. 75. 2. S. Afr., Latakoo.

2734. substriata, Smith, I. S. A. Z. pl. 72, 1. S. Africa.

2735. pallida, Smith, I. S. A. Z. pl. 72. 2.

melanorhyncha. Jard.

Olifant's R.
S. & W. Africa,
Namaqualand.
Natal.

2736. Smithii, Bp.; Smith, I. S. A. Z. pl. 73, 1. S. Afr., Cape Col. ruffcapilla, Smith.

2737. Levaillantii, Smith, I. S. A. Z. pl. 73, 2; Gould, B. A. iii, pl. 41.

Cape Town, Orange River,

2738. terrestris, Smith, I. S. A. Z. pl. 74. 2.
 2739. subruficapilla, Smith, I. S. A. Z. pl. 76. 2.
 2739. subruficapilla, Smith, I. S. A. Z. pl. 76. 2.
 2739. subruficapilla, Smith, I. S. A. Z. pl. 76. 2.

2740. affinis, Smith, I. S. A. Z. pl. 77. 1.

2741. cherina, Smith, I. S. A. Z. pl. 77. 2.

2742. aberrans, Smith, I. S. A. Z. pl. 78.

2743. chiniana, Smith, I. S. A. Z. pl. 79. procerula, Sundev.

2744. natalensis, Smith, I. S. A. Z. pl. 80.

2745. subcinnamomea, Smith, I. S. A. Z. pl. 111. 1.

2746. fasciolata, Smith, I. S. A. Z. pl. 111, 2. fasciiventris, Sundev.

2747. curvircstris, Sundev.

2748. Morelii, Poll.

2749. madagascariensis, Hartl.

2750. clamans, Rüpp. Z. Atl. t. 2 a; P. C. 466. 2.

2751. inquieta, Rüpp. Z. Atl. t. 36 b. famula, Hempr. & E.

2752. lugubris, Rüpp. S. U. V. t. 11. bizonura, Hengl.

2753. ruficapilla, Fras. nigrirostris, Fras.

2754. lateralis, Fras.

2755. **Strangeri**, Fras. Strangei, Hartl.

2756. uropygialis, Fras. Zool. Typ. pl. . 2.

2757. fortirostris, Jurd.

2758. rufa, Fras. Zool. Typ. pl. . 3.

2759. ? subflava, Gm.; P. E. 584. 2, var. 3.

2760. ? fuscata, Gm.; P. E. 584. 1.

2761. ? flavicans, V.; Lev. O. A. t. 127. limonella, Licht.; subflava, p., G. R. Gr.

2762. undata, *Lath.*; *P. E.* 582, 2, rufigastra, *V*.

2763. scotoptera, Sundev.

2764. fulvescens, Sundev.

2765. chloris, Sundev.

2766. flavogularis, Sunder.

2767. flavieans, Strickl.

S. Africa.

S. Africa, Port Natal.

S. Africa.

N. of Kurrichain.

S. Africa.

S. Africa, Little Namaqualand.

S. Africa, N.E. of Latakoo.

Caffraria, Natal.

Madagascar.

Nubia,Kordofan.

Arabia.

E. Africa, Abyss.

W Africa.

,,

Senegal.

S. Africa.

Namaqualand.

Senegal.

Caffraria, E. Sennaar. Caffraria.

.....

S.W. Africa.

Kordofan.

2768, obscura, Sundev.	Natal, Caffraria.
2769, bivittata, Peters.	Mossambique.
2770. fulvifrons, Sundev.	Natal.
2771. rodericana, Newt. Pr. Z. S. 1865, pl. 1, 3,	Rodriguez.
2772. Antinorii, Salvad.	N.E. Africa.
2773. pachyrhyncha, Heugl. validus, Heugl.	Djour.
2774. iodoptera, <i>Hengl. Ibis</i> , 1869, pl. 1, 2.	,,
2775. robusta, Rüpp. 8. U. &c. t. 13.	Abyssinia.
2776. mystacea, Rüpp. S. U. t. 10. "affinis, Smith?," Hengl.; superciliosa, p.?, Hengl.	Gondar, Abyss., W. Africa.
2777. rufifrons, Rüpp. F. A. t. 41, 2.	Abyss., W. Afr.
2778. pulchella, Rüpp, Z. Atl. t. 35 a, sylvietta, Heugl.	Kordofan.
2779. ruficeps, Rüpp, Z. Atl. t. 36 a.	Abyss., W. Afr.
2780. erythrogenis, Rüpp, S. U. &c. t. 12. bizonura, Heugl.	Abyssinia.
2781. marginalis, <i>Hengl</i> . crythrogenys, p., <i>Finsch</i> .	N.E. Africa.
2782. striaticeps, Tristr. sahara, Loche.	Sahara.
2783. eremita, Tristr.	Palestine,
2784. cinerascens, Heugl. semitorques, p., Heugl.	Sennaar. Keren.
2785. superciliosa, Sw. B. of W. Afr. pl. 11.	Gambia,
mystacea, p., Guér. & Lufr.; "affinis, Smith?," Heugl. tenella, Cab.; Decken, Reisen, t. 2, 1.	E. Africa.
2786. navia, Hartl.	W. Africa.
2787. erythroptera, Jard. Contr. Orn. 1849, pl.	,,
2788. erythrops, Hartl.	,,
2789. murina, Hengl.	Abyssinia.
2790. cantans, <i>Hengl</i> . lugubris?, <i>Hengl</i> .; subruficapilla, p., <i>Finsch</i> .	N.E. Afr., Abyss.
2791. concolor, Hengl. Ibis, 1869, pl. 2, 1.	N.E. Africa.
2792, flaveola, Heugl. Ibis, 1869, pl. 2, 2.	Abyssinia.
2793. Malzaci, Heugl.	N.E. Africa.
2794, leucopyga, Hengl.	E. Sennaar,

2795. cordofana, Hengl.

2796. simplex, Hengl.

2797. virgata, Heugl.

2798. Anchietæ, Bocage.

2799, elegans, Hartl.

2800. lais, Hartl.

243.

2801. rufilata. Hartl.

2802. ? valida. Peters

2803. Ortleppi, Tristr.

2804. marginata, Heugl. Ibis, 1869, pl. 1. 1.

b. Cisticola, Kaup, 1829.

Scheenicola, Blus. 1862. Drymoica, p., Sw. Reich. S. A. t. 58, f.

2805. schœnicola, Bp.; P. C. 6. 3. cisticola, Tem.

2806. cursitans, Frankl.; Jerd. Ill. Ind. Orn. pl. 6. scheenicola, p., Jerd. subhimalayana, Hodgs. brunniceps, Tem. & Sch. F. J. t. 20 c. brunneicephala, Bl. tintinnabulans, Swinh.

2807. exilis, Lath.; Gould, B. A. iii, pl. 42.

2808. lineacapilla, Gould, B. A. iii. pl. 43.

2809. ruficeps. Gould, B. A. iii. pl. 45.

2810. ? fuscicapilla, Wall.

2811. Ayresii, Hartl. Ibis, 1863, pl. 8. 2.

2812. omalura, Bl.

2813. Tytleri, Bl.

2814. erythrocephala, Jerd.

2815. volitans, Swinh.

2816. isura, Gould, B. A. iii. pl. 45.

2817, rustica, Wall,

2818. oryziola, Müll.

2819. isodactyla, Peters.

2820. procera, Peters.

2821. madagascariensis, A. Newt. cursitans, p. ?, Hartl, & F.

N.E. Africa.

W. Africa.

Africa. Natal.

Damaraland.

E. Africa.

Colesberg.

N. E. Africa.

S.W. Europe. Egypt, N. Arabia.

India.

Nepal. Japan.

China, Formosa.

New S. Wales, S. Australia. N. Australia.

New S. Wales, Lombock, Flores. Timor. Timor, Flores.

Natal.

C'evlon.

Dacca.

Malabar.

I. of Formosa.

N. S. W., Lomb., Flores, Timor.

Bourn.

Timor, Java.

Mossambique.

Tette, Mossamb.

Madagascar.

W. Africa, Daboerom.

	21
2822. ferruginea, <i>Heugl. Ibis</i> , 1869, t. 3, 2, troglodytes, <i>Antin.</i> ; uropygialis, p., <i>Finsch</i> .	C. Africa.
2823. semitorques, Heugl.	N.E. Africa.
2824. eximia, Heugl. Ihis, 1869, pl. 3. 1.	U. Gazelle River.
2825. laxtomacephala, Cab. ; Decken, Reisen, t. 2, 2, stulta, Hartl. § $F$ .	E. Africa.
<b>744.</b> c. Graminicola, Jerd. 1863.	
2826. bengalensis, Jerd.	Ganges, Cachar.
<b>745.</b> d. Hemipteryx, Sw. 1837.	
2827. tetrix, V.; Lev. O. A. t. 131; Smith, I. S. A. Z. pl. 74. 1.	S. Africa.
2828. immaculata, <i>Hartl.</i> oligura, p., <i>Heugl.</i>	**
2829. oligura, Heugl.; Ibis, 1869, pl. 3, 3, brunnescens, Heugl.	N.E. Africa.
2830. iodopyga, Heugl.	N.E.Afr., Teuta.
2831. habessinica, Heugl.	N.E. Africa.
<b>746.</b> e. Burnesia, Bl. 1855.	
2832. gracilis, Rüpp. Atl. t. 2. 6; P. C. 466. 1. lepida, Bl.; Gould, B. As. pl. tetrix, Aud.	Egypt, W. Afr. Tiberias? Bengal, Sindh.
747. f. Catriscus, Cab. 1850.	
2833. apicalis, <i>Licht</i> . brevirostris, <i>Sundev</i> . alexinæ, <i>Heugl</i> .	S_ Africa. Natal. C. Africa.
748. g. Melocichla, Hartl. 1857.	
2834. Bairdi, Cass.	W. Africa.
2835. mentalis, Fras.; Jard. Contr. Orn. 1849, pl.	21
749. h. Euprinodes, Cass. 1859. Drymoterpe, Heine, 1859.	
2836. rufigularis, Fras. Zool. Typ. pl. 42. 1.	Fernando Po.
2837. <b>olivacea</b> , <i>Strickl</i> . Stricklandi, <i>Bp</i> . rufigularis, juv.?, <i>Cass</i> .	**
2838. schistacea, Cass.	W. Afr., Camma.

i. Stiphrornis, Tem.; Hartl. 1855.

750.

2839. erythrothorax, Tem.

2855, viridiflava, Hartl.

2856, lutescens, Less.

751. j. Hylia, Cass. 1859. 2840. superciliaris, (Tem.) Hartl. W. Africa. prasina, Cass. Ashanti, Gaboon, 752. k. B.eoscelis, Heine, 1860. 2841. badiceps, Fras. Fern. Po, Camma, C. Lopez. 2.5.3. I. APALIS et Apales, Sw. 1837. Hapalus, Agass. 2842. thoracica, Shaw; Lev. O. A. t. 123, 1. S. Africa. gutturalis, Boie. 254. m. Eroessa, Hartl, 1866. Damia, Poll, MS. 2843. tenella, Hartl. Pr. Z. S. 1866, p. 219, fig. head; Poll. & V. D. F. de Maday, t. 18, 2. Madagascar. pusilla, Poll. MS. 255. n. B.eocerca, Heine, 1829. 2844. virens, Cass. W. Africa. microura, Cass. o. Ellisia, Hartl. 1861. 2.56. Drymoica, p., Sehl. 2845. typica, Hartl.; Poll. & V. D. F. de Madag. t. 28. 2. Madagascar. Ellisii, Schl. & Poll. 2846. Lautzi, Grandid. 2847. chloropetoides, Grandid. 2848. ? madagascariensis, Lath.; Briss. Orn. iii. t. 22. 1. 2.52. p. Eremomela, Sunder, 1850. 2849. flaviventris, Burch. S. Africa. icteropygialis, Lafr.? 2850. pusilla, Hartl. W. Afr., Senegal. 2851. brachyura, V.; Lev. O. A. t. 125. S. Africa, Natal. chloris. Boie. Damaraland. 2852. icteropygialis, Lafr. icteropyga, Cab. S. Africa. 2853. usticollis. Sundev. 2854. scotops, Sundev.

> W. Afr., Sencg. W. Africa.

2857. elegans, Heugl, cancscens, Antin.

C. Africa.

2858. griscoflava, Heugl.

Bogosland.

758. q. Dryodromas, Hartl. & Finsch, 1869.

2859. fulvicapilla, V.; Lev. O. A. t. 124, 1, 2, natalensis, Hardl. Ibis, 1863, pl. 8, 1.

S. Africa. Natal.

2860. albigularis, Hartl. & F.

2861. damarensis, Wahlb.

Damaraland

2862. flavida, Strickl,

2863. caniceps, Cass.

W. Afr., Camma.

**75.9.** r. Camaroptera, Sundev. 1850. Syncopta, Cab. 1853. Sincopta, Hengl.

2864. brevicaudata, Rüpp. Atl. t. 35. 6. clamans, Heugl.; griscoviridis, Müll. olivacca, Sunder.

N.E. Africa. S.& W. Afr., Nat. Damaraland.

2865. tincta, Cass.

olivacea, p., Hengl.; brevicaudata, p., Hartl. & F.

W. Africa. Gaboon, Mudi R. Guinea.

2866. concolor, Hartl. olivacea, Tem.

2867. icterica, Strickl. superciliaris, Fras.

Fernando Po. Camma, Ashanti.

2868. Salvadoræ, Würt.

N.E. Africa,

**760. SYLVIETTA**, Lafr. 1839.

Trochlotides et Oligura, Rüpp. 1845. Oligocercus, Cab. 1853. Sylviella, Sundev. Reich, S. A. t. . . f. .

2869. microura, Rüpp, F. A. t. 41, 1; Lefelv, Voy. Abyss. t. 6. N.E. Africa. brachyura, Lafr.; rufescens, p., Sunder. brevicauda, Lefelv, Voy. Abyss. t. 6; brachyptera, Bp.

2870. rufescens, U.; Lev. O. A. t. 135. crombec, Lafr. meridionalis, Bp.; brachyura, Strick/. microura, Bocage. S. Africa.

# 761. CALAMANTHUS, Gould, 1837.

Praticola, Sw. 1837, nec Kaup, 1829. G. of B. i. p. 164; Reich, S. A. t. 58, f. .

a. Calamanthus.

2871. campestris, Gould, B. A. iii, pl. 71.

S. & W. Austr.

2872. fuliginosus, Vig. & Horsf.; Gould, B. A. iii. pl. 70. anthoides. Sw.

Tasmania.

b. Hylacola, Gould, 1842. 762. G. of B, i. pl. 48. f. 5; Reich, S. A. t. 58. f.

2873. pyrrhopygius, Vig. & Horsf.; Gould, B. A. iii. pl. 39. New S. Wales, S. Australia.

2874. cantus, Gould, B. A. iii, pl. 40.

S. Australia.

763. c. Chthonicola, Gould, 1847.

Reich, S. A. t. 58, f. .

2875. sagittatus, Lath.; Gould, B. A. iii. pl. 72. minimus, Vig. & Horsf.

New S. Wales. S. Australia.

264. MALURUS, V. 1816.

G, of B, i, p, 165, pl. 48, f, 7; Reich, S, A, t, 58, f,

2876. cyaneus, Lath. Syn. pl. 53; V. Gal. des Ois. t. 163; Gould, New S. Wales. B. A. iii. pl. 18. S. Australia. superba, Shaw.

2877. longicaudus, Gould, B. A. iii. pl. 19.

Tasmania.

2878. melanotis, Gould, B. A. iii. pl. 20.

S. Australia.

2879. splendens, Quoy & G. Voy. Astrol. t. 10. 1. pectoralis, Gould, B, A, iii, pl. 21.

W. Australia.

2880. elegans, Gould, B. A. iii. pl. 22.

2881. pulcherrimus, Gould, B. A. iii. pl. 23.

New S. Wales.

2882. Lambertii, Via. & H.; Lewin, B. N. H. pl. 15; Gould, B, A. iii. pl. 24.

N.S.& N.E. Aus., Nicholson R.

2884. amabilis, Gould, B. A. iii. pl. 25.

2883. cæruleicapillus, Gould.

Cape York.

2885. coronatus, Gould, B. A. suppl. pl.

N.W. Australia

2886. leucopterus, Quoy. & G. Voy. Astrol. t. 23. 3; Gould, B. A. iii. pl. 25.

Australia.

New S. Wales. 2887. dorsalis, Lewin, B. N. H. pl. 14; Gould, B. A. iii. pl. 26. melanocephalus, Vig. & Horsf. Brownii, Jard.

2888. Brownii, Vig. & Horsf.; Gould, B. A iii. pl. 27. eruentatus, Gould.

N. Australia.

2889. hypoleucus, Gould.

Cape York,

2890. leuconotus, Gould, B. A. suppl pl.

Int. of Australia.

2891. callainus, Gould, B. A. suppl. pl.

## 765. STIPITURUS, Less. 1831.

Malurus, Boie, 1826.

G. of B. i. p. 165, pl. 48, f. 8; Reich, S. A. t. 58, f. .

2892. malachurus, Shaw, Lev. O. A. t. 130, 2; Gould, B. A. iii, pl. 31.

Australia.

palustris, V.; gularis, Griff.

Tasmania.

266. AMYTIS, Less. 1831 nec Sav. 1826.

G. of B. i. p. 166, pl. 48, f. 12; Reich, S. A. t. 58, f.

2893. textilis, Quoy & G. Voy. Uranic, t. 23, 1; Gould, B. A. iii. New S. Wales, pl. 28.
S. & N. E. Aus.

2894. striatus, Gould, B. A. iii. pl. 29; Less. Tr. d'Orn. t. 67, 2. New S. Walcs. textilis, Less.

2895. macrourus, Gould, B. A. iii. pl. 30.

W. Australia.

**767.** ATRICHIA, Gould, 1844, nec Schrank, 1803. G. of B. i. p. 166, pl. 48. f. 4; Reich, S. A. t. 57. f.

2896. rufescens, Ramsay.

Richmond Riv., E. Australia. W. Australia.

2897. clamosa, Gould, B. A. iii. pl. 34.

**768. SPHENURA, Licht.** 1823.

Dasyornis, Vig. & H. 1826. Malurus, 2 div., Tem. 1820. Timalia, p., Sw. G. of B. i. p. 167, pl. 48, f. 11; Reich. S. A. t. 58, f.

a. Sphenura.

2898. brachyptera, Lath.; Jard. & S. I. O. pl. 73; Gould, B. A. iii, pl. 32. pectoralis, Steph.; australis, Vig. & H.

New S. Wales.

2899. longirostris, Gould, B. A. iii. pl. 33.

W. Australia.

2900. Broadbenti, M·Coy; Gould, B. A. suppl. pl.

Portland Bay, Australia.

**769.** b. Pycnoptilus, Gould, 1850.

2901. floccosa, Gould, B. A. suppl. pl.

Int. of N. S. W.

**770.** CHÆTORNIS, G. R. Gr. 1848.

Dasyornis, p., et Sphenura, Bl. G. of B. i. p. 167, pl. 48, f. 9; Reich, S. A. t. 58, f.

2902. striata, Jerd. locustelloïdes et collurioceps, Bl.

India.

771. CINCLORAMPHUS, Gould, 1837.

Cinclorhamphus, Strickl. 1841.

Cintorhamphus, Wiegm.

Ptenœdus, Cab. 1850. Megalurus, p., Sw.

Sw. C. of B. f. 212; G. of B. i. p. 168, pl. 48, f. 3; Reich, S. A. t. 58, f.

2903. cruralis, Vig. & H.; Gould, B. A. iii. pl. 74.

New S. Wales.

2904. cantillans, Gould, B. A. iii. pl. 75. cantatoris, Gould,

Australia.

772. MEGALURUS, Horsf. 1820.

G. of B. i. p. 168, pl. 48, f. 10; Reich, S. A. t. 58, f.

#### a. MEOALURUS.

2905. palustris, Horsf.; P. C. 65. 2. marginalis, Reinw.

Java.

2906. citrinus, G. R. Gr. & M. G. B. pl. 48. palustris, juv?, G. R. Gr.

Timor.

2907. timorensis, Wall.

ensis, Wall.

#### 77:3. b. Sphengacus, Strickl, 1841.

Malurus, Tem. 1820. Dasyornis, Vig. & H. 1826. Timalia, p., Sw. Sphenæaeus, Ep. 1850. Sphenura, Reich. 1850. Reich. S. A. t, 58, f.

2908. africanus, Gm.; Lev. O. A. t. 112. 2. afra. Gm.; tibicen, Licht. dubia, Forst.; cantor, Less. S. Africa.

2909. galactotes, Tem. P. C. 65; Gould, B. A. iii, pl. 36. galactodes, Aliq.

New S. Wales. N. Australia.

2910. punctatus, Quoy & G. Voy. Astrol. t. 18, 3.

New Zealand.

2911. **fulvus**, G. R. Gr. punetatus, p.?, Buller.

,,

2912. pyenopygius, Strickl.

Damaraland.

2913. rufescens, Buller.

Rocky isle near Chatham Isl.

# **774.** c. Poodytes, Cab. 1850.

Sphenœacus, p., Gould.

2914. gramineus, Gould, B. A. iii. pl. 36.

Australia.

#### 775.

d. --?

Ptenædus, p., Cab. Ptenædus, Gould.

2915. rufescens, Vig. & H.; Gould, B. A. iii. pl. 76.

#### 776.

e. LATICILLA, 1845,

et Sphenæacus, 1849, Bl. Eurycercus, Bl. 1844 (nec Baird, 1843).

2916. Burnesii, Bl.

Sindh.

# Subfam. II. Calamodytinæ, G. R. Gr.

Sylviana, Vig. 1825. Philomelinæ, Sw. 1831. Luseininæ, G. R. Gr. 1841. Sylvianæ, Platyrhynchinæ, p., Calamoherpinæ, Bp. 1838. Todinæ, p., et Parinæ, p., &ab. 1847.

## **222.** CALAMODYTA, Meyer, 1815.

Acrocephalus, Naum. 1819. Calamoherpe, Boie, 1822. Hydrocopsichus, Kaup, 1829. Muscipeta. Reid & H. 1835. Agrobates, Jerd. 1839, nec 1837. Acrobates, Bp. 1850. Arundinaceus, Less. 1831. Phragmaticola, Bl. 1844. Malacocercus, Hodgs. 1844. Phragmaticola, G. R. Gr. 1849. Juneo, Reich. 1850?, nec Wagl. 1831. G. of B. i. p. 171; Reich. S. A. t. 61, f.

#### a. Calamodyta.

2917. arundinacea, L.; P. E. 513; Naum. Vög. t. 81. 1;
 Gould, B. E. pl. 106.
 C. & S. Enrope.
 turdoides, Meyer; juneo, Pall.
 lacustris, Naum.; turdina, Glog.

2918. brunnescens, Jerd. abrornis, Hodgs.; arundinaceus, p., Bl.

2919. orientalis, Schl. F. J. t. 21 в. magnirostris, Swinh.

2920. longirostris, Gould, B. A. iii. pl. 38.

2921. agricola, Jerd.

2922. palustris, Beehst.; Gould, B. E. pl. 109. pratensis, Jaub.

2923. dumetorum, Bl. montana, Sykes; arundinacea, Hodgs.

2924. fasciolata, G. R. Gr. fasciatus, Bl.

2925. insularis, Wall.

2926. cantans, Tem. & Schl. F. J. t. 19.

2927. gracilirostris, Hartl. 2928. brevipennis, Dohrn.

2929. rufescens, Blas.

2930. stentoria, Ehr.; Ibis, 1864, pl. 1. macrorhyncha, Müll.

2931. eantillans, Tem. & Schl. F. J. t. 20.

2932. languida, Ehr.
2933. canturians, Swinh.

2934. minuta, Swinh.

2935. aralensis, Eversm.

2937. fumigata, Swinh.

2936. Newtoni, Hartl.; Poll. & V. D. F. de Madag. t. 28, 1.

2938. obseura, Heugl. pallida, (Ehr.) Heugl.

India.

Japan, China. Moluceas.

W. Australia.

India.

C. & S. Europe. Egypt.

India.

Japan.

Batchian I.

Gilolo, Morty I.

Nat., Cape Town.

Cape Verd Isl.

S. Africa.

Damietta.

Japan, China.

E. Africa.

Chi., I. of Formo. I. of For., S. Chi.

Aral M.

Madagascar.

Amoy.

778. b. Arundinax, Bl. 1845.

Phragmaticola, Bl.

2939. aedon, Pall. olivacea, Bl.

India, Malacca, S. China, E. Asia, Andaman I.

779. c. Calamoherpe, Boie, 1826, nec 1822. Salicaria, Selby, 1833.

2940. arundinacea, Gm.; P. E. 581, 2; Naum. Vög. t. 81, 2; Gould, B. E. pl. 108. palustris, Crep.; strepera, V.

Europe. S. Africa, Natal.

salicaria, Gm. 2841. beaticula, V.; Lev. O. A. t. 121. 1.

S. Africa.

loquax, Boic. 2942. horticela, Naum. Vög. t. 370. 1.

C. & S. Europe.

obscurocapilla, Dubois; nigrifrons, Bechst.? arundinacea, β, Blas.

New S. Wales, 2943. australis, Gould; Lewin, B. N. H. pl. 18; Gould, B. A. iii. S. Australia. Bouru.

arundinaceus, Lewin.

Europe.

2944. fruticola, Naum. Vög. t. 370. 2.

Amur R.

2945. bistrigiceps, Swinh. Maackii, Schrenck.

S. China.

2946, sorghophila, Swinh. 2947. brunneipectus, Bl.

Himalayas.

d. Eparnetes, Reich. 1850. Calamoherpe, p., Bl. & Hartl. Reich, S. A. t. 57. f.

2948. syrinx, Kittl. Mém. Ac. Pétersb. ii.t. 8; Voy. Pôle Sud, t. 20. 5. Carol.I., Ualau.

e. Psamatilia, Hartl, 1868. 281.

2949. Annæ, Hartl. Pr. Z. S. 1868, pl. 2.

Pelew L

782. f. Dumeticola, Bl. 1845.

Horornis, p., Hodgs.

2950. affinis, Hodgs. thoracica, Bl.

Nepal.

2951. flaviventris, Hodgs.

2952, fortipes, Hodgs.

283.

q. Pseudoluscinia, 1838,

et Lusciniopsis, 1841, Bp.

2953. luscinioides, Savi; Naum. Vög. t. 370, 3, 4; Gould, B. E. pl. 104.

S. Europe. England.

Savii, Bp.

754. h. Cettia, Bp. 1838.

Bradyptetus, p., Cab.

2954. sericea, Natt.; P. E. 655. 2; Gould, B. E. pl. 114, 115. S. Europe. cetti, Marm.; platina et fulvescens, V.; altisonans, Rüpp.

2955. bæticata, V.; Lev. O. A. t. 121, 2. Isabella, Boie; bæticula, G. R. Gr.

S. Africa.

2956. orientalis, Tristr.

Palestine.

2957. africana, Bp.

S. Africa.

2958. brevirostris. Sundev.

**785.** i. Bradyptetus, Sw. 1827.

Bradypterus, G. R. Gr. 1840.

Abyssinia.

2059. cinnamomea, Rüpp. F. A. t. 42. 1.
2060. brachyptera, V.; Lev. O. A. t. 122. platyurus, Sw.; saltator, Boie.

S. Africa.

2961. sylvatica, Sundev.

S. Af., Kuruman.

786.

j. Phlexis, Hartl. 1866.

2962. Victorini, Sundev.

S. Afr., Knysna.

2963. Layardi, *Hartl. Ibis*, 1866, pl. 6.

Natal, George, S. Africa.

787.

k. Calamodus, Kaup, 1829.

Calamodytes, p., Meyer. Muscipeta, Koch, 1815. Caricicola, Brehm, 1855.

2964. schœnobænus, L.; Naum. Vog. t. 82. 1; Gould, B. E. pl. 110. phragmitis, Bechst.

Europe. Egypt, Palestine.

2965. aquatica, Lath.; Descr. de l'Egypte, t. 13. 4; Naum. Vög. t. 82. 4, 5; Gould, B. E. pl. 111. 1. salicaria, Bechst.; paludicola, V.

C. & S. Europe.

2966. ?salicaria, Koch; Naum. Vög. t. 82. 2, 3. cariceti, Naum.; aquatica, p., Blas. striata, Brehm.

Europe.

788.

l. IDUNA, Keys. & B. 1841.

2967. caligata, Licht.; Naum. Vög. t. 375. 2. salacaria, Pall. nee L.; scita, Eversm. "rama, Sykes," Bl. C. & S.E.Europe. Russia, Siberia.

2968. fumigata, Swinh. caligata, Licht.?

Amoy.

289. m. Lusciniola, G. R. Gr. 1841.

2969. melanopogon, Tem.; Naum. Vog. t. 370. 3; Gould, B. E. pl. 111. 2.

Bonellii, Naum.; fuscescens, V.?

2970. lanceolata, Tem.

790. n. Potamodus

et Pottamodus, Kaup, 1829. Calamoherpe, Brehm, 1828, nec Boie.

Cettia, Bp. 1838. Bradypterus, Cab. 1850. Tiltria, Reich. 1850. Lusciniopsis, p., Blas. Calamodyta, G. R. Gr. 1848. Curruca, p., Sw.

2971. fluviatilis, Mey. & W.; Descr. de l'Egypte, t. 13, 3; Gould, B. E. pl. 102. stagnalis, Naum.

S.E. Europe.

S. Europe.

**791.** o. Locustella, Kaup, 1829.

Sibillatrix, Macgill. 1839, nec Kaup, 1829. Psithyredus, Glog. 1842. Parnopia, Blas. 1862. Motacilla (Corydalis), Pall. 1831. G. of B. i. pl. 49, f. 5; Reich, S. A. t. 49, f.

2972. locustella, Penn.; P. E. 581. 3; Naum. Veg. t. 83. 2, 3; Gould, B. E. pl. 103.
C. & S. Europe.

Rayi, Gould; næviæ, Bechst. fluviatilis, Naum.

2073. ochotensis, Middend. Sibir. Reise, t. 16. 7, 8. japonica, Cass.

Siberia, Japan. S. China.

2974. certhiola, Pall.; Wern. Ic. Tem. M. t. ; Gould, B. E. pl. 105.
Rayii, Bl.

N. Asia, Heligol.

2975. rubescens, El.

Ind., L. Bengal.

2976. Hendersonii, Cass. macropus, Swinh.; certhiola?, Bl. S. China.

792. p. Tribura, Hodgs. 1844.

Locustella, p., Bl. 2977. luteoventris, Hodgs.

Nepal.

affinis, G. R. Gr. & M. G. B. pl. 49. 1.

Canton.

2978. squamiceps, Swinh.

793. AEDON, Boic, 1826.

Erythropygia, Smith, 1835. Agrobates, Sw. 1837. Aedon, Strickl. 1841.

G. of B. i. p. 173, pl. 49. f. 2; Reich. S. A. t. 59. f.

2979. galactodes, Tem. P. C. 251, 1; Naum. Vog. t. 367, 1, 3; Gov.'d, B. E. pl. 112.

rubiginosna. Meyer.

Europe, Spain. Palestine.

2980. familiaris, Mênêtr.; Naum. Vog. t. 367, 2? galactodes, var. β, Blas. minor, Cab.	Athens, Persia. N. Africa. Abyssinia.
2981. leucophrys, V.; Lev. O. A. t. 118. pipiens, Steph. pectoralis. Smith, Ill. S. A. Z. pl. 49.	S. Africa.
2982. paena, Smith, Ill. S. A. Z. pl. 50. 2983. signata, Sundev.	S. Af., Kuruman, Damaraland. S. Africa.
2984. leucoptera Rüpp. S. U. t. 15.	Shoa.
2985. sperata, <i>Gm.</i> ; <i>Lev. O. A.</i> t. 183. familiaris, <i>Steph</i> .	S. Africa.
2986. Galtoni, <i>Strickl.</i> sperata, var., <i>Sundev.</i>	Damaraland.
2987. sinuata, Sunder.	Cape of G. Ho.
<b>79.4. THAMNOBIA</b> , Sw. 1831. Saxicoloïdes, Less. 1837. G. of B. i. p. 185, pl. 50, f. 6; Reich, S. A. t. 60, f.	
a. Thamnobia.	
2988. fulicata, Lath.; P. E. 185, 1; Lev. O. A. t. 188, 2. ptygmatura, V.; leucopterus, Less.?	S. Africa.
2989. cambaiensis, Lath. erythrurus, Less.; fulicata, Ti·k.	S. Asia. India, Nepal.
2990. coryphæus, V.; Lev. O. A. t. 120.	S. Afr., C. Town.
2991. atrata, Sw.	Africa?
<b>795.</b> b. Pentholea, Cab. 1850. 2092. <b>frontalis</b> , Sw.; Rüpp. S. U. &c. t. 17. albifrons, Rüpp.	W. Africa. Shoa.
<b>796.</b> c. — ?	
Cercotrichas, Cab. 1850, et p. Eoie, 1831. Mimus, 2 div., Eoie, 1828. Sphenura, p., Ep. 1850.	
2903. podobe, Müll.; P. E. 354. erythropterus, Gm.	Nubia. Abyssin. W. Africa.
2994. luctuosa, <i>Lafr</i> . melanoptera, <i>Ehrenb</i> .	N.E. Africa.
797. d. Thamnolea, Cab. 1850.	
2995. albiscapulata, Rüpp. F. A. t. 26, 1.	Abyssinia.

2996. cinnamomeiventris, Lafr. Mag. de Zool. 1836, t. 56. S. Africa.

humeralis, Rüpp. cinnamomeiventris, p., Bp.

albiscapulata, p., Layard.

P 2

2997. cæsiogastra, Bp.

Abyssinia.

2998. Schimperi, Verr.

798.

е. Ресортека, Вр. 1853.

2999. lugubris, Müll.

Gaboon.

799.

f. Parinia, Hartl. 1857.

3000. leucophæa, Hartl.

Subfam. III. Sylvianæ, Cab. 1847.

Luscininæ, p., et Sylvinæ, p., G. R. Gr. Philomelinæ, p., Sw. 1837.

**800.** SYLVIA (Lath. 1790) auct.

a. Thamnodus, Kaup, 1829.

Psoridus, *Rafinq*. 1815? Sylvia, 1838, *et P*yrophthalma, 1841, *Bp*. Melizophilus, p., *Cub*.

G. of B. i. p. 173.

3001. melanocephala, Gm. P. C. 245, 3; Gould, B. E. pl. 129

ruscicola, V.; ochrogenion, Linderm.

S. Europe. Egypt.

3002. Bowmani, Tristr.

Palestine.

**501.** b. Melizophilus, Leach, 1816.

Thamnodus, p., Kaup.

3003. undata, Bodd.; P. E. 655, 1; Gould, B. E. pl. 129. provincialis, Gm.; dartfordiensis, Lath.

S.W. Europe.

3004. sarda, Marm.; P. C. 245; Gould, B. E. pl. 127.

Sardinia.

3005. nigricapilla, Cab.

ferruginea. V.

N.E. Africa.

**6.** Alsœcus, Kaup, 1829.

Alsoeus, G. R. Gr. 1848.

3006. subalpina, Bon.; P. C. 6. 2, et 251. 2, 3; Gould, B. E. pl. 124.

leucopogon, Meyer; passerina, Tem. P. C. 24. 1. mystacea, Ménétr.

S. Europe. Egypt, Tangier.

3007. conspicillata, Marm.; P. C. 6.1; Gould, B. E. pl. 126. icterops, Ménétr.

S. Europe. Tangier, Palest. N. Africa.

3008. delicatula, *Hartl. Ibis*, 1859, pl. 10. 1. deserti, *Loche*; Doriæ, *De Fil*.

Persia.

3009. deserticola, Tristr.

Sahara.

3010. nana, Hempr. & Eh.

N.E. Africa.

Stoperals Pr. d. ERYTHROLEUCA, Kaup, 1829.

Stoparola, Bp.

3011. ? passerina, Gm.

**804.** *e.* Sterparola, *Bp.* 1841.

Staparola, G. R. Gr. 1848. Sylvia, V. 1816, nec Lath.

Silvia, Audouin.

Philacantha, p., Glog.

G. of B. i. pl. 49, f. 4; Reich, S. A. t. 61, f.

3012. cinerea, Bp.; P. E. 579. 3 et 581. 1; Naum. Vog. t. 78. 1, 2; Gould, B. E. pl. 125. 1.
sylvia L. cineravia et fruttiert: Reshet

sylvia, L.; cineraria ct fruticeti, Bechst.

3013. curruca, Lath.; P. E. 380.3; Naum. Vog. t. 77.1; Gould, B. E. pl. 125. 2. sylvia, Pall.; garrula, Retz.

3014. affinis, Bl. cincrea, Jerd.

3015. ? lugens, Rüpp. F. A. t. 42. 2.

......

F. A. t. 42. 2. Abyssinia.

f. SIBILATRIX, Kaup, 1829.
 Ficedula, Koch, 1816. Curruca, Flem. 1828?
 Sylvicola, Eyton, 183?, nec Sw. 1837.
 Phyllopneuste, p., Boie, 1828.
 Phyllopseuste, p., Weyer, 1815.
 Phyllopseustes, Glog. 1834.

3016. sylvicola, Lath.; P. C. 245. 3; Naum. Vog. t. 80. 2; Gould, B. E. pl. 131. 3. sibilatrix Bookst

C. & S. Europe. Palestine.

Europe, Egypt.

Europe, Egypt.

Palestine.

India.

Nubia. Palestine.

**806.** g. Monachus, Kaup, 1829.

Ficedula, Briss. 1760, nec Mochr. 1752.
 Sylvia (Curruca, p.), Meyer, 1815.
 Curruca, Koch, 1816, nec Bechst. 1802.
 Philomela, Sw. 1837. Epilais, p., Cab. 1851.

Philacantha, p., Glog. 1834.

3017. atricapilla, L.; P. E. 580, 1, 2; Navim. Vog. t. 77, 2, 3; Gould, B. E. pl. 120.

moschata, Gm.

3018. **Heinekeni**, Jard. & S. I. O. pl. 94. 1. atricapilla, var.

3019. Rüppellii, Tem. P. C. 245, 1; Gould, B. E. pl. 122. capistrata, Rüpp. Atl. t. 19.

ruficapilla, Naum. Vog. t. 368.
 rubricapilla, Landb.; Naumani, Müll.

h. Adophoneus, Kaup, 1829. Curruea, Brehm, 1828. Philaeantha, p., Glog. C. & S. Europe. W. & N. Africa, Palestine.

S.E. Eur., Greece.

Madeira.

\_\_\_\_

N. Africa. Europe. 3021. orpheus, Tem. P. E. 579, 1; Naum. Vog. t. 76, 3, 4; Gould, B. E. pl. 119.

grisea, V.; curruea, Brehm.

S.W. Europe. Arabia, Egypt, Palestine. India.

3022. **Jerdoni**, Bl.; P.Z.S. 1851, pl. 42. orphea, Jerd.; eucullatus, Nichols.

3023. crassirostris, Rüpp.

Syria.

**308.** *i.* Philacantha, Glog. 1834.

Nisoria, Bp. 1838. Adophoneus, p., Kaup. Adyphonus, Blas. 1862.

3024. nisoria, Bechst.; Naum. Vog. t. 76, 1, 2; Gould, B. E. pl. 128, undata, Bp.

C. Europe. Palestine.

**809**.

j. Epilais, Kaup, 1829.

Adornis, G. R. Gr. 1841. Currnea, Sw. 1837. Philomela, p., Pall. Philaeantha, p., Glog.

3025. hortensis, Gm.; P. E. 579. 2; Naum. Veg. t. 78. 3; Gould, B. E. pl. 121.

aedonia, V.; borin!, Bodd. salicaria, L.?

Europe.

ST65.

k. Chloropeta, A. Smith, 1847.

Ficedula (Chloropeta), Blasius, 1862.

3026. natalensis, Smith, Ill. S. A. Z. pl. 112, 2.

P. Natal.

3)27. olivetorum, Strickl.; Schl. B'jdr. Dierk. Amst. 1848, t. 3; Gould, B. E. pl. 107; Des Murs, L. O. t. 58, 2.

S. Europe.

3028, clæica, Lind.; Schl. B'jdr. Dierk. Amst. 1848, t. . . 4; Des Murs, I. O. t. 58, 1.

ambigua, Schl.; Preglii, Fr.

Greece.

3029. obscura, Smith, I. S. A. Z. pl. 112, 2.

Natal, Latakoo.

3030, mæsta, Hartl.

Gaboon.

cinerascens, Selys.
 arigonis, Brehm.

S.W. Europe.

811. l. Asilus, Mochr. 1752, nec L. 1748.

Sylvia, 1822. Phylloscopus, 1826, et Phyllopneuste, Boie, 1828. Sylvia (Phyllopseusta, p.), Meyer, 1815.

3032. trochilus, L.; P. E. 651. 1; Navon. Vog. t. 80. 3; Sehl. Bijdr. Dierk. Amst. 1848, t. . . . 7; Gould, B. E. pl. 131. 1. flaviventris, V.; fitis, Koch. jeterina, Tem.

Europe.
Egypt, Nubia.
W. India.

3033. Bonelli, U.; P. C. 124, 3; Nann. Vog. t. 369, 4; Schl. Bijdr. Dierk. Amst. 1848, t. . . . 6; Goodd, B. E. pl. 134. Nattereri. Tem.; prasinopyga, Lucht. montans, Brehm.

C. & S. Europe. W. & N. Africa. Palestine,

Siberia, China.

India

3034. rufa, Lath.; Naum. Vog. t. 80, 4, t. 369, 2, 3; Schl. Bijdr. Dierk. Amst. 1848, t. . . 8; Gould, B. E. pl. 131, 2. Europe. abietina, Nils.; hypolais, Penn. Egypt, Palest. C. & E. Europe. 3035. Eversmanni, Bp. trochilus, var. B. Llas.; icterina, Eversm. Egypt. 3036. opaca, *Rüpp*. Abyssinia. 3037. sylvestris, Brehm; Naum. Vog. t. 369. 1. Asia Minor. 3038. brevirostris, Strickl. tristis, p., Jard. 3039, viridula, Hempr. & Ehr. N. Africa. 3040. umbrivirens, Rüpp. Abyssinia. umbrinovirens!. G. R. Gr. W. Africa. 3041. Schwarzi, Radde. E. Siberia. 512. m. Phyllopseuste, Meyer, 1815. Asilus, Bechst. 1802. Muscipeta, p., Koch, 1816. Curruca, Boie, 1822. Hippolais, Brehm, 1828. Hypolais, Cab. 1850. Salicaria, De Fil. Svlvia, Sw. 1837. Phyllopneustes, Bp. 1838. Ficedula, Schl. 1848. 3042. hypolais, L.; P. E. 581, 2; Navm. Vog. t. 80, 1; Schl. Bijdr. Dierk. Amst. 1848, t. . . 1; Gould, B. E. pl. 133. Europe. salicaria, Retz.; ambigua, Duraz. italica, De Fil.; icterina, Gerbe. 3043. polyglotta, V.; Schl. Bijdr. Dierk. Amst. 1848, t. Des Murs, I. O. pl. 57. 1. S. Europe. hypolais, Gerbe. 3044. pallida, Gerbe. Algeria. cinerascens, Selys. 3045. ieterina, V.; Gould, B. E. pl. 132; Des Murs, I. O. t. 57, 2. S. Europe. polyglotta, Selys. 3046. Upcheri, Tristr. Palestine. 3047, flavescens, G. R. Gr. Batchian I. India. 3048. tristis, Bl. trochilus, Jerd.; brevirostris, Strickl. 3049. lugubris, Bl. hippolais, Jerd.; flaveolus, G. R. Gr. Sikkim. xanthogaster, Hodgs.? S. India. 3050. nitida, Lath. hippolais, p., Jerd.; Swainsoni, Hodgs.

3052. affinis, Tick. India, Tenass.

3051. fuscata. Bl.

sibirica, Midd.; brunneus, Bl.

"fulviventer, Hodgs." and Bl.

Habrornis, Agass.

3053. indica, Jerd. griscola, Bl.	C. India.
3054. sylvicultrix, Swinh. javanica, Blas.	China.
3055. coronata, Tem. & Schl. F. J. t. 18.	Japan.
3056. magnirostris, $Bl$ . indious $et$ javanicus, $Bl$ .; trochilus, $Hodgs$ .	India.
3057. brunnea, Bl. fuscatus, juv., Jerd.	,,
3058. montana, Bl.	,,
3059. tenellipes, Swinh.	China.
3060. xanthodryas, Swinh.	,,
3061. plumbeitarsa, Swinh. rufa, Schrenck; borealis?, Blas.	"
3062. presbytis, Müll.	Timor.
S13. n. Acanthopneuste, Blas. 1862.	
3063. borealis, Blas.; Middend. Reise, ii. t. 16. 1, 2, 3; Naum. Veg. t. 375. 1.  Eversmanni, Midd.	N.E. Asia. Heligoland.
3064. validirostris, Jerd. borealis, Elas.?	Madras.
<b>S11.</b> o. Reculoides, Bl. 1847. Phyllobasileus, Cab. 1850.	
3065. <b>proregulus</b> , <i>Pall</i> . chloronotus, <i>Hodgs</i> .	Dauria. Himala., Burm.
3066. inornata, El. proregulus, Keys. & Bl. et p. Jerd. nitidus, Hodgs.; modestus, Bl.	India, Himala.
3067. superciliosa, Gm.; Naum. Vog. t. 378. 2, 3; Gould, B. E. pl. 149. modestus, Gould; proregulus, p., Pall. cristatus, var., Newm.	N. Asia, Engl. Heligo., Germ. China.
3068. calendula, $L,  ; $ $Edw.$ $B.$ pl. 254. 2 ; Wils. A. O. pl. 5. 3. rubineus, $V.$	N. Amer., R. Mt. California,
3069. viridipennis, $Bl$ .	Tenas., Sikkim.
3070. Cuvieri, Aud. B. A. pl.	Pennsylvania.
<b>%15.</b> p. Tickellia, Jerd. & Bl. 1861.	
3071. Hodgsoni, Moore.	Sikkim.
916. q. Abrornis, Hodys. 1844.	

3072. erochroa, Hodgs. pulchra, Hodgs.	Nepal, Sikkim. Darjeeling.
3073. flaveola, Bl. lugubris, p., Moore.	India.
3074. viridana, Bl. rufa et affinis, Bl.; tenuiceps, Hodgs.	S. India.
3075. xanthoschistos, Hodgs. schisticeps, Bl.	Nepal.
3076. schisticeps, Hodgs. flavogularis, Bl.; melanops, Jerd.	*,
3077. albogularis, Hodgs. albiventris, Jerd. & Bl.	11
3078. griseofrons, Hodgs.	19
3079. xanthogaster, Hodgs. lugubris, p., Jerd.	**
3080. trochiloides, Sundev.	Himalayas.
nitidus, Hodgs.?; reguloides, Bl.	Calcutta.
3081. magnirostris, Bl. trochilus?, Hodgs.	India.
3082. poliogenys, Bl.	Nepal.
3083. castaneiceps, Hodgs.; G.R. Gr. & M. G. B. pl. 49. 2.	**
3084. affinis, Hodgs.	1)
3085. occipitalis, Jerd.	Nellare.
3086. cantator, Tick.	Assam.
3087. trivirgata, Tem. Contr. Orn. 1849, pl.	Java, Sumatra.
3088. maculipennis, Bl.	Nepal or Sikkim.
3089. albosuperciliaris, Bl.	Cashmere.
3090. superciliaris, Tiek. & Bl.	Sikkim.
3091. flaviventris, Jerd. albigularis, Jerd. & Bl.; superciliaris, p., Bl.	Sikkim, Darjeel.
3092. viridipennis, Bl.	Tenas.,Bor.,Dar.
3093. Armandi, M. Edw. N. Arch. du Mus. i. t. 2. 1.	N. China.
817. r. Neornis, Hodgs. 1844.	
3094. flavolivacea, Hodgs. cacharensis, Hodgs.	Nepal.
3095. montana, Horsf.	Java.
3006. <b>assimilis</b> , <i>Hodgs</i> . brevicaudata, <i>Bl</i> .	Nepal.

818.

s. Horornis, Hodgs, 1844.

3097. fuliginiventris, Hodgs.

Nepal.

819.

t. Cryptolopha

et Seicereus, Sw. 1837.

Calicipeta, Bl. 1844.

3098. Burkii, Burt.

India, Nepal.

820.

u. Pindalus, Hartl. 1862.

3099. ruficapilla, Sundev.; Ibis, 1862, pl. 5.

Caffraria.

**521.** REGULUS, Cuv. 1799-1800.

auricapilla, Sw.; bilineata, Less. strigiceps, Hodgs.; arrogans, Sundev.

Sylvia phyllopscustæ, p., Meyer, 1815.

G. of B. i. p. 174, pl. 49, f. 1; Reich, S. A. t. 62, f.

3100. cristatus, Koch; Naum. Vog. t. 93, 1, 2; Gould, B. E. pl. 148. 1.

flavicapilla, Naum.; regulus, L. vulgaris, Steph.; crococephalus, Brehm. C. & S. Europe.

3101. ignicapillus, Tem.; P. E. 652; Naum, Veg. t. 93, 4, 5, 6; Gould, B. E. pl. 148, 2. pyrocephalus, Brehm; mystaceus, V.

3102. himalavensis, Gould. cristatus. Bl.

Himalavas.

3103. maderensis, V. Harc.

Madeira

3104. satrapa, Licht.; Bp. A. O. pl. 2. 4. cristatus, V.: tricolor, Nutt.

N. Amer., Rocky Mt., Vancou. 1.

3105, surinamensis, Gould.

Surinam.

\$22. SERICORNIS, Gould, 1837.

G. of L. i. p. 188, pl. 51. f. 3; Reich. S. A. t. 59. f.

3106. frontalis, Vig. & H.; Gould, E. A. iii. pl. 49. parvulus, Gould.

New S. Wales. S. Australia.

3107. maculata, Gould, B. A. iii. pl. 51.

Australia.

3108. magnirostris, Gould, B. A. iii. pl. 52. magnirostra, Gould.

New S. Wales.

3109. osculans, Gould, B. A. iii. pl. 48.

S. Australia.

3110. citreogularis, Gould, B. A. iii. pl. 46. barbata, Lath.?

New S. Wales.

lævigaster, Gould, B. A. iii. pl. 50.

N. Australia.

3112. humilis, Gould, B. A. iii. pl. 47.

Tasmania.

# **823.** ACANTHIZA, Vig. & H. 1825, nec Fisch. 1807.

G. of B. i. p. 189.

a. Acanthiza.

3113. nana, Fig. & H.; Gould, B. A. iii. pl. 60. N. S. W., S. Aus.

3114. lineata, Gould, B. A. iii. pl. 61.

3115. pusilla, Lath.; White's Journ. pl. p. 257; Gould, B. A. New S. Wales. iii, pl. 53.

3116. diemenensis, Gould, B. A. iii. pl. 54. Tasmania. Ewingii, Gould, B. A. iii, pl. 55; diemensis, Bp.

3117. incrnata, Gould, B. A. iii. pl. 59. W.&S.Australia.

3118. magna, Gould, B. A. suppl. pl. Tasmania.

New Caledonia 3119. flavolateralis, G. R. Gr.

3120. macularia, Quoy & G. Voy. de l'Astrol. t. 10, 3.

Australia. 2121. Buchanani, Viq. & H.

New S. Wales. 3122. uropygialis, Gould, B. A. iii. pl. 56.

3123. apicalis, Gould, B. A. iii. pl. 57. W. Australia.

Australia. 3124. pyrrhopygia, Gould, B. A. iii. pl. 58.

#### 824. b. Geobasileus, Cab. 1850.

3125. chrysorrhæa, Quoy & G. Voy. Astrol. t. 10. 2; Gould, Austr., Tasman. *B. A.* iii. pl. 65.

3126. reguloides, Vig. & H.; Gould, B. A. iii. pl. 62. N. S. W., S. Aus.

c. Gerygone, Gould, 184 ? S25. Psilopus, Goald, 1837, nec Poli, 1795. G. of B. i. pl. 51, f. 4; Reich, S. A. t. 59, f.

3133, superciliosa, Wall.

New S. Wales. 3127, albogularis, Gould, B. A. ii. pl. 97. W. Australia. olivaceus, Gould?

Cape York. 3128. personata, Gould, B. A. suppl. pl.

New Zealand. 3129. flaviventris, G. R. Gr. Voy. Ereb. & Terr. pl. 4. 1.

3130. albofrontata, G. R. Gr. Voy. Ereb. & Terr. pl. 4. 2.

3131. chrysogaster, G. R. Gr. Aru, Mys., Waig.

Timor. 3132. inornata, Wall.

New S. Wales.

3134. fusca, Gould, B. A. ii. pl. 98. W. Australia.

3135. culicivora, Gould, B. A. ii. pl. 99. N. Australia.

3136, magnirostris, Gould, B. A. ii. pl. 100.

3137. lavigaster, Gould, B. A. ii. pl. 101.

3138, chloronotus, Gould, B. A. ii. pl. 102.

3139. modesta, Pelz.

3140. aucklandica, Pelz.

3141. igata, Quoy & G. Voy. Astrol. t. 11. 2.

3142. assimilis, Buller.

3143. palpebrosa, Wall.

3144. neglecta, Wall.

3145. Grayi, Wall. citrinella, G. R. Gr.

3146. sulphurea, Wall.

3147. ——? modesta, Cab.

3148. ? longirostris, Quoy & G. Voy. Astrol. t. 10. 4.

3149. brevirostris, Gould.

A. Pyrrholæmus, Gould, 1840.

Pyrrholamus, G. R. Gr. 1848. Pyrrholamus, Reich. 1849. Reich, S. A. t. 59. f.

3150. brunnea, Gould, B. A. iii. pl. 68.

Norfolk I.

New Zealand.

Aru I.

Waigiou, Mysol.

Ké.

Solor I., Flores, Borneo.

Luzou.

Australia.
New S. Wales.

S. &W.Australia.

# Subfam. IV. Luscininæ.

### **\$27.** LUSCINIA, L. 1735.

Motacilla, p., L., 1758-66. Sylvia, Scop. 1760. Ficedula, Klein, 1759. Fauvette, Cuv. 1797-98. Sylvia (Curruca), Meyer, 1815. Curruca, Bechst. 1802. Oitrus et Philomela, Rafinq. 1815. Daulias, Boie, 1831. Philomela, Selby, 1833. Lusciola, Keys. & Bl. 1840. Erithaeus (Philomela), Degl. 1849. G. of B. i. p. 172, pl. 49. f. 3; Reich. S. A. t. 61. f.

3151. vera, Sundev.; P. E. 615.2; Naum. Vog. t. 74.2; Gould, B. E. pl. 116. luscinia, L.; philomela, Bp.; aedon, Pall.

3152. philomela, Bechst.; Naum. Vog. t. 74. 1; Gould, B. E. pl. 117.
major, Br.; turdoides, Bl.

S. E. Europe. W. Africa, Asia.

# **\$28.** RUTICILLA, Brehm. 1828.

Ficedula, Boie, 1826, nec Mochr. 1752.
Phænicura, Sw. 1831.
Sylvia, Flem. 1822.
Sylvia (Vermivoræ), p., Meyer, 1815.
G. of E. i. p. 180, pl. 50, f. 10; Reich. S. A. t. 60, f.

Europe, Egypt. W. Asia, E. Afr.

## a. Ruticilla.

a. RUTICILLA.	
3153, phoenicurus, L.; P. E. 351, 1, 2; Naum. Vog.t. 79, 1, 2; Gould, B. E. pl. 95. ruticilla et muraria, Sw. tithys, Hutt.	Europe, India. N. & W. Africa.
3154. tithys, Scop.; Elw. B. pl. 29; Naum. Veg. t. 79, 3, 4; Gould, B. E. pl. 96. erythaea, L.; gibraltariensis et atrata, Gm. Cairii, Degl.	C. & S. Europe. W. & N. Africa.
3155. semirufa, Hempr. & Ehr.	Palestine.
3156. erythroprocta, Gould, B. As. pl.	Erzeroom.
3157. mesoleuca, Ehr. marginella, Ep.; Bonapartei, V. Müll.	Seneg., Abyssin.
3158. Moussieri, Olph Gall.; Ibis, 1860, pl. 11.	Algeria.
3159. aurorea, Pall. Zoogr. t. 27; Sehl. F. J. t. 21. Reevesi, Gr.	China, Japan, Assam,Him.M.
3160. leucoptera, Bl.	Jav.,Malac.,Tim.
3161. rufiventris, V.; Lev. O. A. t. 188. 1.	India.
leucoptera, Sw. atrata, Jurd. & S. I. O. pl. 86, 3. indica, Bl.; nipalensis, Hodgs.	
3162. frontalis, Vig.; Gould, C. B. pl. 26. 1. tricolor, Hodgs.; melanura, Less.	N. India.
3163. cæruleocephala, Vig.; Gould, C. B. pl. 25. 2.	**
3164. schisticeps, Hodgs.	Nepal.
3165. <b>Hodgsoni</b> , <i>Moore</i> , <i>Pr. Z. S.</i> 1854, pl. 58. ruticilla, <i>Hodgs.</i> ; Reevesi <i>et</i> erythrogastra, <i>Bl.</i>	"
3166. fuliginosa, Vig.	
plumbea, Gould; rubricauda et lineoventris, Hodgs.; simplex, Less.	N. India.
3167. erythronota, Eversm.; Pall. Zoogr. App. t	Asia, Russia.
3168. pectoralis, Heugl.	Bahr el Abiad.
3169. rufogularis, Moore, Pr. Z. S. 1854, pl. 59.	N. India.
3170. Vigorsi, Moore, Pr. Z. S. 1854, pl. 60. erythrogastra Q, Jerd.	**
3171. nigrogularis, Moore, Pr. Z. S. 1854, pl. 61.	Nepal.
3172. phœnicuroïdes, Moore, Pr. Z. S. 1854, pl. 57.	N. India.
3173. arborea, <i>Bp</i> .	India.
<b>829.</b> b. Chaimarrornis, Hodgs. 1844. Chamorrhous, Bp. Chamarrhornis, Agass.	
3174. leucocephala, Vig.; Gould, C. B. pl. 26, 2.	Himalaya M.

930. c. ADELURA, Bp. 1853.

Chemorrhous, Bp. 1856.

3175. erythrogastra, Güld. Nov. Comm. Petro. xix. t. 16,17; Gould, E. & S.E. Eur. B. As. pl.

tricolor et grandis, Gould. aurorea, var. ceraunia, Pall.

d. LARVIVORA, Hodgs. 1837. S31.

Nepal, Madras. 3176. cyanea, Hodgs. brunnea, Hodgs.; superciliaris, Jerd. Cevlon.

China, Malacca. 3177. gracilis, Swinhoe.

Macao.

Neilgherries.

Himalayas.

Japan.

Nepal.

3178. sibilans, Swinh.

832. e. CALLENB, 1847.

et Cinclidium, 1842, Bl. Jerdonia, Bl. 1855.

3179. frontalis, Bl. I. A. S. B. xii. pl. . Nepal, Sikkim.

3180. rufiventris, El. major, Jerd.

3181. albiventris, Fairb. Pr. Z. S. 1867, pl. 39; Gould, B. As. pl. Pulnev Hills, S. India.

**\$33.** NOTODELA, Less. 1831.

Muscisylvia, 1844, et Myiomela, 1846, Hodgs. G. of B. i. p. 178, pl. 50. f. 8; Reich. S. A. t. 60. f. .

3182. leucura, Hodgs.

3183. diana, Less. Bélang. Voy. t. 3.

Pegu. I. of Formosa. 3184. montium, Swinh.

**\$34. NEMURA**, Hodgs. 1844.

Nematura, Agass. Ianthia, Bl. 1847. G. of B. i. p. 180, pl. 50. f. 7; Reich. S. A. t. 60. f. .

a. Nemura.

3185. cyanura, Pall.; F. J. t. 21. rufilata, Swinh.

3186. rufilata, Hodgs.; Jard. Contr. Orn. 1850, pl. Himalaya M. evanura Q. Hodgs.; Tytleri, James.

3187. hyperythra, Bl.; Jard. Contr. Orn. 1849, pl. Darjeeling.

3188. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62.

b. Tarsiger, Hodgs. 1844. 835.

3189. chrysæa, Hodgs.; Jard. Contr. Orn. 1850, pl. Nepal, Sikkim.

3190. superciliaris, Hodgs.; Jard. Contr. Orn. 1849, pl. chrysæus, p., Hodgs.; flavolivacea, Hodgs.

836. c. Pogonocichla, Cab. 1847.

Tarsiger, p., Bl.

3191. stellata, V.; Lev. O. A. t. 157.

S. Africa.

margaritata, Sundev. "encullatus, Gould," Bl.

**537.** HODGSONIUS, *Bp.* 1850.

Bradibates, 1846 (nec Tsch. 1838), et Bradypetes, 1844 (nec G. R. Gr. 1840), Hodgs. Sylvania, Bl. 1847, nec Nutt. 1832.

G. of B. i. p. 181, pl. 50. f. 11; Reich, S. A. t. 60. f. .

3192. phœnicuroïdes, Hodgs.

Nepal.

**838. ERYTHACUS,** Cuv. 1799, 1800.

Dandalus, Boie, 1826. Sylvia (Vermivorae), Meyer, 1815. Sylvia (Humicolae). Naum.

Rubecula, Brehm, 1828. Ficedula, Boie, 1822.

Sialia. Selby, 1831, nec Sw. 1827. Erythaca, Sw. 1831.

Daudalus!, G. R. Gr. 1846.

Erythacus (Rubecula), Degl. 1849.

G. of B. i. p. 181, pl. 50, f. 13; Reich, S. A. t. 60, f.

3193. rubecula, L.; P. E. 360. 1; Naum. Vog. t. 75. 1, 2; Gould, B. E. pl. 98.

familiaris, Bl.

3195. komadori, Tem. P. C. 570; Schl. F. J. t. 21 c.

Europe. N.E. Africa.

3194. akahige, Tem. P. C. 571; Schl. F. J. t. 21 B. Japan.

**\$39.** CYANECULA, Brehm, 1828.

Pandicilla, Bl. 1833.

cyanccula, Meyer.

Erithacus (Cyanecula), Degl. 1849.

G. of B. i. p. 182, pl. 50, f. 14; Reich, S. A. t. 60, f.

a. Cyanecula.

3196. suecica, L.; P.E. 361. 2, et 610; Naum. Vog. t. 75. 3, 4, 5, & t. 366, 1-4; Gould, B. E. pl. 97.

C. Europe. N. Africa.

3197. ? leucocyana, Brchm; Naum. Vog. t. 364. 1, 2, & t. 365. 1, 2.

S. Europe.

suecica, p., Altum; cyanecula, p., Wolf & Mey.

Egypt. India.

3198. cærulecula, Pall.; Kittl. Kupf. Vog. t. 17. 2.

succica, β, Blas.; succica, p., Bl. succicoides. Hodgs.; indica, Bl. cyane, Eversm.?; fastuosa, Less.

3199. major,  $E_p$ .

Abyssinia.

3200. ? Wolfii, Brehm; Naum. Vog. t. 364, 3, 4, & t. 365, 3, 4. succica, p., Bp.

S. Europe.

3201. dichrosterna, Cab.

N.E. Africa.

840. b. Calliope, Gould, 1836, nec Ogil. 1836. Accentor, Boie, 1826. Melodes, Keys. & Bl. 1840. Erithacus (Calliope), Degl. 1849. Reich, S. A. t. 60, f.

3202. camtschatkensis, Gm.; Lath. Syn. suppl. pl.; Gould, B. E. pl. 114. calliope, Pall.; Lathami, Gould.

N. Asia, France. India, Nepal, Philippine I. Himalayas.

3203. pectoralis, Gould, I. A. pl.

**S41.** GRANDALA, Hodgs. 1843.

G. of B. i. p. 184, pl. 50. f. 3; Reich. S. A. t. 60. f. .

3204. cælicolor, Hodgs.; G. R. Gr. & M. G. B. pl. 50; Gould, Nepal. B. As. pl. schistacea, Hodgs.

Subfam. V. Saxicolinæ, Sw. 1831.

Saxicolina, Via. 1825. Luscininæ et Erythacinæ, p., G. R. Gr.

**\$42.** SAXICOLA, Bechst. 1802.

Vitiflora, Leach, 1816. (Enanthe, V. 1816. Lucotoa, Wiirt. G. of B. i. p. 178, pl. 50. f. 9; Reich. S. A. t. 60. f. .

a. Saxicola.

3205. cenanthe, L.; P. E. 554; Naum. Vög. t. 89. 1, 2; Gould, B. E. pl. 90. vitiflora, Pall.; cinerea, V.; rostrata, Ehr.?

3206. albicollis, V.; P. C. 275. 1; Naum. Vög. t. 376; Gould, S.W. Europe. B. E. pl. 92. rufescens, Blas.; aurita, Tem.

3207. stapazina, L.; Edw. B. pl. 31.2; Naum. Vög. t. 90. 1, 2;

Gould, B. E. pl. 91.

3208. leucomela, Pall. Zoogr. t. 28; Gould, B. E. pl. 89. longirostris, pleschanka et melanoleuca, Gm.

3209. capistrata, Gould, B. As. pl. leucomela, Jerd.

xanthomelæna, Ehr.?

3210. lugens, Licht.; P. C. 257. 3. leucomela, Tem., et var. B, Blas.

3211. atrogularis, Bl.; Gould, B. As. pl. deserti, Jerd.

3212. deserti, Rüpp.; P. C. 359. 2.

3213. pallida, Rüpp. Atl. t. 34. 1; P. C. 472. 1. Isabellina, Tem.

Europe.

Palestine?

S. Europe.

S.E. Europe.

Hindostan.

S.E. Europe. Africa.

India, Sindh. Punjab.

Egypt, Nubia.

Nubia.

3214. Stricklandii, $Bp$ . albicans, $Walhb$ .	Damaraland.
3215. lugubris, Rüpp. F. A. t. 28. 1.	Abyssinia.
3216. Isabellina, $R\ddot{u}pp$ . $Atl$ . t. 34. 2. saltatris, $M\acute{e}n\acute{e}tr$ . squalida, $Eversm$ .; saltator, $Bp$ .; cenanthe, $\beta$ , $Blas$ .	Nubia, Abyss.
3217. philothamna, Tristr. Ibis, 1859, pl. 9.	Sahara.
3218. eurymelæna, Hempr. & Ehr. deserti, p., Hartl. & F.	S. Palestine.
3219. amphileuca, Hempr. & Ehr.	**
3220. libanotica, Hempr. & Ehr. saltator, p. ?, Bp.	"
3221. rufocinerea, Rüpp. F. A. t. 27.	Abyssinia.
3222. cenanthoides, Vig. cenanthe, p., Baird.	N.W. America. Canada.
3223. gutturalis, Licht.; Bull. Sc. Mosc. 1850, t. 8, 2. salina, Eversm.	Russ., Afr., Asia.
3224. montana, Gould, B. As. pl. isabellina $\mathcal{Q}$ , Hartl.	Afghanistan.
3225. sordida, Rüpp. F. A. t. 26, 2.	Abyssinia.
3226. halophila, Tristr.	Sahara.
3227. homochroa, Tristr.	**
3228. moesta, Licht.	Egypt.
3229. castor, Hartl. cinerea, var., Tristr.	S. Africa.
3230. pollux, Hartl.	**
3231. leucorrhoa, Gm.; P. E. 583. 2.	Senegal.
3232. rostrata, Hempr. & Ehr.	S. Palestine.
3233. leucuroides, Lafr. & Guér.; Ferr. & Gal. Voy. en Abyss. t.	Abyssinia.
3234. Arnotti, Tristr, Ibis, 1869, pl. 6.	S. Afr., Adam
3235. Atmorii, Tristr.	Kok's N. Land. Damaraland.
3236. ? Schlegelii, Wahlb.	***
3237. modesta, Tristr.	,,
<b>843.</b> b. Campicola, Sw. 1827.	
3238. pileata, Gm.; Lev. O. A. t. 181, 182. imitatrix, V.; hottentotta, Gm. mimus, Forst.	S. Africa.
3239. Livingstonii, Tristr.	S. Africa, Tette.

monacha, Loche.

3261. cursoria, V.; Lev. O. A. t. 190.

226	HAND-LIST OF BIRDS.	
3240. bifasciata spectabilis, H	<b>a</b> , Tem. P. C. 472. 2; Pr. Z. S. 1865, pl. 23. Martl.	S. Africa.
3241. Bottæ, <i>Bp</i> .		Africa.
844.	c. Cercomela, <i>Bp.</i> 1856.	
3242. melanura asthenia, <i>Bp</i> .	a, Rüpp.; P. C. 257. 2.	Abyssinia. Coast of Red Sea.
3243. fusca, <i>Bl</i> .		N.W. India.
3244. lypura, Ehr	r.	Palestine.
3245. erythræa, I	Thr.	*
3246. frenata, He albīgularis, H	ugl. Rüpp. MS.; isabellina, juv., Rüpp.	N.E. Africa.
3247. Heuglini, A leucorrhoïdes	-	"
S45. Vitiflora, Boic,	d. Dromolaea, Cab. 1850. 1826, nec Leach, 1816.	
	t, V.; Lev. O. A. t. 185.	S. Africa.
	V.; Lev. O. A. t. 184, 2, Smith; tractrac, Boie.	,,
3250. leucura, e pl. 88. cachinnans, 2	Gm.; Descr. de l'Egypte, t. 5. 1; Gould, B. E. Tem.	S. Europe. N. & W. Africa.
3251. picata, B	l.; Gould, B. As. pl.	Sindh.
3252. monacha graeilis, <i>Lich</i>	, Rüpp.; P. C. 359, 1. t.	Nubia.
3253. leucopyg	ia, Brehm.	Palestine.
3254. leucocepl leucura, <i>Lock</i>	hala, Brehm. ie; cursoria, V.?	Sahara.
B. As. pl.	a, Strickl.; Jard. Contr. Orn. 1849, pl.; Gould, leucuroides, Jerd.	India.
3256. aquatoriali	s, Hartl.	W. Africa.
3257. chrysopygia	n, Defil.	Damavend.
3258. albipileata,	Bocage.	Dombe, Angola.
2359. incompta, i	Lieht.	S. Africa.
3260. ——?		

N.E. Africa.

S. Africa.

N.E. Africa.

q = 2

846. e. Aoricola, Verr. 1853.	
3262. infuscata, Smith, I. S. A. Z. pl. 28.	S. Africa.
<b>847.</b> f. Myrmecocicilla, Cab. 1850.	
3263. formicivora, V.; Lev. O. A. t. 186, 187. leucoptera, Sw.	**
3264. æthiops, Licht.	Senegal.
3265. Quartini, Bp.	Abyssinia.
3266. melas, Licht.; Rüpp. Wirbl. t. 28. 2. melæna, Rüpp.	Shoa.
3267. nigra, V.; Lev. O. A. t. 189.	S. Africa.
S4S. g. Oreicola, Bp. 1853. Oreicola!, Bp.	
3268. pyrrhonota, $V$ . caprata $\mathfrak{P}$ , $Pucher$ .	Timor.
3269. melanoleuca, V.	**
3270. luctuosa, Müll.	,,
3271. ? gutturalis, V.	**
3272. ? merula, Quoy & G.	New Ireland.
<b>849.</b> h. Rhodophila, <i>Jerd.</i> 1867. Oreicola, p.	
3273. <b>Jerdoni</b> , Bl.; Gould, B. As. pl. melanoleuca, Jerd.	Burmah.
<b>850.</b> PRATINCOLA, Koch, 1816.  Praticola, Karp, 1819. Curruca, Leach, 1816. Fruticicola, Macgill. 1839. Saxicola, Boie, 1822. Rubetra, G. R. Gr. 1840. Motacilla (Œnanthe), Pall. 1831. G. of B. i. p. 179, pl. 50. f. 12; Reich. S. A. t. 60. f.	
3274. rubicola, L.; P. E. 678. 1; Naum. Vog. t. 90. 3, 4, 5; Gould, B. E. pl. 94. maura, Pall.; muscipeta, Scop.	C. S. Europe. W. & N. Africa.
3275. rubetra, L.; P. E. 678. 2; Naum. Vög. t. 89. 3, 4; Gould, B. E. pl. 93.	Europe, N. & W Africa.
3276. torquata, L.; Lev. O. A. t. 180. pastor, Cuv.; rubicola, var. capensis, V. sybilla, Cab. albofasciata, Rüpp. U. S. t. 16; borbonica, Bory de St. Vin.	S. Africa.
3277. ? sybilla, $Gm$ . torquata, p., $Hartl. \ f$ $F$ .; maura, p., $Tem$ .	Madagascar.

3278. ? Hemprichii, Ehrenb. torquata, p., Hartl, & F.

3279 salax, Verr. olax, Strickl.

3280. arborea, Poll.

3281. atrata, Kelaart.

3282. caprata, L.; P. E. 235. 1, 2. fruticola, Horsf.; bicolor et erythropygia, Sykes. atrata, Bl.; melanoleuca, Hodgs. sylvatica, Tick.

3283. indica, Bl.; Gould, B. As, pl. saturatior, Hodgs.; rubicola, Sykes.

3284. insignis, Hodgs.

3285. leucura, Bl.; Gould, B. As. pl.

3286. ferrea, Hodgs.

3287. fervida, Gm.; P. E. 583. 1.

3288. senegalensis, L.

**\$51. PETROICA**, Sw. 1832.

Petroeca, Cab. 1850. G. of B. i. p. 182, pl. 50. f. 15; Reich. S. A. t. 60. f.

a. Petroica.

3289. multicolor, Vig. & H.; Lath. Syn. pl. 100; Lewin, B. N. H. pl. 17; Gould, B. A. iii. pl. 3.

3290. Goodenovii, Vig. & H.; Jard. & S. I. O. pl. 8.2; Gould, B. A. iii. pl. 5.

3291. phœnicea, Gould, B. A. iii. pl. 6.

3292. erythrogastra, Gm.; Gould, B. A. iii. pl. 4. modesta et pulchella, Gould; multicolor, Gm.

3293. hypoleuca, G. R. Gr.

3294. pusilla, Peale, U. S. Expl. Exp. pl. 9. 4.

3295. similis, G. R. Gr.

3296. Fosteri, G. R. Gr. minutus. Forst.

852. Erythrodryas, Gould, 1842.

Reich, S. A. t. 60, f.

3297. rhodinogastra, Drap.; Zool. Journ. i. pl. 13; Gould, B. A. iii. pl. 1.

Lathami, Vig.; rhodogastra, Lath.

3298. rosea, Gould, B. A. iii. pl. 2. 3299. ? coccinigastra, Lath. Syn. suppl. pl. 134. W. Africa.

Madagascar.

Ceylon.

India.

Timor, Celebes.

India.

Nepal.

Sindh.

Himal., Bootan.

Senegal.

Australia, Van Diemen's Land.

Australia.

N. S. W., S. Aus.,

Van Diemen's L. Norfolk I.

N. Guin., Mysol,

Waigiou. Samoan I.

New Hebrides.

Botany Island.

Van Diemen's L. S. Australia.

New S. Wales.

North America.

Texas.

853. c. Melanodryas, Gould, 1863. 3300. cucullata, Lath.; Sw. Zool. Ill. pl. 43; Gould, B. A. iii. New S. Wales. pl. 7. bicolor, Sw. S. & W. Anstr. N.W. Australia. 3301. picata, Gould. 854. d. Amaurodryas, Gould, 1863. 3302. vittata, Quoy & G. Voy. Astrol. t. 3. 2; Gould, B. A. iii. pl. 8. Van Diemen's L. fusca. Gould. 855. e. PŒCILODRYAS, Gould, 1863. 3303. cerviniventris, Gould, B. A. suppl. pl. N.W. Australia. N. Australia. 3304. supereiliosa, Gould, B. A. iii. pl. 9. 856. f. Myiomoira, Reich. 1850. Reich, S. A. t. 67, f. . 3305. toitoi, Garn. Voy. Coqu. t. 15. 3. New Zealand. 3306. Dieffenbachii, G. R. Gr. Voy. Ereb. & Terr. pl. 6. 1. Chatham Isld. 3307. macrocephala, Gm.; Lath. Syn. pl. 55. New Zealand. minutus, Forst.; australis, Steph. Forsterorum, G. R. Gr. Var. Auckland I. 857. g. M1RO, Less. 1831. Myioscopus, Reich, 1850. Reich. S. A. t. 67. f. . 3308. albifrons, Gm.; Voy. Ereb. & Terr. pl. 6. 2. New Zealand. South Island. ochrotarsus, Forst.; saxicolina, Licht. 3309. longipes, Garn. Voy. Coqu. t. 19. 1. New Zealand. North Island. novæ zealandiæ. Less. australis, Sparrm. M. C. t. 69? 858. DRYMODES, 1840, et Hylodes, 1841, Gould. G. of B. i. p. 183, pl. 50. f. 2; Reich, S. A. t. 60. f. 3310. brunneopygia, Gould, B. A. iii, pl. 10. S. & W. Austr. 3311, superciliaris, Gould, B. A. suppl. pl. Cape York. 859. SIALIA, Sw. 1827. Sialis. Lafr.

G. of B. i. p. 184, pl. 50. f. 5; Reich. S. A. t. 60. f.
3312. Wilsonii, Sw.; P. E. 396; Wils. A. O. pl. 3. 5.

sialis, L.

azurea, V.; Lev. O. A. t. 158.

3313. mexicana, Sw.; Aud. B. A. ii. pl. 135. occidentalis, Towns, carulcicollis, Vig. Voy. Beechey, pl. 3. W. of N. Amer. Rio Grande. Califor., Mexico.

3314. arctica, *Rich. & Sw. F. B. A.* pl. 39; *Aud. B. A.* ii. pl. 136. macroptera, *Baird*.

Rocky Mts. Mexico, Califor.

### 860. ORIGMA. Gould, 1837.

Orygma, Des Murs, 1853.

G. of B. i. p. 185, pl. 50. f. 4; Reich. S. A. t. 60. f. .

3315. rubricata, Lath.; Lewin, B. N. H. pl. 16; Gould, B. A. iii. pl. 69. solitaris, Lewin.

New S. Wales.

## Subfam. VI. Accentorinæ, G. R. Gr. 1840.

Sylvianæ, p., Sw. 1827. Parinæ, p., Sw. 1837. Saxicolinæ, p., Cab. 1847.

### **861.** ACCENTOR, Bechst. 1802.

Prunella, V. 1816 (suppressed in 1818). Laïscopus, Glog. 1842.

G. of B. i. p. 187, pl. 51. f. 1; Reich. S. A. t. 59. f. .

### a. ACCENTOR.

3316. alpinus, Gm.; P. E. 668. 2; Naum. Vög. t.92. 1, t. 378. 1; Gould, B. E. pl. 99.

montanus, Gm.; collaris, Scop. mauritanicus, Lath.

S. Europe.

3317. immaculatus, Hodgs.; Gould, B. As. pl. mollis, Bl.

Nepal.

..

3318. **nipalensis**, *Hodgs*.; *Gould*, *B. As.* pl. cacharensis, *Hodgs*.

Siberia, India.

3319. altaicus, Brandt; Gould, B. As. pl. himalayanus et variegata, Bl. alpinus, V.

3320. atrogularis, Brandt; Gould, B. As. pl.

 3321. Huttoni, Moore. atrogularis, Hutt. Siberia. Simla.

## **≤62.** b. Spermolegus, Kaup, 1829.

3322. montanellus, Pall.; Naum. Vög. t. 92. 2.

N. Asia, Amurland, Vienna. W. Siberia,

3323. Temminckii, Brandt; Gould, B. E. pl. 101. montanellus, Tem.

Solvia (Vermivoræ, p.), Meyer, 1815.

3324. modularis, L.; P. E. 615.1; Naum. Vog. t. 92. 3, 4; Gould, B. E. pl. 100.

Europe.

3225. strophiatus, Hodgs.; G. R. Gr. & M. G. B. pl. 51; Gould, B. As. pl.

Himalaya Mts.

3326. rubidus, Tem. & Schl. F. J. t. 32.

Japan.

3327. rubiculoides, Hodgs.

Nepal.

FAM. II. **PARIDÆ**, *Boie*, 1826.
Ampelidæ, p., *Jerd*. 1863. Sylvidæ, p.

# Subfam. I. **Parinæ,** Bp. 1838.

Parianæ, Sw. 1831.

**864. PARUS,** *L.* 1735.

Sw. C. of B. f. 214, h, k; G. of B. i. p. 191.

a. PARUS.

3328. major, L.; P. E. 3. 1; Naum. Vög. t. 94. 1; Gould, B. E. pl. 150. fringillago, Pall.

Europe.

3329. ater, L.; Naum. Vög. t. 94.2; Gould, B. E. pl. 155. 1. carbonarius, Pall.

3330. Ledouci, Malh.

Algeria, N. Afr.

3331. afer, Gm.; Lev. O. A. t. 138. cinerascens, V.

W. Africa.

3332. varius, Tem. & Schl. F. J. t. 35.

Japan.

3333. minor, Tem. & Schl. F. J. t. 33. 3334. cinnamomeiventris, Gould.

I. of Formosa.

3335. cinereus, V.; P. C. 287. 2; Lev. O. A. t. 139. 1; Gould, B. As. pl. atricops, Horsf.; casius, Tick. nipalensis et schistinotus, Hodgs.

Himal., Ceylon. Java, Flores.

3336. nuchalis, Jerd. Ill. Ind. Orn. pl. 46.

E. Ghats.

3337. monticolus, Vig.; Gould, C. B. pl. 29. 2; id. B. As. pl.

Himalayas. India.

3338. elegans, Less. quadrivittatus, Lafr.

3339. semilarvatus, Salvad.

Himalayas.

3340. fuseus, I.; Lev. O. A. t. 139. 2.

----? Amov.

3341. commixus, Swinh.

----?

3342. — ?; Gould, B. As. pl. minor, Gould.

...

3343. Atkinsoni, Jerd.

Sikkim.

Assam. 3344. Griffithii, Bl. I. of Formosa. 3345. insperatus, Swinh. 3346. viridescens, Swinh. Bokhara. 3347. bokharensis, Jaub. b. Pecile, Kaup, 1829. 865. Pœcila, G. R. Gr. 1847. Paecila, Bp. 1850. Poikilis, Blas. 1863. G. of B. i. pl. 52. f. 2; Reich. S. A. t. 62. f. 3348. palustris. L.; Naum. Vog. t. 94. 4, t. 379. 4; Gould, B. Europe. E. pl. 155, 2. Siberia. fructiceti, Wallengr.?; atricapillus, Gm. N. Nurope. 3349. borealis, Selys; Naum. Vog. t. 379. 2. palustris, B, Blas. C. S. Europe. 3350. ? alpestris, Baill.; Naum. Vög. t. 379. 3. palustris, y, Blas. 3351. lugubris, Natt.; Naum. Vög. t. 379. 1; Gould, B. E. pl. S.E. Eur., Dalmat., Hungary. 151. 1. 3352. cinctus, Bodd.; P. E. 708. 3; Gould, B. E. pl. 151. 2. N.E. Europe. sibiricus, Gm.; japonicus, Steph.; lugubris, Zetterst. Missouri to 3353. septentrionalis, Harr.; Cass. Ill. 1852, pl. 14. Rocky Mts. E. of N. Amer. 3354. atricapillus, L.; Wils. A. O. pl. 8. 4. palustris, Nutt. N. Pacific coast 3355. occidentalis, Baird. of U.S. E. Mexico. 3356. meridionalis, Selat. Pacific coast of 3357. montanus, Gamb. Journ. Ac. Phil. 1847, pl. 8. 1. U.S. 3358. rufescens, Towns,; Aud. B. Am. ii. pl. 129. sitchensis, Kittl. 3359. hudsonicus, Forst.; Aud. B. Am. ii. pl. 128. N.E. of N. Amer. N. Europe. 3360. ferrugineus, Lund; N. S. Fn. & Fl. Fenn. 1848, t. 1. 1. 3361. lapponicus, v. Wright; N. S. Fn. & Fl. Fenn. 1848, t. 1. 2. ,, sibiricus, Nils. Kamschatka. 3362. kamschatkensis, Bp. S. Atl. States. 3363. carolinensis, Aud. B. A. ii. pl. 127. N. Europe. 3364. frigoris, Selys. 866. e. Cyanistes, Kaup, 1829. Cyanistis, Bp. 1853. 3365. cyaneus, Pall.; Mus. Carls. t. 25; Naum. Vog. t. 95.3; Siberia, E. C. Europe. Gould, B. E. pl. 153.

Europe, Asia

Minor.

saebyensis, Sparrm.; kujacek, Gm.

B. E. pl. 154.

3366. cæruleus, L.; P. E. 3. 2; Naum. Vög. t. 95. 1, 2; Gould,

S. Africa.

3367. ultramarinus, Bp.; G. R. Gr. & M. G. B. pl. 52. N. Africa. exruleus, β, Blas.; carulcanus, Malh. numidicus et violaceus, Lev. teneriffæ, Less.? 867. d. Machilolophus, Cab. 1850. 3368. spilonotus, Bl.; Jard. Contr. Orn. 1852, pl. 1; Gould, Darjeeling, Sikkim. B. As. pl. xanthogenys, Bl. 3369. xanthogenys, Viq.; Gould, C. B. pl. 29, 1; id. B. As, pl. N.W. Himal. aplonotus, Bl. 3370. Jerdoni, Bl.; Gould, B. As. pl. Neilgherries. xanthogenys, Jerd. N.W. Himalaya. 3371. melanolophus, Vig.; Gould, C. B. pl. 30. 2; id. B. As. pl. Moulmein. 3372. subviridis, Tick. 868. e. Lophophanes, Kaup, 1829. Parus, L. 1758. Reich, S. A. t. 62. f. . 3373. cristatus, L.; P. E. 502. 2; Naum. Vog. t. 94. 3; Gould, B. E. pl. 156. Europe. 3374. dichrous, Hodgs.; Gould, B. As. pl. Nepal. Simla. 3375. rufonuchalis, Bl.; Gould, B. As. pl. Sikkim. 3376. Beavani, Bl. 3377. rubidiventris, Bl.; Jard. Contr. Orn. 1852, pl. . Nepal. melanolophus, Hodgs. 3378. æmodius, Hodgs. 869. f. Baeolophus, Cab. 1850. Parus, L. 1766. Baeolophus, Bp. 1853. Lophophanes, p., Cass. E. N. America. 3379. bicolor, L.; Wils. A. O. pl. 8. 5. indicus, Sparrm. 3380. atricristatus, Cass. Ill. B. Calif. pl. 3; Journ. Ac. Phil. Calif., S. Rocky 1847, pl. 8. Mountains. 3381. inornatus, Gamb. Journ. Ac. Phil. 1847, pl. 8; Elliott, B. N. A. pl. 3. Calif., Rocky M. 3382. Wollweberi, Westerm.; Baird, B. N. A. pl. 53. 1. S. Rocky M. annexus, Cass. Pr. Ac. Phil. 1850, pl. 1. Texas. galeatus, Cab. 870. g. Melaniparus, Bp. 1850. Penthestes, Reich. 1850. Pentheres, Cab. 1850. Melanoparus, Verr. 1855.

3383. niger, V.; Lev. O. A. t. 137. 1.

luctuosus, Licht.

3384. leuconotus, Guér.; Rüpp. S. U. t. 18; Ferr. & Gal. Voy. Shoa. en Abyss, t. 9. 1. dorsatus, Rüpp. W. Africa. 3385. leucopterus, Sw. melanoleucus, Würt. Gaboon. 3386. funereus, Verr. 3387. leucomelas, Rüpp. F. Abyss. t. 37. 2. Abvesinia. leucopterus, p., Hartl. h. Melanochlora, Less. 1839. 871. Crataionyx, Eyton, 1839. Crataeonyx, Agass. Ptilobaphus, Rcieh. 1850. 3388. sultaneus, Hodgs.; Gould, B. As. pl. Nepal. 3389. flavocristatus, Lafr. Maq. de Zool. 1837, t. 80. Sumatra. Malacca. sumatranus, Less.; atra et flava, Eyton; sultanea, p., Jerd. 872. PSALTRIA, Tem. 1832. 3390. exilis, Tem. P. C. 600. 4; Gould, B. As. pl. Java. j. Psaltriparus, Bp. 1851. 873. 3391. melanotis, Hartl.; Baird, B. N. A. pl. 53. 3. E. Mexico. personatus, Bp.; melanotus, Sandb. Guatemala. Pac. coast of U.S. 3392. minimus, Towns.; Aud. B. Am. ii. pl. 130. 3393. plumbeus, Baird, B. A. pl. 33. 2. S. Rocky M. k. Auriparus, Baird, 1864. 874. Rio Grande. 3394. flavifrons, Sundev.; Baird, B. N. A. pl. 63. 2. ornatum, Lawr. 875. l. Orites, Mochr. 1752. Mccistura, Leach, 1816. Acredula, Koch, 1816. Paroides, Brehm, 1828. Megistura!, G. R. Gr. 1840. Ægithalus, Glog. 1842, nee Boic, 1822. Reich, S. A. t. 62, f. 3395. caudatus, L.; P. E. 502. 3; Naum. Vog. t. 95. 4, 5, 6; N. Eur., Amur, Gould, B. E. pl. 157. Siber., N. Brit. 3396. roseus. Bl. France, Lombar., Tuscany, on vagans, Leach; longicaudata, Macgill. Bosphorus. 3397. tephronotus, Günth. Ibis, 1865, pl. 4. On Bosphorus. 3398. trivirgatus, Tem. & Schl. F. J. t. 34. Japan. 3399. glaucogularis, Gould, B. As. pl. China.

Shangai.

3400. Swinhoii, Pelz. Reisc Novara, t. 3. 1.

### **\$26. SUTHORA, 1838,**

et Temnoris, 1841, et Hemirynchus, 1843, Hodgs. Paradoxornis, p., G. R. Gr. 1841. Sutora, Des Murs, 1853. G. of B. i. p. 192, pl. 52. f. 1; Reich. S. A. t. 62. f.

### a. Suthora.

3401. nipalensis, Hodgs.; Gould, B. As. pl. upp. fig. atrifrons, Hodgs.

Nepal.

3402. fulvifrons, Hodgs,; Gould, B. As. pl. nipalensis, p., Hodgs.

3403. poliotis, Bl.; Gould, B. As. pl. 2. low. fig. nipalensis, p., Gould; pictifrons, Hodgs.

China.

3404. Webbiana, G. R. Gr. Pr. Z. S. 1852, pl. 49; Gould, B. As. pl.

3405. bulomachus, Swinh. Ibis, 1866, pl. 9.

I. of Formosa.

b. Chlenasicus, Bl, 1845.

Suthora, p., El. 1849.

3406. ruficeps, Bl.

Sikkim, Darjeol.

## \$78. CERTHIPARUS, Lafr. 1842.

Certhioparus, Agass.

G. of B. i. p. 193, pl. 52. f. 6; Reich, S. A. t. 62. f. .

3408. maculicaudus, G. R. Gr. Voy. Astrol. t. 11. 3.

3407. novæ zealandiæ, Gm.; Voy. Ereb. & Terr. pl. 5. 1. New Zealand. urostigma, Forst.

## 879. SPHENOSTOMA, Gould, 1837.

zealandicus, Quoy & G.

a. Sphenostoma.

G. of B. i. p. 194, pl. 52. f. 5; Reich. S. A. t. 62. f.

3409. cristatum, Gould, B. A. iii. pl. 17.

E. & S. Australia.

#### 880. b. Xerophila, Gould, 1840.

3410. leucopsis, Gould, B. A. iii. pl. 67.

S. Australia.

### **881. PARISOMA**, Sw. 1831.

Parosoma, Agass.

Sw. C, of B, f. 214, e, i; G, of B, i, p, 194, pl, 52, f, 3; Reich. S. A. t. 62. f. .

### a. Parisoma.

3411. subcæruleum, V.; Lev. O. A. t. 126. erythropygia, Licht.; rufiventris, Sw.

S. Africa.

3412. Galinieri, Guér. & Lafr.; Ferr. & Gal. Voy. en Abyss. t. 13. E. Africa. frontale, Rüpp. S. U. t. 22. Abyssinia. 3413. Layardi, Hartl.

S. Africa.

3414. melanurum, Cass.

CammaR., W.Af.

882.

b. ÆGITHALOPSIS, Heine, 1859.

3415, olivascens, Cass.

W. Africa.

## Subfam. II. Ægithalinæ, Reich. 1850.

### **883.** ÆGITHALUS, Boie, 1822, et Vig. 1825.

Pendulinus, Brehm, 1828, nec V. 1816.

Paroides, Brehm, 1828 (Isis).

Sw. C. of B. f. 214, g; G. of B. i. p. 193, pl. 52. f. 4; Reich. S. A. t. 62. f.

### a. ÆGITHALUS.

3416. pendulinus, L.; P. E. 618. 3, et 708. 1; Naum. Vög. t. 97; Gould, B. E. pl. 159. narbonensis, Gm.

S.E. Europe.

### 884.

b. Anthoscopus, Cab. 1850.

3417. minutus, Shaw; Lev. O. A. t. 134. Smithii, Jard.; anthophilus, Boie. pensilis, Hartl. S. Africa.

3418. capensis, Gm.; Sonn. Voy. t. 112.

3419. pensilis, Licht.

,,

3420. punctifrons, Sundev.

Sennaar.

3421. parvulus, Würt, & Heugl. punctatus, Sundev.?

Djour.

3422. flavifrons, Cass. Pr. Ac. Phil. 1858, pl. 1. 1.

Gaboon.

**885.** c. ÆGITHALISCUS, Cab. 1850. Oritiscus, Bp. 1854. Bites, Sundev. 1857.

3423. erythrocephalus, Vig.; Gould, C. B. pl. 30. 1.

Himalaya M.

3424. leucogenys, Moore; Gould, B. As. pl.

Afghanistan.

3425. anophrys, Swinh.

Amoy.

3426. concinnus, Gould, B. As. pl.

China.

## **886.** d. Cephalopyrus, Bp. 1853.

3427. flammiceps, Burt.; Jard. Contr. Orn. 1850, pl. 66. 2. C. Asia. sanguinifrons, Hay. N.W. Himalaya.

### **887.** c. Panurus, Koch, 1816.

Calamophilus, Leach, 1816. Mystacinus, 1822, et Ægythalus, 1826, Boie. Callimophilus, Selby, 1840. Hypenites, Glog. 1842.

Reich. S. A. t. 62. f. .

3428. biarmicus, L.; P. E. 618.1, 2; Naum. Vög. t. 96; Gould,
 B. E. pl. 158.
 barbatus, Blas.; russicus, Gm.

C. S. Europe.

3429. sibiricus, Bp.

Kamtschatka.

SSS. f. Sylviparus, Burt, 1835.

3430. modestus, Burt. sericophrys, Hodgs.; minutus, Jerd.

Himalaya. N. Ghats.

889. g. Acanthiparus, Gould, 1855.

3431. niveogularis, Gould, B. As. pl.

N. India.

3432. jouchistos, Hodgs.; Gould, B. As. pl.

Nepal, Darjeel.

## Subfam. III. Polioptilinæ, Sclat. 1862.

890. POLIOPTILA, Sclat. 1854.

Culicivora, Sw. 1837, nec 1827, et p. G. R. Gr. 1848. Reich. S. A. t. 62. f.

3433. cærulea, L.; Edw. B. pl. 302; Wils. A. O. pl. 18. 5. cana, Gm.; leucogastra, Sclat.

Guiana. N. Gran., Guat.

3434. leucogastra, Max.; P. E. 704. 1; Sw. Z. S. pl. 57. atricapilla, Sw.

Brazil.

3435. boliviana, Sclat. Pr. Z. S. 1852, pl. 47.

Bolivia.

3436. superciliaris, Lawr.

Panama.

3437. **Buffoni**, Sclat.; P. E. 704. 1. cærulea, var., Gm.

Cayenne. Bogota.

3438. dumicola, V. bivittata, Lafr.

dumicola, Bp.

Bolivia.

3439. mexicana, Bp. cærulea, p. ?, Baird.

Mexico.

3410. albiloris, Sclat. & S.

Guatemala.

3441. Lembeyei, Gundl. cærulca, p. ?

Cuba.

3442. plumbea, Baird, B. N. A. pl. 33. 1.

Colorado.

3443. nigriceps, Baird.

Mazatlan.

3444. ? bilincata, Licht.

Carthag., Esmer. Bahahoyo.

3445. melanura, Laur.; Cass. Ill. pl. 27. atricapilla, Laur.; mexicana, Cass. R.Grande & Gila.

## FAM. III. CHAMÆADÆ, Baird, 1864.

## Subfam. I. Chamæanæ, G. R. Gr.

### **S91.** CHAMÆA, Gamb. 1847.

3446. fasciata, Gamb. Journ. Ac. Phil. 1849, pl. 8. 3.

California.

## FAM. IV. MNIOTILTIDÆ, Sclat. 1862.

Tanagridæ, p., Bp. Sylvicolidæ, Baird, 1864.

## Subfam. I. Mniotiltinæ, G. R. Gr. 1848. Sylvicolinæ, Bp. 1838.

## **S92. MNIOTILTA, V. 1816.**

Oxyglossus, Sw. 1827. Certhia, V. 1806.
Sw. C. of B. f. 132, a, 213, f, l; G. of B. i, p. 195, pl. 53. f. 1;
Reich. S. A. t. 61. f.

### a. MNIOTILTA.

3447. varia, L.; Wils. A. O. pl. 19. 3; V. Gal. des Ois. t. 169. maculata, Wils.; borealis, Nutt. var. longirostris, Baird.

E. of U. States.Guatemala.West Indies.

### **593.** b. Compsothlypis, Cab. 1850.

Sylvicola, Sw. 1827, nec Humph. 1797.
 Chloris, Boie, 1826, nec Moehr. 1752.
 Parula, Bp. 1838.
 Ficedula, Des Murs, 1853.
 Sw. C. of B. f. 213, m, 214, a, f.

3448. americana, L.; P. E. 731.1, & 709.1?; Wils. A. O. pl. E. of U. States, 28. 3; Aud. B. A. ii. pl. 91. West Indies. Guatemala.

torquata, V.; pusilla, Wils.

3449. pitiayumi, V.; P. C. 293. 1; Sw. Zool. Ill. pl. 139. Brazil.

brasiliana, Licht.; venusta, Tem.
plumbea, Sw.

Paragu., Trinid.

450 superciliosa Hartl.

Guatemala.

3450. superciliosa, Hartl. mexicana, Lieht.

3451. inornata, Baird.
brasiliana, Selat. § S.

Costa Rica.

3452. gutturalis, Cab.

3453. mexicana, *Ep.* superciliosa, p., *Baird*.

\*\*

Mexico.

#### 894. c. PROTONOTARIA, Baird, 1858.

3454. citrea, Bodd.; P. E. 704. 2; Wils. A. O. pl. 24.3; Aud. S. Atlantic & Gulf States. B. A. ii. pl. 106. protonotarius, Gm.

auricollis, Gm.; Briss. Orn. iii. t. 26. 1.

W. Indies.

#### 895. d. Helminthophaga, Cab. 1850.

Sw. C. of B. f. 132, b, 213, h, i.

3455. pinus, L.; Edw. B. pl. 277. 1; Wils. A. O. pl. 15. 4; Aud. B.  $\bar{A}$ . ii. pl. 111. solitaria, Wils.

E. of N. Amer.

3456. ruficapilla, Wils. A. O. pl. 27. 3; Fauna B. Am. pl. 42. 1. rubricapilla, Wils.; leucogastra, Shaw. nashvillei, V.; mexicana, Holb.

Greenland.

3457. celata, Say; Bp. A. O. pl. 5, 2; Aud. B. A. ii, pl. 112.

Mississippi to Pacif., N.Mex.

3458. peregrina, Wils. A. O. pl. 25, 2; Fauna B. Am. pl. 42, 2; Aud. B. A. ii. pl. 110. tennessaei, V.; missuriensis, Max.?

E. of U. States.

**34**59. **chrysoptera**, *L*.; *Edw. B*. pl. 299; *Wils. A. O.* pl. 15.5; Bp. A. O. pl. 1. 3; Aud. B. A. ii. pl. 107. flavifrons, Gm.

E. of N. Amer., Bogota, Cuba. C. America.

3460. Bachmani, Aud. B. A. ii. pl. 108.

S.Atl.Stat., Cuba.

3461. virginiæ, Baird, B. N. A. pl. 79. 1. 3462. Luciæ, Coop.; Elliot, B. A. pl. 5.

S. Rocky M. Colorado R.

896. e. Helmitheros, Rafing. 1819.

Hylophilus, Boie, 1826, nec Tem, 1823. Vermivora, Sw. 1827. Daenis, Bp. 1828. Helinaia, Aud. 1839. Hemitheros, Aliq.

Helmitherus, Baird, 1864. Sw. C. of B. f. 213, g.

3463. vermivora, Gm.; Edw. B. pl. 305; Wils. A. O. pl. 24, 4; Aud. B. A. ii. pl. 105. pennsylvanica, Sw.; migratorius, Rafing.

fulvicapilla, Sw.

E. of U. States. S.E. Mexico. Guatemala. Cuba, Florida.

3464. Swainsonii, Aud. B. A. ii. pl. 104.

S. Carolina, Georgia, Cuba.

#### 897. f. Perissoglossus, Baird, 1864.

3465. tigrina, Gm.; Wils. A. O. pl. 54. 3; Aud. B. A. ii. pl. 85. E. of U. States. maritima, Wils. Cuba.

#### 898. g. Dendroica, G. R. Gr. 1842.

Ficedula, Cuv. 1799, 1800, nec Mochr. 1752. Sylvicola, G. R. Gr. 1841, nec Sw. 1827. Dendroeca, Agass.

Rhimamphus, Rafing. 1815? Rhimamphus, G. R. Gr. 1848.

Reich. S. A. t. 61, f. .

3466. coronata, L.; Wils. A. O. pl. 17. 4, & 45. 3; Aud. B. A. ii. pl. 76.	
virginianus $et$ canadensis, $L$ .; umbra, cineta $et$ pinguis, $Gm$ . xanthopygia $et$ xanthoroa, $V$ .	E. of N. Amer. Puget's Sound.
3467. Audubonii, Towns.; Aud. B. A. ii. pl. 77.	W. of U. States.
3468. occidentalis, Towns.; Aud. B. A. ii. pl. 93. chrysoparcia, Sclat.; niveiventris, Salv.	Calif., Guatem.
3469. Townsendii, Nutt.; Aud. B. A. ii. pl. 92.	N.W. America, Mex., Guatem.
3470. nigrescens, Towns.; Aud. B. A. ii. pl. 94. Halseii, Giraud?	W. America. N. Mexico.
3471. canadensis, L.; Wils. A. O. pl. 15.7; Aud. B. A. ii. pl. 95; Sagra, Cuba, t. 9. 1, 2. cærulescens, Gm.; pusilla et leucoptera, Wils. palustris, Steph.; macropus, V.	E. of U. States. S. to W. Indies.
sphagnosa, Bp.; pannosa, Gosse, Ill. pl. 37.	
3472. <b>Blackburniæ</b> , <i>Gm.</i> ; <i>Wils. A. O.</i> pl. 23. 3, & 44. 3; <i>Aud. B. A.</i> ii. pl. 87. parus, <i>Wils.</i> ; lateralis, <i>Steph</i> .	E. of U. States. Guat., West Indies, Bahamas.
chrysocephala $et$ incana, $Gm.?$ ; melanorhoa, $V$ .	Bogota.
3473. cærulea, Wils. A. O. pl. 17. 5, & 27. 2; Aud. B. A. ii. pl. 86. rara, Wils.; azurea, Steph.; bifasciata, Say. populorum, V.	E. of U. States.
3474. striata, Forst.; V. O. A. S. t. 75, 76; Wils. A. O. pl. 30, 3; Aud. B. A. ii. pl. 78.	Cuba, Greenl.
3475. æstiva, Gm.; V. O. A. S. t. 95; Wils. A. O. pl. 15. 5; Aud. B. A. ii. pl. 89. carolinensis, Lath.; flava, V.; citrinella, Wils. Childreni et Rathbonia, Aud.; rubiginosa, Pall. citrinus, Rafinq.? chryseolus, Bp.	U. States. Guatemala.
3476. <b>maculosa,</b> <i>Gm.</i> ; <i>V. O. A. S.</i> t. 93; <i>Wils. A. O.</i> pl. 23. 3; <i>Aud. B. A.</i> ii, pl. 96. magnolia, <i>Wils.</i>	E. of U. States. Cuba.
3477. <b>palmarum</b> , <i>Gm.</i> ; <i>V. O. A. S.</i> t. 73; <i>Wils. A. O.</i> pl. 28. 4; <i>Aud. B. A.</i> ii. pl. 90. petechia, <i>Wils.</i> ; ruficapilla, <i>Bp</i> .	E. of U. States. West Indies.
3478. dominica, L.; P. E. 686. 1; V. O. A. S. t. 72; Wils. A. O. pl. 12. 6. superciliosa, Bodd.; flavicollis et pensilis, Gm.	E. of U. States. Mex., W. Indies.
3479. olivacea, Giraud, B. Tex. pl. 7.2; Cass. B. Tex. pl. 47. teniata, Dubus.	Mexico.
3480. eoa, Gosse, Ill. B. of Jam. pl. 34.	Jamaica.
3481. Vieilloti, Cass.	Panama, Mexico.
erythachorides, Baird; ruficeps, Cab.?	New Granada, Costa Rica.

erythachorides, Baira', runceps, Cab. 1

Costa Rica.

3482. virens, Gm.; V. O. A. S. t. 93; Wils. A. O. pl. 27. 3;

Aud. B. A. ii. pl. 84.

Rew Grahad.

Costa Rica.

N.Am., Cub., Heligol., Greenl.,

Guat., Mexico.

HAND-LIST OF BIRDS.	241
3483. castanea, Wils. A. O. pl. 14. 4, & pl. 23. 4; Aud. B. A. ii. pl. 80. autunnalis, Wils.	E. of U. States, Guatemala.
3484. pinus, Wils. A. O. pl. 19. 4; Aud. B. A. ii, pl. 82, td. O. B. pl. 3. Vigorsii, Aud.	E. of U. States.
3485. pennsylvanica, L. ; Wils. A. O. pl. 14.5 ; Aud. B. A. ii. pl. 81. icterocephala, Lath.	E.of U. S., Pana- ma, Guatema. Bahamas.
<ul> <li>3486. discolor, V. O. A. S. t. 98; Wils. A. O. pl. 25. 4; Aud. B. A. ii. pl. 97. minuta, Wils.</li> <li>3487. pharetra, Gosse, I. B. Jam. pl. 38.</li> </ul>	Atlantic States, Cuba, St. Croix, Bahamas, Jamaica.
3488. aureola, Gould, Voy. Beagle, pl. 28.	Galapagos.
3489. Graciæ, Coues; Elliot, B. N. A. pl. 6.	Arizona.
3490. montana, Wils. A. O. pl. 44, 2; Aud. B. A. ii, pl. 98, tigrina, V. O. A. S. t. 94.	Virginia. St. Domingo.
3491. ? atricapilla, Landb.	Chili.
3492. Kirtlandii, Baird, Ann. L. N. Y. 1852, pl. 6; Cass. Ill. Calif. pl. 47.	N. Ohio, Baham.
3493. carbonata, Aud. B. A. ii. pl. 109.	Kentucky.
3494. chrysopareia, Sclat. & S.	Guatemala.
3495. Gundlachi, Baird.	Cuba.
albicollis (Briss. Orn. iii. t. 26.5) et chloroleuca (Briss. Orn. iii. t. 26.2), Gm.?? æstiva, Lemb.	St. Domingo.
3496. petechia, L.; Edw. B. pl. 256. 2. astiva, Gosse.	Jamaica.
3497. ——?, Baird.	Martinique.
ruficapillus, Gm.; Briss. Orn. iii. t. 22.4; crithachorides, Rafinq.?; astiva, Newt.?; petechia, Cass.?	St.Croix, St.Tho.
3498. rufigula, Baird. ruficapilla, V.?	W. Indies. Martinique.
i uncapital, 7.1	zan unique.

3499. pityophila, Gundl.

3500. Adelaidæ, Baird.

Cuba.

Porto Rico.

<sup>\* 899.</sup> Thaumasioptera, Schiff. 1854. (Type unknown).

## Subfam. II. Trichadinæ, G. R. Gr.

Geothlypinæ, Baird, 1864.

### OOO. OPORORNIS, Baird, 1858.

3502. agilis, Wils. A. O. pl. 39. 4; Baird, B. N. A. pl. 79. 2; Aud. B. A. ii. pl. 99. E. of U. States. tephrocotis, Nutt.?

### 901. TRICHAS, Sw. 1827, nec Glog. 1827.

Geothlypis, Cab. 1847. G. of B. i. p. 197, pl. 53. f. 3; Reich. S. A. t. 61. f.

3503. marilandica, Wils.; P. E. 709. 2; Wils. A. O. pl. 6. 1; Aud. B. A. ii. pl. 102. N. America. trichas, L.; mystaceus, Steph. personatus, Sw.; Roscoe, Aud. O. B. pl. 24. brachydaetylus, Sw.

3504. velata, V. O. A. S. t. 74; Aud. B. A. ii. pl. 103. W. Indies. eucullata, Lath.; caniicapilla, Mux. S. America. Delafieldii, Aud.; caniicephala, Less.

3505. Macgillivrayi, Aud. B. A. ii. pl. 100; Baird, B. N. A. Pacific coast of pl. 79. 4. Tolmioei, Towns.; philadelphia, Aud.

Tolmiaei, Nutt.; vēgata, Lieht.

3506. semiflava, Sciat. Ecuador.

3507. poliocephala, Baird. W. co. of Mex. equinoctialis, Sclat. & S.? Guatemala.

3508. melanops, Baird. E. Mexico.

3509. philadelphia, Wils. A. O. pl. 14; Baird, B. N. A. pl. 79. 3; E. of U. States, C. Aud. B. A. ii. pl. 101. America.

3510. speciosa, Sclat. E. Mexico.

3511. æquinoctialis, Gm.; P. E. 685. 1; V. O. A. S. t. 81.

N.E of S. Amer.,
Cayen., Trin.

3512. formosa, Sclat. Mexico.

3513. rostrata, Bryant, Bost. Soc. N. H. 1866, fig. p. 67. Bahamas.

## Subfam. III. Setophaginæ, Baird, 1864.

### 902. SETOPHAGA, Sw. 1827.

Cetophaga, Less. 1828. Erythrosoma, Sw. 182 ? Sylvania, Nutt. 1832.

Sw. C. of B. f. 133, h, e, 213, a, b; G. of B. i. p. 264, pl. 63. f. 4; Reieh, S. A. t. 64, f.

### a. Setophaga.

3514. ruticilla, L.;	V. O. A. S. t. 35, 36;	Wils. A. O. pl. 6, 6,	N. America.
flavicauda, Gm.		•	

3515. picta, Sw. Zool. Ill. pl. 3; Baird, B. N. A. pl. 77. 2; Girand, Texas B. pl. 6. 1. leucomus, Giraud; tricolor, Licht.

Mexico.

3516. multicolor, Bp.

3517. ? russeicauda, V. O. A. S. t. 71.

Penna.

3518. ? tricolor, Müll.; P. E. 391. 2. nigra, Bodd.; multicolor, Gm.

903. b. Myioborus, Baird, 1865.

3519. verticalis, Lafr.; D'Orb, Voy, A. M. t. 35, 1.

Bogota, Peru. Guatemala.

3520. flammea, Kaup. intermedia, Hartl.

Costa Rica.

3521. melanocephala, Tsch. F. P. t. 12.

Peru, Bolivia. Bogota, Quito.

3522. ruficoronata, Kaup.

Bogota.

3523. ornata, Boiss. flaveola, Lafr.; citreola, Licht.

3524. miniata, Sw.; Giraud, B. Tex. pl. 3. 2; Baird, B. N. A. pl. 58. 1. vulnerata, Wagl.; castanea, Less.; Derhami, Giraud. larvata, Licht.

Mexico.

3525. aurantiaca, Baird.

Costa Rica.

3526. torquata, Baird.

Ecuador.

3527. ——?, Baird. ruficoronata, Sclat.

3528. brunneiceps, Lafr.; D'Orb. Voy. A. M. t. 29, 3. virescens, Burm.

Bolivia.

3529, castaneocapilla, Cab.

Guiana.

brunneiceps, p.

904.

Bogota.

3530. leucomphomma, Kaup. ornata, p. ?, Baird,

c. Cardellina, Dubus, 1850.

3531. amicta, Dubus. rubrifrons, Giraud; erythropis, Licht. Mexico.

905.

d. Ergaticus, Baird, 1865.

Cardellina, p., Baird.

R 2

3532. rubra, Sw.; Mag. de Zool. 1836, t. 54; Giraud, B. Tex. N. Mexico. pl. 4. 2. miniata, Lafr.; leucotis, Giraud. argyrotis, Licht. 3533. versicolor, Salv. Pr. Z. S. 1863, pl. 24. 1. Guatemala. 906. e. WILSONIA, Bp. 1838. Myiodioctes, Aud. 1839. Myioctonus, Cab. 1850. Cardellina, Dubus, 1850. Sw. C. of B, f, 133, d. 3534. mitrata, Gm.; V. O. A. S. t. 77; Wils. A. O. pl. 26.3; Aud. B. A. ii. pl. 71. U. States. cucullata, Wils.; Selbyi, Aud. O. B. pl. 9. Guatem., Cuba. U. States, Russ. 3535. pusilla, Wils. A. O. pl. 26. 4; Aud. B. A. ii. pl. 75. Amer., Mexic., Wilsonii, Bp.; petasodes, Licht.? Costa Rica. pilcolata, Pall. 3536. canadensis, L.; Wils. A. O. pl. 26, 2; Aud. B. A. ii. U. States. pl. 72. E. Mexico. pardalina, Bp.; nigricineta, Lafr. 3537. minuta, Wils. A. O. pl. 1. 5; Aud. B. A. ii. pl. 67. E. of U. States. pumilia, Nutt. N. of N. Amer. 3538. Bonapartei, Aud. B. A. ii. pl. 73; Faun. B. Am. pl. 47. canadensis, p. ?, Sw. & Baird. f. Euthlypis, Cab. 1850. 907. Phyllopneustes, p., Boie, 1828. Myiodioctes, p., Aud. Mexico, Guat. 3539. lachrymosa, Licht. Basileuterus, Cab. 1847. 908. Myiothlypis, Cab. 1850? N. of S. Amer. 3540. vermivora. V. Trinidad, Braz. auricapilla, Sw. 3541. leucoblepharum, V.; D' Orb. Voy. A. M. t. 12. 2. S. Braz., Parag. superciliosus, Sw.? Ecuador, Peru. 3542. bivittata, Lafr. tristriatus, Tsch.?; vermivorus, p. 3543. coronata, Tsch. F. P. t. 14. 1. 3544. culicivora, Bp.; Giraud, B. Tex. pl. 6. 2. Brasieri, Giraud.

tristriatus, Tsch.?; vermivorus, p.

3543. coronata, Tsch. F. P. t. 14. 1.

3544. culicivora, Bp.; Giraud, B. Tex. pl. 6. 2.
Brasieri, Giraud.

3545. uropygialis, Sclat. Pr. Z. S. 1865, pl. 10. 2.
semicervinus, Laur.

3546. semicervina, Sclat. Pr. Z. S. 1865, pl. 10. 1.

Ecuador.
Brazil.

Ecuador.
Brazil.

3548. chrysogastra, Tsch.

3549. hypoleuca, Cab. bivittatus, p.?, Baird.

3550. cinereicollis, Sclat. Pr. Z. S. 1865, pl. 9. 2.

3551. mesoleuca, Sclat. Pr. Z. S. 1865, pl. 9. 1.

3552. viridicata, V. elegans, Lafr.

909.

3553. leucophrys, Natt. & Pelz.

h. Idiotes, Baird, 1865.

Basileuterus, p., Bp.

3554. rufifrons, Sw. aurigula, Licht.

3555. **Delattrii**, *Bp*. brunneiceps, *Bp*.

3556. **Belii**, Giraud, B. Tex. pl. 4. 1. chrysophrys, Sclat.

3557. mclanogenys, Baird.

3558. mesochrysa, Sclat. Delattrii, Sclat.

3559. griseiceps, Sclat. & S.

**910.** i. Myiothlypis, Cab. 1850. Basileuterus, p., Sclat.

3560. flaveola, Baird. luteoviridis, Bp.?; nigricristatus ♀, Sclat.

3561. nigrocristata, Lafr. nigricapillus, Sclat.

Peru, Ecuador.

Brazil.

New Granada.

Demerara.

Bolivia. Chiquiros.

Brazil.

Mexico.

Guatemala?

Mexico.
Guatemala.

Costa Rica.

Bogota. Costa Rica?

Venezuela.

Paraguay.

Quito, Bolivia.

# FAM. V. MOTACILLIDÆ, Boie, 1826.

Subfam. I. Motacillinæ, Sw. 1831.

Motacillina, Vig. 1825.

**911. MOTACILLA, L. 1735.** 

Pallenura, Pall. Motacilla (Ripariæ), Glog. 1834. G. of B. i. p. 203, pl. 54, f. 1; Reich. S. A. t. 59, f.

a. MOTACILLA.

3562. alba, L.; P. E. 652. 1, 674. 1; Naum. Võg. t. 86; Gould, E. E. B. E. pl. 143.

E. Eu., As. Min., N. Afr., Caffr., Green, Pales. 3563. ? **gularis**, Sw. alba, p., Hartl. & F.

W. Afr., Gamb.

3564. Yarrelli, Gould, B. E. pl. 141; Yarr. Br. B. ii. fig. p. 403; Naum. Vög. t. 377. 1.
alba, var. β, Blas. lugubris, V.

C. & N.W. Eur.

3565. lugubris, Pall.; Gould, B. E. pl. 142. alba, var. γ, B'as.; Yarrellii, p., Bp.; leucoptera, Vig. albeola, var. lugens, Pall. N. Asia. Persia.

3566. japonica, Swinhoe. lugens, Sehl. F. J. t. 25.

Japan. E. Asia.

3567. luzoniensis, Scop.; Sonn. Voy. 29. alboides, Hodgs.; leucopsis, Gould. alba, var. paradoxa, Schrenek. Ind., Ass., Phil.I. Burmah, China.

3568. Hodgsoni, G. R. Gr.

alba, p., Hartl, & F.

t. 21. 2.

3569. maderaspatana, Gm.; Lath. Hist. vi. pl. 54; Gould, B. As. pl. maderas, Steph.; variegata, Steph.

Nepal.

Ceylon.

picata, Frankl.
3570. dukhunensis, Sykes; Gould, B. As. pl.

S. & W. Indies, N.W. Prov.

India, Ceylon.

Himalayas.

3571. personata, Gould, B. As. pl.

Bengal?, Persia.

duklunensis, Jerd.

3572. Vaillantii, Cab.; Lev. O. A. t. 178; Kittl. Kupf. Vög.

S. & W. Africa.

vidua, var. major, Sundev.; capensis, p., Licht. Aguimp, p., et Levaillantii!, Layard. 3573. capensis, L.; P. E. 28. 2; Lev. O. A. t. 177.

S. Africa. Damaraland.

afra, Gm.
3574. longicauda, Rüpp. F. A. t. 29, 2.

vidua, Sundev.; capensis, Lieht.; Lichstensteini, Cab.

Abyss., Nubia. Natal. Madagascar.

3575. flaviventris, Verr.

3576. ocularis, Swinhoe; Kittl. Kupf. Vög. t. 21. 1. alba, var. lugens, Schrenck. albeola, var. kamtschatica, Pall. E. Siberia. China, Formosa. Amoor, Kamts.

3577. ? cærulescens, Lath. australis, Steph.; boarula, var. B, Lath. New S. Wales?

**912.** b. Budytes, Cuv. 1817.

Berdytes!, Flem. 1822. Budites!, Boie, 1822. Bodytes!, Costa, 1854.

Motacilla dolichonyches, Glog. 1834. Reich. S. A. t. 59. f.

3578. flava, L.; P. E. 674. 2; Edw. B. pl. 258; Naum. Vog. t. 88; Gould. B. E. pl. 146. boarula, L.; chrysogastra, Bechst.

Eur., N. & S. Afr.

neglecta, Gould; flava, var. 2. vulgaris, Sundev. fasciata, Brehm; Lindermayeri, C. Brehm.

3579. melanocephala, Licht.; Naum. Vog. t. 374; Rüpp. Atl. S.E. Europe, t. 33. flava, var. a, Schl.; flava, var. 5. africana, Sundev. Asia Minor.

3580. cinereocapilla, Savi; Naum. Vog. t. 373; Bp. F. It. t. 31, 2,

borealis, var. B, Blas.; flava, var., Schl. Feldeggi, Mich.; dalmatica, Bruch. flava, var. 4. dalmatica, Sundev.

3581. campestris, Pall.; Naum, Vög. t. 372. flavcola, var. \( \beta \), Blas.; flava, p., Hartl. \( \delta \) F.

3582. Rayi, Bp.; Gould, B. E. pl. 145. flaveola, Tem.; flava, p., Hartl. & F.

3583. citreola, Pall.; Gould, B. E. pl. 144; Naum, Vög. t. 377. 2, 3, 4.

sheltobrischa, Lepech. citrinella, Pall.; aureicapilla, Less.

3584. citreoloides, Hodgs. citrcola, Jerd.; "aureocapilla, V.," Bl. calcaratus, Hodgs.

3585. viridis, Scop. beema et melanocephala, Sykes.

> neglecta et flava, Jerd. dubius, fuliventris et schisticeps, Hodgs.

3586. flavescens, Shaw. flava, Horsf.; flava, var, B, Lath.

3587. ? nigricapilla, Bp. Fauna Pontica, t.2; Bull. S. Imp. Mosc. 1850, t. 8. 3. melanocephala, Savi; flava, var. 4. borealis, Sundev.

3588. Kaleniczeneki, Andr. Bull. des Sc. de Mosc. 1842, t. 20. melanocephala, var. β, Blas.

3589. borealis, Sundev. flava, var. b, Blas.

atricapilla, Brehm.

3590. flaveola, Gould. flava, var. c, Blas.; flava, p., Hartl. & F.

3591. ophthalmica, Fl. Prev. & Des Murs; Lefebr. Voy. Abyss. t. 7 (lunulata, on plate).

c. Calobates, Kaup, 1829. Motacilla, Pallenura, Pall. 1831.

3592. boarula, Penn.; P. E. 28. 1; Edw. B. pl. 259; Naum. Vog. t. 87; Gould, B. E. pl. 147. sulphurea, Beehst.; grisea, Müll. melanope, Pall.

N.E. Africa.

Italy. Dalmatia.

E. Europe.

Europe. W. Africa.

E. Europe.

Nepal. Andamans.

India.

Moluccas. Cel., Tim., Java.

Dalmatia, Sweden, Lapl.

E. & S.E. Eur.

N. Europe.

C. & W. Europe.

Abyssinia.

C. & S. Europe. N.E. Africa.

3593. bistrigata, Raffl.

sulphurea, Horsf.; javensis, Bp. boarula, p., Tem. & Schl.; viridis, p., Bp. flava, Vig.

Sumatra, Java.

Australia?

914.

d. Limonidromus, Gould, 1862.

Nemoricola, Bl. 1847, nec Hodgs, 1837. Nemorivaga, Fitz, 1864.

3594. indica, Gm.; Lev. O. A. t. 179; Gould, B. As. pl. variegata, V.; thoracica, Müll. affinis, Tick.

India.

Malacea, Born.

**915.** GRALLINA, V. 1816.

Tanypus, Oppel, 1811, nee Meig. 1803, G. of B. i. p. 204, pl. 54, f. 5; Reich. S. A. t. 59, f.

3595. picata, Lath.; V. Gal. des Ois. t. 150; Gould, B. A. ii.

cyanoleucus, Lath.; australis, Oppel. melanoleuca, V.

Australia.

**916. ENICURUS,** Tem. 182 ?

Enieura, Less. 1839. Henicurus, Agass. Allocoturus, Van der Hoev. 1856.

Sw. C. of B. f. 128; G. of B. i. p. 203, pl. 54, f. 6; Reich. S. A. t. 59. f.

3596. Leschenaultii, V.; P. C. 113.

speciosa, Horsf.; Gal. des Ois. t. 145; coronatus, Tem.

3597. velatus, Tem. P. C. 160.

3598. maculatus, Vig.; Gould, C. B. pl. 27, et B. As. pl.

3599. guttatus, Gould, B. As. pl.

3600. immaculatus, *Hodgs*. 3601. schistaceus, *Hodgs*.

3602. chinensis, Gould, B. As. pl.

3602. Chinensis, Goula, D. As. pr.

3603. Scouleri, Vig.; Gould, B. As. pl. heterurus, Hodgs.

3604, ruficapillus, Tem. P. C. 534.

3605. diadematus, Boie.

nigrifrons, Hodgs.

3606. frontalis, Bl.

Java, Sumatra.

Java.

Himalaya M. Him. M., Sikk.

Nepal.

"

China. Himalaya M.

Sikkim.

Java, Sumatra.

Sumatra.

Malayan peniu.

### 912. EPHTHIANURA,

et Epilianura, Gould, 1837. Cinura, Brehm, 1844. Cynura, Cab. 1847. Hephthanura, Reich 1850.

G. of B. i. p. 205, pl. 54. f. 2; Reich, S. A. t. 60, f.

3607. albifrons, Jard. & S. Ill. Orn. pl. 56; Gould, B. A. iii. pl. 64.

torquata, Brehm,

New S. Walcs. S. & W. Aus.

3608. aurifrons, Gould, B. A. iii. pl. 65.

New S. Wales. S. Australia.

3609. tricolor, Gould, B. A. iii, pl. 66.

New S. Wales,

## Subfam. II. Enicocichlinæ, Sclat. 1862.

(Henicocichlinæ.)

### **918. ENICOCICHLA,** G. R. Gr. 1840.

Seiurus, Sw. 1827. Siurus, Strickl, 1841. Senurus, Reich. 1849. Henicocichla, Agass, Exochocichla, Van der Hoev. 1856. G. of B. i. p. 188, pl. 51. f. 2; Reich, S. A. t. 58, f.

3610. noveboracensis, Gm.; P. E. 752. 1; Wils. A. O. pl. 22, 5,

aquaticus, Wils.; tenuirostris, Sw. anthoides, V.; fuscescens, Gm. l'Herminieri, Less.

sulfurascens, D' Orb. Sagra's Cuba, t. 6.

Cuba. Jamaica.

3611. Gossii, Bp.; Ill. B. of Jam. pl. 28. noveboraceusis, Gosse & p. Baird.

E. of U. States. C. Amer., Jam.

East of U.S.

Guatemala.

3612. aurocapilla, L.; Edw. B. pl. 252; Wils. A. O. pl. 14. 2. coronatus, I'. 3613. ludoviciana, Aud. B. A. pl. 19; Baird, B. N. A. pl. 80, 2.

E. of U. States. S. Mexico, Cuba. Jamaica.

Subfam. III. Anthinæ, Sclat. 1862.

### 919. ANTHUS, Bechst. 1802.

Alauda, 1 div., Ill. 1811.

G. of B. i. p. 205; Reich, S. A. t. 58. f. , a-d.

motacilla, V. O. A. S. t. 65?; major, Cab.

### a. Anthus.

3614. spinoletta, L.; P. E. 661.2; Naum. Vog. t. 85.2, 3, 4. C. & S. Europe. aquaticus, Bechst.; montanus, Koch. N.E. Africa. Coutellii, Aud. England.

3615. obscurus, Gm.; Naum. Vog. t. 371. 1, 2; Gould, B. E. pl. 138.

N. Eur., Eng.

rupestris, Nils.; campestris, Bew.; petrosa, Mont. montanus, Koch.

aquaticus, Selby; immutabilis, Degl.; aquaticus, β, Blas.

3616. Raalteni, Tem.

S. Africa.

3617. brachyurus, Sunder.

3619. ludovicianus, Gm.; Wils. A. O. pl. 89; Aud. B. A. iii.

S. Africa.

N. & W. Africa.

3618. leucophrys, V. Gal. des Ois. t. 262.

rufescens, Tem.; rufus, V. grandior, Pall.?

Gmel.?

mosellana, obscura, lusitana, testacea, minor et maculata,

pipiens, spinolett	m.; rufa, Wils.; rubens, Merr. Aud.; pennsylvanica, Bonn.? a. Bp. dtii, Holb.	N. America. Heligoland. Greenland. Rocky M., B.Col.
3620. chii, turdinus	V.; Spix, A. B. t. 76, 2. , Merr.	Brazil, Parag.
3621. corre variegat	ndera, V. a, p.?, Lafr.	Paraguay. Falkland I.
3622. furca	tus, Lafr.	Patag., Bolivia.
3623. scapul	aris, Lieht.	S. Africa.
3624. caffer,	Sundev.	,,
	pennis, Sundev. xis, Sundev.	••
3626. ? fulig	nosus, Less.	Cape.
3627. Calthr	opæ, Layard.	S. Africa.
3628. fuscus	V.	Parag., Brazil.
3629. pœcilo	pterus, Max.	Brazil.
3630. payter	sis, Less.	Brazil, Peru.
	nguis, Spix, A. B. t. 76. 1. p., G. R. Gr.	Brazil. Trinidad.
920.	b. Pediocorys, Baird, 1864.	
3632. bogot rufescen	ensis, Selat. Proc. Z. S. 1855, pl. 101. s, Lafr.	Bogota. Ecuador.
921.	c. Notiocorvs, Baird, 1864.	
_	, Bodd.; P. E. 738. 1.	Brazil, B. Ayres.
	n. (sp. 28); parvus, <i>Lawr</i> . us, <i>V.</i> ; chii, p., <i>Aliq</i> .	Panama, Peru.
sordidu		Chili.
922.	d. Neocorys, Selat. 1857.	
3634. Sprag	nei, Aud. B. Amer. vii. pl. 486.	Missouri.
Sprange	ra, $Bp$ .	Saskatchewan.
923.	$\epsilon$ . Agrodroma, Sw. 1837.	
	bestris, Beehst.; P. E. 661. 2; Naum. Vög. t. 81. 1; E. pl. 137.	C. & S. Europe.

3636. cinnamomeus, Rüpp.; Jerd. mariquensis, Smith; similis, Jerd.

3637. sordidus, Rüpp. F. A. t. 39. 1. Gouldii, Fras.; similis, p. Jerd.

3638. Gustavi, Swinh.

Amoy.

Abyssinia.

Abyssinia.

S. Africa, Natal.

**924.** f. Cincedium, Sundev. 1850.

3639. chloris, Licht.

**925.** g. Pipastes

et Pippastes, Kaup, 1829. Dendronanthus, Bl. 1847. Dendranthus, Agass.

3640. plumatus, Müll.; P. E. 660. 1; Naum. Vog. t. 84. 2; Gould, B. E. pl. 139.

trivialis, Gm.; arborea, Beehst. spipola, Pall.; turdina, Scop. minor, Lath.

3641. agilis, Sykes; Gould, B. As. pl. maculatus, Bl.; arboreus, Hodys.

3642. batchianensis, n. sp.? arborea, var., G. R. Gr.

3643. montanus, Bl. rufescens, Jerd.

3644. Blackistoni, Swinh.
"aquaticus, Schrenek," Swinh.

Europe.
Japan.
N.W. Provinces.
Nepal.

India, S. China. Amoor, Japan. Batchian I.

Neilgherries.

China. Kamtschatka.

**926.** h. Spipola, Leach, 1816.

Megistina, V. 1816. Leimoniptera, Kaup, 1829. Limonoptera, Agass. Anthus, Bl. 1848.

3645. pratensis, L.; P. E. 660. 2; Naum. Vög. t. 84. 3; Gould, B. E. pl. 136.

trivialis, Mont.; sepiarius, V. Berthelotii, Bolle; Stromei, Lath. ignotus, Gm.; tristis, Baill.

3646. cervinus, Pall.; Deser. de l'Egypte, t. 5, 6; Gould, B. E. pl. 140.

pratensis, Eversm.; rufigularis, Brehm. Cecilii, Audouin; pratensis rufigularis, Schl.

3647. rosaceus, Hodgs.

cervinus, *Hodgs.*; aquaticus, *Bl.* axillaris, *Gould*; pratensis, hortulanus *et* pelopus, *Hodgs.*; rufosuperciliaris, *Bl.* 

3648. ? japonicus, Schl.; Tem. & Schl. F. J. t. 24. pratensis japonicus, Tem. & Schl. cervinus, p., Swinh. Europe. Greenland. Madeira.

N.E. Europe. Asia, N. Africa.

Himalaya M. S. China, Bur.

Andamans, I. of Formosa, Japan. N. China, Amoor.

i. Corydalla, Vig. 1825. 927. Corydilla, Sw. Cichlops, Hodgs, 1844. Reich, S. A. t. 58. f. 3649. Richardi, V.; P. C. 101; Naum. Vög. t. 371. 3, 4; Gould, S. Eur., Africa. B. E. pl. 135. macronyx, Glog.; longipes, Holb. India, England. Him., Malayana, rupestris, Ménétr. Ceylon. China. 3650. ? chinensis, Bp. infuscatus, Bl.; Richardi, p., Swinh. Amoy. 3651. rufulus, V. Gal. des Ois. t. 161. India, Assam. agilis, Jerd.; pallescens, Sundev. Burmah. ubiquitarius, Hodgs. 3652. striolatus, Bl. India. thermophilus et rufcscens, Hodgs. Malacea. 3653. malayensis, Eyton. rufula, p., Jerd. Timor, Lombock. 3654. medius, Wall. 3655. Hasseltii, Tem. Borneo. 3656. australis, V.; Gould, B. A. iii. pl. 73. Australia. Van Diemen's L. pallescens, Vig. & H. Auckland I. 3657. aucklandicus, G. R. Gr. novæ zealandiæ, p., G. R. Gr. New Zealand. 3658. novæ zealandiæ, Gm. littorea, Forst. Java, Sumatra. 3659. ? euonyx, Cab. pratensis, Raffl.; malayensis, Bl. rufulus, p., Bl. New Zealand. 3660. Grayi, Bp.; Portl. Voy. pl. 37. novæ zealandiæ, var. β, Lath. j. MACRONYX, Sw. 1827. 928. Macronix, Bp. 1831. S. Africa. 3661. capensis, L.; P. E. 504. 2; Lev. O. A. t. 198. flavicollis, V. 3662. croceus, V.; Jard. & S. I. O. pl. 22; Lev. O. A. t. 196. flavigastra, Sw.; flaviventris, Bp. flavicollis, Bianc. 3663. flavicollis, Rüpp. F. A. t. 38. 1. Abyssinia.

### 929.

3665. striolatus, Heugl.

k. ——?

Heterura, Hodgs. 1841, nec Sieb. 1837. Cynchlorhamphus, Jard.

3666. sylvanus, Hodgs.; Jard. Contr. Orn. 1848, pl.

3664. Ameliæ, Tarr.; G. R. Gr. & M. G. B. pl. 54.

Himalaya M.

N.E. Africa.

Natal.

# FAM. VI. TURDIDÆ, G. R. Gr. 1840.

Merulidæ, Boie, 1826.

## Subfam. I. Turdinæ, Bp. 1831.

Merulina et Cossyphina, Vig. 1825.

### **930. TURDUS, L.** 1735.

Ixocossyphus, Kaup, 1829. Turdula, Webb et Berth, 1836-46. G. of B, i. p. 218, pl. 56, f. 5; Reich, S, A, t. 53, f.

### a. Turdus,

3667. viscivorus, L.; P. E. 489; Naum. Vog. t. 66. 1; Gould, B. E. pl. 77. N. & C. Europe.

3668. Hodgsoni, Lafr. viseivorus, Hodgs.

932.

Nepal, Kumaon. N.W. Him.

#### 931. Psophocichla, Heraug. 1860.

3669. strepitans, Smith, I. S. A. Z. pl. 37. letsitsirupa, Smith; erassirostris, Licht.

S. Africa.

3670. guttatus, Vig.; Smith, I. S. A. Z. pl. 39.

N.E. Africa.

3671. simensis, Rüpp. F. A. t. 29. 1. strepitans, p., Bp.

Natal.

# 3672. Gurneyi, Hartl. Ibis, 1864, pl. 9.

calandrotte, Müll.; musicus, Pall.

c. Arceuthornis, Kaup, 1829. 3673. pilaris, L.; P. E. 490; Naum, Vog. t. 67, 2; Gould, B. E. pl. 76.

N. & C. Europe.

3674. Naumanni, Tem.; Naum. Vog. t. 68, 1, et t. 358; Ibis. 1862, pl. 10. dubius, Ep.; ruficollis, var., Pall.

Eur., Dal., Italy, Japan, China, Amoor.

3675. fuscatus, Pall.; P. C. 514; Naum, Vög. t. 68, 2, et t. 359. obscurus, Gm.; eunomus, Tem. Naumanni, Tem. & Sehl.

Eur., Sib., Him-Japan.

Playfairi, Bl. 3676. Davidianus, M.-Edw.

N. China.

933. d. Hylocicula, Baird, 1864.

Turdus, Kaup, 1829. Merula, p., Sw.

3677. musicus, L.; P. E. 406; Naum. Vog. t. 66, 2; Gould, B. E. pl. 78. 1.

Eur., N.E. Afr.

3695. Hancii, Swinh.

254	HAND-LIST OF BIRDS.	
pl.	. <b>iliacus</b> , <i>L</i> .; <i>P. E.</i> 51; <i>Naum</i> , <i>Vog</i> . t. 67, 1; <i>Gould</i> , <i>B. E.</i> 78, 2. mauris, <i>Müll</i> . var. <i>a</i> , illuminus, <i>Naum</i> . <i>Vög</i> . t. 356.	N. Europe. N.W. Himalaya. Greenland.
	mustelinus, Gm.; Wils. A. O. pl. 11. melodus, Wils.; densus, Bp.	E. of U. States, Cuba, Honduras.
3680.	nanus, Aud. B. A. iii. pl. 147.	W. of N. Amer.
	fuscescens, Steph.; Wils. A. O. pl. 43. mustelinus, Wils.; Wilsoni, Bp.; minor, Gm.?	E. of N. Amer. Cuba, Panama.
\$ (	Swainsoni, Cab.; Wils. A. O. pl. 43. 2. solitarius, Wils. (fig.); Wilsoni, Sw. olivaeeus, Giraud; obsoletus, Lawr. minutus, Lafr. earolinus, Müll. ?; P. E. 556. 2?; brunneus, Bodd.?	E. of N. Amer. Mexico, Peru. Greenland. Belgium, Italy Bogota.
	ustulatus, Nutt.; Baird, B. N. A. pl. 81. 1. restulatus!, Nutt.	Oregon. Columbia R.
3684.	Pallasii, Cab.; Aud. B. A. iii. pl. 146.	E.of N.Am., Ger.
	soltarius, Wils.; minor, Bp. guttatus, Cab.; minimus, Seligm.	Cuba.
	Auduboni, $Baird$ . silens, $Sw$ .	S. Mex., Roc. M.
3686.	Aliciæ, Baird, B. N. A. pl. 81. 2.	Mississippi, Missou., Labr.
	e. Oreocincia, Gould, 1857. rdulus, Hodys. 1844. ich. S. A. t. 53. f.	
a	varius, Pall.; Naum. Vog. t. 354; Gould, B. E. pl. 81. nurea, Holl.; squamatus, Brehm. Whitei, Eyton; lunulatus, Blus.	Germ., Heligol. England,France. Japan.
	malayanus, Sundev.; Horsf. Zool. Res. pl. rarius, Horsf.; Horsfieldii, Bp.	Java.
	lunulatus, Lath.; Gould, B. A. iv. pl. 7. rarius, Vig. & H.; novæ hollandiæ et maerorhynchus, Gould.	New S. Wales. Van Diemen's L.
r	mollissimus, Bl.; Naum. Vog. t. 353. ostratus et oreoeineloides, Hodgs. Iodgsoni, Homey. et p. Bp.	Himalaya M.
	dauma, Lath. parvirostris, Gould; varius, Jerd.	India.
	nilgiriensis, Bl. arius, Jerd.; "imbricata, Layard," Bl.	Neilgherries.
3693.	spilopterus, Bl.	Ceylon.
3694.	inframarginatus, Bl.	Andaman I.

I. of Formosa.

935. f. Anthocincla, Bl. 1862.

Tounghoo.

936. g. Merula, Leuch, 1816, nec Mochr. 1752.

Turdus, L. 1744.

3696. Phayrei, Bl.

Sw. C. of B. f. 122; Reich. S. A. t. 53. f.

3697. merula, L.; P. E. 2 et 555; Naum. Vog. t. 71; Gould, B. E. pl. 72.

vulgaris, Ray.

Europe. Egypt. var. syriaea, Tristr. Palestine.

3698. simillimis. Jerd.

Neilgherries. Cashmerc.

3699. unicolor, Gould, B. As. pl.

Himalaya M.

3700, boulboul, Lath, Gould, C. B. pl, 14, et B. As. pl. pæcilopterus, Vig.

3701. nigropileus, Lafr. brachypus, Bl.; simillimis, p.?, Bp. India.

3702. castaneus, Gould; G. R. Gr. & M. G. B. pl. 56; Gould, B. As, pl. rubrocanus, Hodgs.

3703. sinensis, Cuv. mandarina, Bp.

China.

3704. albocinctus, Royle, Ill. Him. Bot. pl. 8.3; Gould, B. As. pl. collaris, Sorel.: niveicollis, Hodgs.

Himalaya M.

3705. javanicus, Horsf. eoncolor, Tem. fumidus, Müll.; Schlegelii, Selat.

albicollis, Royle.

Java, Sumatra. Borneo, Timor.

3706. hypopyrrhus, Hartl. nigricrissus, Schiff.

Java. Borneo.

3707. badius, Lath.; White's Voy. pl. p. 157.

Australia.

3708. poliocephalus, Lath.; Jard. & S. I. O. pl. 37. nestor, Gould,

Norfolk Island.

3709. xanthopus, Forst.

New Caledonia.

3710. vanikorensis, Quoy & G. Voy. Astrol. t. 7. 2.

I. of Vanikoro, Samoan I. Lord Howe's I.

3711. vinitinctus, Gould.

Ceylon.

3712. candianus. Bl. 3713. ulictensis, Gm. badius, Forst.

Society I.

3714. dactylopterus, Bp.

Syria.

937. h. Cichloselys, Bp. 1853.

3715. cardis, Tem.; P. C. 518; Schl. F. J. t. 29, 30. dissimilis, Bl.

Japan.

200	HAND-LIST OF BIRDS.	
melanolenca,	Jerd. I. Ind. Orn. pl. 8. Hartl. picaoides, Hodgs.	India.
3717. Kinnisii,		Ceylon.
	Gm.; Naum. Vog. t. 363; Schl. F. J. t. 31. U.; atrocyaneus, Homey. Pall.	N. Asia. Germany.
3719. mutabilis leucocilla, <i>Ha</i>	s, Tem. rtl.; sibiricus, p., Tem.	Java.
	i. Thoracocincla, <i>Reich</i> . 1850. p. 1829, nec Wagl. 1827. 3. f.   .	
3720. torquatus 3; Gould, B. E curopæus, Ma	.2	Europe.
939.	j. Cichloides, Kaup, 1829.	
B. E. pl. 75.	is, Tem.; Naum. Vög. t. 69, et 361, 1, 2; Gould, et.; Bechsteinii, Naum.	N. Asia. Germany, Him.
3722. ruficollis, erythrura, Ho	Pall.; Naum. Vog. t. 360; Gould, B. As. pl. odgs.	N. Asia, Heligol. Himalayas.
3723. pallidus, daulias, Tem.	Gm.; P. C. 515; Sehl. F. J. t. 26.	N. Asia, Italy. I. of Formosa.
3724. chrysolau	is, Tem. P. C. 537; Sehl. F. J. t. 28.	Japan, China,
3725. olivaceus ochrogaster, A	s, L.; Lev. O. A. t. 98, 99, 100. Sparrm.	I. of Formosa. Africa, Abyss. Lombardy.
3726. pelios, Bp. ieterorhynchu		C. Asia?
3727. libonyanu	15, Smith, I. S. A. Z. pl. 38.	S. Africa.
3728. rufulus, <i>L</i> modestus, <i>Eye</i>	Orap. ton; javanicus, Bl.	Malacea.
3729. dissimilis hyperythrus,		Bengal.
3730. protomomel	as, Cab.	Himalayas.
3731. olivacinus, J	Bp.	S. Africa.
3732. olivaceofusc	us, Hartl. Abh. d. Nat. ver. in Hamb. ii. t. 3.	I. of St. Thomas.
3733. Smithii, <i>Bp</i> obscura, <i>Smit</i>	.; Smith, I. S. A. Z. pl. 36. h.	S. Africa.
3734. hortulorum,	, Selat.	S. China.

3735. Cabanisi, <i>Bp</i> .	Caffraria.
3736. Deckeni, Cab.; Decken, Reisen, iii. t. 1.	E. Africa.
3737. Goudoti, Verr. N. Arch. du Mus. i. t. 5, 2,	Madagascar.
<b>940.</b> k. Hodofrorus, Reich, 1850. Planesticus, Bp. 1853. Turdus, b, Sclat. Reich, S. A. t. 53. f.	
3738. phæopygus, Cab.; Pr. Z. S. 1867, pl. 29; Sclat. & S. Exot. Orn. pl. 75. jamaicensis, Jard.; Poiteauii, p., Less,	Cayenne, Brazil.
3739. jamaicensis, Gm.; Gosse, Ill. B. Jam. pl. 24. capucinus, Hartl.; leucophthalma, Hill. Lereboulleti, Bp.	Jamaica.
3740. gymnophthalmus, Cab.; Sclat. § S. Exot. Orn. pl. 76. nudigenis, Lafr.; gymnopsis, Tem.	Venezuela.
3741. <b>Grayi,</b> $Bp$ . tristis, $Sw$ . ?; helvolus, $Licht$ . luridus, $Bp$ .	Mexico Guatemala. Costa Rica.
3742. leucomelas, $V.$ ; $Sclat.$ $\S$ ; $S.$ $Exot.$ $Orn.$ pl. 72. amaurochalinus, $Cab.$ ; Poiteaui, p., $Less.$ albiventer $\S$ , $Spix, A.$ $B.$ t. 69, 2. crotopezus, $Burm.$ ; ignobilis, $Sclat.$ ; olivaceus, $Lafr.$ ; rufiventris $\S$ , $D^*Orb.$	Paraguay. Brazil.
3743. albiventer, Spix, A. B. t. 63. f. 1; Sclat. & S. Exot. Orn. pl. 74. ephippialis et albiventris, Sclat.; humilis, Licht.	Cayenne, Brazil. Ecuador.
3744. cæsius, Bp. Grayii, p., Sclat.	Panama.
3745. rufiventris, V.; Spix, A. B. t. 68. chochi, V.; rufiventer, Spix.	S.E. Brazil.
3746. falklandicus, Quoy & G. magellanicus, King; maluinarum, Licht.	Falkland I. Chili, Hermit I.
3747. migratorius, $L$ .; $P$ . $E$ . 556.1; $Wils$ . $A$ . $O$ . pl. 2; $Naum$ . $V\ddot{o}g$ . t. 362. canadensis, $M\ddot{u}ll$ .	U. States. Mex., Germany,
3748. flavirostris, Sw. rufopalliatus, Lafr.; palliatus, Bp.?	W. Mexico.
3749. leucauchen, Sclat.	Guatemala.
3750. albicollis, V.; Sclat. & S. Exot. Orn. pl. 71.	Brazil.
3751. assimilis, Cab. tristis, Cab.	Mexico, Guatem.
3752. crotopezus, V.; Spix, A. B. t. 70; Sclat. & S. Exot. Orn. pl. 73. albicollis, Spix.	Brazil.
3753. fulviventris, Sclat.	New Granada.

3754. plebejus, Cab.

3755. serranus, Tsch. W. Peru.

3756. confinis, Baird. CapeJuan Lucas.

3757. fumigatus, *Licht*. E. Brazil. ferrugineus, *Max*.

### 1. HESPEROCICHEA, Baird, 1864.

3758. **nævius,** Gm; V. O. A, S,  $\mathbf{t}$ .  $\mathbf{66}$ ; Faun, B, Amer, pl. 38. N. & N.W.Amer, meruloides. Rich.  $\mathcal{G}$  Sw.; atricollis, V.

## **942.** m. Rhodinocichla, Hartl. 1853.

Cichlalopia, Bp. 1853. Cichalopia, Sclat. 1854. Cichlolopia, G. R. Gr. 1855.

3759. roseus, Less. Ill. de Zool. t. 5: Pr. Z. S. 1850, pl. 32. vulpinus, Hartl.

Venezuela.

Jamaica.

Costa Rica.

## **9-13.** n. Semimerula, Schat. 1861.

Hodoiporus, p., Reich. Turdus, c, Sclat.

3760. gigas, Fras.; Sclat. & S. Ex. Orn. pl. 70. N. Gran., Ecuad.

3761. fuscater, Lefr.; D'Orb. Voy. A. M. t. 9, 1. Bolivia, Peru.

3762. chiguanco, Lafr.; D'Orb. Voy. A. M. t. 9, 2. Peru, Ecuador.

3763. nigrescens, Cub. Costa Rica.

3764. subcinereus. Sclat. Chiliana.

### 9.1.1. 0. — ?

Merula, Sclat. 1862. Turdus, d, Sclat. Semimerula, p., Baird. Cichlopsis, G. R. Gr. nec Cab.

3765. aurantius, Gm.; Gosse, Ill. B. Jam. pl. 23. leucogenys, Lath.; saltator, Hill.

3766. rufitorques, Hartl.; Dubus, E. O. t. 19, 20. Guatemala.

3767. xanthoscelus, Jard. Contr. Orn. 1847, pl. 1. Tobago.

3768. atrosericeus, Lafr. Venez., Ecuador.

3769. infuscatus. Lafr. Jalapa, Guatem.

3770. olivater, Lafr.

3771. pinicola, Sclat. Cat. of A. B. pl. 1. Jalapa. pœcilopterus, Licht.

3772. obsoletus, Lawr. N. Gran., Verag.

## **945.** p. Myiocichla, Schiff. 1853.

3773. flavipes, V.; Spix, A. B. t. 67, 2. S.E. Brazil. carbonarius, Licht.; ardosiacus, Cuv.

946. q. Melanoptila, Schat. 1857.

3774. glabrirostris, Sclat. Pr. Z. S. 1857, p. 275 (caput). Honduras.

	HAND-LIST OF BIRDS.	259
<b>947.</b> Ancpsia, p. !, Rei	r. Catharus, <i>Bp.</i> 1850.	
3775. melpomen aurantiirostris,		S. Mexico, Guat. Costa Rica.
3776. occidental	is, Sclat.	W. Mexico.
3777. griseiceps,	Salr.	Veragua.
3778. aurantiirostri immaculatus, I	is, Hartl.; Jard. Contr. Orn. pl. 72. Bp.	Venezuela.
3779. Frantzii, Cab	-	Costa Rica, Guat.
3780. gracilirostris,	Salv.	Costa Rica.
948. s. Catharus, b. Sola	. Malacocichla, Gould, 1854. t.	
3781. dryas, Gou	ld, Pr. Z. S. 1854, pl. 75.	Guatemala.
3782. fuscater, $L$	afr.	N. Gran., Ecaud.
3783. maculatus	, Selat.	Rio Napo, Ecuad.
3784. mexicanus	<b>5,</b> <i>Bp</i> .	Mex.,Costa Rica, Guatemala.
<b>949.</b> Cichlalopia, <i>Bp.</i> Colluricinela, p.,		o accellana
3785. fuscatus, d fusca, Gould.	T. O. A. S. t. 57 bis.	St. Domingo. St. Croix.
3786. densirostr	is, T.	Guadeloupe
3787. mcntanus, cinereus, <i>I</i> '.;	Lafr. squamatus, Cur.	19
950.	$\nu$ . Cichlierminia, $Bp$ . 1853.	
3788. l' <b>Hermini</b> e Bonapartei, <i>Sc</i>	•	I. of Guadeloupe.
951.	r. Nesocichla, Gould, 1855.	
3789. eremita, G	ovld.	Trist, d'Acunha
952. Merula, p., Sw.	w. Geochchia, Kuhl, 182 ?	
	ath. idus, Tick.; rubecula, M <sup>.</sup> Clell. uv.; turdoides, Hodys.	India.

3792. cyanotus, Jard.  $\S$  S. Ill. Orn. pl. 46. eitrinus, p., G. R. Gr.

3791. rubecula, Gould.

citrinus, Tem. P. C. 445.

India.

Java, Sumatra.

s2

3793. **Peronii**, V.; Arch. du Mus. vii. t. 19. rubiginosa, Müll.; novæ hollandæ, Less.

Sunda Islands.

3794. interpres, Kuhl; P. C. 458. "avensis, Gr.," Bl.

Java, Sumatra.

3795. erythronotus, Sclat.

Celebes.

3796. unicolor, Tick. homochroa, Hodgs.

Himalayas.

3797. albiceps, Swinhoe, Ibis, 1866, pl. 5.

I. of Formosa.

3798. innotatus, Bl. albogularis, Bl.?

Nicobar I. Malacca.

**953.** x. Chamætylas, Heine, 1859.

Geocichla, p., Cass.

3799. compsonotus, Cass.

W. Africa.

954. y. Monticola, 1822, et Petrocossyphus, 1826, Boie.

Reich, S. A. t. 53, f.

3800. saxatilis, L.; P. E. 562; Naum. Vog. t. 73; Gould, B. E. pl. 86. infaustus, Gm.; montana, Koch.

C&.S.E. Europe. N. & W. Africa.

3801. rupestris, V.; Lev. O. A. t. 101, 102. rupicola, Licht.; rocar, Steph. montana, Sw.

S. Africa.

3802. explorator, V.; Lev. O. A. t. 103. perspicax, Shaw; brevipes, Waterh.

Damaraland.

3803. erythropterus, G. R. Gr. affinis, p., Bl.

Ternate, Gilolo.

3804. philippensis, Müll.; P. E. 339. eremita. Gm.

Philippine I.

955.

z. ---- ?

Petrocossyphus, Boie, 1828. Petrocincla, Sykes.

3805. cyanus, L.; P. E. 250; Naum. Vog. t. 72; Gould, B. E. pl. 87.

S. Europe. N. Africa.

solitarius, Lath.; azureus, Lebr.

3806. pandoo, Sykes.
maal, Sykes; longirostris et affinis, Bl.
evaneus, p.

India.

3807. solitarius, Müll.; P. E. 636 et 564. 2. manilla et olivaceus, Bodd.

Philippine I. Celebes, Java. China.

manilla et olivaceus, Be manillensis, Gm. cyaneus, var. d. Bl. 936.

aa. Petrophila, Sw. 1837.

Orocetes, G. R. Gr. 1840. Orocetes, Agass. Reich, S. A. t. 53. f.

3808. cinclorhynchus, Vig.; Gould, C. B. pl. 19. cyanocephala, Sw.; aurantiventer, Less. melanotus, Dubus. Himalayas.

3809. erythrogaster, Vig.; Gould, C. B. pl. 13. rufiventris, Jard. & S.; ferrugineoventris, Less.

3810. gularis, Swinh. Ibis, 1863, pl. 3.

Pekin.

**957. ZOOTHERA**, Vig. 1831.

G. of B. i. p. 217, pl. 56, f. 4; Reich, S. A. t. 57, f.

a. Zoothera.

3811. monticola, Vig.; Gould, C. B. pl. 22. rostratus, Hodgs.

Himalaya M.

3812. marginata, Bl. marmorata!, G. R. Gr. Aracan. Khasia Hills.

958. b. Andromedon, Tem. 1838.Myiophaga, p., Less. 1831.

3813. andromedon, Tem. P. C. 392.

Java, Lombock, Timor.

959.

c. Cichlopasser, Bp. 1853.

3814. terrestris, Kittl. Mém. Ac. St. Pétersb. 1831, t. 18.

1. of Bonin.

**960.** MIMUS, Boie, 1826.

 Orpheus, Sw. 1827. Mimetes, Glog. 1842. Calandria, Des Murs. Orphæus, Stein. 1839. Leucomimus, Bryant, 1866.
 G. of B. i. p. 220, pl. 56, f. 1; Reich. S. A. t. 53, f.

a. Mimus.

3815. polyglottus, L.; Wils. A. O. pl. 10. 1.

leucopterus, Vig. var. portorieensis, Bryant. var. bahamensis, Bryant. N. Amer., Jama. Mexico. Porto Rico. Inagria, Baha.

3816. orpheus, L.; Edw. B. pl. 78.; V. O. A. S. t. 68.

3817. gilvus, V. O. A. S. t. 68 bis.

British Guiana.

3818. triurus, V.

tricaudatus, Lafr.

3819. calandria, Lafr.; D'Orb. Voy. A. M. t. 10. 2. orpheus, Gould; saturninus, Max.

S. Brazil.

Paraguay.

Jamaica.

3820. ? modulator, Gould. calandria, p., G. R. Gr.

3821. megalopterus, Lawr. columbianus, Cab.; gilvus, Jard.

New Granada.

3822. leucospilos, v. Pelz. peruvianus, Peale; longicaudatus, p.?, Sclat.	Chili.
3823. thenca, $Mol.$ ; $D'Orb.$ $Voy.$ $A.$ $M.$ t. 10. 3. australis, $Less.$	"
3824. dorsalis, Lafr.; D'Orb. Voy. A. M. t. 11. f. 1.	Bolivia.
3825. patagonicus, Lafr.; D'Orb. Voy. A. M. t. 11. f. 2.	Patagonia.
3826. <b>dominicus</b> , <i>L. P. E.</i> 558. 1. merle, <i>Müll.</i> ; orpheus, p., <i>Baird</i> .	St. Domingo.
3827. trifasciatus, Gould, Voy. Beagle, pl. 16.	Gala., Charles
3828. melanotis, Gould, Voy. Beagle, pl. 18.	Galapa., Chat.
3829. parvulus, Gould, Voy. Beagle, pl. 17. melanotis, p. ?, Bp.	Galapa., Albe.
3830. Hillii, March. orpheus, Hill.	Jamaica.
3831. lividus, <i>Licht.</i> ; <i>Spix</i> , <i>A. B.</i> t. 71, 2. orpheus, <i>Spix</i> .	S.E. Brazil.
3832. longicaudatus, Tsch. F. P. t. 15. 2.	E. Peru.
3833. thilius, Mol.	Chili.
3834. Gundlachii, Cab.	Cuba.
3835. gracilis, Cab.	Guat., Hond., Costa Rica.
<b>961.</b> b. Scotiominus, Bryant, 1866.	
3836. bahamensis, Bryant.	Bahama I.
962. c. Oroscoptes, Baird, 1858.	
3837. montanus, Towns.; Aud. B. A. ii. pl. 139.	Rocky M., Me
963. d. Melanotis, Bp. 1850.	
3838. cærulescens, Sw.; P. C. 498. melanotis, Tem. erythrophthalmus, Licht.?	S. Mexico.
3839. hypoleucus, Hartl. albiventris, Lafr.	Guatemala.
<ul> <li>c. Spodeshaura, Reich. 1850.</li> <li>Myioturdus, p., Sundev. 1835.</li> <li>Gulcoscoptes, Cab. 1850.</li> <li>Felivox, Bp. 1854.</li> <li>Reich. S. A. t. 53. f.</li> </ul>	

3840. carolinensis, L.; Wils. A. O. pl. 20, 3; Voy. Cuba, t. 7; Naum. Vög. t. 384, 1.

lividus, Wils.; felivox, V.

E. of N. Amer. Panama, Cuba, Germany.

I. 1. I. 965. f. Mimocichla, Schat. 1861.

3841. rubripes, Tem. P. C. 409; Voy. Cuba, t. 4.

Cuba.

3842. schistacea, Baird.

966. q. Mimoritta, Bryant, 1864.

Mimocitta, Newt. Galeoscoptes, b, Sclat.

3843. plumbeus, L. 1758; P. E. 560. 1; V. O. A. M. t. 58.

3844. ardosiacea, V. St. Domingo.

plumbeus, L. 1766.

var. portoricensis, Bryant.

Porto Rico

967. h. Harpornynchus, Cab. 1847.

Toxostoma, Wagl. 1831, nec Rafing, 1815.

Harpes, Gamb. 1847, nec Goldf. 1839. Mimus, Reich. 1850.

Reich. S. A. t. 53. f.

3845. curvirostris, Sw.; P. C. 441; Baird, B. N. A. pl. 51. vetula, Waql.; turdinus, Tem.

Mexico, Texas.

3846. redivivus, Gamb.; Pér. Voy. Atl t. 37; Cass. B. Calif. pl. 42.

3847. Lecontei, Lawr.; Baird, B. N. A. pl. 50.

3848. crissalis, Henry; Baird, B. N. A. pl. 82. S. Rocky M.

3849. ocellatus, Sclat. Pr. Z. S. 1862, pl. 3.

S. Mexico.

California.

Bahama.

3850. cinereus, Xantus; Elliot, B. of N. A. pl.

Low, California.

968. i. Methriopterus, Reich, 1850. Mimus, Boie, 1828. Toxostoma, Cab. 1847.

Reich, S. A. t. 55, f.

3851. rufus, L.; P. E. 645; Wils. A. O. pl. 14. 1; Naum. Vog. E. of N. Amer., t. 384, 2, Heligoland.

3852. longirostris, Lafr. May. de Zool. 1839, t. 1; Baird, B. N. A. pl. 52.

E. Mexico.

969. CINCLOCERTHIA, G. R. Gr. 1840.

Stenorhynchus, Gould, 1835, nec Meig. 1823.

L'Herminierus, Less. 1843?

G. of B. i. p. 134, pl. 41. f. 3; Reich. S. A. t. 37. f. .

a. Cinclocerthia.

3853. ruficauda, Gould; Sclat, & Salv. Exot. Orn. pl. 10. Nevis, Guade. tremulus, Lafr.

guadeloupensis et infaustus, Lers.?

3854. gutturalis, Lafr.; Sclat. & S. Ex. Orn. pl. 12. Martinique

3855, macrorhyncha, Schut, & S. E.c. Ocn. pl. 11, St. Lucia. malacorhyncha!. Hartl.

970. b. Ramphocinclus, Lafr. 1843.

Legriocinelus, Less. 1847. Cinclops, Bp. 1854.

3856. brachvurus, V. cinclops ct melanoleucus, Bp. St. Lucia, Mart. Guadeloupe.

971. MYIOPHONEUS, Tem. 182 ?

Myiophonus, Bp. 1850. Myophonus, Vig. 1825. G. of B. i. p. 214, pl. 55. f. 8; Reich. S. A. t. 53. f. .

3857. flavirostris, Horsf.; P. C. 170. metallicus, Tem.

Java, Sumatra.

3858. Temminckii, Vig.; Gould, C. B. pl. 21.

Himalaya M. China.

3859. cæruleus, Scop. nitidus, Gr.; brevirostris, Lafr.

3860. insularis, Gould, B. As. pl. .

L of Formosa.

972.

et Myiophaga, Less. 1831. Myiophoneus, Boie, 1826.

3861. cyaneus, Horsf.; P. C. 194. glaucina, Tem.

Java.

3862. Horsfieldii, Vig.; Gould, C. B. pl. 20.

S. & W. India.

923. CHÆTOPS, Sw. 1831.

Argya, p., Less. Argya, Des Murs. G. of B. p. 217, pl. 56. f. 3; Reich. S. A. t. 55. f. .

3863. frenatus, Tem. P. C. 385. Burchellii, Sw.

S. Africa. Caledon.

3864. aurantius, Layard.

S. Afr., Graaff R.

3865. Gravii, Sharpe, Pr. Z. S. 1869, pl. .

Daniaraland.

974. BESSONORNIS, Smith, 184?

Cossypha, Vig. 1825. Dessonornis, Smith, 1836. Gossypha, Less. 1828. Cassypha, Agass. Bessornis, Cab. 1850. Dessornis, Sundev. Irania, De Fil. 1863 or 1864. G. of B. i. p. 220, pl. 56, f. 2; Reich, S. A. t. 53, f. .

3866. bicolor, Sparrm.; Lev. O. A. t. 104; Sw. I. Z. pl. 179. reclamator, V.; vociferans, Sw. dichroa, Gm.; revocator, Tem.; melanotis, Less.

S. Africa.

3867. ? natalensis, Smith, I. S. A. Z. pl. 60. vociferans, p., Gurn.

S. Africa, Natal.

3868, caffra, V.; Lev. O. A. t. 111. phonicurus, Gm.; superciliosa, Sparrm. (?) pectoralis, Shaw; superciliaris, Licht.

S. Africa.

3869. Isabellæ, G. R. Gr.

Cameroons.

3870. albicapilla, V. albiceps, Cuv.; leucoceps, Sw. W. Africa.

,,

3871. verticalis, Hartl.; B. of W. Afr. pl. 32. albicapilla, Sw.; Swainsoni, Bp. monachus, Heugl.

3872. pyrrhopygia, Hartl.

3873. poensis, Strickl.; Fras. Zool. Typ. pl. .

3874. gutturalis, Guér.; Ferr. & Gal. Voy. en Abyss. t. 5. albigularis, v. Pelz.; Ibis, 1867, pl. 1. Filoti, De Fil. Q; Finota, Alig.

Palestine.

3875. semirufa, Rüpp. Wirb. t. 21. nigrocapilla, Guér.

3876. humeralis, Smith, I. S. A. Z. pl. 48.

3877. cyanocampter, Cab.

3878. diademata, Cab. 3879. intermedia, Cab.; Decken, Reisen, t. 12.

3880. Heuglinii, Heugl. Orn. N. O. Afr. t. 13.

3881. Bocagei, Hartl. & F.

3882. ? auraticollis, V.; Lev. O. A. t. 119. aurigularis, Voigt.

3883. ? melanietera, V.; Lev. O. A. t. 117. australasiæ. Shaw.

**975.** COPSYCHUS, Wagl. 1827.

Gryllivora, Sw. 1831. Lalage, Boie, 1828 nec 1826. Dahila, 1836, et Polypeira, 1841, Hodgs. G. of B. i. p. 177, pl. 50. f. 1; Reich. S. A. t. 60. f.

#### a. Copsychus.

3884. saularis, L.; Edw. B. pl. 181; Gould, B. As. pl. intermedia, Jerd.; doeilis, Hodys.; melanoleuca, Less. magnirostra, Sw. Two Cent. & a quart. f. 46, a?

India. Tenasscrim.

Java.

3885. amœnus, Horsf.; Sw. Two Cent. & a quart. f. 46, c?. brevirostris, Sw.?; saularis, p., G. R. Gr. pluto, Tem.; Schl. Handl. Dierk. t. 2. 19. chalybæus et leucopterus, Cuv.

Borneo, Labuan.

3886. mindanensis, Gm.; P. E. 627. 1; Gould, B. As. pl.; Sw. Two Cent. & a quart. f. 46, b. saularis, p. musicus, Raffl.; intermedia et rosea, Sw.

Philippine I., Malaeca. Siam. Sumatra.

3887. luzoniensis, Kittl, Kupf. Vog. t. 11, 2.

3888. pica, r. Pelz.; Poll. & V. D. F. de Madag. t. 29.

Philippine I. Madagascar.

Abyssinia.

S. Africa. W. Africa.

E. Africa. Keren.

Bogosland.

977.

3889. ceylonensis, Sclat. brevirostris, Bl.

Ceylon.

3890. imerina, *Hartl*. melanura, *Lafr*.

Madagascar.

3891, ?? suratensis, Gm.

3892. ?? pectoralis, Steph.; Lev. O. A. t. 110.

**976.** b. Cercotrichas, Boie, 1831.

Kittacinela, Gould, 1836. Cittacinela, Agass.

3893. macrourus, Gm.; Lath. Syn. pl. 39; Lev. O. A. t. 114. India, Ceylon. longicauda, Sw.; tricolor, V.

3894. suavis, Sclat.; Gould, B. As. pl.

S. Borneo.

3895. auricularis, Swinh. Ibis, 1866, pl. 4.

I, of Formosa. Labuan.

3896. Stricklandii, Dillw. N. H. Labuan, pl.

c. Gervaisia, *Bp.* 1853.

3897. albispecularis, Eyd. & Gerv. Mag. de Zool. 1836, t. 64, 65. Madagascar.

3898. sechellarum, A. Newt. Ibis, 1865, pl. 8.

Seychelles.

# FAM. VII. HYDROBATIDÆ, G. R. Gr.

Cinclidæ, Bp. 1850.

# Subfam. I. Hydrobatinæ, G. R. Gr.

Cinclinæ, Cab. 1847.

# 9 ₹ HYDROBATA, V. 1816.

Cinclus, Bechst. 1802, nec Moehr. 1752.
Aquatilis, Mont. 1813.
G. of B. i. p. 215, pl. 55, f. 1; Reich. S. A. t. 52, f.

3899. cinclus, Gm.; P. E. 940; Gould, B. E. pl. 83. aquaticus, Bechst.; europæus, Steph.

C. & S. Europe.

gularis, Lath.

Switz., Lebanon.

3900. albicollis, V. bicolor, F.; aquaticus, Tristr. aquaticus, var. rufficentris et albiventris, Hempr. § Ehr. meridionalis, rufficetoralis, et rupestris, Brehm.

3901. melanogastra, Tem.; Gould, B. E. pl. 84.

W. Europe.

aquaticus, var.  $\beta$ , Blas.; einelus, L. septentrionalis et peregrinus, Brehm.

3902. asiatica, Sw.; Gould, C. B. pl. 24; B. As. pl. tenuirostris, Gould.

N. India.

Pallasii, Vig. maculatus, Hodys.

3903. cashmiriensis,	Gould, B. As. pl.
einelus, Adams.	

Cashmere, Thibet, Persia.

3904. sordida, Gould, B. As. pl.

Cashmere.

3905. mexicana, Sw.; Bp. A. O. pl. 16, 1. pallasii, Bp.; americanus, Rich.; unicolor, Bp. Mortoni, Towns.; Townsendii, Aud. Rocky M., N.Am.

3906. leuconota, Sclat. Cat. of A. B. pl. 2.

New Granada.

leucocephalus, Lafr.

Ecuador.

3907. leucogaster, Eversm.; Gould, B. As. pl. aquaticus, var. γ, Blas.; cinclus, var., Pall. aquaticus, p., Schl. W. Siberia.

3908. Pallasii, Tem.; Gould, B. E. pl. 85; Schl. Handl. Dierk. t. 2, 23. cinclus, var., Pall.; aquaticus, var. ê, Blus.

goland. Japan.

3909. marila, Swinh.

I. of Formosa.

E. Siberia, Heli-

Pallasi, Gould & Swinh.

Peru, Bolivia.

3910. leucocephala, Tsch. F. P. t. 15, 1.
 3911. ardesiaca, Salv. Ibis, 1867, pl. 2.

Veragua.

# FAM. VIII. **EUPETIDÆ**, G. R. Gr. Cinclidæ, p., et Mesitidæ, Bp. 1850.

Subfam. I. Eupetinæ, Bp. 1850.

979. EUPETES, Tem. 182 ?

G. of B. i. p. 207, pl. 55. f. 7; Reich. S. A. t. 52. f.

a. Euretes.

3912. macrocercus, Tem. P. C. 516.

Sumatra.

980.

b. AJAX, Less. 1837.

3913. ajax, Tem. P. C. 58.

typicus, Less.

3914. cærulescens, Tem. P. C. 574.

New Grinea.

# Subfam. II. Mesitinæ, Bp. 1850.

**981. MESITES,** *I. Geoffr.* 1838.

Mesœnas, *Reich.* Mesitornis, *Ep.* 1855. *G. of B.* iii. p. 491, pl. 124, 3; *Reich. S. A.* t. 24, f.

3915. variegata, I. Geoffe, Des Murs, I. O. t. 11, 12, unicolor, Des Murs. Madagascar.

## FAM. IX. PYCNONOTIDÆ, Bl. 1849.

Brachypodidæ, Cab. 1851.

# Subfam. I. Pycnonotinæ, G. R. Gr. 1840.

Brachypodinæ, Sw. 1831. Ixodinæ, Bl. 1849. Dierurina, p., Vig. 1825.

### 982. MICROSCELIS, G. R. Gr. 1840.

Galgulus, Reich. 1850, nec Briss. 1760. G. of B. i. p. 235, pl. 59, f. 4; Reich, S. A. t. 54, f.

### a. Microscelis.

3916. amaurotis, Tem. P. C. 497; Schl. F. J. t. 31 B. squamiceps, Kittl. Mém. Ac. Pétersb. 1835, t. 16; Kupf. Vog. t. 12.1.

Japan.

3917. philippensis, Gm.; Kittl, Kupf. Vog. t. 12. 2.

I. of Bonin. Philippine I.

3918. melanoleucus, Gr.

China.

#### 983. b. MICROTARSUS, Eyton, 1839.

Microscelis, 1850, et Ixocherus, 1853, Bp. Macroscelis, Bl. 1849.

3919. melanoleucus, Eyton. vidua et sylvestris, Tem.; tristis, Bl. Malacca. Sumat., Borneo.

3920. Blanfordi, Jerd. familiaris, Bl.

Thayetmyo. Upper Burmah.

3921. olivaceus, Moore,

Malacca.

#### 984. c. Trachycomus, Cab. 1851.

Picnonotus, Bp. 1850.

3922. ochrocephalus, Gm.; Brown, Ill. Zool. pl. 22; P. C. 136. Java, Sumatra. crispiceps, Bl.; zeylanicus, Gm.?

Pinang.

### **985. PYCNONOTUS,** Kuhl, 1826.

Brachypus, Sw. 1824, nec Mey. 1815. Hamatornis, Sw. 1831. Ixos, Strickl. 1841. Picnonotus, G. R. Gr. 1840.

Sw. C. of B. f. 205, h; G. of B. i. p. 237; Reich. S. A. t. 54. f.

#### a. Pycnonotus.

3923. tristis, Müll.; P. E. 317.

Egypt, Arabia.

capensis, var., Lath.; nigricans, V. Levaillantii, Tem.; xanthopygius, Ehrenb.

3924. capensis, L.; Briss. Orn. ii. t. 27, 3; Lev. O. A. t. 105. S. Africa.

3925. arsinoë, Licht, Egypt, Arabia.

3926. barbatus, Desfon. obscurus, Tem.; lugubris, Less.

N. Africa. Spain.

3927. ashanteus, $Bp$ .	
3928. xanthopygos, Hempr. & Ehr.	
Vallombrosæ, Bp.; xauthopygius, Tristr.	

W. Africa.

Palestine.

3930. cafer, L.; P. E. 563. 1; Lev. O. A. t. 107. 1. hæmorrhoa, Gm.; Brown, Ill. Zool. pl. 31.1; fuscus, Müll. W. Afr., Gambia, Sierra Leone.

S. Africa.

3931. aurigaster, V.; Lev. O. A. t. 107. 2.

?

3932, tricolor, Hartl. aurigaster, Hartl.?

3929. flavicollis, Sw.

Angola.

3933. flaviventris, Tick.; Gr. I. Ind. Z. pl. 35.1. melanocephalus, Gr.; plumifera, Gould.

Nepal, Bootan, Pegu.

3934. xantholæmus, Jerd. I. Ind. Orn. pl. 35.

E. Ghat.

3935. brunneus, El.

Malacca.

3936. leucogrammicus, Müll.

Sumatra.

986. RUBIGULA, Bl. 1845.

Brachypus, Sw. 1831, nec 1824. Sphagias, Cab. 1851. Sw. C. of B. f. 208, a.

Java, Sumatra.

3937. dispar, Horsf.; P. C. 137.

Madras.

3938. gularis, Gould; Jerd. Ill. Ind. Orn. pl. 37. rubineus, Jerd.

987.

988.

c. Meropizus, Bp. 1854.

Pycnonotus, p., et Rubigula, p., Bl.

Ceylon.

3939. atricapillus, V.; Lev. O. A. t. 140, 1. nigricapilla, Drap.; aberrans, Bl. monachus, G. R. Gr.; monacus, Bp. melanictera (Gm.), Walden; gularis, Kelaart.

d. Kelaartia, Bl. (apud Jerd.).

3940. penicillatus, Bl.

Ceylon, Mysore,

989.

e. Crocopsis, Reich. 1850.

Hæmatornis, p., Sw. Reich. S. A. t. 54. f.

3941. bimaculatus, Horsf.; Less. C. de Zool. t. 75.

Java.

990.

f. Ixos, Tem.

Ixus, Nitzsch, 1840. Loidorusa, Reich. 1850. Lœdorusa, Cab. 1851. G. of B. i. pl. 59, f. 3; Reich, S. A. t. 54, f.

3942. goiavier, Scop.; Sonn. Voy. t. 28. psidii, Gm.

Philippines?

3943. analis, Horsf.

psidii, Tem.; goiavier, Striekl.

3944. luteolus, Less. flavirietus, Striekl.; vireseens, Tick. Tiekellii, Bl.

3945. Susanii, Müll.

3946. flavescens, Bl. 3947. Finlaysoni, Strickl.

3948. sinensis, Gm.; May. de Zool. 1836, t. 66; Voy. Favor. t. 14. occipitalis, Less.; palmarum, Tem.

3949. Gourdini, Homb. & Jacq. Voy. Pôle Sud, t. 14. 1. Yourdini!, G. R. Gr.

3950. inornatus, Kuhl.

3951. simplex, Less. plumosus, Bl.

3952. Fisquetii, Eyd. & Gerv. Voy. Bonite, t. 5.

3953. --- ? simplex, Kuhl.

g. Alcurus, Hodgs. 1843. 991.

3954. striatus, Bl. nipalensis, Hodgs.

h, Hemixus, Hodgs, 1845. 002. Hemipus, Hodgs, 1846. Hemixos, Hodgs, et Bl. 1845.

3955. flavala, Hodgs.; G. R. Gr. & M. G. B. pl. 59.

600:3. 1. ---?

Brachypus, Cab. 1851. Hæmatornis, p., Sw. Reich, S. A. t. 54, f. . .

3956. chrysorrhoides, Lafr. eafer, Sykes; pusillus et pseudocafer, Bl. var. intermedius, Hay; hamorrhous, auct. nigropileus, Jerd. atricapillus, Jerd.

3957. pygmæus, Hodgs. cafer (p., Lath.), M'Clell.; bengalensis, Bl.

3958, crocorrhous, Striekl.; Brown, Ill. pl. 31. 2. hæmorrhous, Horsf.; aurigaster, p., Cab. chrysorrhœus, Lath.

j. Eurthosus, Reich. 1850. 4040.8. Reich, S. A. t. 54. f. .

Java.

India, Ceylon.

Sumat., Borneo.

Khasia Hills. Pegu, Tenass.

S. China, Isl. of Formosa.

Borneo.

Sumatra.

Malabar.

Sumatra.

Himalayas. Nepal, Darjeel.

Nepal, Bootan.

India.

N.W. Provinces. Burmah. China.

Nepal. S. Burmah.

Java, Sumatra.

HAND-LIST OF BIRDS.	271
3959. <b>euptilosus,</b> Jard. & S. I. O. pl. 3. cutilosus, Jerd.	Malacca,
<b>995.</b> k. Отосомря, Cab. 1851. Copsychus, p., Wagl. 1827. Ixos, Bp. 1850.	
3960. jocosus, L.; P. E. 508?; Dixon, Voy. pl. p. 360. cristata, Gm.; chinensis, Osb. crythrotis, Sw.	China,
3961. <b>pyrrhotis</b> , <i>Hodgs</i> . jocosa, <i>Jerd</i> .	Nepal.
3962. fuscocaudatus, Gould.	S. India.
3963. erythrotis, Bp.	Java.
3964. leucogenys, Gr. I. In. Z. pl. 35, 3, plumigerus, Lafr.; cristatus, Burn.	Nepal, Bootan.
3965. Ieucotis, Gould.	India, Persia.
3966. tigus, Müll.	Sumatra.
3967. emeria. Shaw, Nat. Misc. pl. 645. monticola, McClell.; jocosa, p., Jerd.	Bengal. Nepal.
3968, tympanistrigus, $M\ddot{u}ll$ . cristatellus, $Tem$ .	Sumatra.
<b>996.</b> <i>l.</i> Spizixos, <i>Bl.</i> 1845.	
3969. canifrons, Bl.; Gould, B. As. pl.	Khasia Hills,
3070. semitorques, Swinhoe; Gould, B. As. pl.	Afghanistan. I. of Formosa, Foochow.
<b>997.</b> m. IXIDIA, 1846, et Ixodia, 1845, Bt.	
3971. cyaniventris, Bl. aureum, Eyton; poliopsis, Müll.	Malacca. Sumatra, Tenass.
<ul> <li>998.         <ul> <li>n. Brachypodius, El. 1845.</li> </ul> </li> <li>Prosecusa, Reich. 1850. Ixos, p., Tem.</li> <li>Reich. S. A. t. 54, f.</li> </ul>	
3972. melanocephalus, Gm.; Lath. Syn. pl. 6; P. C. 147. atriceps, Tem.	Java, Sumatra.
3973. ? metallicus, Eyton.	Malacca.

3976. poliocephalus, Jerd. I. Ind. Orn. pl. 31. Malabar.

**999.** o. "Apalopteron, Schiff.," Ep. 1853.

melanocephalus, p., Bl. 3974. squamatus, Tem. P. E. 453. 2.

3975. cincreoventris, Bl.

3977. familiaris, Kittl, Mém. Ac. St. Pétersb, 1835, t. 13. Isle of Bonin.

Java.

Tiperah Hills.

# Subfam. II. Phyllornithinæ, Cab. 1847. Brachypodinæ, p., Sw. 1837.

### 1000. PHYLLASTREPHUS, Sw. 1831.

Brachypus, p., Sw. 1831. Phyllostrephus, Agass. Phyllotrophus, Swadev. Phyllostrophus, Bp. 1854. Phyllostrophus, Cass. 1855. Sw. C. of B. f. 205, a, b; G. of B. i. p. 238, pl. 59, f. 6.

3978. capensis, Sw.; Lev. O. A. t. 112. 1. terrestris, Sw.

3979. senegallus, Müll.; P. E. 563. 2. lugubris, Bodd.; senegalensis, Gm.

**1001.** HYPSIPETES, Vig. 1831.

G. of B, i. p. 237, pl. 59, f. 1; Reich, S. A, t. 54, f.

a. Hypsipetes.

3980. psaroides, Vig.; Gould, C. B. pl. 10.

3981. ganeesa, Sykes; Jard. & S. I. O. pl. 2.

3982. **M'Clellandii**, Horsf. viridis, Hodgs.

3983. **neilgheriensis**, *Jerd*. ganeesa, p., *Bl*.; nilgiriensis, *Bl*.

3984. virescens, Tem. P. C. 382. 1.

3985. malaccensis, Bl.

3986. nicobariensis, Moore; Reise Novara, t. 3. 2. virescens, Bl.

3987. nigerrima, Gould, B. As. pl.

3988. Tickellii, Bl.

3989. concolor, Bl. psaroides, Horsf.

3990. Holki, Swinh.

3991. niveiceps, Swinh.

3992. gularis, Cuv.; Arch. du Mus. vii. pl. 18. philippensis, Strickl.

1002. b. Ixocincla, Bl. 1845.

Anepsia, Reich. 1850. Reich, S. A. t. 54. f.

3993. madagascariensis, Müll.; P. E. 557. 2. ourovang, Gm.

S. Africa.

Senegal.

Himalayas.

Decean.

Bootan, Nepal.

Neilgherries. Ceylon.

Java, Sumatra.

Malac., Borneo.

Nicobars.

I. of Formosa. Tenasserim.

Assam.

Foochow.

Swatow.

China.

Philippine I.

Madagascar. Mohilla. 3994. borbonica, Gm.; Briss, Orn. ii. t. 24. 3. atricilla, Cuv.

I. of Bourbon.

3995. olivacca, Jard, & S. I. O. pl. 168.

Mauritius.

3996. crassirostris, E. Newt.

Sevchelles.

1003.

c. Tylas, Hartl. 1862.

3997. Edwardi, Hartl. Pr. Z. S. 1862, pl. 18; N. Arch. du Mus. i. t. 5, 2. Goudoti, Verr.; madagascariensis, Grandid, MS.

Madagascar.

1004. SIBIA, 1839,

et Alcopus, 1841, Hodgs. Heterophasia, 1842, et Actinodura, 184, ?, Bl. G. of B. i. p. 238, pl. 59, f. 2.

a. Sibia.

3998. picaoides, Hodgs.

cuculoides, Bl.; cuculopsis!, Jerd.

Nepal, Sikkim. Bootan.

1005.

b. Malacias, Cab. 1851.

3999. capistrata, Vig. melanocephalum, Royle.

Himalayas.

4000. gracilis, M. Clell.

Assam.

4001. nigriceps, Hodgs.

Nepal. Tenasserim.

4002. melanoleuca, Bl. picata, Tick.

L of Formosa.

4003. ? auricularis, Swinh. Ibis, 1866, pl. 4.

1006. CRINIGER, Tem.

Trichas, Glog. 1827, nec Sw. 1827. Trichophorus, Tem. 1838, nec Serv. 1834.

Trichoxos, Hartl. nec Less.

Alcopus, Hodgs. Tricophorus, Cass. 1855.

Sw. C. of B. f. 38, 123, 207, a, b; G. of B. i. p. 235, pl. 59, f. 5; Reich, S. A. t. 54, f.

a. Criniger.

4004. tephrogenys, Jard. & S. I. O. pl. 127. gularis, Sw. W. Af., Gambia, Sierra Leone.

4005. icterinus, Bp.

W. Af., Ashanti.

4006. simplex, Tem.

Ashanti.

4007. notatus, Cass. Journ. Ac. Phil. 1862, pl. 22. 2.

Moonda River.

4008. tricolor, Cass.

Muni River.

4009. canicapillus, Hartl.

W. Afr., Gambia. Camma.

4010. chloronotus, Cass. Journ. Ac. Phil. 1862, pl. 22. 1.

W. Africa.

4011. flavicollis, Sw.

Cameroon.

4012. tephrolæmus, G. R. Gr.

 $\mathbf{T}$ 

4013. flaviventris, Smith, I. S. A. Z. pl. 59.

4014. cinerascens, Hartl.

4015. flaveolus, Gould. xanthogaster, Hodgs.

4016. gularis, Horsf. rufocaudatus, Eyton.

4017. gutturalis, Müll.

4018. affinis, Homb. & Jacq. Voy. Pôle Sud, t. 15. 1. sulphurascens, Tem.; flavicauda, Bp.

4019. longirostris, Wall.

4020. mysticalis, Wall.

4021. chloris, Finsch. simplex, Wall.; flavicauda, p., G. R. Gr.

4022. phaiocephalus, Hartl. Cantori, Moore. caniceps, Lafr.

4023. ictericus, Strickl. indicus, Jerd.

4024. barbatus, Tem. P. C. 88. strigilatus, Sw.

4025. olivaceus, Sw. Class. of B. f. 207, b (bill).

4026. poliocephalus, Tem.

4027. eximius, Hartl.

4028. sulphuratus, Müll. sulphureus, Tem.

4029. striolatus, Müll.

4030. ? criniger, Less.

4031. ochraceus, Moore.

4032. minutus, Hartl.

4033. Charlottæ, Finsch.

b. Ixonotus, Verr. 1851. 1007.

4034. guttatus, Verr.

c. Bæopogon, Heine, 1860. 1008.

4035. indicator, Verr. leucurus, Cass.

4036. nivosus, Tem.

S. Africa.

Ashanti.

Himalayas. Bootan, Nepal.

Java.

Sumat., Borneo.

Ceram, Amboina.

Sula.

Bourn.

Batchian, Gilolo.

Morty, Sula. Malacca.

India, Ceylon.

W. Africa.

••

Dabocrom.

Borneo.

Sumatra.

Tenasserim.

Malacca.

Borneo, Sumatr.

W. Af., Gaboon.

W. Africa.

W. Af., Ashanti.

Gambia.

Moonda R.

,,

Borneo.

1009. d. Pyrrhurus, Cass. 1859.

4037. pallescens, Hartl.

4038. scandens, Sw. B, W, Afr. i. pl. 30.

4039. leucopleurus, Cass.

1010. e. Trichites, Heine, 1860.

xanthogaster, Cass.

4040. serinus, Verr. Gaboon.

1011. f. Hypotrichas, Heine, 1860.

4041. calurus, Cass. Journ. Ac. Phil. 1862, pl. 22. 3.

1012. g. Xenocichla, Hartl. 1857. Dasycephala, p., Sw. Trichophorus, p., Hartl. Bleda, Bp. 1857.

W. Africa. 4042. syndactylus, Sw.

1013. h. Bernieria, Bp. 1854. Macrosphenus, p., Cass. Tatare, p., Poll. & V. D. Rhamphocœnus, Less.

4043. minor, Bp.

sericea, Müll.

Madagascar. viridis, p., Cass.

4044. madagascariensis, Gm. viridis, Less.; major, Bp.

1014. i. Macrosphenus, Cass. 1859.

4045. flavicans, Cass. W. Af., Camma.

1015. j. Trichophoropsis, Bp. 1853.

4046. typus, Bp. Bemmeleni, Finsch; pulverulentus, p.?, Bp.

4047. pulverulentus, Müll. Sumatra.

1016. k. IOLE. Bl. 1844.

4048. olivaceus, Bl. Malaeca.

Aracan, Malacca, 4049. viridescens, Bl. Tenasserim. virescens, Bl.

4050. **viridis**, *Bp*. Borneo.

Java Sumatra. 4051. virescens, Tem.

1017. I. Setornis, Less, 1839.

Malacca. 4052. criniger, Hay.

т 2

### 1018. ANDROPADUS, Sw. 1841.

Polyodon, Lafr. 1832, nec Lacép. 1798.

Brachypus, p., Sw. 1831.

Pyenonotus, p., Boie, 1828.

Sw. C. of B. f. 28, c, 205, g; G. of B. i. p. 236, pl. 59, f. 7; Reich. S. A. t. 54. f.

4053. importunus, V.; Lev. O. A. t. 106. 2.

clamosus, Steph.; vocifer et familiaris, Sw. brachypodioïdes, Jard.

4054. gracilirostris, Strickl.

4055. latirostris, Strickl.

4056. virens, Cass.

4057. curvirostris, Cass.

Ashanti. 4058, erythropterus, G. R. Gr.

4059. flavescens, Hartl.

4060. insularis, Hartl. 4061, oleaginis, Peters. Zanzibar, Tette.

S. Africa.

W. Africa.

Madagascar. Mozambique.

### 1010. YUHINA, 1836,

et Polydon, 1841, Hodgs. Juhina, Reich. 1850. Odonterus, Cab. 1851.

G. of B, i. p. 198, pl. 53. f. 5; Reich. S. A. t. 61. f. .

a. Yunina.

4062. gularis, Hodgs.

Darjeeling.

4063. nigrimentum, Hodgs.

Nepal, Sikkim.

4064. occipitalis, Hodgs.; Gould, B. As. pl.

Himalavas.

b, Ixulus, Hodgs, 1844. 1020.

4065. flavicollis, Hodgs.; Gould, B. As. pl.

Darjeeling.

4066. occipitalis, Hodgs.; Gould, B. As. pl.

Khasia Hills.

4067. castaneiceps, Moore; Gould, B. As. pl.

4068. striata. Bl.

Burmah Tenasserim.

nanus, Tick.

T 40.21.

c. Myzornis, Hodgs, 1843.

4069. pyrrhoura, Hodgs.; G. R. Gr. & M. G. B. pl. 53; Gould, B. As. pl.

Nepal, Sikkim.

# 1022. PHYLLORNIS, Boie, 183 ?

Chloropsis, Jard. & S. 183 ?

Sw. C. of B. f. 206, d; G. of B. i. p. 124, pl. 39, f. 6; Reich, S. A. t. 35. f.

4070. javensis, Horsf.; Jard. Ill. Orn. pl. 100 & 7; Gould, B. As. pl.

ds. pl. Java. cochinchinensis, var., Raffl.; viridis, Horsf.
Sonneratii, Jard.; Mülleri, Tem.
gampsorlynchus, Jard. & S.; zostcrops, Vig.

4071. cyanopogon, Tem. P. C. 512. 1; Gould, B. As. pl. Sumatra. cochinchinensis, Raffl.; mystacalis, Sw. moluccensis, Gr.; malabaricus, p., Bl.

4072. Jerdoni, Bl.; Hard. I. Ind. Zool. pl. 43; Gould, B. As. pl. India. gampsorhnychus, Tick.; eæsmarhynchos, Tick. cochinsinensis, Jerd.

4073. **Hodgsoni**, G. R. Gr.; Gould, B. As. pl. Himalayas. aurifrons, Bl.; malabaricus, Jard.

4074. icterocephala, Tem. P. C. 512. 2. Sumatra. malabaricus, Tem.

4075. Hardwickii, Jard.; Deless. Voy. Ind. t. 7; Gould, B. As. pl. Himalayas. curvirostris, Sw.; auriventris, Deless. cyanopterus, Hodgs.; chrysogaster, M·Clell.
4076. media. Müll. Sumatra.

4077. venusta, Tem.

4078. aurifrons, Tem. P. C. 484. I. India. malabaricus, p., Jard.

4079. malabariea, Gm. Acad. der Wissensch. 1856, t. 2. 1; Gould, B. As. pl. India. frontalis, Natt. δ Pelz.; aurifrons, Sykes.

4080. eochinchinensis, Gm.; P. E. 643, 3. Sumatra, Java, Borneo.

# Subfam. III. Crateropodinæ, Sw. 1837.

Timalinæ, p., G. R. Gr. Malurinæ, p., et Troglodytinæ, p., Cab. 1847.

# 1023. POMATORHINUS, Horsf. 1820.

Pomathorrhinus, *Bp.* 1831. *G. of B*, i. p. 228.

a. Pomatorhinus.

4081. montanus, Horsf. Zool. Res. Jav. pl. Java.

4082. erythrogenys, Vig.; Gould, C. B. pl. 55. Himalaya. ferrugilatus, Horsf.

4083. leucogaster, Gould. N.W. Himalaya. olivaceus. Bl.

4084. Horsfieldii, Sykes; Des Murs, I. O. t. 22. S. India.

4085. ruficollis, Hodgs. S.E. Himalaya. 4086. schisticeps, Hodgs. Himalaya. montanus, M'Clell. Ceylon. 4087. melanurus, Bl. 4088. musicus, Swinh. Ibis, 1863, pl. 6. I. of Formosa. 4089. erythrocnemis, Gould, B. As. pl. S.E. Himal., Dar. 4090. ferruginosus, Bl. 4091. bornensis, Cab. Borneo. montanus, Müll. Khasia Hills. 4092. McClellandii, Bl. 4093. rubiginosus, Bl. 4094. albogularis, Bl. Tenasserim. 4095. Tickellii, Bl. Fooehow. 4096. stridulus, Swinh. 1024 b. Pomatostomus, Cab. 1850, Pomatorhinus, Vig. 1831. G. of B. i. pl. 57. f. 5; Reich. S. A. t. 57. f. 4097. temporalis, Vig. & H.; Gould, B. A. iv. pl. 20. New S. Walcs. trivirgatus, Tem.; frivolus, Lath.? 4098. rubeculus, Gould, B. A. iv. pl. 21. N. Australia. 4099. supercilicsus, Vig. & H.; Gould, B. A. iv. pl. 22. Australia. 4100. Geoffroyi, Less. Voy. Coqu. t. 29. 2. New Guinea. Isidori, Less. Waig., Mysol. S. Australia. 4101. ruficeps, Hartl.; Gould, B. A. suppl. pl. 1025. c. Merulanthus, Bl. 1861. 4102. Phayrei, Bl. Assam. d. Orthorhinus, Bl. 1844. 16026. 4103. hypoleucos, Bl.; G. R. Gr. & M. G. B. pl. 57. Aracan. albicollis, Horsf. e. Pterorhinus, Swinhoe, 1868. 1027. Pekin. 4104. Davidi, Swinhoe. f. Xiphorhamphus, Bl. 1843. 1028. Xiphirhynchus, Bl. 1842, nec Sw. 1827. Xiphorhynchus, Agass.

4105. superciliaris, Bl.; Jerd. 1. In. Orn. pl. 49; Gould, B.

As. pl.

Sikkim.

### 1029. MALACOCIRCUS, Sw. 1832.

Malacocercus, Strickl, 1841.

G. of B. i. pl. 57. f. 7; Reich. S. A. t. 55. f. .

### a. Malacocircus.

4106. griseus, Lath.; Jerd. Ill. Ind. Orn. pl. 19. affinis. Jerd.

Carnatic.

4107. malabaricus, Jerd. Somervillei et orientalis, Jerd.

India.

4108. terricolor, Hodgs. benegalensis, Bl.; griseus, Hodgs. canorus, p., Horsf. & M.

12 Ceylon.

4109. striatus, Sw. Zool. Ill. n. s. pl. 127.

"

4110. cinereifrons, Bl. 4111. Somervillei, Sykes. Sykesii, Jerd.

Bombay.

TORO. b. Argya, Less. 1831.

Argia, Agass. Sphenura, Bp. 1830. Malcolmia, Bl. 1856.

4112. Malcolmi, Sykes; Gr. I. Ind. Z. pl. 36. 1; Fras. Zool. Typ. pl. albifrons, Gr.

S. India.

4113. acaciæ, Rüpp. Atl. t. 8.

Nubia, Egypt.

4114. squamiceps, Rüpp. Atl. t. 12. Ruppellii, Less.

Arabia.

1031. c. Chatarrilea, Bl. 1856.

4115. gularis, *Bl*.

Burmah.

4116. caudatus, Dum. chatarrhæa, Frankl. isabellinus, Sw.

Behar, India.

4117. ? Huttoni, Bl. caudata, p., Jerd.

4118. Earlei, Bl. geochrous, Hodgs. Nepal.

4119. chalybeus, Ep.

Palestine.

4120. rubiginosus, Rüpp. S. U. t. 19.

Schoa.

d. Layardia, Bl. 1856 1032.

4121. subrufus, Jerd. pæcilorhyncha, Lafr. Malabar.

4122. rufescens, Bl.

Ceylon.

1033. e. Acanthoptila, Bl. 1856.

4123. nipalensis, Hodgs. Nepal. leucotis et pellotis, Hodgs.

**1034.** CINCLOSOMA, Vig. & Horsf. 1825. G. of B. i. p. 224, pl. 57, f. 11; Reich. S. A. t. 55, f.

4124. punctatum, Lath.; Shaw, Z. of N. H. pl. 9; Gould, B. N. S. Wales, Van A. iv. pl. 4.

4125. castanotum, Gould, B. A. iv. pl. 5. castaneonotum, Gould.

S. & W. Austr.

4126. cinnamomeum, Gould, B. A. iv. pl. 6.

S. Australia.

New S. Wales.

4127. castaneothorax, Gould, Pr. Z. S. 1848, pl. 6.

1035. CRATEROPUS, Sw. 1831.

Cratopus!, Jard. G. of B. i. p. 224, pl. 57. f. 4; Reich. S. A. t. 55. f.

a. Crateropus.

4128. Reinwardtii, Sw. Zool. Ill. pl. 80. melanocephalus, Cuv. W. Africa.

4129. bicolor, Jard.; Smith, I. S. A. Z. pl.

S. Africa.

4130. atripennis, Sw. capuzinus, Less.

W. Africa.

4131. platycircus, Sw. testaceus, Tem.

Abyssinia.

4133. **plebejus,** Rüpp. Atl. t. 23. cincreus, Heugl.

W. Africa. Kordofan.

4134. leucocephalus, Rüpp. Atl. t. 4.

4132. leucopygius, Rüpp. E. A. t. 30. 1.

Abyss., Sennaar, White Nile. Schoa.

4135. limbatus, Harr.

laiore

4136. fulvus, Desfont.; Exp. S. de l'Alg. t. 9 bis. 1. numidica, Levuill.

Algiers.

4137. Swainsoni, Smith.

S. Africa.

4138. gymnogenys,  ${\it Hartl.}$ 

Angola.

4139. Salvadorii, Defil.

Persia.

4140. rufescens, Heugl.

N.E. Africa.

4141. ? sahara, Loche, R. et M. de Z. 1858, t. 11. 2.

Algiers.

4142. Hartlaubi, Bocage.

W. Africa.

4143. affinis, Bocage.

1036. b. Ischyropodus, Reich. 1850. Reich, S. A. t. 55, f.

4144. Jardinii, Smith. I. S. A. Z. pl. 6.

S. Africa.

4145. melanops, Hartl.

Damaraland.

1032. c. Hypergerus, Reich, 1850.

Hypochloreus, Cab. 1850. Crateropus, 1840, et Moho, p., Less. Reich. S. A. t. 54, f. .

4146. atriceps, Less.; Sw. B. of W. Afr. pl. 31. orioloïdes. Sw.

W. Africa.

1038. d. Cichladusa, Peters, 1863.

Bradyornis, p., Hartl.

4147. arquatus, Peters; Ibis, 1868, pl. 9. 1. Spekei, Hartl.

Mozambique.

4148. guttatus, Heugl.; Ibis, 1868, pl. 9. 2.

N.E. Afr., White Nile. Gaboon.

4149. rufieaudus, Hartl.

1039. GARRULAX, Less, 1831.

Garrulaxis, Lafr. 1840. Garrularix !, G. R. Gr. 1846. Crateropus, p., Sw. G. of B. i. p. 225; Reich. S. A. t. 55. f. .

a. GARRULAX.

4150. Belangeri, Less. Voy. Bélang. t. 4.

Tenasser., Pegu.

4151. Diardi, Less.

Cochin China.

4152. leucolophus, Hardw.; Gould, C. B. pl. 18. 4153. chinensis, Scop.; Sonn. Voy. t. 107; Lev. Rolliers, t. 43. Cluina.

shanhu et mclanopis, Gm.; leueogenys, Bl. auritus, Daud.

Himalavas.

4154. perspicillatus, Gm.; P. E. 604.

4155. albogularis, Gould. albigula, Hodgs.

Himalayas. Nepal.

4156. pectoralis, Gould. grisaure, Hodys.; melanotis, var., Bl. Himalayas.

4157. moniliger, Hodgs.

pectoralis, M. Clell.; M. Clellandi, Bl.

S.E. Assam.

4158. lugubris, Müll.

Sumatra.

4159, bicolor, Müll. coronatus, v. Krel.

India.

4160, rufifrons, Less. Voy. Belang. t. 5. perspicillatus, Tem.; ruficeps, Sw.?

I. of Formosa.

Darjeeling.

Samatra.

4161. ruficeps, Gould, B. As. pl.

4162. palliatus, Müll.

puniceus, Bl.

4179. subunicolor, Hodgs.

Trochalopteron, p., Jerd.

1011. PTEROCYCLUS, G. R. Gr. 1846.

G. of B. i. p. 226, pl. 57, f. 3; Reich, S. A. t. 55, f.

Amoy. 4163. sannio, Swinh. Assam. 4164. uropygialis, Cab. pectoralis, p., Jerd. Moulmein. 4165. strepitans, Tick. Tenasserim. 4166. poliogenys, Bl. Sumatra. 4167. rubiginosus, Bl. 4168. poliocephalus, Bl. b. Ianthocincla, Gould. 1040. G. of B. i. pl. 57. f. 1, 2. Nepal, Sikkim. 4169. ocellatus, Vig.; Gould, C. B. pl. 15. Himalaya. 4170. rufigularis, Gould. rufimenta, Hodgs. S.E. Himalaya. 41". cærulatus, Hodgs. Himalaya. 4172. ruficollis, Jard. & S. I. O. pl. 21. lunaris, M. Clell. 4173. mitratus, Müll. Tijdschr. v. Nat. 1835, t. 5. 3. Sumatra. I. of Formosa. 4174. pœcilorhynchus, Gould, B. As. pl. c. Thamnocataphus, Tick. 1849. 1041. Darjeeling. 4175. picatus, Tick. d. Gampsorhynchus, Bl. 1844. 1042. Mesogenea, Hodgs. MS. Thamnocataphus, p., Tick. Nepal. 4176. rufulus, Bl. Sikkim. senilis, Tick. 1043. TROCHALOPTERON, Hodgs. 1844. Trochalopterum, Agass. G. of B. i. p. 225; Reich. S. A. t. 55. f. . Darjeeling. 4177. squamatum, Gould; Jard. & S. I. O. pl. 4. melanura, Hodgs. S.E. Himalaya. 4178. phœniceum, Gould, I. A. pl.

#### a. Pterocyclus.

4180. erythrocephalus, Vig.; Gould, C. B. pl. 17. N.W. Himalaya.

4181. variegatus, Vig.; Gould, C. B. pl. 18. Nepal, Simla. Abeillei, Less.

4182. chrysopterus, Gould. Himalayas. erythropterus, Hodgs.

4183. affinis, Hodgs. S.E.Himalaya.

4184. cachinnans, Jerd. Madr. Journ. 1839, pl. 13. Nielgherries. Lafresnayi, Del.; Delesserti, Lafr.

4185. Fairbanki, Blanf. I. As. S. B. 1869, pl. 17<sup>a</sup>. S. India.

4186. setifer, Hodgs. Nepal, Bootan. imbricatus, Bl.; lineatus, p., Ep.

4187. lineatus, Vig. Sikkim, Nepal.

4188. gularis, M<sup>\*</sup>Clell.; Gould, B. As. pl. Khasia Hills.

4191. merulinus, Bl. Darjeeling?

4192. melanostigmus, Bl. Tenasserim.

**1045.** b. "Leucodioptron, Schiff.," Bp. 1853.

4193. cancrus, L.; Edw, B. pl. 184; Albin, B. iii. pl. 19; Briss. China. sinensis et faustus, L.

4194. taivanus, Swinhoe. I. of Formosa.

1046. ACTINODURA, Gould, 1836.

Leioeincla, Bl. 1843. Ixops, Hodgs. 1843. Actinura et Lioeincla, Agass. G. of B. i. p. 226, pl. 57. f. 9; Reich, S. A. t. 55, f.

4195. Egertoni, Gould; Fras. Z. T. pl.; Gould, B. As. pl. Nepal, Darjeel. plumosa, Gould; ruffirons, Hodgs.

4196. nipalensis, Gould, B. As. pl. S.E. Himalaya.

1047. PELLORNEUM, Sw. 1831.

Cinelidia, Gould, 1837, nec Hübn. 1816. Hemipteron, Hodgs. 1844.

Sw. C. of B. f. 210; G. of B. i. p. 227, pl. 57, f. 8; Reich, S. A. t. 53, f.

4197. ruficeps, Sw. India.
dumeticola. Tick.; punctata, Gould. Nepal.
olivaceum, Jerd.?

4198. fuscocapillum, Bl.

4199. Tickellii, Bl.

Ceylon.

Tenasserim.

1048. TURNAGRA, Less. 1837.

Keropia, G. R. Gr. 1840. Ceropia, Agass. Otagon, Bp. 1850. Sturnagra, Bl.

G. of B. i. p. 227, pl. 57. f. 12; Reich. S. A. t. 55. f.

a. Turnagra.

4200. turdus, Forst.; Voy. l'Astrol. t. 7. 1. crassirostris, Gm.; capensis, Sparrm.

N. Zeal., S. Isl.

malaria, Quoy & G.; ferruginea, V.?

4201. tanagra, Schl.

New Zealand.

4202. Hectori, Buller.

N. Zcal., N. Isl.

10-19. b. Grammatoptila, Reich. 1850.

Keropia, Bp. 1850, et p. G. R. Gr. Kittasoma, Bl. 1855.

Reich. S. A. t. 85. f.

4203. striata, Vig.; Gould, C. B. pl. 37.

N. India.

1050. PSOPHODES, Vig. & H. 1826.

Timalia, p., et Phosphodes, Sw. 1837. Timalia, p., Sw. G. ef B. i. p. 128, pl. 38. f. 6; Reich. S. A. t. 35. f.

4204. crepitans, Lath.; Jurd. & S. I. O. pl. 60; Gould, B. A. iii, pl. 15. S.E. Australia.

auritus et olivaeeus, Lath. gularis, Wagl.; Abeillei, Less.

4205. nigrogularis, Gould, B. A. iii. pl. 16.

W. Australia.

# FAM. X. DICRURIDÆ, Bl. 1849.

Subfam. I. Dicrurinæ, Sw. 1837.

Dicrurina, Vig. 1825. Edolianæ, p., et Oriolinæ, p., 1831, Sw. Dicrourinæ et Pyenonotinæ, p., Cab. 1847.

1051. DICRURUS, V. 1816.

Bhuchanga, *Hodgs*. 1837. Dicrourus, *Glog*. 1842.

Balicassius, Bp. 1854.

Sw. C. of B, f. 204; G. of B, i. p. 287.

a, Dicrurus.

4206. balicassius, L.; P. E. 603.

viridescens. Gould; furcatus, Wagl. afer. Licht.

Philippine 1.

India, Nepal.

Ceylon. Assam, Burmah.

HAND-LIST OF BIRDS.	
4207. annectans, Hodgs.	
bhuthang, $Hodys.$ ; affinis $et$ balicassius, $Bl.$ furcatus, $Bp.$	Assam, Burmah. Malacca.
4208. ambcinensis, G. R. Gr.	${\bf Amboin., Ceram.}$
4200. bracteatus, Gould, B. A. ii. pl. 82. bulicassius, $Vig. \oint H$ .	New S. Wales. N. Australia.
4210. carbonarius, Müll.	N. Guin., Waig., Mysol.
4211. assimilis, G. R. Gr.	Aru.
4212. bimaensis, Tem.	Cele., Sumbava, Lomb., Flores.
4213. densus, Tem. balicassius, Müll.	Timor.
4214. pectoralis, Wall.	Sula.
4215. cæruleus, Müll.; Lev. O. A. t. 172. cærulescens, Lath.; fingalı, Shaw.	India.
4216. leucophæus, V.; Lev. O. A. t. 170. ccylonensis, Steph.; cincraceus, Bl. cincreus, Bl.	Ccylon? Malacca.
4217. furcatus, <i>Gm.</i> leucopygialis, <i>Bl.</i>	.,
4218. leucogenis, Wald.	Pinang.
4219. megalornis, G. R. Gr.	Kei.
4220. atrocæruleus, G. R. Gr.	Batch., Gilolo, Celebes.
4221. picinus, Müll.	Sumatra.
4222. andamanensis, Tytl.	Andamans.
4223. lophorinus, V.; Lev. O. A. t. 173. edoliformis, Bl.; balicassius, p., Lath.	Ceylon.
4224. leucops, Wald.	Celebes.
4225. leucogaster, V.; Lev. O. A. t. 171. albiventer, Sleph.	Java.
4226. comice, Less. cincraceus, var., Less.	New Ireland.
<b>1052.</b> b. ——? Dierourus, <i>Bp.</i> 1854.	
4227. albirictus, Hodgs, As. Res. xviii. pl. macroccreus, Bl.; balicassius, p., Lath. balicassius, Sykes.	India, Nepal. Ceylon, Assam. Burmah.

4228. longicaudatus, Hay.

macrocercus, Jerd.; pyrrhops, Hodgs. cineraceus, G. R. Gr.; intermedius, Bl.

4229. macrocercus, V.; Lev. O. A. t. 174.

longus, Tem.; biloba, Licht. forficatus, Horsf.

4230. Waldeni, Poll. & V. D. F. de Madag. t. 23.

Mayotte.

Java.

forficatus, Sclat.? 4231. himalayanus, Tytl. Waldeni, Beav.?

Himalayas.

1053. c. Musicus, Reich, 1850.

Dierourus, Cab. 1851. Reich, S. A. t. 88, f.

4232. musicus, V.; Lev. O. A. t. 167. emarginata, Licht.

S. Africa.

4233. modestus, Hartl. Abh. d. Naturw. Ver. in Hamb. t. 4.

ashantensis, Tem.

W. Africa.

4234. atripennis, Sw.

4235. coracinus, Verr.

Gaboon. W. Africa.

4236. divaricatus, *Licht*.

canipennis, *Sw.*; mystaceus, p., *Bp*.

fugax, *Poters*.

Tette, Inhambane. Abyssinia.

4237. lugubris, Ehrenb. Sym. Phys. t. 8. 3. divaricatus, p., Hartl.
4238. ? mystaceus, V.; Lev. O. A. t. 169.

S. Africa.

1054. d. Edolius, Cuv. 1817.

Drongus, Rafinq. 1815? Drongo, Reich. 1850. Lanius, L. 1766. Hedolius, Agass. Reich. S. A. t. 81, f.

4239. forficatus, L.; P. E. 189; Lev. O. A. t. 166; Gal. des Ois. t. 141? cristatus, V.

Madagascar. Zambesi.

1055. c. Dissemurus, Glog. 1842.

Edolius, Sundev. 1835. G. of B. i. pl. 70. f. 5; Reich, S. A. t. 88, f.

4240. malabaricus, Lath.; Sonn. Voy. t. 111.

platurus, p., V.; cristatellus, Bl. grandis, Horsf.

India, Malabar. Tenasserim. Moalmaza.

4241. brachyphorus, Tom.; Schl. Handb. Dierk. t. 2, 24. brachypterus, Schl.

Borneo.
India, Himala.

4242. malabaroides, Hodgs.; Lath. Hist. B. pl. 108. grandis, Gould; malabaricus, p., Lath. retifer et paradiscus, Jerd.; paradiscus, var., Bl. orisse et dentirostris, Bl.; bengalensis, Hay?

Tenasserim. Assam, Burmah.

4243. formosus, Cab.

Java, Banda.

4244. singularis, n. sp.?

Malabar.

4245. platurus, V.; Lev. O. A. t. 175.

setifer (retifer), *Tem.*; malabarieus, *Cuv* paradiseus, p., *Bl.* malayensis, *Bl.* 

Java.

4246. paradiseus, L.

malabarieus, p., Lath.; platurus, p., V. rangoonensis, Gould; Jard. & S. I. O. pl. 38.

Malacea. Siam.

4247. affinis, Tytl.

Burmah.

Andamans.

**1056.** f. Dicranostreptus, Reich. 1850. Reich. S. A. t. 88. f.

4248. megarhynchus, Quoy & G. Voy. Astrol. t. 6. mezorhynchus, Jerd. New Guinea. New Ireland.

1057. BHRINGA, 1837,

ct Melisseus, 1841, Hodgs.
 G. of B. i. p. 287, pl. 70. f. 2; Reich. S. A. t. 88. f.

4249. remifer, Tem. P. C. 178. malabarieus, p., Less.

Java, Sumatra.

4250. tectirostris, Hodgs. remifer, p., Hodgs.; rangoonsis, Horsf.

Himalayas.
Assam, Burmah,
Tenas., Malay.

1058. CHIBIA, 1837,

ct Cometes, 1841, Hodgs. Criniger, Tick.
Trichometopus, Cab. 1851. Corvus, p., L. 1766.
G. of B. i. p. 287, pl. 70. f. 6; Reich. S. A. t. 88. f.

4251. hottentottus, L.; P. E. 226? barbatus, Gr.; Crishna, Gould. splendens, Tick.; easia, Hodgs. eriniger, Jerd. India, Himala. Assam.

4252. brevirostris, Cab.

China.

1059. CHAPTIA, 1837.

4253. ænea, V.; Lev. O. A. t. 176.

et Propopterus, 1841, Hodgs. G. of B. i. p. 287, pl. 70. f. 7; Reich. S. A. t. 88. f.

æratus, *Steph*. museipetoides, *Hodgs*. Bengal. Malabar coast. Himalayas.

4254. malayensis, Hay.

Malaeea.

4255. brauniana, Swinhoe.

I. of Formosa.

1060. MELÆNORNIS, G. R. Gr. 1840.

Melasoma, Sw. 1837. Bradyornis, p., Sundev. 1850.

Sw. C. of B. f. 204, d; G. of B. i. p. 288, pl. 70, f. 4; Reich, S. A. t. 88, f.

#### a. Melenornis.

4256. edolioides, Sw. B. of W. Afr. pl. 29.

W. Africa.

4257. Ludwigii, Smith, I. S. Afr. Z. pl. 34.

S. Africa.

1061. b. Melanopepla, Cab. 1850. Bradyornis, p., Sunder, 1850.

4258. pammelæna, Stanl. atronitens, Licht.; pammelina, Horsf. & M. lugubris, Müll. melas, Heugl.; nigerrima, Würt.

Africa.

1062. c. Bradornis, Smith, 1847. Bradyornis, Sundev. 1850.

4259. mariquensis, Smith, I. S. A. Z. pl. 113.

S. Africa.

4260, major, Smith. 4261. ? simplex, Sunder.

edoloides, p., Cab.

Caffroria.

4262. choeolatina, Rüpp. S. U. t. 14. fumigata, Guér.; pallida, Müll.

N.E. Africa.

d. Sigelus, Cab. 1850. 1063. Bradyornis, p., Hartl. 1859.

4263. silens, Shaw; Lev. O. A. t. 74. leucomelas et vittatus, Sundev. incompta, Licht.

S. Africa.

4264. senegalensis, Hartl.

W. Africa.

4265, tænioptera, Sunder. silens, p.?

S. Africa.

# Subfam, II, Ireninæ, G. R. Gr.

# 1064. IRENA, Horsf. 1820.

Irene, Boie, 1826. G. of B. i. p. 288, pl. 70, f. 3; Reich, S. A. t. 53, f. . .

4266. puella, Lath. indica, Hay.

India. Tenasser., Siam.

4267. malayensis, Horsf. Zool. Res. pl.; P. C. 70, 225, 426. puella, Horsf.; cyanea, Begbie.

Java, Sumatra. Malacca.

4268, cyanogastra, Vig.; G. R. Gr. & M. G. B. pl. 70.

Philippine I.

# FAM. XI. ARTAMIDÆ, Bl. 1849.

# Subfam. 1, Artaminæ, Bp. 1850.

Oriolina, p., Cab. 1847.

Dierurina, p., Vig. 1825. Dierurina, p., Sw. 1837.

### 1065. ARTAMUS, F. 1816.

Ocypterus et Oxipterus, Cuv. 1817.

Leptopteryx, Horsf.

Sw. C. of B. f. 204, b. c; G. of B. i. p. 285, pl. 70, f. 1; Reich, S. A. t. 88, f.

#### a. Artamus.

4269. leucorhynchos, Gm.; P. E. 9. 1; V. Gal. des Ois, t. 144. Philippine I. melaleuca, Wagl.; dominicanus, Gm.

4270. fuscus, V.; Ann. du Mus. iv. t. 7. 1. rufiventer, Valenc.; leucorhynchus, Jerd.

India.

4271. perspicillatus, Tem.

Timor.

4272. monachus, Tem.

Celebes, Sula.

4273. leucogaster, Valene, Ann. du Mus. iv. t. 7, 2; Kittl. Kupf, Vög. t. 30, 1, leucorhynchus, Horsf.

Java, Moluceas. Timor.

4274. sordidus, Lath.; Ann. du Mus. iv. t. 8, 2; Kittl. Kupf. Vög. t. 30, 2; Gould, B. A. ü. pl. 27, tenebrosus, Lath.; albovittatus, Cuv. lineatus, V.

Australia. Tasmania.

4275. cinereus, V.; Ann. du Mus. iv. t. 9, 2; Gould, B. A. ii. pl. 29.

W. & N. Australia, Timor.

4276. albiventris, Gould, B. A. ii. pl. 30.

N. Australia.

4277. personatus, Gould, B. A. ii. pl. 31. 4278. superciliosus, Gould, B. A. ii. pl. 32. S. & W. Austral. New S. Wales, S.

4279. leucopygialis, Gould, B. A. ii. pl. 33.

Australia. New S. Wales, S. & N. Australia. New Caledonia.

4280. melancleucus, Forst. Berardi, Bp. ?; leucorhynchus, p., G. R. Gr. melaleuca, p., Wagl.

Fiji Islands.

4281. mentalis, Jard.; Ann. & Mag. N. H. 1845, pl. 8; Voy. Pôle Sud, t. 9, 1, vitiensis, Homb. & Jacq.

. .........

4282. papuensis, Tem.

New Guin., Aru, Mys., Timor. Int. of Australia.

4283. melanops, Gould.
4284. Arnouxi, Bp.

New Caledonia.

ι

#### 1066.

b. ---

Oxypterus, Bp. 1854. Reich. S. A. t. 88. f.

4285. minor, V.; Ann. du Mus. iv. t. 9. 1; Gould, B. A. ii. pl. 28. fuscatus, Valenc.

New S. Wales. Timor, Molue.

### 1062.

c = ?

Leptopterus, Bp. 1854. Artamia, p., Schl. & Poll.

4286. chabert!, Müll.; P.E. 32. 2; Poll. & V.D. F. de Madag. t. 27. 1. Madagascar.

violaceus, Bodd.; viridis, Gm. hirundinaceus, Sw.?

#### 1068.

d. ---?

Artamia, Lafr. nec I. Geoffr. 1832. Leptopteryx, p., Wagl.

4287. viridis, Müll.; P. E. 374. leucocephalos, Gm.

4288. rufus, L.; P. E. 298. 2; Poll. & V. D. F. de Madag. t. 26. leucocephala  $\mathfrak{P}$ , Bp.

### 1069.

e. Cyanolanius, Bp. 1854.

4289. bicolor, L.; P. E. 298. 1; Poll. & V. D. F. de Madag. t. 24. 1-4. madagascarina, L.

### 1020.

f. Anais, Less. 1840.

G. of B. i. p. 286. 4290. Clemenciæ, Less.

Borneo (?)

# 1071. ORIOLIA, I. Geoffr. 1838.

Artamia, p., Schl. & Poll.

G. of B, i, p. 233, pl. 58. f. 4; Reich, S. A, t. 56. f. .

4291. Bernieri, I. Geoffr. Mag. de Zool. 1839, t. 4; Poll. & V. D. F. de Madag. t. 25. Madagascar.

#### 1072. PSEUDOCHELIDON, Hartl. 1861.

4292. eurystomina, Hartl.; Ibis, 1861, pl. 11.

W. Africa.

### 1073. ANALCIPUS, Sw. 1831.

Artamia, I. Geoffr. 1832. Philocarpus, Müll. 1835. Psarophalus, Jard. & S. 1839. Analciopus, Agass. Erythrolanius, Less. 1840. Oriolus, p., G. R. Gr.

Sw. C. of B. f. 203; S. A. f.

4293. sanguinolentus, Tem. P. C. 499. Java. Sumatra. cruenta, Wagl.; rubripectus, Less. Borneo.

4294. Traillii, Viq.; Gould, C. B. pl. 35. Himalaya. I. of Formosa.

4295. ardens, Swinh. Ibis, 1862. pl. 13.

# FAM. XII. ORIOLIDÆ, Boie, 1826.

# Subfam. I. Oriolinæ, Sw. 1831.

Oriolina, Vig.

### 1074. SPHECOTHERES, V. 1816.

Sphecotera, 1816, et Sphecothera, 1825, V. Pienorhamphus, v. Rosenb. 1866.

G, of B, i, p. 231, pl. 58, f. 3; Reich, S, A, t. 56, f.

4296. viridis, V.; Quoy & G.Voy. Uran. t. 21; Gal. des Ols. t. 147. Timor. grisea, p., Less.; asturinus, p., Geoffr.; virescens, V.

4297. maxillaris, Lath.; Jard. & S. I. O. pl. 79; Gould, B. A. iv. pl. 15.

virescens, Jard. & S.; viridis et Viellotii, Vig. & H. australis et canicollis, Sw.

asturinus, Geoffr.; grisea, Less.

4298. flaviventris, Gould, B. A. suppl. pl. cucullatus, v. Rosenb.

Australia.

New S. Wales.

# 1075. ORIOLUS, L. 1766.

Turdus, L. 1748. Coracias, L. Galbula, Scop. 1777. Oriolus, p., Lath. 1794. G. of B. i. p. 231.

a. Oriolts.

4299. galbula, L.; P. E. 26; Naum. Vog. t. 61; Gould, B. E. pl. 71.

oriolus, Seop.

C. & S. Europe. W.&S.Af.,Mad.. Egypt & Nubia. India.

4300. kundoo, Sykes.

galbula, Sykes; aureus, Jerd. galbuloïdes, Gould.

1076.

b. ---- ?

Galbula, *Bp.* 1854.

4301. auratus, V.; Lev. O. A. t. 260; V. Gal. des Ois. t. 83. S. & W. Africa. bicolor, Tem.; chryscos, Hengl. icterus, Würt.

4302. notatus, Peters.

Tette.

1077. c. Broderipus, Bp. 1854.

Euchlorites, Heine, 1859. Oriolus, c. Hippocrepides, Bp. G. of B. i. pl. 58, f. 2; Reich, S. A. t. 56, f.

4303. Broderipi, Bp. Pr. Z. S. 1850, pl. 18. refulgens. Bp.: sumbawensis. Schl. Sumbava. Lombock.Flores. U2

202	HAND-LIST OF BIRDS.	
coronatus,	repis, Wagl.; P. E. 570. Sw.; eochinchinensis, Horsf. , Heine; chinensis, p., Cab.	Java, Sumatra.
4305. chinen aerorhynel	sis, L.; G. R. Gr. & M. G. B. pl. 58. nus, Vig.	Manilla.
4306. macrou	irus, Bl.	Nicobars.
	s, Jerd. I. In. O. pl. Jerd.; maculatus, V.	India, Tenasser.  I. of For., China.
4308. tenuiro	stris, Bl.	Burmah.
4309. frontal:	is, Wall. Pr. Z. S. 1862, pl. 40.	Sula.
4310. ? Horsfie galbula, <i>H</i>	oldii, Bp. forsf.; indicus, p., Heine; chinensis, p., Cab.	Java.
4311. andamar Horsfieldi		Andamans.
1078.	d. Baruffius, Bp. 1854.	
4312. <b>interm</b> Baruffii, <i>E</i>		W. Africa.
4313. moloxi monachus	<b>ta,</b> Rüpp. F. A. t. 12. 1. p., Cab.	E. Africa.
coudougns monachus melanocep	ns, Licht.; Lev. O. A. t. 261. m. Tem.; capensis, Sw. Wagl.; radiatus, Gm.? hlalus, var., V. ius, Burch.?	S. Africa.
4315, nigripe	ennis, Verr.	W. Afr., Gaboon
4316. brachyrl	ynchus, Sw.	W. Africa.
4317. monachi	is, Gm.	
4318. personat larvatus, p	us. Heugl.  o., Heugl.; brachyrhynchus, Schl.	N.E. Africa.
1079.	e. ——?	
madarasp	ocephalus, L.; P. E. 79. atanus, Frankl. Tick.; Hodgsoni, Sw. ?	Bengal, Nepal.
4320. ceylon melanocep	ensis, <i>Bp.</i> ohalus, <i>Bl.</i>	Ceylon. Malabar.
4321. philippe	ensis, Gr.	Philippine I.
1080.	f. Xanthonotus, Bp. 1854.	
4322, xanthe	onotus, Horsf. Zool. Res. Jav. pl.; P. C. 214.	Java.

leucogaster. Reinw.: castanopterus, Bl.

1081. g. Mimeta, Vig. & Horsf. 1826.

Mimetes, King, 1827. Oriolus, p., Sw.

4323. viridis, Lath.; Jard. & S. I. O. pl. 61; Gould, B. A. iv.

pl. 13. sagittata, *Lath.*; variegatus, *V*.

New S. Wales.

meruloïdes, Vig. & H.

N. Australia.

4324. flavocinctus, Vig. & H.; Gould, B. A. iv. pl. 14.

4325. Mülleri, Bp. viridissimus. Tem.

New Guinea. Aru, Timor.

4326. striatus, Quoy & G. Voy. Astrol. t. 9. 2. melanotis, Müll. New Guinca. Waigiou, Mysol.

4327. variegatus, Cuv.

viridifusca, Heine.
4328. virescens. Tem.

Timor.

chloris, Müll.

4329. phæochromus, G. R. Gr.

E. Gilolo.

4330. affinis, Gould.

Port Essington.

4331. Forsteni, Bp.

Ceram.

1082. h. Xan

h. Xanthomelus, Вр. 1854.

Oriolus, p., Sw.

4332. aureus, L.; Edw. B. pl. 112; V. O. D. t. 11. 10.

flavofulva, L.; aurantiaca, Shaw. paradiseus, Sw.

New Guinea. Waigiou.

Subfam. II. Ptilonorhynchinæ, G. R. Gr. 1846. Coraciana, p., Viq. 1825.

1083. SERICULUS, Sw. 1825.

G, of B, i, p. 232, pl. 58, f. 1; Reich, S, A, t. 56, f,

4333, melinus, Lath.; Lewin, B. N. H. pl. 1; Gould, B. A. iv. pl. 12.

New S, Wales.

chrysocephala, Lewin; regens, Wagl. regius, Tem.; magnirostris, Gould; mellinus, Cab.

atricapilla, Lath.

Australia.

4334. Rawnsleyi, Diggles, Austr. Orn. pl. .

### 1084. PTILONORHYNCHUS, Kuhl, 1820.

Ptelenorhynelius, Tem. 1822. Kitta, Less. 1828.

Ptylonorhynchus, Boie.

Ptilorhynchus, Cab. 1847.

Sw. C. of B. f. 17, 241; G. of B. ii, p. 324, pl. 80, f. 7; Reich. S. A. t. 56, f.

#### a. Ptilonorhyneaus.

4335. holosericeus, Kuhl; P.C. 395, 422; Gould, B.A. iv. pl. 10. New S. Wales. squamulosus, Ill.; violaceus, V. MacLeayii, Lath.

#### 105.7. b. Ailuroedus, Cab. 1851.

Allureodus, Bp. 1853. Chlorokitta, Kaup.

4336. crassirostris, Payk. N. Act. Ac. Upsal, 1815, vii. t. 10; P. C. 396; Gould, B. A. iv. pl. Smithii, Vig. & H.; viridis, V. virescens, Tem.

4337. buccoïdes, Tem. P. C. 575.

N. Guin., Salwat.

4338. melanotis, G. R. Gr.

Aru I.

#### 1086. CHLAMYDERA, Gould, 1840.

Calodera, Gould, 1836, nec Naum. 1830. Callidera et Chlamydodera, Agass. G. of B. ii, p. 325, pl. 80, f. 3; Reich. S. A. t. 56, f.

4339. nuchalis, Jard. & S. I. O. pl. 103; Gould, B. A. iv. pl. 9. N. Australia.

4340. maculata, Gould, B. A. iv. pl. 8.

E. co. of Austra., S. Australia. N.W. Australia.

4341. guttata, Gould, B. A. suppl. pl.

4342. cerviniventris, Gould, B. A. suppl. pl.

Cape York.

# FAM. XIII. **PITTIDÆ**, Bp. 1850.

Brachvuridæ, Bl. 1849.

# Subfam, I. Pittinæ, Bp. 1850.

Hypoenemidinæ, Cab. 1847.

#### 1052. PITTA, F. 1816.

Turdus, p., Ill. 1811. Citta, Wayl. 1827.Myothera, Cuv. 1817. Coloburis, Cab. & H. 1859. Brachvurus, Thunb, 1821, et Bp. 1850, nec Fisch, 1814. Sw. C. of B. f. 127; G. of B. i. p. 213; Reich. S. A. t. 52, f.

#### a. Pitta.

4343. coronata, Müll.; P. E. 258.

"brachyura, L.," Cab.; bengalensis, Gm. brachyura, Tem.; abdominalis, Wagl. triostegus, Sparrm. M. C. t. 84.

Moluccas. Timor?

4344 moluccensis, Müll.; Schl. Vog. Ned. Ind. t. 4. 1. evanoptera, Tem. P. C. 218; malaccensis, Bl. macrourus fasciatus, Bodd. ?; P. E. 257. hippocrepis, Wagl.

Java, Sumatra.

Borneo.

4345. concinna, Gould; Mag. de Zool. 1857, t. 11; Schl. Vog. Ned. Ind. t. 3. 1. Mathildæ, Verr.; Vigorsii, Bp.

Lombock, Flores. Sumbawa.

4346. Vigorsii, Gould, B. A. iv. pl. 2; Schl. Vog. Ned. Ind. t. 3. 4. brachyura, Viq.

Australia.

4347. strepitans, Tem. P. C. 333. versicolor, Sw.

Sula Islands.

4348. crassirostris, Wall. irena?, Elliot.

W. Africa.

4349. angolensis, V.; Des Murs, I. O. t. 46. pulik, Fras.

4350. malaccensis, Scop.; Sonn. Voy. t. 110. superciliaris, Waql.

India.

 maculata, Tem. malaccensis, var., Schl.

4352. brachyura, Gm.; P. E. 591; Sehl. Vog. Ned Ind. t. 3. 2, 3.

Timor.

4353. nympha, Schl. F. J. t. suppl. A.

irena, Tem. & Schl.; elegans, Tem.

Japan.

4354. megarhyncha, Schl. De Dierk. fig. p. 131; id. Vog. Ned. Ind. t. 4, 2.

Bangka. I. of Formosa.

4355. oreas, Swinh.
4356. simillima, Gould.

 $Cape\ York.$ 

1088. b. Melanopitta, Bp. 1854.

4357. cucullata, Hartl. Ann. N. H. 1844, pl. 20. rhodogastra, Hodgs.; nigricollis, Bl. malaccensis, Müll. & Schl. Malaeca. Nepal.

4358. novæ guineæ, Schl. Vog. Ned. Ind. t. 2. 4. atricapilla, Quoy & G. Voy. Astrol. t. 8. 3.

New Guinea. Aru, Salwatti.

4359. sordida, Müll.; P. E. 89; Schl. Vog. Ned. Ind. t. 2. 3, 4. atricapilla, Cuv.; philippensis, V. melanocephala, Wagl.; brevicauda, Bodd.

Philippine I. Timor, Borneo.

macrorhyncha, Gr. 4360. sanghirana, Schl.

I. of Sanghir.

4361. papuensis, Schl.

New Guinea.

4362. leucoptera, Elliot. atricapilla, p. ?, Elliot. Ceylon (?).

4363. Forsteni, Müll.; Schl. Bijdr. tot de Dierk. 1854, t. 2; id. Vog. Ned. Ind. t. 2, 1. melanocephala, Forst.

Celebes.

4364. Mülleri, Bp.; Elliot, Pittidø, pl. 26. atricapilla, Müll. & Schl.; Muelleri, Cab. & H.

Amboina.

4365, bangkana, Schl. Vog. Ned. Ind. t. 2, 5,

Bangka.

1059. e. Hydrornis, Hodgs.

Heleornis, 1844, et Paludicola, 1837 (nec Wagl, 1830), Hodgs, Brachyurus, p., 1850, et Gigantipitta, 1854, Ep.

4366. nipalensis, Hodgs.; Gould, B. As. pl. nuchalis, B1.

S.E. Himalaya.

4367. cyanea, Bl.; G. R.Gr. & M.G. B. pl. 55; Govld, B. As. pl. Himalayas. nipalensis, juv. ?, Bl.; gigas, Bl.

4368. cærulea, Raffl.; P. C. 217. gigas, Tem.

Java, Sumatra.

4369. maxima, Forst.; Schl. Voy. Ned. Ind. t. 1. 4; Bijdr. tot de Dierk. 1854, t. 1; Sehl, Handl, Dierk, t. 11, 21.

Gilolo, Batchian.

1090. d. Phienicocichla, Cab. & H. 1859.

4370. granatina, Tem. P. C. 506. coccinea, Eyton.

Borneo.

1091. e. Eucichla, Reich. 1850.

Pitta, 1850, et Eucycla, 1854, Bp. G. of B. i. pl. 55, f. 3; Reich. S. A. t. 52, f.

4371. guajana, Müll.; P. E. 355; V. Gal. des Ois. t. 153; Schl. Vog. Ned. Ind. t. 6, 1, 2, 3. cyanurus, Gm.; affinis, Horsf.

Malacca. Java.

4372. elegans, Tem.; Voy. Bon. t. 3; Schl. Vog. Ned. Ind. t. 6. 5. Sumatra. irena, Tem.; Boschi, Müll. & Schl. "hyans," Jerd.

Malacca.

4373. Schwaneri, Tem.; Schl. Vog. Ned. Ind. t. 6. 4; Gould, B. As. pl.

Borneo.

f. Iridipitta, Bp. 1854. 1092.

4374. **Baudii**, Müll. & Schl. Verh. Nat. Gesch. t. 2; id. Vog. Ned. Ind. t. 5, 1, 2.

4375. iris, Gould, B. A. iv. pl. 3.

N. Australia.

 Екутикоритта, Вр. 1854. 1093.

4376. Macklotii, Tem. P. C. 547; Schl. Vog. Ned. Ind. t. 4. 3; N.Gui., Aru, Sal., N.E. Aus. Diggles, Orn. Austr. pl. ?

4377. celebensis, Forst.; Sehl. Vog. Ned. Ind. t. 4. 4. Celebes. Forsteni, Tem.

4378. erythrogaster, Cuv.; P. C. 212.

Philippine 1.

4379. venusta, Müll.; P. C. 590.

Sumatra.

4380. cyanonota, G. R. Gr.; Elliot, Pittidæ, pl. 20.

Ternate.

4381. rufiventris, Heine; Elliot, Pittidæ, pl. 19.

Batchian.

inornata, G. R. Gr.

Gilolo.

4382. rubrinucha, Wall.; Elliot, Pittidæ, pl. 18.

Boura.

### 1094. PHILEPITTA, I. Geoffr. 1838.

Brissonia, *Hartl.* 1861. Buddinghia, *Poll. MS*. *G. of B.* i. p. 214, pl. 55, f. 4; *Reich. S. A.* t. 56, f.

4383. castanea, Müll.; P. E. 539, 2; Schl. & Poll. F. de Madag. t. 31, 1, 2, 3.

Madagascar.

jala, Bodd.; nigerrimus, Gm.; saui jala, Lath. sericea, I. Geoff. Mag. de Zool. 1830, t. 8; Des Murs, I. O. t. 32. Geoffroyi, Des Murs, I. O. 33.

Geoffroyi, *Des Murs, I. O.* 33. Isidori, *Des Murs* ; aterrima, *Hartl*.

4384. Schlegeli, Poll. F. de Madag. t. 32.

N.E. Madagase.

# FAM. XIV. FORMICARIIDÆ, Sclat. 1858.

Myiotheridæ, Boie, 1826. Eriodoridæ, 1847, et Hypocnemididæ, 1859, Cab.

# Subfam. I. Formicariinæ, G. R. Gr. 1840.

Myiotherinæ, Sw. 1831. et Cab. 1847. Hypocnemidinæ, Cab. 1847.

#### 1005. GRALLARIA, J. 1816.

Myioturdus, 1826, ct Myiotrichas, 1831, Boic. Colobathris, Glog. 1842. G. of B. i. p. 212, pl. 55, f. 13; Reich. S. A. t. 52, f.

#### a. Grallaria.

4385. **varia**, Bodd.; P. E. 702; V. Gal. des Ois. t. 154. rex. Gm.; grallarius, Lath.; fusca, V.

Cayenne.

4386. imperator, Lafr.

rex, Max.; grallaria, Licht.; imperatrix, Cab. & H.

4387. guatimalensis, Prev. Voy. Venus, t. 2.

4388. squamigera, Prev. Voy. Venus, t. 1.

4389. modesta, Selat. Pr. Z. S. 1855, pl. 94,

4390. menticola, Lafr.; Des Murs, I. O. t. 53.

4391. perspicillata, Lawr.

4392. hypoleuca, Sclat.

4393. gigantea, Laur.

4394. macularia, Tem.

4395. ochroleuca. Max.

•

S.E. Brazil.

Guatemala.

New Granada.

.,

Panama.

New Granada.

Ecuador.

British Guiana.

S.E. Brazil, E. Ecuador.

4396. fulviventris, Sclat.	Rio Napo.
4397. quitensis, Less.	Quito.
4398. mexicana, Sclat. guatemalensis, p., Sclat.	S. Mexico.
4399. nuchalis, Sclat.	Rio Napo.
4400. regulus, Sclat.	Ecuador.
4401. dives, Salv.	Costa Rica.
4402. fuscatra, $Lafr$ .	Bogota.
1096. b. Codonistris, Glog. 1842. Grallaria, p., Sclat.	
4403. brevicauda, Bodd.; P. E. 706. 1. tinniens, Gm.	Cayenne. Ecu., Rio Napo.
1097. c. Grallaricula, Sclat. 1858. Pr. Z. S. 1858, f. 2, p. 283.	
4404. flavirostris, Sclat.	Ecuad., N. Gran.
4405. <b>nana</b> , <i>Lafr</i> .	New Granada.
4406. loricata, Solat.	Venezuela.
4407. ferrugineipectus, Sclat.	**
4408. costariensis, Lawr.	Costa Rica.
1008. d. Hypsibemon, Cab. 1847. Hipsibemon, Bp. 1850. Grallaria, p., Sclat. Reich, S. A. t. 52. f.	
4409. ruficapilla, Lafr.	N. Gran., Ecuad.
4410. rufula, Lafr.	New Granada.
<ul><li>1410. rufula, Lafr.</li><li>1099. е. Ріттакома, Cass. 1860.</li></ul>	New Granada.
	New Granada. Panama.
<b>1099.</b> е. Ріттакома, Cass. 1860.	
1099. е. Ріттакома, Cass. 1860. 4411. Michleri, Cass. Pr. Ac. Phil. 1864, pl. 3. 1100. f. Снамæza, Vig. 1825. Chemæza, Less. 1839. Chamæzosa, Cab. 1847.	
1099. e. Pittasoma, Cass. 1860.  4411. Michleri, Cass. Pr. Ac. Phil. 1864, pl. 3.  1100. f. Chamæza, Vig. 1825. Chemæza, Less. 1839. Chamæzosa, Cab. 1847. Reich. S. A. t. 52. f.  4412. campanisona, Licht.; Jard. § S. I. O. pl. 11. brevicaudus, V.; Mém. Ac. S. N. St. Pétersb. 1835, t. 1; meruloïdes, Vig.	Panama.

4415. molissima, Selut. Pr. Z. S. 1855. pl. 96.

New Granada.

4116. turdina, Cab. & II.

4417. ruficauda, Cab. & H.

Columbia.

1101. FORMICARIUS, Bodd. 1783.

Myrmornis, Herm. 1783.

Myrmecophaga, Lacép. 1800–1801, nec L. 1740, Formicicapa, Dand.? Myiothera, Ill. 1811.

Myrmothera, V. 1816. Myrmecothera, Agass.

Myocinela, Sw. 1837. Myiocinela, G. R. Gr. 1846.

Malurio, Less. 1839.

G. of B. i. p. 210; Reich. S. A. t. 52. f. .

a. Formicarius.

4418. cayanensis, Bodd.; P. E. 821 et 703. 1.

colma, et var. β, Gm.

tetema, Ill.; fuscicapilla, I. ruficeps, Spix, A. B. t. 72. 1.

4419. nigrifrons, Gould.

4420. analis, Lafr.; D'Orb, Voy. A, M. t. 6\*, 1.

4421. moniliger, Sclat.

4422. Hoffmanni, Cab.

4423. rufipectus, Salv. Pr. Z. S. 1866, pl. 8.

4424. crissalis. Cab.

1102. b. Philegopsis, Reich, 1850.

Philogopsis, Sclat. 1861. Reich, S. A. t. 57, f.

4425. nigromaculatus, Lafr.; D'Orb. Voy. A. M. t. 6. 2.

4426. erythropterus, Gould.

4427. trivittatus, Sclat.

erythroptera ♀, Pelz.

4428. Macleannani, Lawr.; Selat. & Salv. Exot. Orn. pl. 9.

1103. c. Rhopoterpe, Cab. 1847.

Urotomus, Sw.?

Reich. S. A. t. 52. f. .

4429. torquatus, Bodd.; P. E. 700. 1.

formicivorus, Gm.; palikour, Ménétr.

1104. d. Myrmelastes, Sciat, 1858.

4430. plumbeus, Sclat. Pr. Z. S. 1858, pl. 143.

hyperythrus, Gould.

4431. nigerrimus, Sclat.

4432, corvinus, Lawr.

9

---- ?

Cay., B. Guiana.

N. & S.E. Brazil.

N.Gran., E.Peru.

Boliv., Cayenne, Trin., Ecuad.

S. Mexico.

Costa Rica, Pan-

Veragua.

Trin., Cayenne, Para.

Boliv., Rio Napo.

S. America.

Upper Amazon.

o pper man

Panama.

Cayenne.

Upper Amazon.

Panama.

1105. e. Gymnocichla, Schat. 1858.

4433. nudiceps, Cass. Pr. Ac. Phil. v. pl. 6. rufigularis et ferruginea, Lawr.

Panama New Granada.

4434. chiroleucus, Sclat. & S.

Costa Rica.

nudiceps, Lawr.

1106. f. Heterocnemis, Sclat. 1855.

Holoenemis, Strickl, 1844, nec Schill, 1829. Reich, S. A. t. 52, f. .

4435. lineatus, Gm.; Edw. B. pl. 346; P. E. 823. 1; Jard Contr. Orn. 1849, pl. 18. 1. nævius, Gm.; flammatus, Strickl. Ann. N. H. xiii. pl. 3.

Surinam, Guiana.

4436. marginatus, Sclat.

Cayenne. Bogota.

4437, albiventris, Pelz.

Brazil.

4438. simplex, Sclat.

Surinam.

1102. g. Hypocnemis, Cab. 1847.

Hypocnemus, G. R. Gr. 1849. Reich, S. A. t. 52, f.

4439. cantator, Bodd.; P. E. 700, 2; Spix, A. B. t. 40, 2. tintinnabulatus, Gm.

campanella, Láth.; striatus, Spix. margaritacea, Licht.

Cayenne.

4440. pœcilonotus, Cuv.; Cab. Orn. Not. t. 4. 2.

British Guiana. New Granada. Upper Amazon.

4441. argentatus, Des M.; Casteln. Voy. t. 17. 2.

4442. striativentris, Salvad. Brazil.

h. Myrmoborus, Cab. & H. 1859. 1108. Hypocnemis, b. Myrmoborus, Sclat.

4443. myiotherinus, Spix, A. B. t. 42. 1.

thamnophiloides, Voiat. melanolæma, Sclat. Pr. Z. S. 1854, pl. 72. 2. ardesiaca, Max.

New Granada. Bogota, E. Peru.

4444. melanostictus, Sclat. Pr. Z. S. 1854, pl. 73.

E. Peru.

New Granada. 4445. elegans, Sclat.

4446. leucophrys, Tsch. F. P. t. 11. 2.

E.Peru, N.Gran.

mviotherina ♀, Spix, A. B. t. 42. 2.

British Guiana. Upper Amazon,

4447. schistaceus, Sclat.

Rio Javarri. New Granada.

4448. erythrophrys, Sclat. Pr. Z. S. 1854, pl. 72. 1. angustirostris, Cab.

4449, melanopogon, Sclat.

E. Peru.

S.E. Brazil.

4450. <b>nævius,</b> 6m.; P. E. 823, 2; Casteln, Voy. t. 17, 3, punctulata, Des. Murs.	Venezuela. Upper Amazon.
4451. Theresæ, Des Murs, Castel, Voy. t. 16, 2.	Rio Javarri.
4452. nævioïdes, Lafr.	Pan., Mosquito, Ecu., Costa Ric.
4453. flavescens, Natt. & Sc.	Amazon.
4454. hemileucus, Selut. & S.	R. Ucayali.
4455. melanura, Selat. & S.	"
4456. obscurus, Cub. & II.	Cayenne.
4457. hypoxanthus, Sclat. Pr. Z. S. 1868, pl. 43.	Upper Amazon.
4458. lugubris, Ill.	Guiana.
4459. maculicauda, Pelz.	Brazil.
4460. margaritiferus, Pelz.	,,
4461. striativentris, Salvad.	Cayenne.
<ul> <li>i. Myrmeciza, G. R. Gr. 1841.</li> <li>Drymophila, Sw. 1824, nec Tem.</li> <li>Myrmonax, Cab. 1847.</li> <li>G. of B. i. pl. 55, f. 6; Reich, S. A. t. 52, f.</li> </ul>	
4462. loricatus, Licht. Ménétr. Mém. l'Ac. Pétersb. 1835, t. 4. 1, 2. leucopus, Sw.; Yarrellii, Leadb. l'squamosa, Natt. & Pelz. l'	S.E. Brazil.
4463. ruficaudus, Max. marginata. Salvad.; loricata, p., G. R. Gr.	,,
4464. hemimelænus, Selat. guttatus, Lafr.	Bolivia,
4465. <b>ferrugineus</b> , <i>Müll.</i> ; <i>P. C.</i> 560, 2. cinnamomeus, <i>Gm.</i> ; albicollis, <i>V.</i>	Cayenne. British Guiana.
4466. longipes, V.; Sw. Zool, Ill. pl. 23. castanea, Licht.; grallaria, Sw.	Venez., Trinid. New Granada.
4467. immaculatus, Selat. & S. exul, Lawr.	Panama.
4468. exsul, Solat.	Ecuador.
4469. læmostictus, Salv.	Costa Rica.
4470. stictopterus, Laur.	**
4471. rufigularis, Lawr. ferruginea, Lawr.	New Granada.
<b>1110.</b> <i>j.</i> Corythopis, Sunder, 1835. Reich, S. A. t. 52, f	

4472. calcarata, Max.

Delalandii, Less.

4473. anthoïdes, Cuv.

Cavenne.

4474. nigricineta, Lafr.; D'Orb. Voy. A. M. t. 6, 3, calcarata, p., Pelz.

4475. torquata, Tsch.

Pern.

### 1111. PITHYS, F. 1816.

Manikup!, Desm. 1805. Pythis, Boie, 1826. Pitys, Agass. Dasycephala, p., Sw. 1831. Dasyptilops, Cab. 1859.

a. Piturs.

4476. albifrons, Gm.; P. E. 707. 1; V. Gal. des Ois. t. 129. leucops, V.

Cayenne. New Granada.

4477. cristata, Natt. & Pelz.

Reich, S. A. t. 52, f. .

Rio Vaupe.

b. Gymnopithys, Schiff. 1854.
 Anolops, Cab. & H. 1859. Pithys, b. Gymnopithys, Schat. 1862.

4478. leucaspis, Sclat. Pr. Z. S. 1854, pl. 70.

New Granada, E. Peru, R. Negro. Panama.

4479. bicolor, Lawr. lencaspis, Lawr.

Cayenne.

4480. rufagula, Bodd.; P. E. 644. 2. pectoralis, Lath.; rufigularis, Selat.

Brazil.

4481. griseiventris, Pelz.

### 1113. CONOPOPHAGA, V. 1816.

Myagrus, *Boie*, 1826. Myioturdus, p., *Max*. Conopophagus, *G. R. Gr.* 1840. Conophaga, *Lafr*. 1846. *Sw. C. of B.* f. 228, *a* : *G. of B*. i. p. 255, pl. 63, f. 14; *Reich*. *S. A*. t. 52, f.

4482. aurita, Gm.; P. E. 822; Gal. des Ois. t. 127. leucotis, Gm.

Cayenne.

4483. lineata, Max.; Mém. Ac. Pétersb. 1835, t. 14. 1. vulgaris, Ménétr.

S.E. Brazil.

4484. melanops, V.; Sw. B. of Braz. pl. 72, 73; Mém. Ac. Pétersb. 1835, t. 14, 2, & t. 15, 1.

perspicillata, Licht.; ruficeps, Sw. nigrogenys, Less.; dorsalis, Ménétr.

4485. torrida, Sclat.

Ecuad., Mexico, Chamicurros.

4486. castaneiceps, Sclut. ardesiaca, Tsch.

4487. peruviana, Des M.; Casteln. Voy. t. 16. l.

U. Amaz., Ecua.

4488. ardesiaca, Lafr.

Bolivia.

4489. melanogaster, Ménétr. Mém. Ac. St. Pétersb. t. 15, 2.

4490. eucullata, Sclat. Pr. Z. S. 1866, pl. 119.

Brazil.

New Granada.

4491. gutturalis, Sclat.

4492. Maximiliani, Cab. & H. perspicillatus, Max.

Brazil.

# Subfam. II. Formicivorinæ, Sclat. 1858. Eriodorinæ, Cab. 1847.

# **1114.** FORMICIVORA, Sw. 1824.

Eridora, Glog. 1827? Formicivora, a, Sclat. Myrmecophila, Fitz. 1864. G. of B. i. p. 211, pl. 55, f. 9; Reich. S. A. t. 52, f.

### a. Formicivora.

4493. grisea, Bodd.; P. E. 643. 1; Spix, A. B. t. 41. 1. nigricollis, Sw.; leucophrys, Licht. deluzæ, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 5. 2. Cayenne, Para.

4494. rufatra, Lafr. grisea Ω. Spix. A. I

 S.E. Brazil.

4495. **intermedia**, *Licht*. leucophrys, *Bp*.

leucophrys, Bp.

4496. virgata, Lawr.

4497. schisticolor, Lawr.4498. melanogaster, Natt. & Pelz.

4499. leucophthalma, Pelz.

4500. ruficauda, Natt. & Pelz.

4501. Lafresnayana, D' Orb. Voy. A. M. t. 6. 1.

4502. ——? guttata, Less.

C.E. Diazn.

Trinidad. New Granada.

Panama.

Costa Rica. Balua.

,,

Brazil. Bolivia.

Brazil.

# **1115.** b. Ellipura, Cab. 1847.

Tænidiura, Reich. 1850. Formicivora, b. Ellipura, Sclat. Reich. S. A. t. 52, f.

4503. ferruginea, Licht.; P. C. 132, 3. variegata, Such.

4504. caudata, Sclat. Pr. Z. S. 1854, pl. 74.

4505. malura, Tem.; P. C. 353, 1, 2, melanoleuchos, V.?

S.E. Brazil.

New Granada.

S.E. Brazil.

4506. squamata, Licht.; Mém. Ac. Pétersb. 1835. t. 5. 1. maculata. Sw.

4507. Genei, De Fil. S.E. Brazil. 4508. striata, Spix, A. B. t. 40, 2. malura ♀, Mênêtr. Brazil? 4509, crythrocerca, Sclat, Pr. Z. S. 1858, pl. 142. 4510. rufa, Max.; Ménétr, Mém, Ac, St. Pétersb, t. 9, 1. S.E. Brazil. 1116. c. Microrhopias, Sclat. 1860. Formicivora, c. Microrhopias, Sclat. 1862. Equador. 4511. quixensis, Corn. rufiventris, Corn. Rio Napo. 4512, callinota, Sclat. Pr. Z. S. 1855, pl. 96. New Granada. Mex., Vera Paz. 4513. Boucardii, Sclat. Cat. A. B. pl. 16. quixensis, Lawr. 4514. strigilata, Max.; Sclat. & S. Exot. Orn. pl. S.E. Brazil. Ecuador. 4515, consobrina, Selat. 4516, einerascens, Sclut. E. Peru. 4517. bicolor, Natt. & Pelz. Brazil. 1117. d. Terenura, Cab. & H. 1859. Leptorhynchus, p., Ménétr. S.E. Brazil. 4518. maculata, Max.; Mém. Ac. St. Pétersh. 1835, t. 10. 2. striolatus, Ménétr.; vittata, I.? Ecuador. 4519. caloptera, Sclat. Brazil. 4520. melanoleuca, Natt. & Pelz. 1118. c. Psilorhamphus, Sclat. 1854. Leptorhynchus, Minétr. 1835, nec Guér. 1826. 4521. guttata, Ménétr. Mém. Ac. St. Pétersh, 1835, t. 10, 1. 1119. f. Cercomacra, Sclat. 1858. 4522. cærulescens, V.; Ménétr. Mém. Ac. St. Pétersb. 1835, t. 6, 1, 2, 4523. cinerascens, Sclat. Rio Napo. cærulescens?, Sclat. 4524. tyrannina, Sclat. Pr. Z. S. 1855, pl. 98. Vera Paz, Boliv., Honduras. 4525, nigricans, Sclat. New Granada. 4526. maculosa, Solat. Esmeraldas. R. Napo. 4527, napensis, Sclat. cinerascens, Sclat. Cayenne. Brazil. 4528. approximans, Pelz.

4529. atrothorax, Bodd.; P. E. 701, 2. Cayen., Bolivia. alapi, Gm.; atricapilla, U.? 4530. melanura, Ménétr. Mém. Ac. St. Pétersb. 1835, t. 8, 1, 2. Brazil. atrothorax, p. ??, Selut. 4531, ruficauda, Pelz. 4532, melanaria, Ménétr, Mém. Ac. St. Pétersb. 1835, t. 9. 2. nigrieans, p. ??, Sclat. 1120. g. Pyriglena, Cab. 1847. Reich, S. A, t. 52, f. . 4533. leucoptera, V.; Sw. Zool. Ill. pl. 27; Mém. Ac. St. Přtersb. t. 7. 1, 2. S.E. Brazil. notodelos, Cuv.; domicella, Licht.; melanura, Strickl. trifasciata, Sw.; palliatus, Less.? leuconota, Spix, A. B. i. 72, 2. 4534. Ellisiana, Sclat. Pr. Z. S. 1855, pl. 100. New Granada. 4535. serva, Sclat. Rio Napo. 4536. atra, Sw.; Spir, A. B. ii. t. 39, 2. Brazil, Peru. leuconotus, Spix; maura, Ménétr.? 4537. maculicaudis, Sclat. Trinidad. 4538. picea, Cab. Peru. atra, Tsch. Esmeraldas. 1121. h. Percnostola, Cab. & H. 1859. Thampophilus, c, Sclat. Pr. Z. S. 1867, fig. p. 980. 4539. rufa, Bodd.; P. E. 644. 1; Pr. Z. S. 1855, pl. 81. Cavenne. funebris, Licht.?; rufifrons, Gm, cæsius, Sclat.; leucostigma, Natt. & Lafr. 4540. fortis, Sclat. & S. Pr. Z. S. 1867, pl. 45 (funebris on plate). E. Peru. 4541, minor, Pelz. Rio Negro. 4542. nigrescens, Cab. & H. Cayenne. i. Herpsilochmus, Cab. 1847. 1122. Reich, S. A. t. 52, f . 4543. pectoralis, Sclat. Brazil.

4546, atricapilla, Natt. & Pelz. Brazil.

4544. rufimarginata, Tem. P. C. 132, 1; Ranz. Elem. di Orn.

variegata et scapularis, Licht. & Max.

t. 18. 2.

4545. pileata, Licht.

X

S.E. Brazil.

S.E.Braz., Boliv.

0.3HAND-LIST OF BIRDS. 4547. longirostris, Natt. & Pelz. Brazil. 4548. dorsimaculata, Natt. & Pelz. 1123. j. Myrmotherula, Sclat. 1858. Myrmotherium, Cab. & H. 1859. 4549. pygmæa, Gm.; P. E. 831. 2. Cavenne. minuta, D' Orb,?; pusilla, Cuv. 4550. surinamensis, Gm.; Lath. Syn. pl. 62; Pr. Z. S. 1858, pl. 141. 1. Cavenne. quadrivittata, Cab. 4551. multostriata, Schat. Pr. Z. S. 1858, pl. 141, 2, 3, 4552, albigula, Laur, 4553. minuta, Licht, & Pelz. 1124. k. Rhopias, Cab. & H. 1859. Myrmotherula, b. Rhopias, Sclat. cinerca. Max. 4555, guttata, V. Gal, des Ois, t. 155, pœeiloptera, Cur.

4554. gularis, Spix, A. B. t. 41, 2; Mém, Ac, Pétersb, 1835, t. 2, 2, S.E. Brazil.

Cavenne. E. Peru.

Bolivia.

Panama.

Rio Negro?

British Guiana. Rio Napo.

Upper Amazon.

4557. ornata, Sclat. Cat. of A. B. pl. 15.

New Granada

4558. erythrura, Sclat.

4556. hæmatonota, Schat.

Rio Napo.

55), fa' viventris, Lawr. gularis. Lawr.

1. Myrmophila, Cab. & H. 1859. FF25. Myrmotherula, c, Myrmophila, Sclat.

4560. brevicauda, Sw. minor, Salvad.; axillaris, p., Ménétr.; cirrhatus, p., G. R. Gr.

S.E. Brazil.

4561. urosticta, Sclat. Pr. Z. S. 1857, pl. 126, 1.

Brazil.

4563, axillaris, U.: P. E. 643, 2? fuliginosa, p., Licht.; cirrhatus, p., G. R. Gr. Bolivia, E. Peru. Cavenne, Trinid. Upper Amazon.

4564. erythronota, Hartl.

S.E. Brazil.

4565. Hauxwelli, Sclat. Pr. Z. S. 1857, pl. 126, 2.

E. Peru.

4566, melæna, Sclat.

4562. Menetriesi, D' Orb.

New Granada.

4567. cinereiventris, Sclat. & S.

Cayenne, Snrinam, E. Peru. Brazil.

4568, melanogaster, Spix, A. B. t. 43, 1. fuliginosa, Licht.; axillaris, Burm. cirrhatus, p., G. R. Gr.; axillaris, p., Ménétr. 4569. unicolor, Ménéte, Mem. Ac. 8/, Pétersb. 1835, t. 2, 1, fuliginosus, var., Licht. New Granada.

4570. assimilis, Pelz.

Brazil, R. Negro, R. Amazon. Bahia,

4571. luctuosa, Tem. & Pelz.

Rio Negro.

4572, longipennis, Pelz.

### 1126. RAMPHOCÆNUS, V. 1818.

Acontistes, Sunder 1835. Scolopacinus, Bp. 1837. Rhamphocenus, G. R. Gr. 1847. Rhamphocenus, Cab. 1847.
 G. of B. i. p. 157, pl. 47, f. 8; Reich, S. A. t. 57, f.

4573. melanurus, V.; Gal. des Ois, t. 128; Sw. Zool, Ill. pl. 110. Brazil. longirostris, Licht.; rectirostris, Sw. gladiator, Max.

4574. rufiventris, Bp.; Gr. & M. G. B. i. pl. 47, 2.

Coban.

4575, einereiventuis, Selat, Pr. Z. S. 1855, pl. 87.

New Granada.

4576, semitorquatus, Laur.

4577. Sanctæ Marthæ, Sclat.

4578, collaris, Natt. & Pr/z.

Rio Negro.

# Subfam. III. Thamnophilinæ, Sw. 1831.

Thamnophilina, Fig. 1825. Eriodorinæ, p., Cab. 1847.

## 1127. THAMNOPHILUS, U. 1816.

Batara, Tem. 1820. Tamuophilus, Bp. 1831.

Thamnophilus, div. ĉ, Sclat. 1858. Thannophilus, f, Sclat. 1862

G. of B. i. p. 297.

#### a. Thamadehilus.

4579. doliatus, L.; Edw. B. pt. 226; P. E. 297, 2; Lev. O. A. t. 77, 2? rubiginosus, Lath.

N. of S. America. Peru.

4580. capistratus, Less.; Spix, A. B. t. 35, 2, & 38, 1.

Brazil.

radiatus, Spix. doliatus, p., G. R. Gr.; radiosus!, G. R. Gr.

4581, tenuipunctatus, Lafr.

New Granada

4582. palliatus, Licht.; Spix, A, B, A, B, A, B, B, Braz, pl. 65, C6.

S.E. Brazil.

lineatus, Spix; fasciatus ct badius, Sw.; vestītus, Cuv.

4583. multistriatus, Lafr.

New Granada.

4584. radiatus, V. albicans, Lafr.

Paraguay. Bolivia,

X 2

4585. nigricristatus, Lawr.

4586. nigriceps, Sclat.

Panama. New Granada.

4586. nigriceps, Scial.

Xalapa.

4587. affinis, Cab. & H.

doliatus, p., Sclat.; doliatus et affinis, Lawr.

4588. tenuifasciatus, Lawr.

Rio Napo.

4589. nigrescens, Lawr.

Venezuela.

1128. b. Batara, Less. 1831, et Sclat. 1858.

Tamnophilus, Tem. 1820. Thamnophilus, Sw. 1837. Thamnarchus, Cab. & H. 1859. Reich, S. A. t. 71. f.

4590. cinereus, V.; Zool. Journ. i. pl. 7, 8; Voy. Uranie, t. 18, 19; Mikan, Del. Flor. et Faun. Bras. t.

rufus et cristatellus, V. undulatus, Mikan; Vigorsii, Such. gigas, Sw.; striata, Quoy & G.

S.E. Brazil.

1129.

c. Nisius, Reich. 1850.

Lochites, Cab. & H. 1859. Thamnophilus, a. Nisius, Sclat. 1862. Reich. S. A. t. 71. f.

4591. **Leachii**, Such; Jard. & S. I. O. pl. 41. ruficeps, Such; funcbris, Cuv.

4592. severus, Licht.; Jard. & S. I. O. pl. 21. lineatus, V.?; niger et Swainsoni, Such. othello, Less. C. Z. t. 19.

viridis, I.; lunulatus, Cuv.

Cayenne.
B. Guiana.

4594. unduliger, Pelz.

Brazil.

1130. d. Hypaedaleus, Cab. & H. 1859.

4593. fuliginosus, Gould; Less. Tr. d'Orn. t. 45. 2.

Thamnophilus, a. Nisius, p., Sclat, 1858. Thamnophilus, b. Hypaedaleus, Sclat. 1862.
Sw. C. of B. f. 117?; G. of B. i. pl. 72. f. 2; Reich. S. A. t. 71. f.

4595. **guttatus**, V.; Spix, A. B. t. 35, 1; Zool. Journ. i. pl. 6. suppl.

meleager, Licht.; maculatus, Cuv. meleagris!, G. R. Gr.

1131. e. Taraba, Less. 1831.

Diallactes, Reich. 1850. Thamnophilus, b, Solat. 1858. Thamnophilus, c. Tabara, Sclat. 1862.

Reich. S. A. t. 71. f. . .

4506. major, V.; Spix, A. B. t. 32. stagurus, Max.; albiventer, Spix. bicolor et cinnamomeus, Sw. magnus, Less.; albiventris!, G. R. Gr. N. of S. Amer. Peru.

4597. <b>melanurus</b> , <i>Gould</i> , <i>Pr. Z. S.</i> 1855, pl. 83. major, <i>Tsch</i> .	S. & C. Amer.
4598. transandeanus, Sclat.	Guayaquil.
4599. corvinus, Gould; Spix, A. B. t. 39, 1. melanoceps, Spix; melanocephalus, Cab. § H.	E. Peru. Ecuad., Ucayali.
4600. melanothorax, Sclat.	S. America.
4601. hyperythrus, Gould.	Upper Amazon,
4602. luctuosus, Licht.; Archiv. Mus. t. 17, 1, melas, Cuv.	Low. Ucayali. E. Peru.
4603. <b>melanocrissus</b> , <i>Sclat</i> . melanurus, <i>Sclat</i> .	Vera Paz.
4604. Hollandi, Lawr.	Nicaragua.
4605. Borbæ, <i>Pelz</i> .	R. Madeira.
4606. einereoniger, Pelz.	R. Napo.
4607. Tschudii, Pelz.	R. Madeira.
4608. moestus, Pelz.	Cayenne.
1132. f. ——? Thamnophilus, c, Sclat. 1858. Thamnophilus, c. Tabara, p., Sclat. 1862.	
4609. immaculatus, Lafr. "Campterii, G. R. Gr.," Sclat.	New Granada. Ecuador.
f f	
"Campterii, G. R. Gr.," Sclat.	Ecuador.
"Campterii, G. R. Gr.," Sclat. 4610. æthiops, Sclat.	Ecuador. E. Ecuador.
"Campterii, G. R. Gr.," Sclat. 4610. æthiops, Sclat. 4611. Bridgesi, Sclat.	Ecuador. E. Ecuador. Chiriqui.
<ul> <li>"Campterii, G. R. Gr.," Sclat.</li> <li>4610. æthiops, Sclat.</li> <li>4611. Bridgesi, Sclat.</li> <li>4612. punctatus, Cab.</li> <li>1133. g. Επιονότυς, Cab. &amp; H. 1859.</li> <li>Thamnopilus, div. β, Sclat. 1858.</li> </ul>	Ecuador. E. Ecuador. Chiriqui.
"Campterii, G. R. Gr.," Sclat. 4610. æthiops, Sclat. 4611. Bridgesi, Sclat. 4612. punctatus, Cab.  1133. g. Ērionotus, Cab. & H. 1859. Thamnopilus, div. β, Sclat. 1858. Thamnophilus, d. Erionotus, Sclat. 1862.	Ecuador. E. Ecuador. Chiriqui. Costa Rica.
"Campterii, G. R. Gr.," Sclat.  4610. æthiops, Sclat.  4611. Bridgesi, Sclat.  4612. punctatus, Cab.  1133. g. Ērionotus, Cab. & H. 1859. Thamnopilus, div. β, Sclat. 1858. Thamnopilus, d. Erionotus, Sclat. 1862.  4613. nigrocinereus, Sclat. Pr. Z. S. 1855, pl. 81.  4614. cayanensis, Müll.; Leach, Zool. Misc. pl. 17; Lev. O. A. t. 77. 1. nævius, Gm.: punctatus, Shaw. cærulescens, Lafr.; amazonicus, Lawr.	Ecuador. E. Ecuador. Chiriqui. Costa Rica.  N. Brazil.  Cayenne. N. Brazil.
"Campterii, G. R. Gr.," Sclat. 4610. æthiops, Sclat. 4611. Bridgesi, Sclat. 4612. punctatus, Cab. 1133. g. Érionorus, Cab. & H. 1859. Thamnophilus, div. β, Sclat. 1858. Thamnophilus, d. Erionotus, Sclat. 1862. 4613. nigrocinereus, Sclat. Pr. Z. S. 1855, pl. 81. 4614. cayanensis, Müll.; Leach, Zool. Misc. pl. 17; Lev. O. A. t. 77. 1. nævius, Gm.; punctatus, Shaw. cærulescens, Lafr.; amazonicus, Lawr. albomotatus, Spix. A. B. t. 37. 2 & t. 38. 2? 4615. ambiguus, Sw. nævius, V.; nigricans, Max.	Ecuador. E. Ecuador. Chiriqui. Costa Rica.  N. Brazil. Cayenne. N. Brazil. New Granada.

ruficollis, Spix, A. B. t. 37, 1.

OTO HAMP-III OF MILES	
4618. capitalis, Selal.	Rio Napo.
4619. strigilatus, Spic, A. B. t. 36, 1.	**
4620. murinus (Natt.), Sclot. & S.	Cay., E. Peru.
4621. sticturus, Pelz.	Brazil.
4622. cinerciceps, Pelz.	,,
4623. cinercinucha, Pelz.	Rio Negro.
4624. stietocephalus, Pelz.	Brazil,
4625. punetuliger, Pelz.	31
4626, polionotus, Pelz,	,,
4627. saturninus, Natt.	**
4628. incertus, <i>Pelz</i> .	11
1134. h. Hylodornus, Cab. & H. 1859. Thamnophilus, div. γ, Selat. 1858. Thamnophilus, e. Hylolophus, Selat. 1862.	
4629. canadensis, L.; V. O. A. S. t. 48, 49. atricapillus et cirrhatus. Gm.; pileatus, Lath. eristatus, Max.	Cayenne. Trinidad.
4630. albinuchalis, Sclat.	Guayaquil, Isl. of Puna.
4631. pulchellus, Cab.	Carthagena.
4632. cristatus, Max.; Arch. du Mus. vii. t. 17, 2. pœcilurus, Cuv.	Brazil.
4633. leucauchen, Sclat. Pr. Z. S. 1855, pl. 79.	E. Peru.
4634. melanonotus, Sclat. Pr. Z. S. 1855, pl. 80.	New Granada.
4635. aspersiventer, Lafr.; D' Orb. Voy. A. M. t. 4, 1, 2. aspersiventris, Sclat. schistaceus?, D' Orb.	Bolivia,
1135. i. Rhorocharus, Cab. & H. 1859. Thannophilus, g. Rhopocharis, Selat. 1862.	
4636. torquatus, Sw. scalaris, Max.; atropileus, Lafr. pectoralis, Sw.	S.E. Brazil, Bolívia.
4637. ruficapillus, V. argentinus, Cab. of H.?; torquatus, p.?, Sclat.	Monte Video.
<b>1136.</b> <i>j.</i> Русогтца, <i>Cab.</i> 1859. Pygiptila, <i>Selat.</i> 1858.	
4638. maculipennis, Selat. stellaris, Selat.	Upper Amazon. Rio Napo.

4639. margaritata, Selat. Pr. Z. S. 1851, pl. 70.

E. Peru.

<b>1137.</b> k. Cymbilataius, G. R. Gr. 1840. Cymbolaemus, Cab. & H. 1859.	
4640. lineatus, Leach, Zool. Misc. pl. 6.	Cayenne, Upper
1138. l. Dyshthamnus, Cah. 1847. Dasythamnus, Burm. 1856. Reich. S. A. t. 71. f.	Amaz., Ecua.
4641. guttulatus, <i>Lichl.</i> ; <i>P. C.</i> 179, 1, 2, strictothorax, <i>Tem.</i> ; guttatus, <i>G. R. Gr.</i>	S.E. Brazil. Bolivia.
4642. mentalis, Tem. P. C. 179, 3, poliocephala, Max. olivaceus, Tsch. F. P. t. 11, 1?	S.E. Br., E. Per. Bolivia.
4643. semicinereus, 8clat. Pr. Z. 8, 1855, pl. 97, 147.	New Granada.
4644. xanthopterus, Burm.	S.E. Brazil.
4645. <b>plumbeus</b> , <i>Max.</i> stellaris, <i>Spix</i> , <i>A. B.</i> 1, 36, 2, 3.	,,
4646. leucostictus, Sclat. Pr. Z. S. 1858, pl. 140.	Ecuador.
4647. schistaceus, D'Orb. Voy. A. M. (5, 1, fuliginosus, Lafr.	Bolivia, Brazil Ecuador.
4648. unicolor, Sclat.	Pallatanga.
4649. striaticeps, Lawr.	Costa Rica.
4650. rufiventris, Lawr.	Panama.
4651. ? affinis, <i>Pelz</i> .	Brazil.
4652. puncticeps, Salv.	Veragua,
4653. ardesiaeus, Sclat. schistaeeus, p., Sclat.	Rio Napo.
<b>1139.</b> m. Thamnomanes, Cab. 1847. Reich, S. A. t. 71, f.	
4654. cæsius, Licht.; P. C. 17. 1, 2.	S.E. Braz., Boliv.
4655. glaucus, Cab.	Cayenne, Brazil,
1140. a. Thamnistes, Schat. & S. 1860.	Rio Napo?
4656. anabatinus, Sclat. & S.	Vera Paz.
4657. æquatorialis, Selut.	Rio Napo.
<ol> <li>Neoctantes, Sclat. 1868.</li> <li>Xenops, p., et Pteroptochus, p., Pelz.</li> <li>Proc. Z. S. 1868, fig. p. 572.</li> </ol>	
4658. niger, Natt. & Pelz.	Rio Negro.
<b>1142.</b> p. Biatas, Cab. 1859. Biastes. Reich. 1853, nec Panz. 1806.	

4659. nigropectus, Lafr. Rev. de Zool. 1850. t. 1

Brazil,

## FAM. XV. ÆGITHINIDÆ, G. R. Gr.

Liotrichidæ, Cab. 1847.

# Subfam. I. Leiothrichinæ, Sw. 1831.

Timalinæ !, p., Cab. 1847. Pachycephalinæ, p., et Formicariinæ, p., G. R. Gr. 1840.

## 1143. BRACHYPTERYX, Horsf. 1820.

Goldana, G. R. Gr. 1840. Pormicivora, p., *Ménétr.* Alcippe, p., *Bl.* G. of B. i. 209, pl. 55, f. 11; *Reich. S. A.* t. 52, f.

#### a. Brachypteryx.

4660. montana, Horsf. Java.

4661. albifrons, Boie.

4662. cruralis, Bl. Nepal, Sikkim. homochroa, Hodgs.; aurifrons, Jerd. & B.

4663. nipalensis, Hodys.

Darjeel., Nepal,
Sikkim.

4664 sepiaria, Horsf.; P. C. 448. l. Java. leucophrys, Tem.; olivaceum, Strickl.

4665. rufifrons, Jerd. & Bl. Darjeeling.

4666. hyperythra, Jerd. & Bl.

b. Drymochares, Gould, 1868.
Brachypteryx, p., Gould.

4667. stellatus, Gould, B. As. pl. Sikkim.

1145. c. Kelaartia, Bl. 1855.

4668. Palliseri, Kelaart. Ceylon. Palisseri!, Jerd.

1146. d. Microcercus, Fitz. 1864. Brachypteryx, p., Kuhl. Microura, p., Bp.

4669. lepturus, Kuhl. Java.

## 1147. LEIOTHRIX, Sw. 1831.

Furcuria, Less. 1831.
Bahila, 1838, et Calipyga, 1841, Hodgs.
Leioptrix, Less. 1839. Liothrix. Strickl. 1841.
Callipyga, Agass.
Sw. C. of B, f. 215; G, of B, i. p. 269, pl. 66, f. 2; Reach, S. A. t. 70, f.

### a. Leiothrix.

4670. lutea, Scop.; P. C. 287. 1. sinensis, Gm.; furcatus, Tem. China.

4671. callipyga, Hodgs.; Gould, B. As. pl. lnteus, p., Bl.

Nepal.

1145.

b. Mesia, 1838,

et Philaealyx, 1841, et Fringilloparus, 1844, Hodgs. Philoealyx, Bl. 1842.

4672. argentauris, Hodgs.; Gould, B. As. pl.

Darjeeling.

1149.

c. Siva. 1838.

et Hemiparus, 1841, et Ioropus, 1844, Hodgs. Alcippe, p., B1. Reich, S. A. t. 67, f.

4673. cyanouroptera, Hodgs.; Gould, B. As. pl. Himalavas. lepida, M·Clell.

4674. strigula, Hodgs.; Mag. de Zool. 1846, t. 19; Gould, B. As. pl. variegata, Deless, Souv. Voy. t. 8.

4675. nipalensis, Hodgs.

Nepal.

1150.

d. Minla, 1838,

et Proparus, 1841, et Certhiparus, 1844, Hodgs.

felieiæ, Less.?; chrysoeephala, James.

Himalayas.

4676. ignotincta, Hodgs. ornata, M'Clell. 4677. castaneiceps, Hodys.

Nepal.

4678. cinerea, El.

Sikkim.

1151.

e. ---?

Proparus, Hodgs. 1844, nec 1841.

4679. vinipectus, Hodgs.

Nepal.

4680. chrysotis, Hodgs. ehrysopterus et leucotis, Bl.? chrysaus, Hodgs.

Sikkim. Nepal.

1152.

f. Muscitrea, Bl. 1847.

4681. cinerea, Bl.

Aracan.

1153. PTERUTHIUS, Sw. 1831.

Ptererythius, Strickl. 1841.

Pterythrius, Cab. 1847. Allotrius, Reich, 1850.

Sw. C. of B. f. 216; G. of B. i. p. 270, pl. 66. f. 3; Reich, S. A. t. 69, f. .

a. Pteruthius.

4682. erythropterus, Vig.; Gould, C. B. pl. 11; id. B. As. pl. Himalayas,

4683. rufiventer, Bl.; G. R. Gr. & M. G. B. pl. 66; biould, B. As. pl. (rufiventris! on pl.).

Darjeeling.

4684. flaviscapis, *Tem. P. C.* 589. f. 1. flavipennis, *Kuhl*.

Java, Sumatra.

## 1154.

b. ----.

Allotrius, Boie, 1835.

4685, ænobarbus, Tem. P. C. 589, f. 2.

Java.

4686. melanotis, Hodgs.; Gould, B. As. pl. anobarbus, p., Jerd.

Nepal, Sikkim. Bootan.

4687. xanthochloris, Hodgs.; Gould, B. As. pl. aenobarbus ♀, Jerd.

Nepal.

4688. aralatus, Tick.

Tenasserim.

## 1155. CUTIA, 1836,

et Heterornis, 1841, Hodgs.

G. of B. iii, app. p. 15, suppl. pl. 186, f. 6; Reich, S. A. t. 80, f. .

#### a. Cutia.

4689. nipalensis, Hodgs.; Gould, B. As. pl.

Nepal, Bootan.

### 1156.

4690, annectans, El.

b. Leioptila, Bl. 1847.

Darjeeling.

# 1157. LIOPTILUS, Cab. 1850.

4691. nigricapillus, V.; Lev. O. A. t. 108. eucullatus. III.

S. Africa.

# Subfam. II. Ægithininæ, G. R. Gr.

Cossyphina, p., Vig. 1825. Timaline, G. R. Gr. 1841. Napodine, Cab. 1851.

### 1158. TIMALIA, Horsf. 1820.

Napodes, Cab. 1850.

Thimalia, Vig.

G. of B. i. p. 229; Reich. S. A. t. 55. f. 2?

### a. Timalia.

4692. pileata, Horsf. Zool. Res. Jan. pl. 1.

Java.

4693. nigricollis, Tem. P. C. 594, 2. erythronotus, Bl.; nigrogularis, Eyton.

Borneo.

1694. maculata, Tem. P. C. 593, 1.

Java, Sumatra.

pectoralis, Bl.; squamatum, Eyton.

Neural

4695. acutirostris, Eyton. Sunda 1. pyrrhophæa, Hartl.; pyrrhoptera, Boie. erythroptera, Bl.; pirrhoptera!, Bp. 4696. poliocephala, Tem. P. C. 593. 2. Java, Sumatra. 4697. leucotis, Strickl. Contr. Orn. 1848, pl. Java. 4698. grammicephala, Kuhl; P. C. 448. 3. grammiceps, Tem. 4699, striolata, Müll. Sumatra --- ? 4700. quadristriata, B/. 4701, bicolor, B/. Malacca? T159. b. Timalides, Bl. 1855. Sw. C. of B. f. 124. 4702. thoracica, Tem. P. C. 76. Java, Sumatra. 1160. c. Dumetia, Bl. 1849. Pellorneum, p., Bl. 1849. 4703. albogularis, Bl.; Gould, B. As. pl. S. Ind., Bengal, Madras. hyperythra, Jerd. Ceylon. 4704. ? bivittatus. Müll. Timor. 4705. hyperythra, Frankl. Mag. de Zool. 1835, t. 40; Gould, E. C. India. As. pl. 1161. . d. Schenicola, Bl. 1844. Sphænicola!, G. R. Gr. 1855. 4706. platyura, Jerd. Neilgherries. e. Stachtris, Hodgs, 1844. Stachyrhis, Agass. Cilathora et Strachyris, Hodgs, 1844. Strachyrhis, Agass. 4707. nigriceps, Hodys. S.E. Himalaya. 4708. pyrops, Hodgs.; Gould, B. As. pl. Sikkim, Nepal. pyrrhops, Hodgs.; chryswa, Adams. 4709. chrysæa, Hodgs. S.E. Himalaya. 4710. ruficeps, Bl. Nepal, Assam. pileata, M·Clell. 4711. larvata, Müll. Sumatra. 4712, præcognitus, Swinh, 1. of Formosa. 1163. f. Erpornis, Hodgs, 1844.

Herpornis, Agass.
4713. xanthochlora, Hodys.

xantholeuca. Hodys.

1164.

g. Pyctoris, 1844,

ct Chrysomma, 18 ?, Hodgs. Pyctorhis, Aguss. Pictorhis, Jerd.

4714. sinensis, Gm.; Jard. & S. I. O. pl. 111; Mag. de Zool. 1835, t. 39.

India.

hypoleuca, Frankl. bicolor, Lafr.; Horsfieldii, Jard. & S. rufifrons, Hodgs.

4715. longirostris, Hodgs. Verreuxii, Tick.?

Nepal.

4716. altirostris, Jerd.

Upper Burmah.

1165. h. Mixornis, Hodgs. 1844.

4717. gularis, Horsf. Zool. Res. Jav. pl. 2; Voy. Pôle Sud, t. 19. 2.

Java.

4718. rubricapilla, Tick. chloris et ruficeps, Hodgs.

Himalayas. Java.

4719. javanica, Cab. gularis, Bp.

4720. sumatrana, Bp. gularis, Raffl.

Sumatra.

4721. bornensis,  $B\rho$ .

Borneo. Java.

4722. flavicollis, Müll.

4723. similis, Bl.

Sumatra.

4724, melanothorax, Tem. P. C. 185, 2.

Java.

1166. ÆGITHINA, V. 1816 (suppressed in 1818), et Sw. 1837.

Egithalus!, Sw. 1837.

poliopsis, Boie.

Iora, Horsf. 1820. Brachypus, p., Sw. 1831.

Sw. C. of B. f. 206, a, e, 214, b; G. of B. i. p. 199, pl. 53. f. 4; Reich, S. A. t. 61. f.

4725. tiphia, L.; Edw. B. pl. 79. leucoptera, V.; subviridis, Tick. India.

4726. zeylonica, Gm.; Brown, Hl. pl. 15. 2; Lev. O. A. t. 141. India, Ceylon. melanops, Sw.; tiphia, Jerd.; multicolor, cingalensis et melanietera, Gm. quadricolor, V.; meliceps, Horsf.

tiphia, var. nigra, Sundev.

4727. scapularis, Horsf. Zool. Res. pl. viridissima, Tem.; tiphia, Vig.

Java, Borneo. Sumatra.

4728. viridis, Tem.

Borneo.

4729. Lafresnayi, Hartl. M. de Z. 1845, t. 60. innotata, Bl.

Aracan.

### 1167. MALACOPTERON, Eyton, 1839.

Malacopterum, Agass. G. of B. i. p. 208, pl. 55, f. 12; Reich, S. A. t. 52, f.

### a. Malacopteron.

4730. magnum, Eyton. pileata, Müll.; majus, Bl.

Sumatra, Borneo.

4731. cinereum, Eyton. eoronata, Müll.; mugnum, Bl.

Malacca.

eoronata, Mutt.; n

1168. b, Kenopia, Bl. 1855.

4732. leucostigma, Müll.

Borneo, Malac.

striata, Bl.; maculatus, Eyton.

c. Alcippe, Bl. 1844.
 Setaria, Bl. 1844, nec Oken, 1815.

4733. affine, Bl. atricapilla, Müll,

4734. nigrifrons, Bl.

4735. atriceps, Jerd.

4736. Morrisonia, Swinh.

4737. brunneum, Gould, B. As. pl.

4738. monacha, G. R. Gr. murina, Tem.?

4739. albigularis, Bl. fuscipes, Lafr.

4740. poiocephala, Jerd.

4741. phayrei, Bl.

4742. dumetoria, Cab.

4743. solitarium, Cab.

4744. magnirostris, Moore. 4745. Cantori, Moore.

....

4746, murinum, Tem.

Malacca, Borneo. Sumatra,

Ceylon.

India.

I. of Formosa.

Aru, N. Guinea. Waigiou, Ceram,

Malacca.

Malabar.

Aracan.

Java.

Sumatra.

Malacca.

Pinang.

New Guinea.

## 1170. MACRONUS, Jard. & S. 182 ?

Macronous, Bl. 1849. Brachypteryx, p., Sw. G. of B. i. p. 209, pl. 55, f. 10; Reich, S. A. t. 55, f.

### a. MACRONUS.

4747. **ptilosus**, Jard, & S. I. O. pl. 150. trichorrhos, Tem. P. C. 594, 1. trichorrhis!, G. R. Gr.

4748, leucotis, Strickl, Contr. Orn, 1848, pl.

Java, Sumatra Borneo.

Manilla.

1171. b. Cas opitta, Bp. 1850.	
4749. loricatus, Müll.	Java, Sumatra.
4750. atrigularis, <i>Bp.</i> margaritaeca. <i>Tem.</i>	Borneo.
4751. lepidopleurus. Tem.	Java, Sumatra.
4752. perspicillatus, Tem.	,,
4753, leueogrammieus, Tem.	Borneo.
1172. c. Trichastona, 1842. et Malaeccinela, 1845, Bl.	
4754. rostratus, <i>Bl</i> .	Malacea.
4755. <b>Abbotii,</b> El.	Nepal, Aracan.
4756. rubinus, Tem.	Sumatra.
4757. <b>pyrrhogenys</b> , <i>Tem. P. C.</i> 442, 2. pyrrogenys!. <i>Tem.</i>	Java, Borneo.
4758. pyca, Boie.	Java, Sumatra.
4759. mystacalis, Tem.	Sumatra.
4760. olivaceus, B7.	Malacca.
4761. concretus, Müll. hypoides, Tem.	Borneo.
4762. rufifrons, $Lich^{\sharp}$ .	Java, Sumatra.
4763. celebensis. Strickl. Contr. Ocn. 1849, pl.	Celebes.
1173. d. Napothera, Boie, 1835. Reich, S. A. t. 52, f.	
4764. bicolor, Less. ferruginosum, $Bl.$ ; rubicauda. $M\ddot{n}ll$ .	Sumatra. Berneo
4765. euryzonus, Müll.	Borneo.
4766. ruficapillus, Pucher, Voy. Pole Sud. t. 19, 1. lepidocephala, Homb. & J. squamifrons. Pucher.	Sumatra.
4767. lepidocephalus, Müll.	Java, Samatra.
4768. pyrrhopterus. Boie.	Java.
1174. /. Drynocataphus, Bl. 1849.	
4769. capistratoides, Tem.: Jard. Contr. Orn. 1849. pl.	Borneo.

Malacea.

Sumatra, Java.

nigrocapitata. Eyton.

4770. poliogenys, Mill.; Jard. Contr. Orn. 1849. pl.

malaceensis, Hart!, ; poliogenis, Strickl.

4771. umbratilis, Müll.; Jard. Contr. Orn. 1849, pl. Borneo.

4772. fuscocapillus, Bl.

Cevlon.

4773. capistratus, Tem. P. C. 185, 1.

Ceylon.

4574 21 21 4 60 10 0 440 0

Java.

4774. epilepidotus, Tem. P. C. 448, 2.

Java, Sumatra,

4775. barbatus, Cab.

Sunda I.

1125. f. Turdinus, Bl. 1844.

4776. macrodactylus, Strickl. albogularis, Hartl,

Malacca.

4777. brevicaudatus, Bl

Tenasserim.

4778. guttatus, B1.

4779, crispifrons, Bl.

1176. g. Trichixos, Less. 1839.

Turdirostrum, Hay, 1844. Turdirostris, Bl. 1849. Bessethera, Cab. 1850.

4780. pyrropygus, Less.

Porneo.

pyrrhonota, Tem.; pyrrhomelanura, Müll. superciliaris, Hay.

1127. ALETHE, Cass. 1859.

Napothera, p., Hartl.

a. Alethe.

4781. castanea, Cass. Journ. Ac. Phil. 1862, pl. 23.

W. Africa.

4782. maculicauda, Hartl.

Ashanti.

4783. striaticollis. Hartl.

Gaboon.

1178. b. Illaborsis, Heine, 1859.

Turdirostris, p., Cass.

4784. fulvescens, Cass.

W. Africa.

FAM. XVI. MUSCICAPIDÆ, Vig. 1825.

Subfam. I. Muscicapinæ, Sw. 1831.

Hypoenemidinæ, p., et Platyrhynchinæ, p., Cab. 1847.

1179. PELTOPS, Wagl. 1829.

Erolla, Less. 1831. Platystomus, Sw. 1837. G. of B. i. p. 66, pl. 22, f. 2; Reich, S. A. t. 34, f.

4785. Blainvillii, Carn. Voy. Coqv. t. 19, 2 : 8w. Nat. Libr. x. pl. 29.

New Gui., Waig.

## 1150. MONARCHA, Vig. & H. 1826.

Drymophila, Tem. 182 ? Monacha, Sw. 1837.

G. of B. i. p. 260, pl. 63, f. 1; Reich, S. A. t. 69, f. .

#### a. Monarcha.

4786. carinata, Vig. & H.; Sw. Zool. Ill. pl. 147; P. C. 418. 2; Gould, B. A. ii. pl. 95.

4787. cinerascens, Tem. P. C. 430. 2.

4788. inornata, Garn. Voy. Coqu. t. 16. 2. carinata, p., G. R. Gr.

4789. guttula, Garn. Voy. Coqu. t. 16. guttata, G. R. Gr.

4790. griseogularis, G. R. Gr.

4791. leucura, G. R. Gr.

4792. leucotis, Gould, B. A. suppl. pl.

4793. castaneiventris, Verr.

4794. alecto, Tem. P. C. 430. 1.

4795. fulviventris, Hartl.

4796. dichroa, G. R. Gr.

b. Symposiachrus, Bp. 1854.

4797. trivirgata, Tem. P. C. 481. 1.

4798. Gouldi, G. R. Gr.: Gould, B. A. ii. pl. 96. trivirgata, Gould.

4799. bimaculata, G. R. Gr.

4800. nigrimentum, G. R. Gr.

4801. lericata, Wall.; Pr. Z. S. 1863, pl. 6.

4802. melanoptera, G. R. Gr.

4803. albiventris, Gould.

1182. c. Arses, Less. 1831.

Monacha, Reich.?

Sw. C. of B. f. 145; Reich. S. A. t. 64. f. .

4804. telescophthalma, Garn. & L. Voy. Coqu. t. 18. 1. enado, Less. Voy. Coqu. t. 15. 2.

4805. chrysomela, Garn. & L. Voy. Coqu. t. 18, 2; Nat. Libr. Flyc. pl. 14.

Var.

New S. Wales, Timor. Timor, Sula,

Ternate, Gil. New Guinea.

Aru.

New Gui., Aru, Waig., Mysol.

Aru.

Ké.

Louisiade.

Samoan Islands.

Molucca, Celeb., Timor.

Echiquier group.

New Guinea.

Timor.

New S. Wales. Tasmania.

Batchian.

Amboina.

Bouru.

Louisiade.

Cape York.

New Guin., Aru.

Mysol.

New Guin., Aru, New Ireland.

Waigiou, Mysol. Salwatti. 1183.

d. Ophryzone, Rams, 1868.

4806. Kaupi, Gould, B. A. suppl. pl.

N.E. Australia Queensland.

1154.

e. Pomarea, Bp. 1854.

4807. nigra, Sparrm. M. C. t. 23; Voy. Coqu. t. 17. atra, Forst.; lutea, Gm. pomarea, Less.; maupitiensis, Garn.

Society, Tonga I.

4808. Mendozæ, Hartl. nigra, var., Forst.

Marquesas.

1155. f. Metabolus, Bp. 1854.

4809. rugensis, Homb. & J. Voy. Pôle Sud. t. 13.

Carolina I.

4810. Godeffroyii, Hartl. Pr. Z. S. 1867. pl. 38.

Yap of Hogoleu group.

1186. MUSCICAPA, Briss. 1760, nee L. 1766.

4811. griseola, L.; P. E. 565, 1; Naum. Vog. t. 64, 1; Gould,

Butalis, Boie, 1826 et 1828. Muscicapa, 3 div., Sunder.

Sw. C. of B. f. 229, g; G. of B. i. p. 262.

a. Muscicapa.

B. E. pl. 65. ficedula, L. Europe.

4812. ? africana, Bp. griseola, Verr.

S. & W. Africa.

4813. cærulescens, Hartl.

4814. hypogrammica, G. R. Gr.

griscosticta, Swink. griseola, var. daurica, Pall. Natal Ceram, Morty.

Gilolo, Batch... Celeb., Form.

4815. chocolatina, Rüpp, S. U. t. 20. fumigata, Gvér.; Ferr. & Gal. Voy. en Abyss. t. 7. 4816. gularis, Tem. & Schl. F. J. t. 16.

Abyssinia. Japan.

4817. lugens, Hartl.

Angola.

4818, helianthea, Wall.

Celebes.

4819. ? madagascariensis, Grandid.

Madagascar

4820. lutcola, Pall.; Middendr, Sibir, Reis, ii, t. 17, 1-3.

Siberia.

1187. b. Hedymela, Sunder, 1846,

Butalis, G. R. Gr. 1840. Muscicapa, Kaup, 1829.

G. of B. i. pl. 63, f. 9; Reich, S. A. t. 64, f. .

4821. atricapilla, L.; P. E. 668, 1; Naum. Veg. t, 64, 2, 3, 4; Gould, B. E. pl. 63. 1.

C. Europe.

maculata, Mull.; ficedula, Gm. muscipeta, Bechst.; luctuosa, Scop. 4822. collaris, Bechst.; Naum. Vog. t. 65, 1, 2; Gould, B. E. S.E. Europe. pl. 63, 2. albicollis, Tem.; streptophora, V. atricapilla, var. B, Gm. Mooda River. 4823. epulata, Cuss. Muni River. 4824. comitata, Cuss. 4825. speculigera, Selys. Aguapim. 4826. Riisii, Hartl, Gaboon. 4827. modesta, Hartl. W. Africa. 4828. picata, Sw. 4829. Cassinii, Heine. 4830. aquatica, Heugl. Orn. N. O. Afr. t. 16, 2. Diour. C. Africa. 4831. melanura, Heugl. W. Africa. 4832. infuscata, Cass. c. Muscicapula, Bl. 1843. 1188. S. India. 4833. superciliaris, Jerd. 4834. hemileucura, Hodgs.; Contr. Orn. 1848, pl. Nepal. superciliaris, p., Bl. 4835, albogularis, Bl. ciliaris, Hodgs.; superciliaris, p., Bl. 4836. æstigma, Hodgs. Nepal, Sikkim. 4837. sapphira, Tick.; Jerd. I. Ind. Orn. pl. 32. saphira!, G. R. Gr. d. Alseonax, Cab. 1850. 1189. 4838. undulata, V.; Lev. O. A. t. 156. S. Africa. Mauritius (!). adusta, Boie; fuscula, Sundev. e. Erythrosterna, Bp. 1838. 1190. Erythrosternia, Reich. 1850. Synornis, Hodgs. 1844. Syornis, Agass. Reich. S. A. t. 67. f. . 4839. parva, Beehst.; Naum. Vog. t. 65.3; Gould, B. E. pl. 64. S.E. & C. Eur. England. minuta, Tem. & Sehl. India. 4840. leucura, Gm. albicilla, Pall.; joulaimus, Hodgs. parva, Sundev.; Tytleri, James.? rubeculoides, Sykes. S.E. Himalayas. 4841. maculata, Tick. Aracan, Tenas. lencochista, Hodgs.; melanolenca, Bl. Nepal, E. Him. 4842. acómaus, Hodgs.

leucura, p. ?; acormus et poonensis, Hodys.

4843, pusilla, Bl. C. India. acornaus, p., Bl. Sumatra. solitaria, Bp.

4845. rufigularis, Kuhl. rufigula, Kuhl.

Java.

1191. f. Newtonia, Poll. 1866. Erythrosterna, p., A. Newt.

4846. brunneicanda, A. Newt.; Poll. & V. D. F. Madag. t. 18. 3. Madagasear.

**1102.** g. Zanthopygia, 1847, et Xanthopygia, 1849, Bl.

Charidylas, Bp. 1854. Choredhyla, Jerd. 1862. 4847. tricolor, Hartl.

leucophrys, Bl.; zanthopygia, Hay. China.
4848. narcissina, Tem. P. C. 577, 1; F. J t. 17, c. Japan.
chrysophrys, Bl. China.

hylocharis, *Tem. & S. F. J.* t. 17, ♀. **1193.**h. Hempus, *Hodgs*, 1844.

Lanaria, Bl. 184 ?

1194.

4849. picata, Sykes. hirundinaeea, Jerd.; tyrannides, Tick. capitalis, M-Clell.; picaecolor, Hodgs.

i. Pycnosphys, 1850.

S. India. Nepal, Ceylon.

Malacca.

et Pyenophrys, 1849, Strickl.
4850, grammiceps, Verr.; Contr. Orn, 1849, pl.

Java.

**1195.** j. Hyliota, Sw. 1827. Sw. C. of B. f. 229, h; Reich. S. A. t. 64. f.

4851. flavigaster, Sw. Flyc. pl. 28.
 W. Africa.
 4852. violacca, Verr.
 Gaboon.

1196. k. Erythrocercus, Hartl, 1857.

4853. M·Callii, Cass. Mooda River.

4854. —— n. sp. ? Zambesi.

1197. — І. Міскеса, Goold, 1841. Міскеса, Aliq. Reich, S. A. t. 67. f. .

4855. fascicans, Lath.; Gould, B. A. ii. pl. 93. macroptera, Vig. & H. leucophava, Lath.? platyrhyncha, Quoy & G. Voy. Astrol. t. 11, 17 New S. Wales. S. Australia.

W. Australia.

Himalaya.

W. Africa.

China, Ceylon.

4856, assimilis, Gould.

4857. flavigaster, Gould, B. A. ii. pl. 94; Voy. Pôle Sud, t. 12\*. 5. N. Australia.

N. Guin., Mysol, 4858. flavovirescens, G. R. Gr. Waigiou, Aru.

New Guinea. 4859. ? conspicillata, G. R. Gr.

Timor. 4860. superciliosa, Wall.

m. Artomyias, Verr. 1854. 1198.

Artemvias, Verr.

W. Africa. 4861. fuliginosus, Verr. infuscata, Cass.

1199. HEMICHELIDON, Hodgs. 1844.

G. of B. i. p. 262, pl. 63. f. 13; Reich. S. A. t. 64. f.

4862, sibiricus, Gm.

China, Nepal. fuscedula, Pall.; fuliginosus, Hodgs.

4863. ferrugineus, Hodgs. rufescens, Jerd.; rufilata, Swinh. mutui, Layard.

Sumat., S. India. 4864. latirostris, Raffl. Ceylon, Japan. poonensis, Sykes (?) ponticerianus, Licht.; cinereoalba, Schl.

Himalayas. 4865. terricolor, Hodgs.

1200. SMITHORNIS, Bp. 1850.

Phrynorhamphus, Kaup, 1851.

a. Smithornis.

S. Africa. 4866. capensis, Smith, I. S. A. Z. pl.

4867. rufolateralis, G. R. Gr. Pr. Z. S. 1864, pl. 16.

b. Megabias, Verr. 1854. 1201.

Gaboon. 4868. tricolor, Elliot. flammulatus, Verr.

c. Cassinia, Hartl. 1202.

Fernando Po. 4869. Fraseri, Strickl.

Gaboon. 4870. rubicunda, Hartl.

d. Bias, Less, 1831. 1203.

W. Africa. 4871, musica, V. flavipes, Sw.

1204. COCHOA, 1836,

et Prosorinia, 1841, Hodgs. G. of B. i. p. 280, pl. 68, f. 6; Reich, S. A. t. 89, f. a. а. Соснол.

4872. purpurea, Hodgs.; Gould, B. As. pl. Hodgsoni, Bl.

Nepal.

4873. viridis, Hodgs.; G. R. Gr. & M. G. B. pl. 68; Gould, B. As. pl.

1205.

b. Xenogenys, Cab. 1850.

Oreias, Tem. 1838, nec Kaup. 1829. Oreas, G. R. Gr. 1846, nec Desm. 1804.

4874. azurea, Tem. P. C. 274.

Java, Sumatra, Banda.

1206. NILTAVA, 1837,

ct Chaitaris, 1841, Hodgs. Chaitairis, Bl. 1843.

G. of B. i. p. 263.

a. NILTAVA

4875. sundara, Hodgs.; Gould, B. As. pl. sordidus, Hodgs.; fastuosa, Less.

Himalayas.

4876. Macgrigoriæ, Burt.; Gould, B. As. pl. fuligiventer et auricularis, Hodgs.; signata, M'Clell. Bootan.

1207. b. Bainopus, Hodgs. 1844.

Baenopus, Agass.

G. of B. i. pl. 63. f. 4.

4877. grandis, Bl.; Gould, B. As. pl. irenoides, Hodgs.

E. Himalayas.

1205. e. Cyornis, Bl. 1843.

Cynornis, G. R. Gr. 1846.

4878. rubeculoides, Vig.; Gould, C. B. pl. 25. 1. brevipes, Hodgs.; rubecola, Sw.

Himalayas.

4879. banyumas, Horsf. Zool. Res. Jav. pl. ; P. C. 226. rufigastra, Raffl.; cantatrix, Tem. Tytlerii, James.

Java, Sumatra.

4880. Jerdoni, G. R. Gr.

banyumas, p., Bl.

Madras, Behar, Decean.

4881. hyacinthina, Tem. P. C. 30.

hyacintha!, G. R. Gr.

Timor. C. India.

4882. Tickelliæ, Bl. hyacintha, Tick.; elegans, p., Bl.

Neilgherries.

4883. pallipes, Jerd.

Himalayas.

4884. ruficauda, Sw. æqualicauda, Bl.; rubecula, p., Jerd.

Kumaon, Carnatic.

4902. moniliger, Hodgs.

fuligiventer, Hodgs.; gularis, B'.

Sumatra. 4885. elegans, Tem. P. C. 596, 2. rubeculoides, p., Bl. Pegu, Tenasser. Var. Sikkim. 4886, unicolor, B1, Celebes. 4887. rufigula, Wall. Borneo. 4888, rufifrons, Wall. L of Formosa. 4889. vivida, Swinhoe. 4890, magnirostris, Bl. Darjeeling. 1209. d. Ochromela, Bl. 1847. 4891. nigrorufa, Jerd. Neilgherries. Ceylon. rufula, Lafr. 1210. e. Cyanoptila, Bl. 1847. Hypothymis, Bp. 1851, nec Boie, 1826. 4892. cyanomelana, Tem. P. C. 470; Schl. F. J. t. 17 v. China. gularis, Tem.; cyanomelanura, Bl. Japan. bella, Hay; melanoleuca, Schl. f. Eumyias, Cab. 1850. 1211. 4893. indigo, Horsf. Zool. Res. Jav. pl. Java. cærulca, Bp. 1212. q. Stoporala, 1847, et Stoparola, 1849, Bl. Glaucomyias, Cab. 1850. 4894. melanops, Vig.; Gould, C. B. pl. 6. India. 4895. thalassina, Sw. melanops, p., G. R. Gr.; lapis, Less.? Sumatra. 4896. thalassoides, Cab. thalassina, Bp. 4897. ceylonensis, n. sp.? Ceylon. melanops, Layard. Nepal. 4898, spilonota, n. sp.? Madras. 4899. albicaudata, Jerd. I. Ind. Orn. pl. 14. h. Siphia, 1837, BERS. et Dimorpha, 1841, Hodgs. Menetica, Cab. 1866. Nepal, Bootan. 4900. strophiata, Hodgs. Ceylon. 4901. hyperythra, Cab. 1214. i. Anthipes, Bl. 1847.

Nepal.

1215.

j. NITIDULA, Bl. 1861.

4903. Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62. Campbellii, Jerd. & Bl. Darjeeling. Sikkim.

1216.

k. Digenea, Hodgs. 1844.

4904. superciliaris, Bl.

hyperythra et rubecula, Bl. rubrocyanea et leucocyanea, Hodgs.

Darjeeling. Nepal.

4905. ----?

tricolor, Hodys.

Nep., Mussooree.

4906. leucomelanura, Hodgs.

4907. tricolor, Kuhl. rupestris, Müll.

Beng.,Nep.,Darj.

Timor.

4908. erythaca, Bl. & Jerd.

4909. innexa, Swinhoe.

Sikkim, Darjeel.

L. of Formosa.

# Subfam. II. Myiagrinæ, Cab. 1850.

Muscicapinæ, p., Sw. 1837.

1217. SEISURA, Vig. & Horsf. 1826.

Sisura, *Strickl*. 1841. *G. of B*. i. p. 260.

a. Seisura.

4910. inquieta, Lath.; Sw. Flyc. pl. 12; Gould, B. A. ii. pl. 87. Australia. muscieola et dubius, Lath. volitans. Lath.

1218. b. Piezorhynchus, Gould, 1840.

Peizorhynehus, Aliq.

G. of B. i. pl. 63, f. 3; Reich, S. A. t. 64, f.

4911. nitida, Gould, B. A. ii. pl. 88.

Port Essington.

4912. rufolateralis, G. R. Gr.

Waig., Mys., Aru.
New Ireland.

4913. chalybeocephala, Garn. Voy. Coqu. t. 15. 2. lucida, G. R. Gr.

New Guinea.

4914. nitens, G. R. Gr. Batch, Tern., Gil.

**1219.** MYIAGRA, Vig. & Horsf. 1826.

Myiagria, Agass.

Sw. C. of B. f. 229, b, c, d, e; G. of B. i. p. 261, pl. 63, f. 2; Reich, S. A. t. 67, f.

a. Mylagra.

4915. rubecula, Lath.; Gould, B. A. ii, pl. 89. rubeculoides et plumbea. Vig. & H.

New S. Wales.

4934. teresita, Antin.

Alexina, Hengl.

leucogaster, III. ruficollis et rubecula, 1".?	
4916. nitida, Gould, B. A. ii. pl. 91; Voy. Pôle Sud, t. 12*. 4. cyanoleuca, V.?; rubccula, G. R. Gr.	New S. Wales. Tasmania.
4917. concinna, <i>Gould, B. A.</i> ii. pl. 90. grisea, <i>Pueher. Yoy. Pôle Sud</i> , t. 12*, 3.	N. Australia.
4918. latirostris, Gould, B. A. ii. pl. 92.	A. Austr., Aru.
4919. rufigula, Wall.	Timor.
4920. galeata, G. R. Gr.	Batchian, Am-
4921. manadensis, Quoy & G. Voy, Astrol. t. 3. 3.	boina, Ccram. Celebes.
4922. viridinitens, G. R. Gr.	Loyalty I.
4923. melanura, G. R. Gr.	New Hebrides.
4924. caledonica, $Bp$ . perspicillata, $G$ . $R$ . $Gr$ .	New Caledonia.
4925. modesta, G. R. Gr.	New Ireland.
4926. albiventris, Peale, U. S. Expl. Exp. pl. 27, 3, rubecula, Cass.	Samoan I.
4927. crythrops, Hartl.	Pelew I.
4928. Tytleri, Beav.	$\Delta$ ndamans.
4929. oceanica, Homb. & Jacq. Voy. Pôle Sud, t. 12*. 1, 2. albiventris, p.?, Finsch & H.	Caroline I.
1220.  b. ——?  Hypothymis, Boie, 1826 & 1828, nee Tem.  Hypothimus!, G. R. Gr. 1846.  Muscicapa, 2 div., Sundev. 1835.  Muscylva, p., Less.	
4930. azurea, Bodd.; P. E. 666, 1; Lev. O. A. t. 153, 1, 2. carulea, Gm.; occipitalis, Vig. carulcocephala, Sykes; torquata, Sw.	India.
4931. puella, Wall.	Celcbes.
4932. —— ? puella, p., <i>Wall</i> .	Sula.
1221. c. Elminia, Bp. 1854.	
4933. longicauda, Sw. Flye. pl. 25.	W. Africa.
carulea, <i>Hartl.</i> longicauda, minor, <i>Heugl. Orn. N. O. Afr.</i> t. 15.	N.E. Africa.

C. Africa.

1222. d. Muscitodus, Homb. & J. 1844.

Platygnathus, Hartl. 1852.

4935. rufiventris, Elliot; Finsch & H. F. Centralp. t. 9, 2, 3. Feejce. vanicorensis, Peale.

4936. vanikorensis, Quoy & G. Voy. Astrol. t. 5. 1. castaneiventris, p.?, Finsch & H.

I, of Vanikoro.

1223. e. Machaerirhynchus, Gould, 1850.

4937. **flaviventer,** Gould, Pr. Z. S. 1850, pl. 33; id. B. A. suppl. pl.

Cape York.

4938. xanthogenys, G. R. Gr.

Aru.

4939. albifrons, G. R. Gr. Pr. Z. S. 1861, pl. 43. 1.

Mysol, Waigiou.

1224. PLATYSTEIRA, Jard. & Selby, 182 ?

Platystira, Strick!. 1841.

Platystera, Sw. 1837.

Sw. C. of B. f. 148, 228, c; G. of B. i. p. 256, pl. 63. f. 10; Reich. S. A. t. 64, f.

a. Platysteira.

4940. cyanea, Müll.; P. E. 567, 3; Sw. Flyc. pl.  $\underline{22}$ .

W. Africa.

melanoptera, Gm.; collaris, Lath. lobata, Sw.; melanoleueus, V. Desmarestii, Jard. G S S I O, pl. 9.

4941. capensis, L.; P. E. 572; Lev. O. A. t. 160.

S. Africa.

pristinaria, V.; thoracica et molitor, Licht.; pulsator, Steph. torquata, var., Lath.; strepitans, Licht.

W. Africa. Abyssinia.

4942. senegalensis, L.; P. E. 567. 1. velatus, V.; succineta, Licht. spurca, Müll.; torquata, Antin. ?nitida, Müll.; P. E. 567. 2.

4943. minima, Verr.

Gaboon.

4944. peltata, Sundev.

Cattraria.

1225.

b. Batis, Boie, 1831.

4945. pririt, V.; Lev. O. A. t. 161. strepitans, Licht.; senegalensis, Less.

W. Africa.

molitor, Hahn; melanoleuca, Licht.

4946. ? affinis, Wahlb.

Damaraland.

**1226.** с. Dуарногориуіа, *Вр.* 1854.

Agromiyias, Heine, 1860.

4947. leucopygialis, Fras. Zool. Typ. pl. 34. castanea, Fras.

W. Africa.

brevicauda, Sw.?

1227. d. Myiophila, Hartl. 1857.

Stiphromvias, Heine, 1860.

4948. concreta, Tem.

Guinea, W. Afr.

1228. c. Lanioturdus, Waterh. 1838.

Moquinus, Bp. 1855.

4949. torquata, Waterh.; Rev. et Mag. de Zool. 1855, t. albieauda, Strickl.

Damaraland.

1229. f. Stenostira, Cab. 1850.

Empidivora, *Reich*, 1850. Museylva, *Less*, 1837, *nec* 1831. *Reich*, S. A. t. 68, f. .

4950. scita, V.; Lev. O. A. t. 154; Sw. Flyc. pl. 21. longipes, Sw.; tenella, Licht. S. Africa.

4951. plumbea, Verr.; Heugl. Orn. N. O. Afr. t. 17. W. Africa.

4952. semipartita, Rüpp. F. A. t. 40. 1.

Abys., Kordofan.

1230. RHIPIDURA, Vig. & Horsf. 1825.

Rhipidicidura, Boic.

G. of B. i. p. 259, pl. 63. f. 8; Reich. S. A. t. 64. f.

a. Rhipidura.

4953. flabellifera, Gm.; Lath. Syn. pl. 49; Voy. Pôle Sud, t. 11. 4.

albiscapa, Cass.

New Zealand.

4954. melanura, G. R. Gr.

fuliginosa, Sparrm. M. C. t. 47?; deserti, Gm.? tristis, Hombr. & Jacq. Voy. Pôle Sud, t. 11. 5.

4955. albiscapa, Gould, B. A. ii. pl. 83; Sw. Nat. Libr. Flyc. pl. 10.

flabellifera, Vig. & Horsf. ventilabrum, var., Forst. Aus., V.D. Land. New Caledonia. New Hebrides.

4956. rufifrons, Lath.; Lewin, B. N. H. pl. 13; Gould, B. A. ii. pl. 84.

4957. dryas, Gould.

N.W. Australia.

4958. **isura**, *Gould*, *B*. *A*. ii. pl. 85. setosa, p. ?

N. & N.W. Aus.

4959. assimilis, G. R. Gr.

Kei Island.

4960. maculipectus, G. R. Gr. maculipennis!, G. R. Gr.

Aru.

4961. guttata, Tem.

Borneo.

4962. phœnicura, Müll.

Java, Sumatra.

albigularis, Less.

4964. setcsa, Quoy & G. Voy. Astrol. t. 4, 4.	Flores.
	New Ireland. N. Guin., Mysol.
4965, rufiventris, V.; Arch. du Mus, vii. t. 20, 2, ochrogastra, Müll. & S.	Timor.
4966. caniceps, Cass.	Philippine 1.
4967. bouruensis, Wall.	Bouru.
4968. semicollaris, Müll. & S.	Timor.
4969. perlata, Müll.	Sumatra.
4970. threnothorax, Müll. & S.	New Guinea.
4971. Pelzelni, G. R. Gr. assimilis, Pelz.	Norfolk I.
4972. Preissi, Cab.	W. Australia
4973. nebulosa, Peale, U. S. Expl. Exp. pl. 9. f. 2.	Navigator's 1.
4974. pectoralis, Homb. & Jacq. Voy. Pôle Sud, t. 14, 3.	I. of Vanikoro,
4975. lepida, Hartl.	Marian I.? Pelew I.
4976. —— ? rufiventris, <i>Müll. &amp; S.</i>	New Guinea.
	Aru 1.
	Sunda I.
4979. squamata, Müll, § 8.	Banda.
4980, longicauda, Wall.	Sumatra.
4981. cinerea, Wall.	Ceram.
4982. torrida, Wall. Pr. Z. S. 1865, pl. 38.	Ternate.
4983. collaris, Less.	Timor.
1231. b. Leucocirca, Sw. 1838. Leucocerca, Strickl. 1841. Leucocircus, Icrd. Muscivora, Less. 1831, nec Cuv.	
4984. fuscoventris, Frankl.; Arch. du Mus. t. 20, 1. sannio, Sunder.; albogularis, Less. albigula, Hodgs.; albieollis, V.?	Nepal, India.
4985. albofrontata, Frankl.; Jerd. I. Ind. Orn. pl. 2.	India.
aureola, Less.	
aureola, Less.	Neilgherries.
aureola, Less.  4986. pectoralis, Jerd. leucogaster, Cur.; fuscoventris, Sykes.	Neilgherries. Borneo.

bambusæ, Kittl.

paradisi, Schl.

Luzon.

Java.

4989. nigritorquis, Vig.; Mém. Ac. St. Pétersb. 1835, t. 6?

4990. ? ochracea, Sparrm. M. C. t. 22. ----? 4991. javanica, Sparrm. M. C. t. 75. Java. umbellata, Sunder. 1232. c. Muscylva, Hemb. & J. Monarcha, p., Finsch & H. 4992, Lessoni, G. R. Gr.; Voy. Pôle Sud, t. 11, 2. Fiji 1slands. cincrea. Peale. 1233. d. Sauloprocta, Cab. 1850. 4993. motacilloides, Vig. & H.; Gould, B. A. ii. pl. 86. S. Australia. 4994. picata, Gould. N. Australia. 4995. melanoleuca, Quoy & G. Voy. Astrol. t. 4. 3. New Ireland. 4996, atripennis, G. R. Gr. Aru, Waigiou, Mysol, Salwat. 4997. mimoides, Müll. Batchian.Terna... Gilo., Amboin. 4998. ? tricolor, V. New Ireland. motacilloides, p., Pucher. ----? 4999. laticauda, Sw. Flye. pl. 11. e. Chelidorynx, 1844. et Chelidorhynx, 1843, Hodgs. N. India. 5000. hypoxantha, Bl. chrysoschistus, Hodgs. 1235. f. ——? Myialestes, Reich. 1850. Cryptolopha, Sw. 1843, nec 1837. Reich, S. A. t. 67. f. 5001. cinereocapilla, V.; Sw. Zool, Ill. pl. 13; id. Flyc. pl. 23. India. Himalayas. poiocephala et ceylonensis, Sw. 1236. TCHITREA, Less. 1831. Muscicapa, Less. 1766, nee Briss. 1760. Museipeta, 2 div., Cuv. 1817. Trepsiphone, Cab. 1850, nec Glog. 1827. Thiltrea, Less. 1837. Sw. C. of B. f. 229, f; G. of B. i. p. 259, pl. 63, f. 6; Reich, S. A. t. 67. f. a. Tchitrea. 5002. paradisi, L.; Edw. B. pl. 113; P. E. 234. 2; Lev. O. A. t. 144, 145, 146; Gould, B. As. pl.; Jerd. Ill. I. O. pl. 7. India. indica, Sykes; castanea, Tem. P. E. 234. 1. 5003. affinis, Hay; Schl. De Dierk, fig. p. 147. Malacca.

5004. <b>rufiventer,</b> $Sw, B, W, Mr,$ pl. 4, easamansa, $Less.$	W. Africa.
5005. melanogastra, $Sw$ . senegalensis, $Less$ ,?	••
5006. melampyra, $Verr$ . melanogastra, p., $Hartl.$ $\&ightarrow$ $F$ .	Gaboon.
5007. <b>Duchaillui,</b> Cass, Journ. Ac, Phil. 1860, pl. 50, 1, 2, melanogastra, p., Hartl. & F.	W. Africa.
5008. <b>Ferreti,</b> Guér.; Ferr. $\circ$ Gal. Voy. en Abyss. t. 8. 1, 2. melanogastra, Rüpp., et p. Hartl. $\circ$ F.	E. Africa.
5009. atrochalybea, Thoms.	W. Af., Fern. Po,
5010. viridis, Müll.; Ler. O. A. t. 142, 143. eristata. Gm.; eastanea, Tem.? perspicillata, Sw.	St. Thomas, E. Africa, W. Africa.
5011. flaviventris, Verr. tricolor, Fras.	"
5012. <b>princeps,</b> Tem. P. C. 584. principalis, Tem. & S. F. J. t. 17, ε.	Japan, Corea.
5013. Incei, Gould, B. As. pl. principalis, p., Jerd.	N. China.
5014. nigriceps, Tem.	W. Africa.
5015. ?leucogaster, Sw. Flye. pl. 24. paradisi, p., Bl.	India.
5016. torquata, Gm.; Lev. O. A. t. 150. capensis, Kvhl; pectoralis, Sw. ? melanoleuca, V.	S. Africa.
5017. speciosa, Cass. Journ. Ac. Phil, 1860, pl. 50, 3.	W. Africa.
5018. Smithii, Fras.	,,
5019. mutata, $Gm.$ ; $P. E. 248.$ 2; $Lev. O. A.$ t. 148; $Poll.$ & $V.$ $D. F. de Madag.$ t. 20, 21. bicolor, $Sw.$ ; Gaimardii $e\ell$ pretiosa, $Less.$	Madag., I. Mayotte, I. Bourb,
5020. caudata, Müll.; P. E. 248, 1; Lev. O. A. t. 147. viridescens. Bodd.; holosericca, Tem. rufa, Sw.; mutata, p., Newt. & Hartl. & F.	S. Africa. Madagascar.
5021. Spekei, Hartl. mutata, p., Hartl. & F.	E. Africa.
5022. bourbonnensis, Müll.; P. E. 573, 1; Schl. & Poll. F. de Madag. t. 22. borbonica, Gm.	Mauritius. Madagascar.
5023. corvina, E. Newt.	Seychelles.

Malacea. 5024. atrocaudatus, Eyton. atriceps, Bl.

 Хеосернация, Вр. 1854. 1237.

Philippine I. 5025. rufa, G. R. Gr. & M. G. B. pl 64.

1235. c. Philentoma, Eyton, 1845.

5026, pyrrhoptera, Tem. P. C. 596, 1. Malacca. plumosa, Bl.; castaneum, Eyton.

5027. velata, Tem. P. C. 334. pectoralis, Hay; casia, Less.

Borneo. 5028. unicolor, Bl.

d. Trochocercus, Cab. 1850. 1239.

5029. cyanomelas, V.; Lev. O. A. t. 151. scapularis, Steph.

S. Africa.

W. Africa. 5030. nitens, Cass. Journ. Ac. Phil. 1860, pl. 50. 4.

1240. e. Todopsis, Bp. 1854.

5031. cyanocephala, Quoy & G. Voy. Astrol. t. 5.4; Voy. New Guinea. Pôle Sud, t. 20, 2. caruleocephala, G. R. Gr.

5032. Bonapartei, G. R. Gr. Pr. Z. S. 1858, pl. 134. Aru. cyanocephala, p., G. R. Gr.

5033. Wallacei, G. R. Gr. Pr. Z. S. 1861, pl. 43. 2. Mysol.

N.W. of N. Gui.. 5034. Gravi, Wall. Aru. New Guinea. 5035. ? sericyanea, Rosenh.

Subfam, III. Campephaginæ, G. R. Gr. 1840. Campephagina, Vig. 1825. Ceblephyrinæ, Sw. 1831.

### 1241. PERICROCOTUS, 1826.

et Phœnicornis, 1827, Evic.

Acis, Less. 1831.

G. of B. i. p. 281, pl. 69. f. 3; Reich, S. A. t. 68. f.

5036. flammeus, Forst.; P. C. 263; Sw. Zool. Ill. pl. 52; Gould, India, Cevlon. B. As. pl. elegans, M. Clell.

5037. speciosus, Lath.; Gould, C. B. pl. 7; id. B. As. pl. Him. to C. Ind. princeps, Vig.

5038. brevirostris, Vig.; Gould, C. B. pl. S. India, Him. Assam, Aracan. affinis, Horsf.; miniatus, Sw.

5039. rcseus, V.; Gould, B. As. pl. India, Aracan. sordidus, Hodgs.; rubricinctus, Bl. 5040. peregrinus, L.; Sparrm. M. C. t. 48-50; Gould, B. As. pl. India, Burniah. coccincus et malabarica, Gin. Andamans. cinnamomea, L.; indieus, Sparrm. 5041. solaris, Bl.; Gould, B. As. pl. Sikkim. affinis \, M.Clc/l. 5042. erythropygius, Jerd.: Jard. Contr. Orn. 1847. pl. India. speciosus, var. B. Lath. 5043. albifrons, Jerd. Upper Burmah. 5044. rutilus. Gould. Pegu. 5045. miniatus, Tem. P. C. 156, 1, 2. Java. 5046. ardens, Boie. Sumatra. 5047. xanthegaster, Ruffl. Sumatra, Java. flammea, Horsf. 5048. flagrans, Boic. Sumatra, Bor. minuta, Tem. 5049. exul, Wall. Lombock. 5050. cinereus, Lafr.; Gould, B. As. pl. China modestus, Strickl. Philippine I. 5051. griseigularis, Gould, B. As. pl. I. of Formosa. 5052. elegans, M. Clell. Assam, Burmah. 5053. modestus, Boie. Sumatra. 5054. igneus, Bl. Contr. Orn. 1849, pl. Malacca. minutus, Strickl. 5055. andamanensis, Tytl. Andamans. 5056, cantonensis, Swinker. Canton. 5057, sordidus, Swinkoc, Amov.

### 1242. CAMPEPHAGA, J. 1816.

Campophaga, *Ayass.* Ceblepyrus, *Bp.* 1850. Lanieterus, *Less.* 1838. *G. of P.* i. p. 283; *Reich. S. A.* +, 68, f.

### a. Camperhaga.

5058. nigra, Lev. O. A. t. 164, 165; Sw. Zool, Ill. pl. 179.
S. & W. Africa, flava, V.; atrata et labrosa, Swains, atra, Swainsoni et xanthornoides, Less.

5059. quiscalina. Finsch.

Fantee C.

## 1243. b. Cyrtes, Reich, 1850.

Cereotriehas, Boie, 1831.

Campephaga, Sw. 1837, et Hartl.

Sw. C. of B. f. 204, e; Reich. S. A. t. 68, f

5060. phœnicea, Lath.; P. C. 71; Sw. B. W. Afr. pl. 27, 28. S.W. & E. Afr. phænicopterus et flava, Tem.; dubia, Shaw.

5061. melanoxantha, *Licht*. phœnicea, p., *Rüpp*.

Natal.

# 1244. e. Lobotos, Reich. 1850.

Lanieterus, p., Less.

Reich. S. A. t. 54. f. , 3 ♀.

5062. lobata, *Tem. P. C.* 279, 280. Temminckii, *Hartl.*  Angola.

## 1245. d. Graucalus, Cur. 1817.

Ceblephyris, Tem. 1820. Ceblepyris, Sw. 1837. Coracina, p., V. 1816. Coracina, Cab. 1851. Sw. C. of B. f. 115; Reich. S. A. t. 68. f.

5063. magnirestris, Forst.

Gilolo.

5064. melanops, Lath.; Lev. O. de Par. t. 30; Gould, B. A. ii. pl. 35. melanotis, Gould.

Australia.

5065. parvirostris, Gould, Syn. of A. B. pl. . 1.

Van Dieman's L.

5066. personata, Müll.

Timor, Flores. New S. Wales.

5067. mentalis, Vig. & H.; Gould, B. A. ii. pl. 56. robustus, Lath.?

I. of Formosa.

5068. rex-pineti, Swinhoe.

India.

5069. Macei, Less. papuensis, Sykes; nipalensis, Hodgs. Layardi, Bl.

Philippine I.

5070. **Dussumieri**, Less. Voy. Pôle Sud, t. 8. 1. fasciata, p., Bp.; macci, p., Pucher.

Java, Sumatra.

5071. javensis, Horsf. papuensis, Tem.

Java, Sumatra

5072. Jardinii, Rüpp.; Jard. & S. Ill. Orn. pl. 114; Gould, B. A. ii. pl. 60. tennirostris, Jard. & Selby.

New S. Wales. N. Australia.

5073. ceramensis, Ep.

Ceram.

5074. leucopygia, Ep.

Celebes.

5075. melanolora, G. R. Gr.

Batch., Ternate, Mysol, Aru.

HARD-LIST OF BIRDS.	337
5076. striata, Bodd.; P. E. 620. novæ guinew, Gm.; fasciata, V. plumbea, Wag/.; lineatus, Less.	New Guinea? Sumatra.
5077. ? sumatrensis, Müll.	'',
5078. hypoleuca, Gould, B. A. ii, pl. 57.	N. Aus., N. Gui.,
5079. <b>Swainsoni,</b> <i>Goodd</i> , <i>B. A.</i> ii. pl. 58. lineatus, <i>Sw.</i>	Aru ? N. S. W., N. Aus. Ceram.
5080. lagunensis, $Ep$ .	Philippines.
5081. Temminckii, Müll. & S.	Celebes, Sula.
5082. papuensis, <i>Gm.</i> ; <i>P. E.</i> 630. albiventris, <i>Wagl</i> .	New Guinea. Moluceas.
5083. Desgrazii, Pucher. Voy. Pôle Sud, t. 7, 1. papuensis, p. ?, Hartl.; affinis, Rüpp. ?	New Guinea.
5084. atriceps, Müll. & S.	Celebes, Ceram.
5085, larvata, Müll. & S.	Java, New Gui.
5086. pusilla, <i>Bl.</i>	Ceylon.
5087. melanogenys, Homb, & J. Voy. Pôle Sud, t. 8, 2.	Timor.
5088. —— ? melanotis, <i>G. R. Gr.</i>	Batch., Gilolo. Sula.
5089. concreta, Hartl.	Borneo.
1246. c. Gazzola et Gazola, 1850, Bp.	
50.00. caledonica, $Gm$ . cincrous, $Forst$ .; exesius, $Cuv$ . papuensis, p., $G$ . $R$ . $Gr$ .	New Caledonia, New Hebrides.

1247. f. Artamides, Hartl. 1864.

5001. bicolor, Tem. P. C. 278.

Banda, Celebes, Sumatra.

1248. g. Ptiladera, Pucher, 1853. Campephaga, p., Hartl.

5092. Boyeri, G. R. Gr.; Voy. Pôle Sud, t. 9, 3,

New Guinea

1249. h. Pteropodocys, Gould, 1846. Reich, S. A. t. 68. f.

5003. phasianella, Gould, B. A. ii. pl. 59.maxima, Rüpp. Orn. Misc. t. 3.S. & W. Austral.

i. Edolisoma, Pucher, 1853,
 Eucampophaga, Fitz, 1864,
 Campephaga, Bp. 1850. Edolisoma, Sclat.

5094. melas, Müll. & S.; Voy. Pôle Sud, t. 10. 2. cinnamomea, Müll. & S.; Marcscotii, G. R. Gr.

Sw. C. of B. f. 205, c, d, 206, c. 5112. chalcocephala, Tem. P. C. 453, 1.

Erucivora, Sw. 1831. Reich, S. A. t. 68, f. .

l. Lalage, Boie, 1826.

1253.

New Guinea.

Mysol.

Java.

melan, Sclat.; melana, Hartl. 5095, schisticeps, G. R. Gr.; Voy, Pôle Sud, t. 10, 1. N. Guin., Mysol. 5096. plumbea, Müll, & S. N. Guin., Timor, Mysol. 5097. morio, Müll, & S. Celebes. 5098. marginata, Wall. Bourn. 5099. melanolæma, n. sp.? Celebes. 5100. aterrima, Bl. Philippines. cærulcscens ♀. Bl. 5101, caruleogrisea, G. R. Gr. Arn. 5102. amboinensis. Hartl. Amboina. New Caledonia. 5103. analis, Verr. & Murs. 1251. j. Volvocivora, Hodgs. 1837. 5104. fimbriata, Tem. P. C. 249, 250. Java. Malacca. culminatus, Hay; javensis, p., Rüpp. 5105. melaschistos, Hodgs. India. lugubris, Sundev.; silens, Tick. fimbriata, Bl.; carbonarius, Less. "cinerea, Bl.," Swinhoc; javensis, p., Rüpp. 5106. Sykesii, Strickl. ٠, canus et fimbriatus, Sykes. 5107. avensis, Bl. Burmah. melanopterus, Bl.; ardosiacus, Less.? 5108. Schierbrandi, Pelz, Reise Novara, t. 2. 1. Borneo. 5109. melanura, Hartl. India 5110. vidua, Hartl. Aracan? 5111. melanopterus, Rüpp. Orn. Misc. t. 2. 1. " N.Holland "(?) lugubris, p. ?, Hartl. k. --- ? 1252. Micropus, Sw. 1837, nec Wolf & Mey. 1810. Microscelis, p., G. R. Gr. Brachypus, p., Sw. 1831. Prosecusa, Cab. 1851, et p. Reich. 1850.

z 2

HAND-LIST OF BIRDS.	1)1)1
5113. terat, Bodd.; P. E. 273, 3. orientalis. Gm.; striga, Horsf. dominicus!, Müll.; leucophwa, V. humeraloides, Less.	Java, Sumatra.
5114. aurea, Tem. P. C. 382, 2; Voy. Pôle Sud, t, 10, 3.	Timor, Celebes,
5115. leucomela, Vig. & H.; Gould, B. A. ii. pl. 62.	Moluccas. New S. Wales.
5116. humeralis, Gould, B. A. ii. pl. 63.	Anstralia.
5117. rufiventris, Pucher.; Gould, B. A. ii. pl. 61. karu, Gould.	N. Australia.
5118. timorensis, Müll. & S. Sueuri, V.; orientalis, p., Less.	Timor.
5119. <b>karu,</b> Less ; Voy. Coqu. t. 12. leucomela, p., Rüρp.	New Guinea. New Ireland.
5120. polygrammica, G. R. Gr.	Aru.
5121. atrovirens, G. R. Gr.	Mysol.
5122. nævia, Forst. & Gm.	New Caledonia.
5123. pacifica, Gm. karu, Quoy & G.	Tonga.
5124. maculosa, Peale. terat, Cass.; orientalis, p Hartl.	Feejee. Samoan 1.
5125. leucopygialis, n. sp. orientalis, p., Müll.	Celebes.
5126. Sloetii, Schl.	New Guinea.
5127. nycthemera, Tem.	Borneo.
5128. Montrosieri, Verr. & Murs.	New Caledonia.
1254. m. Pseudolalage, Bl, 1861. Lalage, p., Hartl.	
5129. <b>melanictera</b> , Bl. "melanoleuca, Bl." Hartl.	Philippine 1.
<b>1255.</b> n. Symmorphus, Gould, 1837.	
5130. leucopygia, Gould. longicaudatus, Pelz.	New S. Wales. Norfolk Island.
et Acanthinotus, 1831, Sw. Acanthonotus, Agass. Schetba, Less. 1831. Reich, S. A. t. 89, f.	Madagessar
5131. rufiventer, Cuv.; Voy. Uranie, t. 17; Ibis. 1866, pl. 7. ferrugineus, Quoy & G.; cinereus, Less. typicus, Hartl.	Madagascar. Mauritius.
	z 2

5132. Newtoni, Poll. Ibis, 1866, pl. 8.

Réunion.

**1257.** p. Ceblepyris, Cuv. 1817. G. of B. i. pl. 69. f. 2.

5133. cæsia, Licht.; Lev. O. A. t. 162, 163; Gal. des Ois. t. 130. S. Africa. cana, Cuv.; Levaillantii, Tem.

5134. pectoralis, Jard, & S. I. O. pl. 57. niveoventer, Less.; cinerascens, Tem.

W. & E. Africa.

5135. cinerea, Müll.; Briss, Orn, ii. t. 36, 1; P. E. 541. kinki, Bodd.; cana, Gm. madagascariensis, Verr. Madagascar.

5136. frenatus, Heugl.

C. Africa.

1258. q. Cyanograucalus, Hartl. 1861.

5137. azurea, Cass.

W. Afr., Sierra Leone.

# FAM. XVII. TYRANNIDÆ, Cab. 1850-51.

Laniadæ, p., Vig. 1825.

# Subfam, I. Attilinæ, Sclat. 1862.

## 1259. ATTILA, Less. 1831.

5139. brasiliensis, Less.

5142. citrinopygus, Bp.

rufescens, Lafr.

Dasycephala, Sw. 1831. Tamnolanius, p., Less. Dasycephala et Dasyopsis, Reich. 1850. G. of B. i. 208, pl. 55, f. 2; Reich. S. A. t. 52, f.

### a. Attila.

5138. cinereus, Gm.; Briss. Orn. app. t. 3. 3; Spix, A. B. t. 26. 2. Cayenne, Brazil.

Brazil.

Mexico.

uropygiata, Max.; uropygialis, Bp.

5140. thamnophiloides, Spix, A. B. t. 26. 1.

5141. **spadiceus**, *Gm*. Cayenne. rufescens, *Sw*.; uropygialis, *Cab*.

citreopygia, Sclut. Guatemala.

5143. citriniventris, Selat. E. Peru.

5144. bolivianus, *Lafr*. Bolivia.

5145. Sclateri, Lawr. Spadicea, Lawr.

5146. torridus, Sclat.
flammulatus, Lafr.?

5147. validus, Pelz.

5148. rufigularis, Pelz.

5149. phœnieurus, Natt. & Pelz.

5150. ? unirufus, Cuv.

1260.

b. Casiornis, Ep. 1855.

5151. rubra, V.; Custeln. Voy. t. 18. 1.
hæmatedas Liebt : thanmanhiledas Norden

hæmatodes, *Licht.*; thannophiloides, *Nordm.* rufula, *Hartl.*; typus, *Des Murs.* rutilus, p., *G. R. Gr.*; rufus, *V. & D'Orb.* 

5152. rutilus, Less. Guiana.

# Subfam. II. Tæniopterinæ, G. R. Gr. 1841.

Tyranninæ, p., Vig. 1825. Fluvicolinæ, Sw. 1837. Alectrurinæ, 1847, et Motacillinæ, G. R. Gr.

## 1261. AGRIORNIS, Gould, 1838.

Tamnolanius, Less. 1839. Dasyeephala, p., G. R. Gr. 1841. Thamnolanius, Agass. Reich, S. A, t, 64, f.

### a. Agriornis.

5153. livida, Kittl. Vog. v. Chili, t. 1. Chili. gutturalis, Gerv. Voy. Fav. t. 11. chilensis. Less.

5154. microptera, Gould, Voy. Beagle, pl. 12. Patagonia. striata, Gould.

5155. maritima, Lafr.; Voy. Beagle, pl. 13. Bolivia. leucura, Gould. Patag., C. Chili.

5156. insolens, Selat. & S. Tinta, Peru.

5157. andecola, D'Orb.

gutturalis, p., Lafr.

Chimborazo.

5158. solitaria, Selat. Ecuador. 5159. albicauda, Ph. § L. Peru.

5160. montana, Lafr. Bolivia.

5161, ——? Ecuador. andicola, Sclut,

1262. b. Myiotheretes, Reich. Ixoreus (Ep.), Sclat. Reich. S. A. t. 64. f.

La Plata.

Bolivia.

Bogota.

5162. rufiventris, V.; Voy. Beagle, pl. 11; D' Orb. Voy. t. 39. 2.

variegata, Lafr. Chili. ferrugineus, Less. Patagonia. 5163. erythropygia, Solat. Pr. Z. S. 1851, pl. 41. Chimborazo. 5164. striaticollis, Sclat. Pr. Z. S. 1851, pl. 42, Equador. rufiventris, Lafr. & D'Orb. Voy. A. M. t. 32, 3. Bolivia, Peru. "crythropygius, Lafr. & D' Orb.," Sclat. 5165. rubetra, Burm, Bolivia, Pampa. 1263. TÆNIOPTERA, Bp. 1825. Tyrannus, 3 div., 17, 1816. Peposaza, 1826, et Xolmis, 1828, Boic. Nengetus, 1827, et Blechropus, 1837, Sw. Orsipus, Nordm. 1835. Pepoasa, Less. 1837. Pepoaza, Lafr. 1838. Pepoaza et Pepoazoa, Stein. 1839. G. of B. i. p. 241, pl. 61. f. 1; Reich. S. A. t. 64. f. a. Tenioptera. 5166. nengeta, L.; Edw. B. pl. 318; Spix, A. B. t. 24; Sw. Braz., R. Grande, Flyc. pl. 8. Boliv., Argent. cinereus et pepoaza, V. La Plata. polyglotta, Licht.; tænioptera, Bp. 5167. velata, Licht.; Spix, A. B. t. 22. Brazil, Bolivia. 5168. dominicana, V.; Voy. Beagle, pl. 10. Braz., Argentina. Azaræ, Gould; picata, Cuv. Urag., La Plata. 5169. coronata, V. Paragnay. vittigera, Licht. Santa Fé. 5170. albogrisea, Less. Brazil. New Granada dominicana, p., Lafr. 5171. murina, Lafr. Patagonia. b. Немірентніса, Сав. ф. Н. 1859. 1264. 5172. irupero, V.; Spix, A. B. t. 29, 1. Paraguay, Brazil. mœsta, Licht.; nivea, Spix. Argent., Urag. 5173. niveicolor, n. sp.? --- ? irupero, juv.? Chili. 5174. albirostris, n. sp.? c. Pyrope, Cab. & H. 1859. 1265. 5175. pyrope, Kittl. Vög. Chili, t. 10. Chili, Chiloe. Terra del Fuego. Kittlitzi, Cab. d. Оситноёса, Cab. 1847. 1266.

Ochtheea, Bp. 1850. Ochthocea!, G. R. Gr.

5177. fumicolor, Sclat. Pr. Z. S. 1856, pl. 117.

5176. cenanthoides, Lafr.; D'Orb. Voy. A. M. t. 38. 2.

Reich, S. A. t. 64, f.

Ecu., Venezuela.

S. Martha.

HAND-LIST OF BIRDS. New Granada. 5178. Lessoni. Sclat. rufipectus, Less. Ecuador. 5179, citrinifrons, Sclat. Rio Napo. 5180. albidiema, Lafr. Bogota. 5181. cinnamomciventris. Lafr. e. Ochthodleta, Cab. & H. 1859. New Granada 5182. fumigata, Boie. Ecuador. Boissoneauii, Bp. 1268. f. Mecocerculus, Sciat. 1862. 5183. stictoptera, Sclat. Pr. Z. S. 1858, pl. 146. 2. 5184. rufipectoralis, Lafr.; D'Orb. Voy. A. M. t. 37. 2. Bolivia. 5185. leucophrys, Lafr.; D'Orb. Voy. A. M. t. 38. 1. Bolivia, Peru. New Granada. 5186. diadema, Hartl. fuscicapilla, Lafr. 5187. gratiosa, Sclat. Ecuador. Venezuela. 5188. setophagoïdes, Ep. leucophrys, p., Sclat. 5189. rufipectus, Lafr. New Granada. 1269. g. Sayornis, Bp. 1854. Theromyias, Cab. & H. 1859. 5190. pallida, Sw. B. Br. pl. 70; Faun. B. Amer. pl. 45; Aud. Arctic America. B. A. i. pl. 59, Saya, Ep.; Sayii, Sw.; Sayi, Cab. & H. Mex., Rocky Ms. h. Aulanax, Cab, 1856. 1270. Sayornis, p., Sclat. 5191. nigricans, Sw. B. Br. pl. 69; Aud. B. A. i. pl. 60. Mexico, Calif. semiatra; Viq. Guatemala. 5192. aquatica, Solat. & S. 5193. latirostris, Cab. & H. C. America. ? nigricans, p., Cab. & S. ? cineracca, Sclat.

# 1271. FLUVICOLA, Sw. 1827.

5194. cineracea, Lafr.

Entomophagus, Max. 1831. Xolmis, Sundev. 1836. Xolmus, Sw. Suiriri, Des Murs, 1853. Myiophila, Reich. 1850. G. of B. i. p. 242, pl. 61, f. 3; Reich, S. A. t. 64, f.

### a. Fluvicola.

5195. climazura, V.; Spix, A. B. t. 31, a; Sw. Z. I. pl. 47. Brazil. nengeta, Licht.; mystacea, Max.

mystax, Spix; cursoria, Sw.

pseudogilla, Less.; climacura, Cab. & H.

5196. pica, Bodd.; Edw. B. pl. 348. 1; P. E. 566. 3. bicolor et var. β, Gm.; P. E. 675. 1.

Cayenne. Guiana.

5197. albiventer, Spix, A. B. t. 30. 1. albiventris, Sclat.; bicolor, Lafr.

pica, p., G. R. Gr.

Brazil, Bolivia.

5198. atripennis. Sclat.

Ecuador.

1272. b. Surriri, Lafr. 1837.

Satrapa, Strickl, 1844. Suiriria, Reich, 1850. Sisopygis, Cab. & H. 1859. Reich. S. A. t. 65. f. .

5199. icterophrys, V.; Tsh. F. P. t. 8. 2. chrysochloris, Max.; Cinchoneti, Tsch.

Para., R.Grande. Boliv, Argentina, Peru.

c. Knipolegus, Boie, 1826. 1273.

Cnipolegus, Strickl. 1841. Blechropus, Sw. 1843. Reich, S. A. t. 64, f.

5200. comata, Licht.; Spix, A. B. t. 27; Sw. Flyc. pl. 7. Brazil. galeata, Spix; lophotes, Boie. cristatus, Sw.

1274.

d. ADA. Less. 1831.

5201. nigerrima, V.; Spix, A. B. t. 28. 1, ♀. galeata ♀, Spix; rufogularis, Less. Lafresnavi, Kaup.

1225.

e. Sericoptila

et Sericoptilia, Schiff. 1854. Cnipolegus, p., Kaup.

5202. cyanirostris, V.; G. R. Gr. & M. G. B. pl. 61. ruficapilla, V.; analis et ater, Licht.

Brazil, Paraguay.

hypoleucoptera, Ménétr.

5203. unicolor, Kaup. cyanirostris, Lafr.

Argentine Rep.

5204. aterrima, Kaup. nigerrima, Lafr.

Bolivia.

,,

5205, anthracina, Cab.

### 1276. ARUNDINICOLA, Lafr. 1839.

Platyrhynchus, Glog. 1842. Dixiphia, Reick. 1850.

G. of B. i. p. 243, pl, 61, f, 2; Rewh, S, A, t, 64, f. .

5206. leucocephala, L.; Spix, A. B. t. 29, 2. dominicana, p., Spix; leucocapilla, Less. monacha, Sw.; Lev. O. A. t. 159. Brazil, Argent. Bolivia.

5207. dominicana, Spix, A. B. t. 30, 2, leucocephala, Max.

Brazil.

## 1277. ALECTRURUS, V. 1816.

Xenurus, Boie, 1826.

Gallita, V. 1818. Alecturus!, Sw. 1837. Alectorurus, Glog. 1842. Alectrura, Reich. 1850. G. of B. i. p. 243, pl. 61, f. 5; Reich. S. A. t. 64, f.

## a. Alectrurus.

5208. tricolor, V. Gal. des Ois, t. 132; Sw. Flye. pl. 6; P. C. 155. Brazil, Bolivia. alector, Licht.; alcetrura, V. gallus, Glog.; Azaræ, Sw.

### 1278. b. Yetapa, Less. 1831.

Psalidura, Glog. 1842. Alecturus et Alectura, Sw. 1837.

5209. guirayetapa, V. Gal. des Ois. t. 131; P. C. 286, 296. psalura, Max.; risora, V.

Brazil, Parag. Arg., La Plata.

### 1279. LICHENOPS, Comm. 17 ?

Perspicilla, Sw. 1837. Ada, p., Less.

Sw. C. of B. f. 11; G. of B. i. p. 242, pl. 61, f. 7; Reich. S. A. t. 64, f.

5210. perspicillata, Gm.; Sw. Flyc. pl. 9; Voy. Beagle, pl. 9.
 S. Brazil.
 nigricans, V.; Commersonii, Less.
 leucoptera, Sw.; erythroptera, Gould.
 Boliv., Argent.
 La Plata, Patag.

## 1250. GUBERNETES, Such, 1825.

Cybertes, Agass. Cybernetes, Selat.

G. of B. i. p. 243, pl. 61. f. 4; Reich, S. A. t. 70. f. .

## a. Gubernetes.

52H. yetapa, I.; Spix, A. B. t. 17; Zool. Journ. ii. pl. 4. Brazil, Bolivia. bellulus, I.; yiperu, Licht. Cunninghami, Such. forficatus, Sw. Flyc. pl. 5; longicauda, Spix.

### b. Muscipipra, Less. 1831.

Milvulus, Reich. 1850. letiniscus, Cab. 1859.

Reich, S. A. t. 68. f. .

5212. vetula, v. Off.; Jard. & S. I. O. pl. 42; Spix, A. B. t. 18. Brazil. longipes et longipennis, Sw.; pullata, Bp.; "longicauda, Spix," Sclat.

### 1282. COPURUS, Strickl. 1841.

Coparus, Agass.

Sw. C. of B. f. 149; tr. of B. i. p. 244, pl. 61, f. 6; Reich, S. A. 1,64, f.

5224. cinerea, Phil. & L.

5225. nigrifrons, Phil. & L.

albifrons, p., Sclat.

5229. albilora, Lafr.

5230. albimentum, Lafr.5231. brunnea, Gould.

5232. frontalis, Burm.

5233. capistrata, Burm.

5226. maculirostris, Lafr.; D'Orb. Voy. A. M. t. 41. 2.

5227. alpina, Jard. Contr. Orn. 1849, pl. 21.

rubricapilla, p. ?, Sclat. & S.

5228. rubricapilla, Ph. & L. Pr. Z. S. 1867, pl. 46.

5213. colonus, V.; Spix, A. B. t. 14; Lath. Hist. B. vi. pl. 102. Brazil. platurus, V.; colon, Steph. leucocilla, Hahn; monachus, Licht. filicauda, Spix. 5214. leuconotus, Lafr. New Granada fuscicapillus, Sclat. 5215. pæcilonotus, Cab. Guiana. leuconotus, p., Sclat. 5216, funebris, Cab. Minas Geraes **1283. MACHETORNIS,** G. R. Gr. 1841. Chrysolophus, Sw. 1837, nec Gr. 1833. G. of B. i. p. 245, pl. 60, f. 4. 5217. rixosa, V.; Spix, A. B. t. 23 Braz., Argentina. joazeiro, Spix; miles, Max. Bolivia. ambulans, Sw. 1284. MUSCISAXICOLA, Lafr. 1837. Ptionura, Gould, 1841. Ptyonura, Reich. 1850. G. of B. i. p. 202, pl. 54. f. 7; Reich. S. A. t. 59. f. 5218. rufivertex, Lafr.; D'Orb. Voy. A. M. t. 40, 2. Bolivia, Peru. 5219. flavinucha, Lafr. Chili. flavivertex, Phil. & L. 5220. mentalis, Lafr.; D'Orb. Voy. t. 40. 1. Bolivia, Chili, chilensis, Hartl. Peru, Patago. 5221. Macloviana, Garn. Falkland I. 5222. fluviatilis, Sclat. & S. R. Ucayali. 5223. albifrons, Tsch. F. P. t. 12, 2. Peru.

Chili.

Chili.

Boli., Chili, Ecua.

Chimborazo

Chili, Peru.

Patagonia.

Mendoza.

Ebenda, Mendoz.

# 1285. LESSONIA, Sw. 1831.

Centrites, 1841, et Centrophanes, 1845, Cab.

Auchmalea, Reich, 1850.

G. of B. i. p. 201, pl. 54. f. 4; Reich. S. A. t. 59. f., et pl. 64. f.

5234. nigra, Bodd.; P. E. 738. 2; Mag. de Zool. 1836, t. 67. rufa, Gm.; fulva, Lath.; erythronotus, Merr. dorsalis, King; variegatus, Edy. & Gerv.

Paraguay. W. Peru.

5235. orcas, Selut. & S.

Tinta.

# 1286. MUSCIGRALLA, Lafr. 1837.

Ochthites, Cab. 1844.

Lepturus, Peale.

G. of B. i. p. 202, pl. 54, f. 8; Reich, S. A. t. 59, f. .

a. Muscigralla.

5236. brevicauda, Lafr.; D'Orb. Voy. A. M. t. 39. 1. Peru.

**1287.** b. Philotherus, Kaup, 1851. "Hydrozetetes, Schiff.," Bp. 1854?

5237. rivularis, Max.

Brazil.

# Subfam. III. Platyrhynchinæ, Sclat. 1862.

Todinæ, p., Cab. 1847. Muscicapinæ, p., G. R. Gr. 1840.

## 1288. PLATYRHYNCHUS, Desm. 1805.

Platyrhynchos, V. 1816.

Sw. C. of B. f. 147, 228, b; G. of B. i. p. 255, pl. 63. f. 15; Reich. S. A. t. 67. f.

5238. mystaceus, V.; P. C. 12. 2; Sw. Zool. Ill. pl. 17.

5239. albogularis, Selat. Ecuador.

5240. cancrominus, Selat. cancroma, Selat.

Vera Paz.

5241. coronatus, Sclat. Cat. of A. B. pl. 17.

5242. superciliaris, Lawr. Panama.

cancroma, Lawr.

5243. rostratus, Lath.; Pall. Spic. t. 3, c; Gal. des Ois. t. 126. Brazil. platyrhynchus, Pall.; fuscus, V. leucoryphus, Max.

5244. flavigularis, Sclat.

Bogota.

## 1289. TODIROSTRUM, Less. 1831.

Muscipeta, Tem. 1820. Triceus, Cab. 1845.

Todirhamphus, Kaup, 1851.

G. of B. i. p. 257, pl. 63. f. 12; Reich. S. A. t. 67. f.

### a. Todirostrum.

5245. cinereum, L.; Edw. B. pl. 262; Desm. Tod. t. 68.

melanoxantha, Sparrm. M. C. t. 97.

melanocephalus, Spix. A. B. t. 9. 2: Sw. Flyc. pl. 18.

Brazil, Trinidad.
V. Paz, N. Gran.
Bolivia.

5246. maculatum, Desm. Tod. t. 80. cinereus, Spix. A. B. t. 10. 1.	Mexico, Cayenne.
5247. poliocephalum, Max. flavifrons, Lafr.	Brazil.
5248. nigriceps, Solat. Pr. Z. S. 1855, pl. 84. 1.	S. Martha.
5249. picatum, Selat.	Rio Napo.
5250. schistaceiceps, Sclat. Cat. of A. B. pl. 18. 2.	Oaxaca.
5251. chrysocrotaphum, Strickl.; Contr. Orn. 1850, pl. 49.	E. Peru.
5252. ruficeps, Kaup; Contr. Orn. 1850, pl. 85, 2. multicolor, Strickl.	Bogota.
5253. capitale, Sclat. Fr. Z. S. 1857, pl. 125.	Rio Napo.
5254. Sclateri, Cab. & H.	Peru.
5255. Illigeri, Cab. & H. nigriceps, Ill.	Para.
5256. calopterum. Sclat. Pr. Z. S. 1857, pl. 125. 1.	R. Napo.
5257. griseum, Desm. Tod. t.	
5258. guttatum, Pelz.	Brazil.
1290. b. Oncostoma, Sclat. 1862.	
5259. cinereigulare, Sclat. Cat. of A. B. pl. 18. 1.	Cordova,Oaxaca.
5260. olivaceum, Lawr.	Panama.
1291. c. ——? Euscarthmus, p. Reich. S. A. t. 66. f. ?	
5261. gularis, Tem. P. C. 167. 1. rufilatum, Hartl.; plumbeiceps, Lafr.	Brazil. Bolivia.
5262. granadense, Hartl. Contr. Orn. 1850, pl. 85. pectorale, Kaup.	Bogota.
5263. <b>squamicristatum</b> , <i>Lafr</i> . squamæcrista, <i>Lafr</i> .	Ecuador.
5264. gracilipes, Sclat.	Bogota.
5265. nidipendulum, Max.	Brazil.
5266. fumifrons, <i>Hartl</i> . crinitus, <i>Burm</i> .	,,
5267. limbatum, Cab. & H.	11
5268. furcatum, Lafr.	**
5269. orbitatum, $Max$ . palpebrosum, $Lafr$ .	31

Brazil.

Mendoza. 5270. einereum, Burm. 5271. ? sylvia, Desm. Tod. t. 69. Bahia. 5272. striaticollis, Lafr. orbitatus, p.? 5273. ? margaritaeeiventer, Lafr.; D'Orb, Voy. A. M. t. 33, 3, 4. Brazil 5274. latirostris, Pelz. 5275, senex. Pelz. 5276. inornatum, Pelz. 5277. zosterops, Pelz. 5278. impigrum, Sclat. & S. Pr. Z. S. 1868, pl. 13. 1. Venezu., Bogota. 1292. d. Muscylva, Less. 1831. 5279. leucogaster (Less. ex Mus. Par.). Cavenne. 1293. e. Orchellus, Cab. 1845. Orehilus, Reich, 1850. Reich, S. A. t. 65, f. . 5280. auricularis, V.; Sw. Flyc. pl. 19. Brazil. einereicollis, Max.; melanotis, Cuv.; megaeephalus, Sw. 5281. pileatum, Tsch, F. P. t. 9. 1. Peru. 5282, rufipes, Tsch. 5283. eeaudatus, Lafr.; D'Orb, Voy, A. M. t. 33, 2. Bolivia. f. Colopterus, Cab. 1845. 1294. Reich, S. A. t. 66. f. 5284. pilaris, Cab. Not. Orn. t. 5, 4; Pr. Z. S. 1857, pl. 125, 2. Carthagena. New Granada. exile, Sclat, 5285. cristatum, Cab. Not. Orn. t. 5. 2. Guiana. g. —- ? 1295. Vermivora, Iess. 1831, nec Meyer, 1822. Todirostrum, p., et Colopterus, p., Sclat. 5286. galeatum, Bodd. Amazons. eristatus, Müll.; P. E. 391, 1; Pr. Z. S. 1855, pl. 84, 2. Cayenne. spieifer, Lafr. h. Musciphaga, Less. 1831. Dumecola, Sw. 1831. Dumicola, Agass.

5287. diops, Tem. P. C. 144. 1. vilis, Burm.

Hemitriceus, Cab. & H. 1859. Sw. C. of B. f. 213, c, d. 5288. ruficauda, Sw.

5289. caniceps, Sw. B. Braz. pl. 49.

Cayenne.

1297. i. Phylloscartes, Cab. & H. 1859.

5290. ventralis, Natt.; P. C. 275, 2.

Brazil, Bolivia.

5291. flavocinercum, Burm.

Mendoza.

1298. EUSCARTHMUS, Max. 1831.

Lepturus, Sw. 1837, nec Mochr. 1752. Leptocercus, Cab. 1845, nec Hübn. 1816.

Hapalocereus, Cab. 1847.

Sw. C. of B. f. 228, d; G. of B. i. p. 251; Reich. S. A. t. 67, f. .

a. Euscarthmus.

5292. meloryphus, Max.; Sw. Flyc. pl. 20.

ruficeps et fulviceps, Sw.

Bahia.

5293. ruficapillus, V.

5294, helviventer, Cab.

helviventris!, G. R. Gr.

Antilles.

1299.

b. ----?

Myiosympotes, Reich. 1850. Hapalocercus, p., Cab.

Reich, S. A. t. 65. f. .

5297. rufomarginatus, Pelz.

5295. flaviventris, Lafr.; D'Orb. Voy. A. M. t. 36. 1.

Paraguay, Monte Video, Chili. Chili.

5296. citreolus, Landh.

Brazil.

1300. e. Culicivora, Sw. 1827, nee 1837.

Hapalura, Cab. 1847.

Sternura, Cuv. 1829.

Reich, S. A. t. 67, f. . 5298, stenura, Tem. P. C. 167, 3.

1301. d. Habrura, Cab. & H. 1859.

Polystictus, Reich. 1850.

Hapalura, p., Cab.

Reich, S. A. t. 67. f.

5299, minimus, Gould, Voy. Beagle, pl. 15.

Monte Video.

1302. e. Pogonotriccus, Cab. & H. 1859.

5300. eximius, Tem. P. C. 144. 2.

Brazil.

1303. f. Leptotriccus, Cab. & H. 1859.

5301. sylvicola, Lieht.

5302. superciliaris, Sclat. & S.

Veragua.

1304. g. Stigmatura, Sclat. & S. 1866.

5303. budytoides, Lafr.: D'Orb. Voy. A. M. t. 36, 2.

Boliv., L. Ucaya.

1305. h. Serpophaga, Gould, 1838.

Serphophaga, Agass.

5304. subcristatus, V.; P. C. 167. 2.

straminea, Natt.; cristata, Lafr.

albocoronata, Gould.

5305. cinereus, Strickl.

5306. nigricans, V.

5307. ruficeps, Lafr. Mag. de Zool, 1844, t. 91. 5308. parvirostris. Gould.

5309. hypoleucus, Sclat.

5310. pectoralis, V. superciliaris, Max.

5311. verticatus, Burm.

5312. Gaymardii, D' Orb. " albicilla, V.," Lafr.

5313. angustirostris, Lafr.

Boliv., Argentina. La Plata.

Brazil, Sta. Fé.

Braz., R. Grande.

Paraguay.

Bogota.

Chili, Bolivia.

Ucavali.

Paraguay.

Parana

Bolivia.

٠.

i. Anairetes, Reich. 1850. 1306.

Anæretes, Cab. & H. 1859.

G. of B. i. pl. 60. f. 2; Reich. S. A. t. 66. f. . et pl. 62. f. .

5314. parulus, Kittl. Mém. Ac. St. Pétersb. 1851, t. 9. Bloxhami, Gr.; plumulosus, Peale.

5315. fernandezensis, n. sp. ?

5316, albocristatus, Vigors; D' Orb. Voy. A. M. t. 37. 1. elegans, Less.; reguloïdes, Lafr.

5317. agilis, Sclat. Pr. Z. S. 1856, pl. 118.

Chili, Bolivia. Patagonia, Terra del Fuego.

Juan Fernandez.

Peru, Chili.

New Granada.

Chili.

1307. CYANOTIS

et Cvanotus, Sw. 1837. Tachnris, Lafr. 1837.

G. of B. i. p. 175, pl. 49, f. 6; Reich, S. A. t. 62, f. .

5318. rubrigastra, V.; Gal. des Ois. t. 166; Schl. De Dierk, fig. p. 159; Gay, Voy. Chili, t.

Azaræ, Licht.; Byronensis, Gr.; omnicolor, V.

Vicilloti, Leadb.; multicolor, Bp.

Subfam. IV. Elaininæ, Cab. 1859.

Vireoinæ, p., 1840, et Muscicapinæ, 1841, G. R. Gr. Tyrannina, p., Cab. 1847.

1305. ELAINIA, Sundev. 1835.

Elania, G. R. Gr. 1841, Elainia, Reich. 1850.

Elænia, 1844, et Elænea, 1847, Cab. Paroides, Less. 1837, nec Koch, 1816.

Muscicapara, D' Orb. 1840.

G. of B. i. p. 250, pl. 60, f. 7; Reich, S. A. t. 65, f.

### a. Elainia.

5319. pagana, Licht.; Spix, A. B t. 16, 1. brevirostris, Spix; albiceps, Lafr. Maxmiliani, Kaup.

Bolivia, Peru.

5320. subpagana, Selat. & S.

5321. subplacens, Sclat.

5322. griseogularis, Sclat. Pr. Z. S. 1858, pl. 146, 1. albiceps, p., Gould.

5323. pallatangæ, Sclat. Pr. Z. S. 1861, pl. 41.

5324. placens, Sclat. Ibis. 1859, pl. 4. 2. implacens, Sclat.

5325. cotta, Gosse, Ill. B. of Jam. pl. 45.

5326. fallax, Sclat.

5327. Rissii, Sclat. martinica, Cass.

5328. chiriquensis, Lawr.

5329. Frantzii, Lawr.

5330, modesta, Tsch. albicens, Bp.

5331. mesoleuca, Cab. & H.

5332, semipagana, Sclat.

5333, arenarum, Salv.

5334. semiflava, Lawr.

5335. incomta, Cab. 5336. leucophrys, Cab.

5337. brevirostris, Lafr.

5338. stramineoventris, Lafr.

5339. rufiventris, Cab.

5340. rustica, Licht. obscura, Lafr.; Guillemini, D'Orb.

5341. viridiflava, Tsch, F. P. t. 9, 2.

5342. elegans, Pelz. caniceps, Sclat.

5343. spectabilis, Pelz.

5344. cristata, Pelz.

5345, albivertex, Pelz.

Cayenne, Brazil.

Guat., Costa Ric.

Pallatanga.

Chili.

Pallatanga.

Cordova. Ecuador, Peru.

Jamaica

St. Thomas. Barbadoes. Chirigui.

Costa Rica.

Peru, Chili.

Rio Grande. Bahahovo.

Costa Rica.

New Granada.

Carthagena.

Argentina.

Bolivia.

S. Braz., Arg. R. Pern.

Brazil.

5346. parvirostris, Pelz.	Brazil.
5347. cinerea, Pelz.	,,
5348. ruficeps, Pelz,	,,
5349. bivittata, Lafr.	
5350. affinis, Lund.	
5351. littoralis, Natt. & Pelz.	"
<b>1309.</b> b. "Myiozeta, Schiff.," Bp. 1854. Myiozetetes, Sclat. 1859.	
5352. cayanensis, L.; P. E. 569. 2. leucocephala, Müll.; cayennensis, Tem.	Trinidad. Cayenne.
5353. columbianus, Cab. & H. cayennensis, Selat.	Bogota. Ecuador.
5354. texensis, Giraud, B. Texas, pl. 1. cayennensis, Sw.	Mexico. Costa Rica.
5355. sulphurea, Spix, A. B. t. 20. peruviana, Lafr.	Upper Amazon.
5356. <b>similis</b> , <i>Spix</i> , <i>A. B.</i> t. 25. trivirgata, <i>Max.</i> ; cayennensis. <i>Lafr</i> . superciliosa, p., <i>Ep.</i> ; miles, <i>Burm</i> .	Brazil. Peru.
5357. granadensis, Lawr.	Bogota.
5358. guianensis, Cab. & H. cayennensis, Cab.	Bogota, Ecuador
5359. icterophrys, Heine.	Porto Cabello.
5360. marginata, Laur.	Panama.
5361. flava, V. O. A. S. t. 41. cayanensis, p., G. R. Gr.	Haiti.
<b>1310.</b> c. Legatus, Sclut. 1859.	
5362. albicollis, V.; P. E. 832, 2. legatus, Licht.; citrina, Max, circumcinetus, Sw. Dr. pl. 50.	Brazil.Paraguay. Bolivia.
5363. variegata, Sclat.	Mex., C. Amer.,
1311. d. Sublegatus, Sclat. & S. 1868.	Costa Rica.
5364. glabra, Solat. & S. Pr. Z. S. 1868, pl. 13, 2.	Venezuela.
<b>1312.</b> • c. Empidagra, Cab. & H. 1859. Suiriri, D'Orb. 1839.	
5365, suiriri, V.; Voy, Beagle, pl. 14. albescens, Gould.	Paraguay. Monte Video.
5366. brevirostris, Tsch.	Peru. 2 A

1313.	f. " Mytocapta,	Schiff.," I	3p. 1854.
-------	-----------------	-------------	-----------

5367. asilus, Schiff.

g. Rhynchocyclus, Cab. & H. 1859. Cyclorhynchus, Sundev, 1835, nec Kaup, 1829. Reich, S. A. t. 65. f. .

5368. æquinoctialis, Sclat.

Ecuador.

5369. olivacea, Tem. P. C. 12. 1.

Brazil.

sulphurescens Q, Spix, A. B. t. 12. 2.

5370. sulphurescens, Spix, A. B. t. 12. 1. nuchalis, Max.

> Xalapa. Santa Fé.

5371. brevirostris, Cab. griscimentalis, Laur.

Oaxaca, Vera Paz.

5372. cinereiceps, Sclat.

Bahia.

5373. flaviventer, Spix, A. B. t. 15. 1. flaviventris, Max.

5374. fulvipectus, Sclat.

Ecuador.

5375. subbrunnea, Sclat.

Panama.

5376. flavo-olivacea, Lawr. sulphurescens?, Sclat.

5377. mesorhyncha, Cab.

Guatemala.

5378. poliocephala, Licht.

Brazil.

5379. assimilis, Pelz.

1315. h. Ramphotrigon, Bp. 1854.

Rhynchocyclus, p., Sclat.

Cayenne.

5380. ruficauda, Spix, A. B. t. 11. 2.

i. Mylacleptes, Reich. 1850. 1316.

Conopias, Cab. & H. 1859.

Reich, S. A. t. 67. f. .

Brazil.

5381. superciliosa, Sw. Dr. 46. similis, p., G. R. Gr.

j. MIONECTES, Cab. 1844. 1317.

Anomalopterus, Schiff.? Paroides, Less. 1831?

Reich. S. A. t. 65, f. .

5382. striaticollis, Lafr.; D'Orb. Voy. A. M. t. 35. 2. poliocephalus, Tech. F. P. t. 10. 1.

Bolivia, Bogota. Ecuador, Peru.

1318. k. "PIPROMORPHA, Schiff.," Bp. 1854. Mionectes, b. Sclat.

5383. **oleaginea**, *Licht*. chloronotis, *Cuv.*; chloronotis, *D'Orb*.

chloronotis, Cuv.; chloronotus, D'O
5384. assimilis, Sclat.

oleaginea, Sclat.
5385. rufiventris, Lafr.

1319. l. Leptopogon, Cab. 1844.
Reich, S. A. t. 65, f.

5386. amaurocephala, Tsch.

5387. superciliaris, Cab.; Tsch. F. P. t. 10. 2.

5388. pileata, Cah. amaurocephalus, Sclat.?

5389. poliocephala, Cab.

5390. erythrops, Sclat.

5391. pœcilotis, Sclat.5392. flavovirens, Lawr.

5393. peruviana, Sclat. & S.

1320. m. Capsiempis, Cab. & H. 1859.

5394. flaveola, Licht.; Sw. Dr. 48.
modesta, Sw.; flaviventer, p., G. R. Gr. raunculacea, Licht.

1321. n. Phyllomyias, Cab. & H. 1859.

5395. brevirostris, Spix, A. B. t. 15, 2; P. C. 275, 3. asilus, Max.; virescens, Natt. olivacea, Lafr.; boliviana, D'Orb.

5396. griseocapilla, Lafr.; Pr. Z. S. 1861, pl. 36. 2.

5397. semifusca, Sclat.; Pr. Z. S. 1861, pl. 36. 1.

5398. Burmeisteri, Cab. brevirostris, Burm.

5399, subviridis, Natt. & Pelz.

5400. livida, Tem. & Pelz.

1322. ο. Ornithion, Hartl. 1853. Ornithium, Cab. δ H. 1859.

5401. inerme, Hartl. minutus. Gm.?

Guiana, Peru. SantaFé,Bolivia.

Coban. Mexico?

Brazil.

Rio Napo.

Mexico, C. Amer. Guatemala.

New Granada.

Bogota.

New Granada. E. Peru.

Brazil.

,,

S. Martha.

Brazil.

,,

1323. p. Myiophanistes, Reich, 1850. Myiopatis, Cab. & H. 1859.

Eupsilostoma, Sclat. 1860.

Reich, S. A. t. 65, f.

5402. obsoleta, Tem. P. C. 275. 1. murina, Max.

Brazil, Bolivia.

5403. pusilla, Cab. & H.

Carthag., Trin.

5404, incanescens, Max. murinus, Spix, A. B. t. 16, 2? Brazil.

5405. ---- ? pusillum, Sclat. Ecuador.

1334. q. Camptostoma, Sclat. 1857.

5406. imberbe, Sclat. Pr. Z. S. 1857, fig. p. 203; id. Ibis, 1859, pl. 14, 1,

Mexico, Trin

5407. flaviventre, Selat, & S. imberbe, Laur.

Panama.

1:325. T. Tyrannulus, I., 1816. Reich. S. A. t. 66. f. .

5408. elata, Lath.; P. E. 708.2; Spix, A. B. t. 83.2; V. Gal. des Ois, t. 71.

Brazil. Vera Paz.

5409. semiflava. Sclat. 5410. flavifrons, Cab, & H. 5411. brunneicapilla, Lawr.

New Granada. Panama.

1326. s. Tyranniscus, Cab. & H. 1859.

5412. flavidifrons, Sclat. 5413. chrysops, Sclat.

Equador.

5414. vilissima, Sclat. & S. Ibis, 1859, pl. 4. 1.

Vera Paz.

5415. parva, Lawr. 5416. nigricapilla, Lafr. Panama. New Granada.

5-H7. einereiceps, Sclat.

Pallatanga, Sta. Fé, Veragua.

5418. gracilipes, Sclat. & S.

E. Peru.

1327. PITANGUS, Su. 1827.

Tyrannus, V. 1816, nec Cuv. Muscieapa, Tem. 1820. Saurophagus, Sw. 1831. Muscipeta, Flem. 1822. Apolites, Sundev. 1836.

Sw. C. of B. f. 16; G. of B. i. p. 246, pl. 60. f. 3; Reich. S. A. t. 66. f.

a. Pitangus.

5419. sulphuratus, L.; P. E. 249, 296; V. O. A. t. 47.

Brazil, Bolivia.

leucogaster, Bodd.; flavus, Gm.

Argentina.

magnanimus, I'.

N.Gran., Ecuad., Veragua.

Costa Rica.

5420. bellicosus, V. Brazil, Bolivia. sulphuratus, D' Orb. bolivianus, Lafr 5421. caudifasciatus, D'Orb. Voy. Cuba, t. 12; Gosse, Ill. Jam. B. pl. 44. Cuba. Jamaica. 5422. lictor, Licht.; G. R. Gr. & M. G. B. pl. 62. Brazil. flavus, Thunb.; cavaneusis, Max. pusillus, Sw.; Swainsoni, Gould? 5423. rufipennis, Lafr. Trinidad erythropterus, Kaup. 5424. Maximiliani, Cab. & H. Brazil. pitangua, Max.; sulphuratus, Burm. 5425. Derbianus, Kaup; Pr. Z. S. 1851, pl. 36. Mexico sulphuratus, Sw.; guatimalensis, Lafr. 5426. albovittatus, Laur. Panama. 5427. Taylori, Sclat. Porto Rico. 5428. bahamensis, Bryant, Bahamas. eaudifasciatus, p., Bryant. 5429. parvus, Pelz. Brazil. 1328. b. Sirystes, Cab. & H. 1859. Tyrannula, p., Sw. 5430. sibilator, V. sibilans, Licht. 1329. c. Myiodynastes, Bp. 1854. Tyrannula, Sw. 1837, nec 1827. 5431. luteiventris, Sclat. Mexico. audax, Sclat.; luteiventer, Bp. Costa Rica. 5432. solitarius, I. Brazil, Peru. audax. Sw. Bolivia. 5433. maculatus, Müll.; P. E. 453. 2. Cayen., Tobago. audax, Gm.; regius, Thunb. Venez., Triu.

1330. d. Hypermitres, Cab. 1861. Myiodynastes, p., Sclat.

5435. chrysocephalus, Tsch. F. P. t. 8. 1.

Peru, Ven., Bog., Pallatanga. 5436. atrifrons, Sclat. Guayaquil.

5437. superciliosus, Lawr. chrysoecphalus, p. ?, Salv. hemichrysus, Cab.?

Megarliynehus, p., Cab. & H.

5434, nobilis, Sclat.

1331. e. Kaupornis, Bp. 1854.

Myiarchus, p., Cab.

5438. stolidus, Gosse, Ill. Jam. B. pl. 42.

crinitus, p., Strickl. var. lucaysiensis, Bryant. var. dominicensis, Bryant. var. bahamensis, Bryant.

var. Sagræ, Gundl.; Phæbe, D' Orb.

Jamaica.

Bahamas. St. Domingo. Bahama I. Cuba.

Subfam. V. Tyranninæ, Sw. 1831.

Tyrannina (Sw.), Vig. 1825.

1332. MEGARHYNCHUS, Thunb. 1824.

Scaphorhynchus, Max. 1831. Tyrannus, Cuv. 1817. Platyrhynchos, Tem. 1820, nec Desm. 1805.

Megastoma, Sw. 1837, nec Kirby, 1825.

G. of B. i. p. 245, pl. 60. f. 6; Reich. S. A. t. 66. f.

5439. pitangua, L.; P. E. 212. carnivorus, V.; sulphuratus, Max.

flaviceps, ruficeps et atriceps, Sw.

5440. mexicanus, Lafr.
5441. chrysogaster, Sclat.

Mexico, Guat., Costa Rica. Ecuador.

Brazil.

1333. MUSCIVORA, Cuv. 1799-1800.

Moucherolles, Cuv. 1797–98. Todus, Bonn. 1790, nec L. 1766. Onychorhynchus, Fisch. 1814. Muscipeta, Cuv. 1817, nec Koch, 1816. Trepsiphone, Glog. 1827. Megalophus, Sw. 1837.

Sw. C. of B. f. 13; G. of B. i. p. 257, pl. 63, f. 5; Reich. S. A. t. 67, f.

5442. cristata, Bodd.; Naturf. xvii. t. 1. Castelnaudi, Dev. Guiana, Peru.

5443. Swainsoni, Pelz.; Sw. Dr. 51, 52.

S.E. Brazil.

regia, Max. regius, Sw. Flyc. pl. 15.

5444. mexicana, Sclat.

Mexico, Guat.

5445. occidentalis, Sclat.5446. coronata, Müll.; P. E. 289.

Ecuador. Cayenne.

regia, Gm.

1334.

b. HIRUNDINEA, Lafr. 1837.

Phoneutria, Reich. 1850.

5447. bellicosa, V.; *Ibis*, 1869, pl. 5. 1. ferrugineus, *Cah*.

Peru, Brazil. Parag., Bogota.

5448. ferruginea, Gm.; Ibis, 1869, pl. 5. 2.	Cayenne.
5449. rupestris, Max.; Ibis, 1869, pl. 5. 3. hirundinaccus, Spix, A. B. t. 13. 1. ferruginea, Burm.; pyrrhophæus, V.?	S.E. Brazil,
<b>13:35. MYIOBIUS,</b> <i>G. R. Gr.</i> 1838. Tyrannula, <i>Sw.</i> 1827, <i>nee</i> (us) <i>V.</i> 1816. Platyrhynchus, <i>Spix</i> , 1824, <i>nee Desm.</i> 1805. <i>G. of B.</i> i. p. 248; <i>Reich. S. A.</i> t. 67. f.	
a. Mytobius.	
5450. <b>xanthopygius</b> , <i>Spix</i> , <i>A. B.</i> t. 9, 1, barbatus, <i>Sw. Zool. Ill.</i> pl. 116.	Brazil.
5451. sulphureipygius, Sclat. citrinopygus, Cab. & H.	Mexico.
5452. villosus, Sclat.	R. Napo.
5453. barbatus, Gm.; P. E. 830.	Guiana, Ecuad.
5454. capitalis, Salv.	Costa Rica.
5455. atricauda, <i>Lawr</i> . barbatus, <i>Lawr</i> .	Panama.
5456, rufescens, Salvad.; Pr. Z. S. 1866, pl. 11, 1. Nationi, Sclat.	Brazil. Peru, Lima.
5457. latirostris, Verr.	New Granada.
1336. b. Planchesia, Bp. 1859.	
5458. arausiaca, Müll.; P. E. 574. 1. fusca, Bodd.; fuliginosa, Gm.	Cayenne.
<b>1337.</b> c. Cephalanius, Bp. 1854.	
5459. superciliosus, Gm.	?
1338. d. Capnixus, Bp. 1854.	
5460. fumigatus, Lafr.	Bolivia.
13.39. c. Cariornis, Bp. 1854. Pyrrhomyias, Cab. & H. 1859. G. of B. i. pl. 60. f. 1.	
5461. cinnamomeus, Lafr.; D'Orb. Voy. A. M. t. 34. 1. Vieillotii, Lafr.; pyrrhopterus, Hartl.	New Granada. Bolivia.
5462. ornatus, Lafr. Pr. Z. S. 1854, pl. 66. 2.	Bogota.
5463. erythrurus, Licht.; Cab. Orn. Not. t. 5. 1. cinnamomea, Lawr.	Ecuador.
5464. phœnicurus, Sclat. Pr. Z. S. 1854, pl. 66. 1.	Rio Napo.
5465. <b>vieillctioides</b> , <i>Lafr</i> . Heinei, <i>Cab.</i> & <i>H.</i> ; vieillotides, <i>Sclat</i> .	Venezuela.

5485. dubius, Gould.

5466. bellus, Sclat. Bogota. 5467. flavicans, Sclat. Ecuador. 5468. pulcher, Sclat. Pr. Z. S. 1866, pl. 11. 2. f. Myjophobus, Reich. 1850. 1340. Reich, S. A. t. 67, f. . 5469. fasciatus, Müll.; P. E. 574. 3; Spix, A. B. t. 11. 2; Sw. Brazil, Bolivia. C. of B. pl. 53. nævia, Bodd.; virgata, Gm. chrysoceps, Spix; flammiceps, Tem. P. C. 144. 3. auriceps, Gould; ferruginea, Sw. rufolineata, Cuv. Esmeralda. 5470. crypterythrus, Sclat. Ecuador. 5471. cryptoxanthus, Sclat. 5472. pecilurus, Sclat. Bogota. 5473. pœcilocercus, Pelz. Brazil. 1341. g. Empidochanes, Sclat. 1862. Myiophobus, Cab. & H. nec Reich. 5474. pileatus, Müll.; P. E. 574. 2. Braz., L. Amaz. oliva, Bodd.; agilis, Gm. bimaculata, Lafr. Brazil. 5475. fuscatus. Max. 5476. Euleri, Cab. Cantagallo. Carthagena. 5477. albirostris, Cab. Buenos Ayres. 5478. argentinus, Cab. Rio Janeiro. 5479. fringillaris, Licht. 1342. PYROCEPHALUS, Gould, 1838. Tyrannus, 4 div., Sunder. 1836. G. of B. i. p. 249, pl. 60. f. 8; Reich, S. A. t. 65. f. . a. Pyrocephalus. 5480. rubineus, Bodd.; P. E. 675. 1; Nat. Misc. pl. 569; Cass. B. Cal. pl. 17. Trinidad, Braz. R. Grande, Mex. coronata, Gm. 5481. mexicanus, Sclat.; Cass. B. of Calif. pl. 18. Mexico. coronatus, Sw.; rubineus, Cass. nanus, Woodh. La Plata. 5482. parvirostris, Gould, Voy. Beagle, pl. 6. coronatus et strigilata, Max. Lima, Peru. 5483. obscurus, Gould. atropurpureus, Cab. ?; rubineus, p., Sclat. & S. 5484. nanus, Gould, Voy. Beagle, pl. 7. Galapagos I.

W. co. of N. Am. 5486, occidentalis, Sclat. nanus, Sclat. b. Mitrephorus, Sclat. 1859. 1343. 5487. phæocercus, Sclat. Ibis, 1859, pl. 14. 2. Cordova, V. Paz. affinis, Sw.? 5488. cinnamomeus, Sw.; Giraud, B. of Texas, pl. 2. 2. Mexico. fulvifrons, Giraud. rubicunda, Licht. palleseens et pygmæus, Coues. Arizona. 5489. aurantiiventris. Laur. Costa Rica. 1344. c. Empidonax, Cab. 1855. 5490. pusillus, Sw. & Rich. Faun. B.-Am. pl. 46. 1; Aud. B. A. E. of U. States, i. pl. 66. Mexico. 5491. minimus, Baird; Aud, B. A. vii, pl. 491. Penns., C. Amer. 5492. acadicus, Gm.; Wils. A. O. pl. 13. 3; Aud. B. A. i. pl. 62. E. of U. States. querula, Wils.; virescens, V.? Bolivia. 5493. flaviventris, Baird; Aud. B. A. vii. pl. 490. E. of U. States. pusilla, Penn. difficilis, Baird, B. N. A. pl. 76, 2. 5494. Bairdii, Sclat. C. America. 5495. ? hypoxanthus, Baird. Vera Paz flaviventris, p., Sclat. 5496. magnirostris, Gould, Voy. Beagle, pl. 8. 5497. albigularis, Sclat. & Salv. C. America. 5498. griscigularis, Laur. New Granada. Bairdii, Lawr. 5499. Hammondii, De Vesey; Baird, B. N. A. pl. 76. 1. N. W. Bound Fort Tejon. 5500. Wrightii, Baird, B. N. A. pl. 49. 3. Calif., Texas. obscurus, Baird. 5501. obscurus, Sw. Mexico. virens, p. ?, G. R. Gr. 5502. bahamensis, Bryant. Bahama. 5503, flavescens, Laur. Costa Rica 5504. pectoralis, Lawr. Panama. 5505. Cabanisi, Léot. Trinidad. 1345. d. Contopus, Cab. 1855.

5506. virens, L.; V. O. A. S. t. 39; Wils. A. O. pl. 13.5; Aud. U. States, Mex.,
 B. A. i. pl. 64. Costa Rica.
 querula, V.; rapax, Wils.; obseura, Sw.
 New Granada.

Tyrannula, p., Sw.

5507. borealis, Sw.; Faun. B.-Am. pl. 35; Aud. B. A. i. pl. 58. Calif., Mexico. Greenland. Cooperi et inornata, Nutt. Rocky Mts. 5508. mesoleucus, Sclat. Cooperi, p., Cab. ?; borealis, p., Sclat. 5509. pertinax, Cab. & H.; Elliot, B. N. A. pl. Xalapa. borealis. Sclat. 5510. Richardsoni, Sw. Faun. B.-Am. pl. 45. low. fig.; And. Moxico, Guatem. B. A. i. pl. 61. New Granada. sordidulus, Sclat.; atra, p., G. R. Gr. Bogota, Ecuador. 5511. bogotensis, Bp. Costa Rica. 5512. plebeius, Cab. & H. Richardsoni, p., Sclat. 5513. lugubris, Lawr. Mexico. 5514. brachytarsus, Sclat. E. of U. States. 5515. Traillii, Aud. B. A. i. pl. 65. S. Mexico. virens. Aud. с. Syrichtha, Вр. 1854. Myiochanes, Cab. & H. 1859. Contopus, p., Cab. Columbia. 5516. ardesiacus, Lafr. Brazil. 5517. einereus, Spix, A. B. t. 13. 2. Ecuador. curtipes, Sw. Dr. pl. 54; cana, Cuv. sibilator, p., G. R. Gr. f. Myionax, Cab. & H. 1859. 1347. Myiarehus, a, Cab. & H. 1859. Tyrranula, p., Sw. N. America, 5518. crinitus. L.; Wils. A. O. pl. 13. 2; V. O. A. S. t. 45; Costa Rica. Aud. B. A. i. pl. 57. Parag., Argent. virginea, Müll.; ludovieiana, Gm. irritabilis, V. 5519. mexicanus, Kaup; Baird, B. N. A. pl. 5. Mexico. cinerascens. Lawr. 5520. validus, Cab. Jamaica. crimitus, Gosse; Gossii, Bp. Mex., Guatemala. 5521. Cooperi, Kaup.

Myiarchus, p., Cab. § H.
Reich. S. A. t. 65. f.
5523. tuberculifer, Lafr.; D'Orb. Voy. A. M. t. 32, 1, 2.
Bolivia.

g. Onychopterus, Reich. 1850.

5522. erythrocereus, Sclat.

ferox &, Burm.

Myopatis, Cab.?

1348.

erinitus, p., Hartl.; irritabilis, p., Bp.

Venezuela.

Dominica.

HAND-LIST OF BIRDS.	909
<b>1349.</b> h. Mylarchus, Cab. 1844. Despotina, Kaup, 1851.	
5524. <b>Sw</b> ainsoni, $Cab. \$ $\%$ $H.$ ferox, $Sw.$	Bolivia, Brazil. Peruv. Andes.
5525. Lawrencei, Giraud, B. Texas, pl. 2; Baird, B. N. A. pl. 47. 3. rufomarginatus, Cab. & H. mexicanus, Sclat.	N.E. Mexico. Costa Rica?
5526. nigriceps, Solat.	Ecuador.
5527. tyrannulus, Müll.; P. E. 571. 1. aurora, Bodd.; ferox, Gm.; flaviventris, Steph.	Para, Bogota. Trinid., Tobago.
5528. gracilirostris, Pelz.	Brazil.
5529. nigricapillus, <i>Cab</i> . Lawreucci, <i>Cab</i> .	Costa Rica.
5530. phwocephalus, Sclat.	Ecuador.
5531. panamensis, Lawr.	Panama.
5532. venezuelensis, Lawr.	Venezuela.
5533. fasciatus, Landb.	Mendoza.
5534. cantans, Pelz.	Brazil.
5535. tricolor, Natt. & Pelz.	"
1350. i. Blacicus, Cab. 1855.	
5536. tristis, Gosse, B. of Jam. pl. 41.	Jamaica.
5537. <b>pallidus,</b> Gosse, B. of Jam. pl. 40. cerviniventris, Salvad.	•,
5538. caribæus, <i>D'Orb.</i> var. hispaniolensis, <i>Bryant</i> .	Cuba, Bahamas.
<ul> <li>j. Empidias, Cab. &amp; H. 1859.</li> <li>Tyrannula, Sw. 1831, nec 1827.</li> <li>Myiobius, G. R. Gr. 1847, nec 1838.</li> <li>Aulanax, p., Cab. 1856.</li> </ul>	
5539. fuscus, Gm.; Wils. A. O. pl. 13. 4; V. O. A. S. t. 40; Catesby, Car. pl. 53; Aud. B. A. i. pl. 63. nunciola, Wils.; Pheebe, Lath.	E. of N. Amer. Mexico,

1352. k. Empidonomus, Cab. & H. 1859.

Tyrannus, Reich. 1850. Reich. S. A. t. 66, f. .

atra, Gm.

5540. varius, V.; Spix, A. B. t. 31. rufina, Spix; ruficauda, Max. leucotis. Sw.; Tschudii, Hartl.

Brazil. R. Grande.

### 1353. TYRANNUS, Cuv. 1799-1800.

Tyrans, Cuv. 1797-98. Drymonax, Glog. 1827. Tyrannus, 2 div., Sundev. 1837. Museicapa, Aud. 1838. G. of B. i. p. 246.

### a. Tyrannus.

5541. carolinensis, Gm.; V. O. A. S. t. 44; P. E. 676; Wils. A. O. pl. 13; V. Gal. des Ois. t. 133; Aud. B. A. i. pl. 56. tyrannus, L.; rex, Bartr.; pipiri et intrepidus, V. animosa, Licht.; leucogaster, Steph. tyrannus, var. carolinensis et ludovicianus, Gm.

E. of U. States Texas, Califor.

5542. aurantio-atro-cristatus, Lafr.

ynea, Licht.; inea, Selat.

Bolivia.

5543. niveigularis, Sclat.

Ecuador.

5544. antillarum, Bryant.

Porto Rico.

5545. ? auroflammus, Burm. inea, p. ?, Pelz.

Mendoza.

5546. Bairdi, Gamb.

California.

b. Dioctes, Reich. 1850. 1354.

Tyrannus, p. ?, Cab. & H. Reich, S. A. t. 66. f.

5547. pvrrholæma, Reich.

Mexico.

c. Laphyctes, Reich. 1850 et Cab. & H. 1859. 1355. Satellus, Reich, 1850? Tyrannus, Burm, 1850. Reich. S. A. t. 66. f.

5548. melancholicus, V.; Spix, A. B. t. 19; Baird, B. of N. A. pl. 49. 2.

despotes, Licht.; furcata, Spix. erudelis, Sw.; albogularis, Burm. Paraguay. Brazil, Argent. Bolivia.

5549. satrapa, Lieht. melancholicus, Cab. Gniana. Carac., C. Rica.

5550. vociferans, Sw.; Ann. Lyc. N. Y. 1852, pl. 3. 2; Baird, B. of N. A. pl. 48. Cassinii, Lawr.; verticalis, p., G. R. Gr.

Mexico.

5551. verticalis, Say; Bp. A. O. pl. 11; Aud. B. A. i. pl. 54.

W. of N. Amer..

5552. Couchii, Baird.

California. N.E. Mexico.

5553. apolites, Cab.

----?

5554. albogularis, Pelz.

Brazil.

1356. d. ? Satellus, Reich, 1859.

Laphyetes, p., Cab. & H. 1859. Reich, S. A. t. 66. f. .

5555. ? satelles, Licht.

Mexico.

vociferans, p., Sclat.

### 1357.

# c. Melittarchus, Cab. 1855.

5556. crassirostris, Sw.

Mexico.

5557. dominicensis, Gm.; P. E. 537; Aud. B. A. i. pl. 55. tyrannus, var. dominicensis, Gm.; griseus et matulinus, V.

Haita, Cuba. Jamaica.

5558. magnirostris, Cab.; D'Orb. Voy. Cuba, t. 13. matutinus, p., V.; nigriceps, p., Cab. Cuba.

5559. ? rostratus, Selat. magnirostris, Selat.

tiriri, Tem.

Trinidad. Guiana.

5560. ? sulphuraccus, Hartl.

Cuba.

1355. MILVULUS, Sw. 1827.

Tyrannus, V. 1807, et Sundev. 1835. Despotes, Reich. 1850. Muscivora, G. R. Gr. 1840, nec Cuv.

G. of B. i. p. , pl. 60. f. 5; Reich, S. A. t. 66. f. . 5561, tyrannus, L.; P. E. 571, 2; Bp. A. O. pl. 1, 1; V. O.

A. S. t. 43. savana, V.; monachus, Hartl.

. Mex., Bolivia, Costa Rica. Parag., Argent., Patag., Braz. Brazil. Para.

5562. violentus, V.

tyrannus, Max.; phœnoleuca, V.; nunciolus, Steph.; savana, Sw.

5563. forficatus, Gm.; P. E. 677; Ep. A. O. pl. 2. 1. mexicanus, Steph. Mexico, C. Rica.

5564. rufitorques, Hartl.

# FAM. XVIII. AMPELIDÆ, Sw. 1831.

# Subfam. I. Ampelinæ, Sw. 1831.

Ampelidinæ, Ep. 1847. Bombycillinæ, Sw. 1831.

## 1359. AMPELIS, L. 1735.

Bombyeilla, V. 1816. Bombyeivora, Tem. 1815.
Bombyeiphora, Mey. 1815. Corvus, p., Ill. 1811.
Sw. C. of B. f. 141, 220 a; G. of B. i, p. 278, pl. 68, f. 1; Reich. S. A. t. 80, f.

5565. garrulus, L.; P. E. 261; Naum. Veg. t. 59; Gould, B. E. pl. 160; Bp. A. O. pl. 16, 2. poliocelia, Mey.

Europe. N. America.

5566. cedrorum, V. O. A. S. t. 57; id. Gal. des Ois, t. 118; Wils, A. O. pl. 7, 1. garrulus, var. β, L.; carolinensis, Gosse; americana, Wils.

C. America.

5567. phenicoptera, Tem. P. C. 450; Sehl, F. J. t. 41; id. Handl, Dierk, t. 3, 27; id. De Dierk, fig. p. 150, japonieus, Siebl.

Japan.

# Subfam. II. Ptilogonydinæ, Sclat. 1862.

Tyranninæ, p., Sw. 1837. Campephaginæ, p., G. R. Gr. 1840. Bombycillinæ, p., Cab. 1847. Ampelinæ, p., Bp. 1854.

## 1360. PTILOGONYS, 1824.

et Ptiliogonatus, 1827, et Ptilogonys, 1837, Sw.

Ptiliogonys, G. R. Gr. 1840. Hypothymis, Lieht. 1831, nec Boie, 1826.

Lepturus, Sw. 1838.

G. of B. i. p. 281, pl. 69. f. 1; Reich. S. A. t. 89. f. ; Baird, Rev. Am. B. fig. p. 410.

### a. Ptilogonys.

5568. cinereus, Sw. Zool. III. pl. 62, 120; P. C. 452. chrysorrhea, Tem.

Guatemala.
Mexico.

5569. caudatus, Cab.; Selat. & S. Exot. Orn. pl. 6.

Costa Rica.

## **1361.** b. Phainopepla, Sclat. 1858.

Ciehlopsis, p., et Phænopepla, Baird. Baird, Rev. Am. B. fig. p. 415.

5570. nitens, Sw.; Cass. B. of Calif. pl. 29. galeatus, Less.

Mexico.

# 1362. c. Myiadestes, Sw. 1838.

Myadestes, Lafr. 1839.

Reich. S. A. t. 68. f. ; Baird, Rev. Am. B. fig. p. 418.

5571. solitarius, Baird; G. R. Gr. & M. G. B. pl. 69. armillatus, Gosse.

Jamaica.

5572. Townsendii, Aud. B. N. Am. i. p. 69.

5573. unicolor, Selat. & S. Exot. Orn. pl. 25.

5574. obscurus, Lafr.; Selat. & S. E. O. pl. 26.

N.W. America.

C. Amer., Guat., Cordo., Coban. N. Amer., Mex., Guat., Tres-Marias I.

Maria Cuba.

5575. Elizabeth, Lemb.; Sclat. & S. E. O. pl. 28. Elizabethæ, Sclat. & S.

5576. melanops, Salv. Pr. Z. S. 1864, pl. 35.

5577. armillatus, V. O. A. S. t. 42.

5578. ralloides, D'Orb.; Selat. & S. Ex. Orn. pl. 27. armillatus, Lafr.; griseiventer, Tsch. venezuelensis, Selat. C. Rica, Verag.

Antil., Martiniq.

Bolivia. Ecuador, Peru.

5579. leucotis, Tsch. F. P. t. 7. 1.

5580. genibarbis, Sw. Flyc. pl. 13.

Peru.

Windward I.

**1363.** d. Sericolius, Bp. 1854.

5581. ? einereus, Ep.

## 1364. e. Turdampelis, Less. 1844.

Cichlopsis, Cab. 1850. Myiacichla, Bp. 18 Baird, Rev. Am. B. fig. p. 433.

5582. leucogonys, Lath.; Sclat. & S. Exot. Orn. pl. 19.

Brazil.

leucotis et ochrata, Bp. brunneus, Freyr.

Ianioïdes et rufococcyx, Less.?

1365. f. Platycicula, Baird, 1864.

Cichlopsis?, Baird.

Baird, Rev. Am. B. fig. p. 436.

5583. brevipes, Baird.

# Fam. XIX. **COTINGIDÆ**, $B_P$ . 1849.

Pipridæ, p., Vig. 1825.

# Subfam. I. Tityrinæ, G. R. Gr. 1841.

Tyrannina, p., Vig. 1825. Tityranæ, G. R. Gr. 1840. Psarianæ. Sw. 1837.

## 1366. TITYRA, V. 1816.

Psaris, Cuv. 1817. Becardia, Rafinq. 1815? Pachyrhynchus, Wagt. 1822. Mcgarhynchus, p., Thunb. 1824. G. of B. i. p. 253; Reich. S. A. t. 70. f.

### a. Tityra.

5584. cayana, L.; P. E. 304 & 377; V. Gal. des Ois. t. 134. eayanus, var. nævius, Gm. melanocephalus, Hahn. einerea, V.; virgatus, H. Smith.

cinorea, V.; virgatus, H. Smith cayanensis et guianensis, Sw. cayanus, var. a, Thunb.

5585. brasiliensis, Sw.; Spix, A. B. t. 44. 2. cayanus, var. β, et striatus, Thunb. cayanus, Lafr.; maximus, Kaup.

5586. personata, Jard. & S. I. O. pl. 24. mexicana et tityroïdes, Less.

5587. semifasciata, Spix, A. B. t. 44. 2. personata, p., G. R. Gr.

5588. **intermedia**, Cab. & H. cayanus, Spix, A. B. t. 44, 1?

1367. b. Erator, Kaup, 1851.

Exetastus, Bp. 1854. Exetastes, Cab. & H. 1859. G. of B. i. pl. 60, f. 12,

Cayenne. Surinam. Guiana. New Granada. Bolivia.

Brazil.

Mex., Columbia. Ecua., Cay., Peru.

Para, Bolivia. Ucayali.

Para.

5589. inquisitor, Olf.; Sw. Flyc. pl. 3; id. Z. Ill. pl. 35. eayanus, var.  $\gamma$  et  $\delta$ , Thunb. erythrogenys, Selby; inquisitrix, Cab. Jardinii, Natterii.  $\epsilon t$  Selbii, Sw.

Brazil, Bolivia. New Granada.

5590. albitorques, Dubus; Pr. Z. S. 1851, pl. 37 & 38. Fraseri, Kaup.

E. Peru. Oaxaea. New Granada.

5591. albinucha, Cab. & H.

5592. leucura, Natt. & Pelz.

Brazil.

1368. c. Hadrostomus, Cab. & H. 1859.

Pachyrhamphus, Kaup, 1851, nec Gr. 1838. Platypsaris, a, p., Sclat. 1857, nec Bp. 1854.

5593. atricapilla, V.; Spix, A. B. t. 46. 1; Sw. Z. Ill. pl. 41. Brazil, Bolivia. rufa, V.; validus, Li. ht.; cinerascens, Spix. eristatus, Sw.; pileata, Jard. & S. strigatus et megacephalus, Sw. roscicollis Q, D'Orb.; affinis, Less.

5594. aglaiæ, Lafr.; Ibis, 1859, pl. 13; Baird, B. N. A. pl. 47. 1. Mexico. minor, Burm.; affinis, Elliot. Nicaragua.

5595. niger, Gm.; G. R. Gr. & M. G. B. pl. 63. aterrimus, Lafr.; leuconotus, G. R. Gr. nigrescens, Cab.

Jamaica.

5596. homochroa, Sclat. ? aglaia, var., Sclat.

Ecuador.

5597. minor, Less.; Jard. & S. I. O. pl. 28. roseicollis, Jard. & S.; pectoralis, Sw.

Cavenne. New Granada.

5598, roseicollis, Lafr. 5599. ? albiventris, Laur. Bolivia.

aglaiæ, p., A. Newt.

W. Mexico.

d. Platypsaris, Bp. 1854. 1369. Platypsaris, a, p., Selat. 1857.

5600. latirostris, Bp.

Vera Paz.

e. Pachyramphus, G. R. Gr. 1838.

Pachyrhynchus, p., Spix. Chloropsaris, Kaup, 1852. Reich, S. A. t. 70, f.

5601. viridis, V.; Spix, A. B. t. 45. 2; Sw. Z. Ill. pl. 32; id. S.E. Brazil. Flyc. pl. 4.

Cuvieri, Sw.; Dupontii, V.; nigriceps, Licht. Vieillotii, Jard. & S.; armiger, Cuv.?

5602. cinerea, Bodd.: P. E. 687. 1. eques, Bodd.; P. E. 831. 1.

Cayenne. S. Martha. Trinidad.

aurantia et atricapilla, Gm. simplex, Less.; parinus, Kaup? griseus, Sclat.; initratus, Licht.

rufescens, Spix: leueogaster, Sw.

5603. spodiurus, Sclat.

Ecuador.

5604. surinamus, L.; Jard. & S. Contr. Orn. 1848, pl. 11. melanoleucus A. Cab. dimidiatus. De Fil.

Cavenue.

5605. cinnamomeus, Lawr.

Panama

1371. f. Platyrhynchus, Spix, 1824.

Psaris, Bp. 1850. Zetetes, Cab. 1859.

Pachyrhamphus, b, Selat., et P. d, Selat. 1857. 5606. polychroptera, V.; Spix, A. B. t. 43. 2.

Rio Grande.

variegatus, Spix: castanea, Jard, & S. I. O. pl. 10, 2.

splendens et aurantia, Max. ruficeps et Spixii, Sw. melanoleucus 9, Cab.

rufescens, Sclat. marginatus tristris, Kaup. Brazil.

Cavenne, Brazil. Caraccas.

5607. niger, Spix, A. B. t. 45, 1. nigriventris, Sclat. 5608. cinereiventris, Sclat.

Santa Martha.

1372. g. Bathmidurus, Cab. 1847.

Pachyrhamphus, c, Sclat. Reich. S. A. t. 71. f. .

5609. major, Cab.; Baird, B. N. A. pl. 47. 2. marginatus major, Kaup.

Mexico, Guatem.

5610. atricapilla, Gm.; Merr. Begtr. t. x.; D'Orb. Voy. A. M. t. 31. marginatus, Licht.; Swainsoni, Jard. & S.

albifrons, Sw.; marginatus minor, Kaup.

Braz., Up. Amaz. Bolivia.

5611. albogriseus, Sclat.

marginatus, Sclat.

N. Grana.. Ecua.

5612. rufus, Bodd.; P. E. 453.1; Jard. & S. I. O. pl. 10.2; Spix, A. B. t. 46, 2.

Brazil.

Bogota.

rufescens, Gm.; "castanea, Jard, & S.," Cab. aurantia, Max.; ruficeps, Sw.: melanoleucus, p., Cab.

5613. dorsalis, Sclat. dorsocinereus, Sclat.?

Quito.

leucopygius, Kaup?

1373.

Pachyrhamphus, d, Sclat.

h. Callopsaris, Bp. 1854.

5614. versicolor. Hartl. squamatus, Lafr.

Bogota.

# Subfam. II. Cotinginæ, Bp. 1849.

Ampelinæ et Bombyeillinæ, Sw. 1837.

## 1374. PHIBALURA, V. 1816.

Chelidis, Glog. 1827. Amphibolura, Cab. 1847.
Sw. C. of B. f. 142, 219, 220, c; G. of B. i. p. 277, pl. 68, f. 3;
Reich. S. A. t. 89, f.

5615. flavirostris, V.; P. C. 118; V. Gal. des Ois. t. 74; Sw. Zool. Ill. pl. 31. Brazil. eristata, Sw.; chrysopogon, Wagl. forfleata, Thunh.

## 1375. COTINGA, Briss. 1760.

Ampelis, p., Ill. Ampelis, 1 sect., Sw. 1837.
Sw. C. of B. f. 143, 223; G. of B. i. p. 278, pl. 68. f. 4; Reich. S. A. t. 89. f.

### a. Cotinga.

5616. cærulea, V.; Gal. des Ois. t. 116; P. C. 186; Lev. O. Amer. t. 34, 35, 36. Cayenne. cotinga, L.; cœlestis, G. R. Gr.

5617. cincta, Bodd.; Edw. B. pl. 340; P. E. 188; Lev. O. Amer.
 t. 41. S.E. Brazil,
 superba, Shaw, Nat. Misc. pl. 817, 821; cotinga, V.

5618, amabilis, Gould, Pr. Z. S. 1857, pl. 123.

Guatemala.
Cayenne.

Bolivia.

5619. cayana, L.; P. E. 624; Lev. O. Amer. t. 27, 28, 29, 30. cayennensis, D'Orb. cinereus et americanus, Müll.?

5620. maynana, L.; P. E. 229; Lev. O. Amer. t. 43. Cayenne, Peru.

mayana!, G R. Gr. 5621. Nattererii, Boiss.

5622. — ?, P. E. 515. cayennensis, Gm.; cayana, Lath.

# 1376. b. Xipholena, Glog. 1842.

Ampelis, Ill. 1811. Reich, S. A. t. 89, f. .

5623. pompadora, L.; Edw. B. pl. 341; P. E. 279; Lev. O. Amer. t. 31, 32, 33.

Cayenne.
R. Amazon.

5624. lamellipennis, Lafr. Mag. de Zool. 1839, t. 9. leucura. Tem.

5625. atropurpurea, Max.; Sclat. & S. Ex. Orn. pl. 5. purpurea, Lieht.; porphyrio, Less.

Brazil.

1377. c. Carpodectes, Salv. 1864. 5626, nitidus, Salv. Pr. Z. S. 1864, pl. 35. Costa Rica. 1328. d. Orbignesius, Bp. 1854. 5627. ? typus, Bp. --- ? 1379. е. Рокричковема, Вр. 1854. 5628. porphyrolæma, Sclut. Contr. Orn. 1850, pl. 96. Maynas. phygas,  $B\rho$ . Ucayali. 1380. f. Pipheola, Sw. 1837. 5629. chlorolepidota, Sw. Peru, R. Napo. 1381. g. Euchlornis, De Fil. 1846. Euchlorornis, Cab. 1850. Pipreola, p., Sclat. 5630. elegans, Tsch.; Mag. de Zool, 1843, t. 39. Per::. aureopectus, Lafr. Venezuela 5631. formcsa, Hartl. Rev. Zool, 1849, t, 14, 1. 5632. jacunda, Selat, Pr. Z. S. 1860, pl. 160. Ecuador. 5633. Sclateri, Corn.; Contr. Orn. 1850, pl.; Rev. et M. de Zool. 1853, t. 4. Venez., Ecuador. 5634. melanolæma, Sclut. 5635, frontalis, Sclat. Bolivia. 1352. h. Pyrrhorhynchus, Lafr. 1849. Pyrorhynchus, Bp. 1854. Euchlorornis, p., Cab. & H. Pipreola, p., Sclat. 5636. Riefferi, Boiss. New Granada. 5637. arcuata, Lafr.; Sclat. & S. Ex. Orn. pl. . N. Gran., Ecuad. 5638. viridis, Lafr.; D'Orb. Voy. A. M. t. 30. 2. Bolivia, Peru. **1383. AMPELION, Cab.** 1845. Carpornis, G. R. Gr. 1846. Ampelio, Cab. & H. 1859. Ampelioïdes, Verr. 1867. Ampelis, 2 sect., Sw. 1837. Sw. C. of B. f. 222, b; G. of B. i. p. 279, pl. 68, f. 5; Reich S. A. t. 89. f. . a. Ampelion.

5639. melanocephala, Sw. Zool. Ill. pl. 25.

5640. cucullata, Sw. P. C. 363.

5641. cinctus, Tsch.; Pr. Z. S. 1855, pl. 104. Ecuador. Tschudii, G. R. Gr. New Granada.

flavitorques, J. Verr. N. Arch. du Mus. 1867, t. 2. 1. Rio Napo. 2 B 2

Brazil.

### b. Heliochera, De Fil. 1846. 1384.

Ampelion, Reich. 1850. Reich. S. A. t. 89. f.

5642. rubrocristata, Lafr.; D'Orb. Voy. A. M. t. 31, 1. rufocristata, Boiss.

New Granada. Ecuador, Boliv.

5643. rufaxilla, Tsch. F. P. t. 7, 2.

Peru.

### c. Tijuca, Less. 1829. 1385.

Chrysopteryx, Sw. 1831.

Sw. C. of B. f. 221; Reich, S. A. t. 72, f. .

5644. nigra, Less. Cent. Zool. t. 6; Ermann, Reise, t. 10. 1. Brazil. erythrorhynchus, Sw.; chrysoptera, Nordm.

# Subfam. III. Lipanginæ, Schat. 1862.

Quernlinæ, p., Sw. 1837. Lipauginæ!, Sclat. Ampelinæ, p., Cab. 1847.

# 1386. LIPANGUS, Boie, 1828.

Lipaugus, Cab. 1847. Rhytipterna, Reich. 1850. Lipaugus, 3 div., Sclat. & S. Sw. C. of B. f. 61; G. of B. i. p. 240.

a. Lipangus.

5645. holerythrus, Sclat.

Vera Paz. S.E. Brazil.

5646. simplex, Licht.; Jard. & S. I. O. pl. 37. calcaratus, Sw.; cinerascens, Spix. rustica, Max.

### b. Laniocera, Less. 1840. 1387.

Aulea, Bp. 1853. Lathriosoma, Bp. Auleus et Aulius, Sclat.

Aulia, Schiff.

Lipaugus, 2 div., Sclat. & S.

5647. hypopyrrhus, F. sibilatrix, Max.; sanguinaria, Less.

Peruvian Andes.

5648. lateralis, G. R. Gr. & M. G. B. pl. 60. hypopyrrhus, p., Selat.

5649. rufescens, Sclat. & S. Exot. Orn. pl. 3. typicum, Bp.

Guatemala.

### c. Lathria, Sw. 1831. 1388.

Poliochrus, Reich. 1850.

Lipaugus, 1 div., Sclat. & S. G. of B. i. pl. 60. f 10; Reich. S. A. t. 68. f. , et t. 89. f.

5650. fuscocinereus, Lafr.

unirufus, p., Cass.

New Granada.

Brazil.

Brazil.

-- -- ?

Venezuela.

5651. cineraceus, V.; Lev. O. Amer. t, 44. Cavenne, Peru. cinerca, Sw. Flyc. pl. 2. Amazon, Bolivia. 5652. plumbea, Licht. vociferaus, Max.; cineracea, Burm. S.E. Brazil. 5653. unirufus, Sclat, & S. Exot. Orn. pl. 1. Vera Paz. 5654. subalaris, Sclat. & S. Evot. Orn. pl. 2. Rio Napo. 5655. ---- ? I. of Darien. unirufus. Cass. Brazil 5656. Virussii, Natt. & Pelz. plumbeus, Sclat.? 1389. LANIISOMA, Sw. 1831. Ptilochloris, Sw. 1837. Collurampelis, Less. 1839. G. of B, i. p. 272, pl. 66, f. 5; Reich, S, A, t. 89, f. a. Laniisoma, 5657. squamata, Max. Mag. de Zool. 1843, t. 40. Brazil. lunatus, Sw.; arcuatus, Lafr. 5658. remigialis, Lafr. 5659. xanthothorax, Sclat. R. Napo. 1390. b. Heteropelma, Bp. 1853. 5660. turdinum. Max. Brazil rufo-olivaceum, Lafr.; viridis, Less,? 5661. veræ-pacis, Sclat. Vera Paz. 5662. amazonum, Sclat. Peru. 5663. Wallacei, Sclat. & S. Lower Amazon. 5664. virescens, Max.

5665. flavicapillum, Sclat.

5666. stenorhynchum, Sclat.

5667. rufum, Natt. & Pelz.

5668. chrysocephalum, Pelz.

**1391.** *c.* ? Schiffornis, *Bp.* 1853. Heteropelma, p., *Bp.* 

galeata Q, Licht.; unicolor. Ménétr.

5669. major, Bp.; Casteln. Voy. t. 18. 2. Peruv. Andes.

5670. minor, Schiff.

1392. d. Neopelma, Schat, 1862. Heteropelma, b, Schat. 5671. aurifrons, Max. Mag. de Zool. 1833, t. 13. luteocephala, Lafr.

Brazil.

## 1393. c. Heterocercus, Hartl, 1862.

5672. linteatus, Strickl. Contr. Orn. 1850, pl. 63.

Upper Amazon.

Brazil,

5673. flavivertex, Pelz.

linteatus, ♀,? Sclat. & S.

# Subfam. IV. Gymnoderinæ, G. R. Gr. 1847.

Coracine, Sw. 1831. Coracinine, Cab. 1847. Queruline, Sw. 1837.

## 1394. QUERULA, V. 1816.

Ampelis, Cuv. 1817. Threnedus, Glog. 1842.
G. of B. i. p. 239, pl. 60. f. 11; Reich. S. A. t. 89. f.

### a. QUERULA.

5674. purpurata, Müll.; P. E. 381; V. Gal. des Ois. t. 115; Lev. O. Am. & I. t. 47, 48; Sw. Flyc. pl. 1.

Cayenne. cruenta, Bodd.; rubricollis, Gm. porphyrobrancha, Shaw.

## 1395. b. Hæmatoderus, Bp. 1854.

5675. militaris, Lath.; Lev. O. Amér. t. 25, 26. purpurea, Less.; rubra, V.

## 1396. PYRODERUS, G. R. Gr. 1840.

Coracina, Sw. 1837.

Sw. C. of B. f. 237, a, b; G. of B. ii. p. 317, pl. 77, f. 2; Reich. S. A. t. 68, f.

5676. scutatus, Shaw, Mus. Lev. pl. p. 199; P. C. 40. rubricollis, V.; sanguinicollis, Licht.

S.E. Brazil.

5677. orinocensis, Lafr.; G. R. Gr. & M. G. B. pl. 77.

Venezuela.

5678. granadensis, Lafr.

New Granada.

## 1397. GYMNODERUS, Geoffr. 1809.

Coracina, V. 1816. Coronis, Glog. 1827. Gymnodera, Less. 1831.

G. of B, ii. p. 319, pl. 77. f. 1; Reich. S. A. t. 89. f.

5679. foetidus, L.; P. E. 609; V. Gal. des Ois. t. 112. nudicollis, Bodd.; gymnodera, V. cayennensis, Geoffr.; nudus, Gm. Guiana, Brazil. Rio Negro.

## 1:398. GYMNOCEPHALUS, Geoffr. 1809.

Clavifrons, Dand,? 8w. C. of B, 4, 237, d; G, of B, ii, p. 319, pl. 77, f, 4: Reich, S, A, t, 89, f. 5680. calvus, Gm.; P. E. 521.

gymnocephala, V.; capucinus, Geoffr. cayanensis, Steph.

Cayenne.

## 1399. CEPHALOPTERUS, Geoffr. 1809.

Coracina, Tem. 1820.

Sw. C. of B. f. 19, 237, c; G. of B. ii. p. 319, pl. 77, f. 3; Reich. S. A. t. 89, f.

5681. ornatus, Geoffr. Ann. du Mus. xiii. t. 15; V. Gal. des Ois. Guiana, Amaz., t. 113; Schl. De Dierk. fig. p. 154; P. C. 255. Bolivia. cephaloptera, V.; umbellata, Steph.

5682. penduliger, Selat. Ibis, 1859, pl. 3.

Ecuador.

5683. glabricollis, Gould, Pr. Z. S. 1850, pl. 20.

Costa Rica, Chir.

## 1400. CASMARHYNCHUS, Tem. 1820.

Casymorhynchus, G. R. Gr. 184? Procnias, Hoffm. Ill. 1811. Averanus, Itafing. 1815? Averano, Less. 1831. Averanos, Strickl. 1841. Eulopogon, Glog. 1842. G. of B. i. p. 280; Reich. S. A. t. 89. f.

#### a. Casmarhynchus.

5684. variegatus, Gm.; P. E. 51; Gal. des Ois. t. 117. Brazil.

### 1401. b. Arapunga, Less. 1831.

Chasmorhynchus, Glog. 1842.

Sw. C. of B. f. 222, a; G. of B. i. p. 68. f. 7; Reich, S. A. t. 89, f.

5685. nudicollis, V.; P. C. 368, 383; Spix, A. B. t. 4. S.E. Brazil. alba, Thunb.; carunculata, Spix.

5686. **niveus**, *Bodd.*; *P. E.* 793, 794. carunculata, *Gm*,

Cayenne.

5687. tricarunculatus, Verr. Ibis, 1865, pl. 3; Schl. De Dierk. Costa Rica, fig. p. 153. Veragua.

5688. ? priscus, Sclat.

# Subfam. V. Piprinæ, Sw. 1837.

#### 1402. PIPRA, Bonn. 1790, nec L. 1766.

Chiroprion, Schiff. 1854. G. of B. i. p. 273.

v. Pipra.

5689. pareola, L.; Edw. B. pl. 261, 1; P. E. 687, 2, & 202, 2; Desm. Manak. i. 50–53; Sw. B. Eraz. pl. 41, superbus, Pall.; prasinus, Sparra. plumata, Mall.; agithaloides. Lieh. 1403. b. Cercophena, Schiff., Bp. 1854.

Chiroxiphia, p., Cab.

5690. linearis, Bp. Voy. Sulph. pl. 20. fastuosa. Less.

Nicaragua.

1404. c. Cheroxiphia, Cab. 1847.

Cheiroxiphia, Reich, 1850. Reich, S. A. t. 63. f.

5691. caudata, Shaw, Nat. Misc. pl. 153; Spix, A. B. t. 6, 1, 2. Brazil.

5692. regina, Natt. & Schat. Cat. of B. pl. 20.

Braz., U. Amaz.

5693. melanocephala, Bp.; Hahn, Voy. t. 4. pareolides, Lafr.; lanccolata, Wayl. pareola, Hahn; candata, Lawr. Carth., Carace. New Gran., Trin.

5694. ignicapilla, Wagl.

Brazil.

1405. d. —?

Pipra, Bp. 1854. Reich, S. A. t. 63, f.

5695. aureola, L.; Edw. B. pl. 261. 2; P. E. 343 & 302. 2; Desm. Manak. t. 54-57.

Cayenne.

5696. flavicollis, Selat.

Rio Negro.

5697. fasciata, Lafr.; D'Orb. Voy. A. M. t. 30, 1.

Bolivia.

5698, aurantia, Waql.; Edw. B. pl. 32. low. fig.

5699, heterocerca, Sclat.

R. Amazon.

e. CIRRHIPIERA, Bp. 1850.
 Teleonema, Reich. 1850. Cirripipra, Bp. 1854.
 Reich. S. A. t. 63, f.

5700. filicauda, Spix, A. B. t. 8. 1, 2. filifera, Less.

Rio Napo. Peru.

1407. f. Metopia, Sw. 1831.

Antilophia, Reich. 1850. Reich, S. A. t. 63, f.

5701. galeata, Licht.; Sw. Dr. pl. 23. Wiedii, Less.

Brazil.

**1408.** g. Masius, *Bp.* 1850.

Anticorys, Cab. 1859.

5702. chrysoptera, Lajr.; Mag. de Zool. 1843, .44; of R. Gr. & M. G. B. pl. 67. 1.

Bogota.

5703. coronulata, Sclat. Cat. of A. B. pl. 19.

Ecuador.

**1409.** h. Macheropterus, Schiff., Bp. 1854.

Pipra, Sw. 1837.

Sw. C. of B, f. 225

HAND-LIST OF BIRDS. 5704. striolata, Bp.; G. R. Gr. & M. G. B. pl. 67. 2. New Granada. strigilatus, Wagl. 5705. pyrocephala, Sclat.; Jard. Contr. Orn. pl. 5706. deliciosa, Sclat, Ibis, 1862, pl. 6. Ecuador. 5707. regulus, Hahn, Voq. Lief. t. 4, 1, 2; P. C. 54; Sw. B. Brazil. Braz. pl. 25. strigilata, Max.; lineata, Thunb. i. Lepidothrix, Schiff., Bp. 1854. 1410. 5708. cyaneocapilla, Wagl.; Spix, A. B. t. 7. 1 et t. 8a. 1; Hahn, Vog. t. 3. 2. herbacea et coronata, Spix. cyanocephala, Bp. 5709. Isidorii, Selat.; Jard. Contr. Orn. 1852, pl. 100. 1. Bogota. 5710. Nattereri, Sclat. Pr. Z. S. 1864, pl. 39. Brazil. 5711. opalizen, Pelz. 5712. virescens. Pelz. ., 1411. j. Хеморіго, Сав. 1847. 5713. atronitens. Cab. British Guiana. 1412. k. Dixiphia, Reich. 1850. Pithys, *Boie*, 1826. G. of B. i. pl. 67. f. 2; Reich. S. A. t. 63. f. 5714. leucocilla, L.; P. E. 34, 2; Desm. Manak. t. 59. Cavenue. leucocapilla, Gm. Amazon. 5715. coracina, Selat. Bogota, Peru. Icucocilla, p., Sclat. 5716. rubricapilla, Tem. P. C. 54. 3; Hahn, Vog. t. 3. Brazil, Bolivia. erythrocephala,  $\beta$ , L.; torquata, Gm.? crythrocephala, Lieht. 5717. erythrocephala, L.; P. E. 34.1; Desm. Manak. t. 60, 61. Cavenne. auricapilla, Licht.; cristata, L.?

purpurea, V.!; rubra, Müll.

5718. mentalis, Sclat. Pr. Z. S. 1856, pl. 121. Vera Paz.

5719. chloromeros. Tseh. Bolivia, Pern.

5720. cærulcocapilla, Tsch. Peru.

1413. l. Сегаторірга, Вр. 1854.

5721. cornuta, Spix, A. B. t. 7. 2. Gui., R. Negro. Ecuador.

1414. m. Corapipo, Schiff., Bp. 1854. Coropipo, Sclat. 1867.

5722. gutturalis, L.; P. E. 324. 1; Desm. Manak. t. 63, 65 Cayenne. perspicillata, Wagl.

5723. leucorrhoa, Sclat. Pr. Z. S. 1863, pl. 10.

N. Gra., C. Rica, Santa Fé.

**1415.** n. Dasyncetopa, Schiff., Ep. 1854.

5724. serena, L.; P. E. 324. 2; Desm. Manak. t. 62; V. Gal. des Ois, t. 72.

Cavenne.

1416. o. Manacus, Briss. 1760.

Chiromachæris, Cab. 1847. Reich, S. A. t. 63, f.

5725. manacus, L.; P. E. 302. 1; Desm. Manak. t. 59. Edwardsii, Bp.

Guiana, Trin. Ecuador.

5726. melanocephala, Müll.; P. E. 303. 1; Desm. Manuk. t. 58.

manacus, β, Gm.; gutturosa, Desm. manacus, Max.

5727. flaveola, Cass.; Pr. Z. S. 1852, pl. 48. flavotineta, Sclat.

New Granada.

Brazil.

5728. **Candei**, *Parzud*. *Mag*. *de Zool*. 1843, t. 45. Candæi, *Cab*. & *H*.

Honduras.

5729. vitellina, Gould, Voy. Sulph. pl. 21.

C. America.

**1417.** p. Chloropho, Cab. 1859. Piprites, p., Bp. 1854.

5730. flavicapilla, Sclat. Contr. Orn. 1852, pl. 97. 2. plumosa, Licht.; flavicollis, Cab.

 ${\bf Bogota.}$ 

Costa Rica.

5731. griseiceps, Salv.

**1.41%.** q. Неміріро, Cab. 1847.

Piprites, p., *Bp.* 1850. *Reich, S. A.* t. 63, f. . .

5732. chloris, Natt.; P. C. 172. 2.

Brazil, Peru.

5733. chlorion, Cab.

Cayenne, Bogo., Rio Napo.

**1-119.** r. Piprites, Cab. 1847.

Reich. S. A. t. 63. f. .

5734. pileata, Natt.; P. C. 172. 1.

Brazil.

1420. s. Neopipo, Selat. & S. 1869.

5735. rubicunda, Selat. & S.

E. Peru.

1421. t. Metopothrix, Selat. & S. 1866.

5736. aurantiaca, Sclut. & S. Pr. Z. S. 1866, pl. 18.

Sarayacu.

### 1422.

u. Ilicura, Reich. 1850.

Hicura!, Bp. 1854.

Reich, S. A. t. 63. f.

5737. militaris, Shaw, Natt. Misc. pl. 849; Erm. Reis. t. 9. rubrifrons, V.; oxyura, Nordm.

Brazil.

1423.

v. Iodopleuba, Less. 1839.

Iodopleurus, Parz. 1847. Reich, S. A. t. 63, f.

5738. pipra, Less. Cent. de Zool. t. 26; Des Murs, I. O. t. 71. 2; K. Vet. Akad. Handl. 1833, t. 11. 5. aurora, Sundev.; modesta, Licht.

5739. Isabellæ, Parz.; Des Murs, I. O. t. 71. 1. Emiliæ, Des Murs; Isabellinæ!, G. R. Gr. guttata, Less.

E. Peru. Venezuela.

5740. fusca, V. Mag. de Zool. 1837, t. 68. Laplacei, Eyd. & G. Brazil.

Para.

1424.

w. Calyptura, Sw. 1831.

Calypturus, Bp. 1854.

G. of B. i. p. 271, pl. 66. f. 7; Reich. S. A. t. 63. f.

5741. cristata, V.; Sw. Dr. pl. 24. tyrannulus, (Licht.) Wagl.

Brazil.

Subfam. VI. Rupicolinæ, Sclat. 1862.

Ampelinæ, p., Sw. 1837. Piprinæ, p., Cab. 1847. Calyptomeninæ, Ep. 1850.

1425. PHŒNICIRCUS, Sw. 1831.

Cotinga, Merr. 1786. Ampelis, p., V. 1816.
Carnifex, Sundev. 1835. Phænicercus, Strickl. 1841.
Phænicocercus, Cub. 1847. Phænicocercus, Bp. 1850.
Sw. C. of B. f. 224; G. of B. p. 273, pl. 67, f. 4; Reich. S. A. t. 63, f.

5742. carnifex, L.; Edw. B. pl. 39; P. E. 378; Lev. O. Amér. t. 37, 38. coecinea, Gm.; cuprea, V.

Cayenne. New Granada.

5743. nigricollis, Sw.; Spix, A. B. t. 5; Merr. Beytr. t. 2; Kittl. Kupf. Vog. t. 18. 3.

Para.

atrococcineus, Lafr.; carnifex, Spix. Merremii, Less.; coccinea, Wagl. cuprea, Merr.

## 1426. RUPICOLA, Briss. 1760.

Pipra, L. 1766, & Ill, 1811. Orinus, Nitsech, 1840. G. of B. i. p. 275, pl. 67, f. 3, Reach, S. A. t. 63, f. 5744. crocea, V.; P. E. 39, 747; Edw. B. pl. 264; Lev. Roll. t. 51, 52, 53.

Cayenne.

rupicola, L.; elegans, Steph. aurantia, V.; cayana, Sw.

5745. peruviana, Lath.; P. E. 745; Lev. Roll. t. 54. rupicola, var., Gm.; peruana, Tsch.

Bogota, Bolivia.

Peru.

5746. sanguinolenta, Gould; Sclat. & S. Exot. Orn. pl. 15. Ecuador. saturata. Cab.

# Subfam. VII. Phytotominæ, Sw. 1837.

Fringillinæ, p., Bp. 1831.

## 1427. PHYTOTOMA, Mol. 1789.

Ptytotoma, Boie, 1826.

G. of B. ii. p. 390, pl. 94. f. 4; Reich. S. A. t. 86. f.

5747. rara, Mol.; Jard. & S. I. O. pl. 4.

Ploybami Childr: silens Kittl

Chili.

Bloxhami, Childr.; silens, Kittl. Molina, Less.; rufescens, Sw.

5748. angustirostris, Lafr.; D'Orb. Voy. A. M. t. 29. 2.

Bolivia, Peru.

5749. rutila, V.; D'Orb. Voy. A. M. t. 29. 1.

Monte Video.

# FAM. XX. VIREONIDÆ, Sclat. 1862.

Ampelidæ, p., Sw. 1837. Laniadæ, p., Cab. 1847.

# Subfam. I. Vireoninæ, Sw. 1837.

Muscicapinæ, p., Bp. 1831. Brachypodinæ, p., Sw. 1837. Vireoninæ, Cab. 1847.

## 142%. VIREO, V. 1807.

Muscicapa, V. 1807.

Sw. C. of B. f. 217, a; G. of B. i. p. 267; Baird, Rev. Am. B. fig. p. 351.

#### a. VIREO.

5750. noveboracensis, Gm.; V. O. A. S. t. 52; Wils. A. O. pl. 18, 6.

musicus, V.; cantatrix, Wils.

5751. **Huttoni**, Cass. Pr. Ac. Phil. 1852, pl. 1.1; Baird, B. N. A. pl. 78, 2.

California

5752. Carmioli, Baird.

Costa Rica.

5753, atricapillus, Woodh.; Cars. Ill. pl. 24.

W. Texas.

5754. Bellii, Aud. B. A. vii. pl. 485.

U. St., W. Mex.

Arizona.

Ric., I. of Pan.

LaPlata to Bahia.

5755. vicinior, Coues; Elliot, B. N. A. pl.

5770. chivi, I'.

5756. pusillus, Coues; Elliot, B. N. A. pl. California. Bellii, Coop, Arizona. 1429. b. Laniovireo, Baird, 1858. Virco, p., Auct. Vircosylvia, p., Baird. Baird, Rev. Am. B. fig. p. 346. 5757. flavifrons, V. O. A. S. t. 54; Wils, A. O. pl. 7, 3, E. of U. States. sylvicola, Wils. C America 5758. solitarius, Wils. A. O. pl. 17. 6. U. States. Cassini, Xantus; Baird, B. N. A. pl. 78. 1. Mexico, Guatem., Cuba. 5759, propinguus, Baird, Coban, Guatem. 5760. plumbeus, Coues; Elliot, B. N. A. pl. Arizona, S. Rocky M., Mexico. 1430. c. Vireosylvia, Bp. 1838. Phyllomanes, Cab. 1847. Vireosylvia, G. R. Gr. 1848. Sw. C. of B. f 217, b; G. of B. i. pl. 63, f. 7; Reich. S. A. t. 70. f. ; Baird, Rev. Am. B. fig. p. 327. 5761. calidris, L.; Edw. B. pl. 121. 2. Jamaica. ? olivacea, *L.*; *Edw*, *B.* pl. 253. ? virens, *Bodd.*; *P. E.* 273. 1; dominica, *Müll.* St. Domingo. ? hispaniolensis, Gm. altiloqua, V. O. A. S. t. 31. longirostris, Sw.; mystacalis, Cab. Jam., W. Indies. olivacea, Gosse; atripennis, Lawr. Porto Rico. 5762. olivacea, L.; Edw. B. pl. 253; Wils. A. O. pl. 12. 3. E. of N. Amer. virescens, V. O. A. S. t. 53? Mexico, Bogota. bogotensis, Bryant. Cuba. 5763. agilis, Licht.; Spix, A. B. t. 34. 1. C.& S.of S. Amer. Bartramii, Sw.; virescens, Cass.; chivi, p., Cab. 5764. Swainsoni, Baird; Elliot, B. N. A. pl. Pacific coast. Bartramii, p., Sw. 5765. Josephæ, Sclat. Pr. Z. S. 1859, pl. 154. Ecua, to Co. Ric. 5766. gilvus, V. O. A. S. t. 34; Wils. A. O. pl. 42. 2. U. States. melodia, Wils. 5767. barbatulus, Cab.; Cass. Ill. pl. 37. Cuba, Florida. altiloquus, Gamb. Bahamas. 5768. philadelphica, Cass. Pr. Ac. Phil. vi. pl. 1. 1; Baird, B. Ñ. A. pl. 73. 3. Philadelphia. cobanensis, Sclat. 5769. flavoviridis, Cass. Pr. Ac. Phil, vi. pl. 2. Mex., Guat., Cos.

**1431.** d. Vireonella, Baird, 1866.

Vireo, p., Baird.

Baird, Rev. Am. B. fig. p. 369.

5771. Gundlachi, Lemb.; Voy. Cuba, t. 5. 1.

Cuba.

5772. modestus, Sclat. Pr. Z. S. 1861, pl. 14, 1. noveboracensis. Gosse.

Jamaica.

5773. Latimeri, Baird.

Porto Rico.

5774. pallens, Salv.

W. co. of C. Am.

5775. ochraceus, Salv.

Guatemala.

5776. semiflavus, Salv.

ochraceus, p. ?, Baird.

Bahamas.

5777. crassirostris, Bryant.

Mexico, Tres-Marias I.

5778. hypochryseus, Sclat. Pr. Z. S. 1862, pl. 46.

**1432.** е. Nеосиloë, Baird, Rev. Am. B. fig. p. 371.

e. Neochloë, Sclat. 1857.

Orizaba.

5779. brevipennis, Sclat.

**14:33.** f. Vireolanius, Dubus, 185? Baird, Rev. Am. B. fig. p. 395.

5780. melitophrys, Duhus; Sclat. & S. Exot. Orn. pl. 7. chrysophrys, Licht.

Jalapa.

5781. chlorogaster, Bp. Dubusi, Verr.

E. Peru.

5782. pulchellus, Sclat. & S. Exot. Orn. pl. 8.

Guatemala.

5783. icterophrys, Bp. icterocephalus!, Sclat. & Salv.

Cayen.,R.Negro. E. Peru.

5784. eximius, *Baird*; *Pr. Z. S.* 1855, pl. 103. icterophrys, *Sclat*.

Bogota.

**1.13.1.** g. Силогосивом, Sclat. 1862.

5785, ? vireonina, Sclat.

----?

1435. HYLOPHILUS, Tem. 1823?

Sw. C. of B. f. 214, c, d; G. of B. i. p. 199, pl. 53. f. 6; Reich. S. A. t. 61. f.; Baird, Rev. Am. B. fig. p. 373.

a. Hylophilus.

5786. poicilotis, Tem. P. C. 173, 2. ruficeps, Licht.; pœcilotis, Aliq.

E. Brazil.

5787. semibrunneus, Lafr.

Bogota.

5788. ochraceiceps, Sclat. Cat. of A. B. pl. 5.	W.Mexico,Costa Rica.
5789. thoracicus, Tem. P. C. 173. 1.	Cayenne, Brazil.
5790. pectoralis, Sclat.	Sapatiba, Rio Am.
5791. flaveolus, Burm.	Brazil, Bahia.
5792. eineraseens, Max.	Brazil.
5793. olivaceus, Tsch.	E. Peru.
5794. frontalis, Tsch. F. P. t. 13, 1.	,,
5795. leucophrys, Lafr.	
5796. flavipes, Lafr.	Bogota.
5797. eastaneiceps, Vcrr.	
5798. ferrugineifrons, Sclat.	N. Gran. R. Neg.
5799. insularis, Sclat.	Tobago.
5800. hypoxanthus, Pelz.	Rio Icauna, R.
insularis, p., $L\ell ot$ .	Vaupe. Trinidad.
5801. brunneiceps, Sclat.	S.Braz., R.Vaupe
5802. acuticaudus, Lawr. acuticauda, Baird.	Venezuela.
5803. semicinereus, Sclat. & S. Pr. Z. S. 1867, pl. 30. 2.	Lower Amazon.
5804. aurantiifrons, Lawr.	Panama.
5805. viridiflavus, Lawr.	,,
5806. ? brevipennis, Giraud.	
<b>1436.</b> b. Pachysylvia, Bp. 1850.	
5807. decurtatus, $Bp$ .	Mexico, Veragua.

5807. **decurtatus**, *Bp*. cinereiceps, *Sclat. & S*. pusillus, *Lawr*.

Mexico, Veragua. Panama. Guatemala.

Cayenne.

Ucayali.

Brazil.

## 1437. CYCLARHIS, 1824,

Cychlorhis, 1827, ct Cyclaris, 1837, Sw. Laniagra, Lafr. 1837. Falcunculus, p., Sw. 1837. Lanius, 2 div., Cuc. 1817. Thamnophilus, 2 div., Tem. 1820. Cyclorrhis. Reich. 1850. Cycloris, Bp. 1850. Cyclaris, Bt. 1849. Sw. C. of B. f. 200, b; G. of B. i. p. 293, pl. 71. f. 5; Reich. S. A. t. 70. f. ; Baird, Rev. Am. B. fig. p. 384.

#### a. Cyclariis.

5808. guianensis, Gm. poliocephala, Tsch. 5809. cearensis, Baird.

5810. flaviventris, Lafr. Guat., S. Mexico.

5811. ochrocephala, Tsch.; Sw. Orn. Dr. pl. 58. viridis, Cab.; guianensis, Sw.

S. Brazil.

5812. flavipectus, Sclat.

5813. subflavescens, Cab.

N. Gran., Carac., Trinidad. Costa Rica.

5814. virenticeps, Sclat. Pr. Z. S. 1860, pl. 164.

5815. nigrirostris, Lafr. Mag. de Z. 1834, t. 33.

Ecuador.

5816. viridis, I'.

Bogota.

5817. Wiedii, Pelz.

Parag., La Plata, Bolivia? Brazil.

guianensis, Max.; viridis, Baird?

b. Laletes, Sclat. 1861. Baird, Rev. Am. B. fig. p. 383.

5818. Osburnii, Sclat. Pr. Z. S. 1861, pl. 14. 2.

Jamaica.

## Subfam. II. Icteriinæ.

Icterianæ, Baird, 1865.

1439. ICTERIA, V. 1807.

Peteria, Hoy, 1853.

Sw. C. of B. f. 206, b, 208, b; G. of B. i. p. 229, pl. 57. f. 10; Reich, S. A. t. 70, f.

a. Icteria.

5819. virens, L.; V. O. A. S. t. 55. viridis, Gm.; luteus, Sparrm.; polyglotta, Wils. dumicola, I'.

Velasquezii, Ep.?; auricollis, Licht.?

E. of U. States. Guatemala. Costa Rica?

5820. longicauda, Lawr.; Baird, B. N. A. pl. 34. 2. viridis, p., Cab.

Cen.U. S.to Pac. Mexico.

1440. b. Granatellus, Dubus, 1850.

5821. venustus, Dubus, E. O. t. 44; Pr. Z. S. 1864, pl. 37. 2.

5822. Sallæi, Sclat. Pr. Z. S. 1856, pl. 120.

S. Mexico.

5823. Pelzelni, Sclat. Pr. Z. S. 1864, pl. 37. 1.

Amaz., Madei.R.

5824. Francescæ, Baird.

Tres-Marias I.

c. Teretistris, Cab. 1855. 1441.

5825. Fernandinæ, Lemb. Cuba, t. 5. 2.

Cuba.

blanda, Bp. nec Licht.

E. Cuba.

5826. Fornsii, Gundl.

## Subfam. III. Dulinæ, Sclat. 1862.

Oriolin.v, p., Sw.

### 1442. DULUS, V. 1816.

Oriolus, p., Sw.

Baird, Rev. Am. B. fig. p. 402.

5827. dominicus, L.; P. E. 156, 2; V. Gal. des Ois, t. 146. St. Domingo. palmarum, I'.

## FAM. XX1. LANIIDÆ, Sw. 1824.

Laniadæ, Vig. 1825.

Subfam. I. Pachycephalinæ, G. R. Gr. 1840.

Vireonina, p. Piprina, p., et Thamnophilina, p., Sw. 1837

## **1443.** COLLURICINCLA, Vig. & H. 1825.

Collurisoma, Sw. 183 ? Colluriocinela!, G. R. Gr. 1840. Pnigocichla, Cab. 1850. Colluricisoma, Bp. 1853.

Sw. C. of B. f. 202; G. of B. i. p. 295, pl. 71. f. 3; Reich, S. A.

#### #. Collubricingly

5828. harmonica, Lath.; Jard. & S. I. O. pl. 71; Gould. B. A. ii. pl. 74.

cinerea, Vig. & H.; saturninus, Norda. dilutus, badius et canescens, Lath.?

5829. **rufiventris.** Gould, B. A. ii. pl. 75.

5830. brunnea, Gould, B. A. ii. pl. 76.

5831. **Selbii,** Jard. & S. I. O. pl. 32; Gould, B. A. ii. pl. 77. rectirostris, Jard.; strigata, Sw.

bourouensis, p., Cuv. 5832. ? sandwichensis, Gm. otaitensis, p., Cass.

1444. Rectes, Reich, 1850.

Pitohui !. Less. 1831. Reich, S. A. t. 65, f.

5833. kirrocephala, Less. Voy. Coqu. t. 11.

5834. dichroa,  $B_P$ . bicolor, Mii/l.

5835. cerviniventris, G. R. Gr.

5836. uropygialis, G. R. Gr.

5837. strepitans, Jacq. & Pucher, Voy. Pôle Sud. t. 6, 1. ferruginea Bp.

New S. Wales

S. & W. Aust

Port Essington.

Tasmania.

Sandwich I

New Guinea.

New Guin., Aru.

Waigiou.

Mysol.

New Guinea. Aru, Mysol. 20

5838. leucorhyncha, G. R. Gr. Waigiou. 5839. ? tenebrosa, Hartl. Pelew L. 1445. c. — ? Myiolestes, Müll. 1850, nee Cab. 1847. Napothera, Tem. nec Boie. Myiophila, Fitz. 1864, nec Reich. 1850. 5840. megarhyncha, Quoy & G. Voy. Astrol. t. 3. 1. New Guinea. 5841. aruensis, G. R. Gr. Aru, Mysol. 5842. rufogaster, Gould. Albany Bay. 5843. parvula, Gould, B. A. ii, pl. 78. N. Australia. 5844. pulverulentus, Müll. New Guinea. 5845. affinis, G, R, Gr. Waigiou. 5846. vitiensis, Hartl. Faun. Centralpol. t. 8. 1. Feejee I. 1446. CRACTICUS, V. 1816. Barita, Cuv. 1817. Sparactes, p., Ill. 1811. Vanga, Sw. 1837. Craticus, Eyton, 1842. G. of B. i. p. 300, pl. 72, f. 3; Reich, S. A. t. 71, f. a. Cracticus. 5847. personatus. Tem. New Guin., Aru, Waig., Mysol. 5848. robustus, Lath.; Gould, B. A. ii. pl. 49. New S. Wales. S. Australia. varius, Vig. & H.; nigrogularis, Gould. 5849. picatus, Gould, B. A. ii. pl. 50. Port Essington. 5850. Quoyi, Less. Voy. Coqu. t. 14; Gould, B. A. ii. pl. 53. New Guin., Aru, Mys., C. York. 5851. cassicus, Bodd.; P. E. 628. New Guinea. varia, Gm.; Sonneratii, Less. 5852. argenteus, Gould, B. A. ii. pl. 51. N. Australia. b. Bulestes, Cab. 1850. 1447. New S. Wales. 5853. torquatus, Lath.; Gould, B. A. ii. pl. 52. curvirostris, Lath.; australis, Steph. S. Australia. destructor, Tem. W. Australia 5854. leucopterus, Gould. Tasmania. 5855. cinereus, Gould, Syn. B. of A. pl. f. 1448. OREOICA, Gould, 1837. Orececa, Aliq. G. of B. i. p. 294, pl. 71. f. 7; Reich. S. A. t. 70. f.

5856. cristata, Lewin, B. N. H. pl. 9; Gould, B. A. ii. pl. 81.

gutturalis, Vig. & H.

Var.

New S. Wales.

S. Australia.

## **1449.** FALCUNCULUS, F. 1816.

Lanius, Tem. 1820.

australis, Steph,?

G. of B. i. p. 293, pl. 71, f. 1; Reich, S. A. t. 70, f.

5857. frontatus, Lath.; Lew. B. N. H. pl. 26; V. Gal. des Ois. t. 137; Gould. B. A. ii. pl. 79. New S. Wales.

flavigulus, Gould; Gouldi, Cab.

S. Australia.

5858. leucogaster, Gould, B. A. ii. pl. 80.

W. Australia.

### 1.450. PARDALOTUS, V. 1816.

Sw. C. of B. f. 227; G. of B. i. p. 270, pl. 66, f. 6; Reich, S. A. t. 70, f.

a. Pardalotus.

5859. punctatus, Lath.; Shaw, Nat. Misc. pl. 111; V. Gal. des Ois. t. 73; Gould, B. A. ii pl. 35.

5860. quadragintus, Gould, B. A. ii. pl. 36.

Australia. N. S. Wales, Tas.

New S. Wales?

5861. **striatus**, *Lath.*; *Shaw*, *Nat. Misc.* pl. 174; *Gould*, *B. A.* ii, pl. 38.

Australia.

ornatus, Tem. P. C. 394, 1. 5862. affinis, Gould, B. A. ii. pl. 39.

Tasmania.

5863. xanthopygus, M'Coy; Gould, B. A. suppl. pl. Leadbeateri, Rams.

S.E. Australia.

5864. uropygialis, Gould, B. A. ii. pl. 41.

N. Australia.

5865. melanocephalus, Gould, B. A. ii. pl. 40.

New S. Wales.

5866. rubricatus. Gould, B. A. ii. pl. 35.

Austral., Tasm.

**1451.** b. Smicrornis, Gould, 1843. Reich, S. A. t. 59, f.

5867. brevirostris, Gould, B. A. ii. pl. 103.

N. S. Wales, S. & W. Australia. N. Australia.

5868. **flavescens,** *Gould*, *B. A.* ii. pl. 104.

1452.

c. Parmoptila, Cass, 1859.

5869. Woodhousei, Cass.

W. Africa.

## **1453.** PACHYCEPHALA, Sw. 1826.

Timixos, p., Bl.

Sw. C. of B. f. 217, c, d; G. of B. i. p. 271, pl. 66, f. 4; Reich. S. A. t. 70, f.

a. Pachycephala.

5870. gutturalis, Lath.; Lev. O. A. t. 115; Gould, B. A. ii. pl. 64. Australia pectoralis, Lath.; dubia, Shaw, Nat. Misc. pl. 949. lunularis, Steph.; albicollis, V. fusca et fuliginosa, Vig. & H. meruloides, Bl.

5871. melanura, Govld, B. A. ii. pl. 65.

Tasmonia.

900	HAND-LIST OF BIRDS.	
ii. pl. 67. pectoralis, <i>Leu</i>	s, Lath.; Lewin, B. N. H. pl. 8; Gould, B. A. vin; striata, Vig. & H. uoy & G. Voy. de l'Astrol. t. 13. 1.	Australia.
5873. falcata, Go	ould, B. A. ii. pl. 68.	N. Australia.
5874. Gilberti, Ginornata, Goul	Gould, B. A. ii. pl. 71. ld.	S. & W. Austral.
5875. simplex, 6	Fould, B. A. ii. pl. 72.	N. Australia.
5876. griseiceps,	, G. R. Gr.	Aru, Mys., Wai.
5877. griseonota	, G. R. Gr.	Mysol.
5878. rufipennis	s, G. R. Gr.	Ké.
5879. monacha,	G. R. Gr.	$\Lambda$ ru.
5880. <b>nigriment</b> melanura, <i>Bp.</i> cucullatus, <i>Lic</i>	; armillata, Tem.	Moluceas. Timor.
5881. clio, Wall.		Sula, Bouru.
5882. calliope, A	Müll.	Timor.
5883. fulvotinct	a, Wall.	Flores.
5884. chlorurus	, G. R. Gr.	New Hebrides.
5885. <b>vitiensis,</b> optata, <i>Hartl</i> .	G. R. Gr.; Faun. Centralpol. t. 8. 3.	Fecjee I.
5886. orioloides, Astrolabi, <i>Bp</i> .	, Pucher. Voy. Pôle Sud, t. 5, 3.	Solomon I.
	, Peale, U. S. Expl. Exped. pl. 10, 3, wher. Voy. Pôle Sud, t. 5, 1, p.	Samoan I.
5888. flavifrons,	Peale, U. S. Expl. Exp. pl. 10. 1.	,,
5889. xanthetræ	ea, Forst.	New Caledonia.
5890. assimilis,	Verr. & M.	,,
5891. glaucura, Ge	ould, B. A. ii. pl. 65.	Tasmania.
5892. lanoides, Go	nuld, B. A. ii. pl. 69.	N. Australia.
5893. rufogularis,	Gould, B. A. ii. pl. 70.	S. Australia.
5894. xanthoprocts	a, Gould.	Norfolk I.
5895. longirostris,	Gould.	٠,
5896. ? lugubris, A	Iüll.	New Guinea.
5897. ? virescens,	Müll.	21
5898, macrorhynel albicollaris, I	na, Strickl. Contr. Orn. 1849, pl. eer.	Amboina.

5899. xanthonemis, G. R. Gr. Amboina. 5900, rufescens, Wall. Sula, Bouru. 5901, lineolata, Wall. 5902, mentalis, Wall. Ternate, Batch. melanura, G. R. Gr. Gilolo. 5903. brunnea, Wall, Banda, Salwatti. 5904. albifrons, Peale, U. S. Expl. Exped. pl. 10, 2. Samoan I. 5905. Gräffei, Hartl. Faun. Centralpol. t. 8, 2. Feejce I. 5906. morariensis, Verr. & Murs. New Caledonia. 1454. b. Psaltricephus, Bp. 1854. 5907. melanops, Pucher. Voy. Pôle Sud, t. 5. 2. Tonga I. Jacquenoti, Bp. 1455. c. Timixos, Bl. 1842. 5908. olivacea, Vig. & H.; Gould, B. A. ii. pl. 73. New S. Wal., Tas. 1456. d. Pucherania, Bp. 1854. 5909. spinicanda, Pucher. Voy. Pôle Sud, t. 6, 2. Warrior's I.. Torres Straits. 1457. e. Calicalicus, Bp. 1854. Hylophorba, Sclat. 1865. Lanius, p., Poll. & V. D. 5910. madagascariensis, L.; P. E. 299, 1, 2, Madagascar. rutieilla, Sclat. Pr. Z. S. 1865, pl. 13 (♀). 1458. f. Hylocharis, Boie, 1827. Hyloterpe, 1847, et Hylocharis, 1847, Cab. Tephrodornis, p., Bl. 5911. philomela, Boie. Java, Sumatra, Arakan, Anda. griseola, Bl. 5912. orpheus, Verr.; Contr. Orn. 1849, pl. Timor. 1-159. EOPSALTRIA, Sw. 1831. Eupsaltria, Aliq. Sw. C. of B. f. 218; G. of B. i. p. 272, pl. 66, f. 1; Reich, S. A. t. 70, f. . a. Eopsaltria.

5913. australis, Lath.; White, Journ. pl. p. 239; Voy. Thetis. New S. Wales. t. 41, 1.

flavigastra, Lath.; parvula, Gould. flavicollis, Sw.; griseoeapilla, V.

5914. gularis, Quoy & G. Voy. Astrol. t. 10, 4. W. Australia. leucogaster, Gould, B. A. iii, pl. 13.

5915. capito, Gould, B. A. suppl. pl. E. Australia.

5916. caledonica, Gm.

New Caledonia.

olivacea, Forst.; variegata, G, R. Gr. 5917. cucullata, G. R. Gr.

New Hebrides.

5918. flavigastra, Verr. & Murs.

New Caledonia.

5919. georgiana, Quoy & G. Voy. Astrol. t. 3, 4; Gould, B. A. iii. pl. 12.

griseogularis, Gould,

Low Islands.

5920. gambierana, Less, 5921. magnirostris, Rams.

Rockingham Bay, Australia. Cape York distr.

5922. leucura, Gould.

E. of N. S. Wales, S. of Queensl.

5923. chrysorrhous, Gould, B. A. iii. pl. 11. australis, p., Gould,

1460. b. Chasiempis, Cab. 1847.

Chasciempis, Des Murs, 1853. Reich, S. A. t. 67, f.

5924. sandwichensis, Lath.

Sandwich L.

5925. ? maculata, Gm.

c. Pileornis, Sclat. 1859. 1461.

Chasiempsis, p., Hartl. Tanioptera, p., Cass.

5926. obscura, Gm.; U. S. Expl. Exped. pl. 9. 3.

# Subfam. II. Laniinæ, Sw. 1831.

Lanianæ, Sw. 1824.

#### 1462. COLLYRIO, Mochr. 1752.

Lanius, Briss. 1760, et Ill. 1811. Falco, p., 1735, et Ampelis, p., 1748, L.

Collurio, Vig. 1831.

Sw. C. of B. f. 200, a, h, i; G. of B. i. p. 290, pl. 71. f. 10; Reich. S. A. t. 69. f. ; Baird, Rev. Am. B. fig. p. 437.

### a. Collyrio.

5927. excubitor, L.; P. E. 445; Naum. Vög. t. 49; Gould, B. E. pl. 66.

cincreus, Leach.

Europe.

major, Pall.

Russia.

5928. meridionalis, Tem. P. C. 143; Gould, B. E. pl. 67.

S. Europe. E. & C. Africa.

5929. excubitorius, Des Murs; Lefeber. Voy. Abyss. t. 8. princeps, Cah.; macrocercus, De Fil.

5930. algeriensis, Less.

N. Africa.

5931. pallidirostris, Cass. pallidus, Antin.; assimilis, Brehm. E. & C. Africa.

5932. pallens, Cass.

dealbatus, De Fil.; leuconotus, Brehm.

5933. Lathora, Sykes; Gr. Ill. Ind. Zool. pl. 32, 2, & 33, 3. India. burra, Gr.; excubitor, var., Lath. excubitor, Frankl.; magnirostris, Less. minor, p., Rüpp.; orbitalis, p., Hempr. & Eh.

. ..

5934. borealis, V. O. A. S. t. 50; Wils. A. O. pl. 5, 1, excubitor, Wils.; septentrionalis, Bp.

N. America.

5935. ludovicianus, L.; V. O. A. S. t. 51; Wils. A. O. pl. 22, 5. ardosiaeus, V.; carolinensis, Wils.

South Atlantic. Gulf States.

5936. elegans, Sw.; Baird, B. N. A. pl. 75. 1.

Fur-countries.
C. Africa.

5937. pallidus, Antin.

Persia.

5938. Aucheri, Pucher.

5939. septentrionalis, Gm.

5940. excubitorides, Sw. Faun. B.-Am. pl. 34; Baird, B. N. A. pl. 72, 2. ludovicianus, p., Bp.

Fur-countries.

5941, hemileucurus, Hartl. & F.

Algiers.

1463.

b. Fiscus, Bp. 1853.

Lanius, p., auct.

5942. collaris, L.; P. E. 477. 1; Lev. O. A. t. 61, 62.

S. Africa.

5943. subcoronatus, Smith, Ill. S. A. Z. pl. 68. collaris, var., Verr.

W. Africa.

5944. Smithii, Fras. Zool. Typ. pl. 5945. fiscus, Cab.

E. Africa.

15

collaris, Rüpp.; Arnaudi, Des Murs. 5946. candatus, Cab.; Deeken, Orn. Ost-Afr. t. 5.

1464.

e. Leucometopon, Bρ. 1853.

5947. nubicus, Licht.; P. C. 216. brubru, Sihth.; personatus, Tem. leucometopon, V. d. Mühle.

S.E. Europe W. Africa, E. Africa.

albicollis, Würt.

**1465.** d. Laniellus, Sw. 1831 (suppressed in 1837).

Crocias, *Tem.* Telephonus, p., *Sw. Sw. C.* of *B.* f. 200, *d* ; *Reich, S. A.* t. 71, f. . .

5948. leucogrammicus, Tem. P. C. 592. guttata, Tem.; albonotatus, Less.

Java

1466.

5949, shach, L.

chinensis, Gr. macrourus, Cuv.

Collurio, Bp. 1853, nec Kaup, 1829.

China.

S. Africa.

5950. erythronotus, Vig.; Gould, C. B. pl. 12, 2. India, Ceylon. superciliosus, Sw.; jounotus, Hodgs. India. 5951. caniceps, Bl. Cashmere. erythronotus, p., Jerd. 5952. pvrrhonotus, V. Gal, des Ois, t. 135. India. Java, Borneo. 5953. bentet, Horsf.; Less. Cent. Zool. t. 72. Lower Bengal to 5954. tephronotus, Vig. Himalayas. nipalensis et obscurior, Hodgs. 5955. nigriceps, Frankl.; G. R. Gr. & M. G. B. pl. 71; Jerd. India. Ill. Ind. Orn, pl, 17. Assam, Arakan. tricolor, Hodgs. India. 5956. vittatus, Dum.; Gould, C. B. pl. 12. 1 Hardwickii, Gr.; margaritaceus, Less.? Tenasserim. 5957. hypoleucus, Bl. collurioides, Less.? Pegu. 5958. ? nasutus, Scop.; Sonn. Voy. t. 70. Philippine I. China. antiguanus, Lath.; nigriceps, p., Jerd. Manilla. 5959. ? cephalomelas. Bp. nasutus, p., Wald. Africa! 5960. quadricolor, Bp. 5961. fuscatus, Less. Amov. melanthes, Swink.; lugubris, Hartl. f. Hypocolius. Bp. 1850. 1467. Ceblephyris, p., Heugl. 5962. ampelinus, Bp.; Ibis, 1868, pl. 5. White Nile. isabellina, Heugl. Massow., Abyss. 1468. g. Corvinella, Less. 1831. Reich, S. A. t. 69. f. S. & W. Africa. 5963. corvinus, Shaw, Lev. O. A. t. 78. cissoides, I.; mellivorus, Licht. 1.46D. h. Urolestes. Cab. 1850

Basanistes, Licht. 1842, nec Burm. 1836.

melanurus et cissoides, Licht.

5964. melanoleucus, Smith, Mag. de Zool. 1837, t. ; Jurd

Corvinella, p., Bp. Reich, S. A. t. 69, f.

& S. I. O. pl. 115.

## 1420. ENNEOCTONUS, Boie, 1826.

Collurio, Kaup, 1829.

G. of B. i. p. 291, pl. 71. f. ; Reich. S. A. t. 69. f.

5965. collurio, L.; P. E. 31. 2; Naum, Vog. t. 52; Gould, B. E. pl. 69. spinitorques, Bechst.

Europe. Afr., Palestine.

5966. minor, Gm.

italieus, Lath.; vigil, Pall. longipennis, Bl.

Russia. Persia.

5967. somalieus, Hartl.

Somali.

## **1471. LANIUS,** *L.* 1758.

Otomela, *Ep.* 1853.

a. Lanus.

5968. cristatus, L.; Edw. B. pl. 54. phonicurus, Sundev.; ferrugiceps, Hodgs. superciliosus, Jerd.

India, Ceylon.

5969, phœnicurus, Pall.; Ibis, 1867, pl. 5. 2.

5970. lucionensis, L.; *Briss. Orn.* ii. pl. 18. 1. phœnicurus, v. Pelz.

E. Europe, Asia, Heligoland. Philippine I. China.

5971. superciliosus, Lath.; Lev. O. A. t. 66, 2. crassirostris, Licht.?

Java, Sumatra. Malay peninsula. Java. Malacca.

5972. magnirostris, Less.; Ibis, 1867, pl. 6. crassirostris, Kuhl; ferox, Drap. strigatus, Eyton; tigriuus, El.

Upper Sindh. S.W. Afghanist.

5973. arenarius, El. cristatus, var. superciliosus, p., Bl.

Borneo.

5974. Schwaneri,  $B\rho$ .

5975. Anderssoni, Strickl.

Damaraland.

5976. ieracopsis, De Fil. juv. of superciliosus, ? Wald.

5977. isabellinus, Ehr.; Ibis, 1867, pl. 5. 1.

Arab., Kordofan.

#### 1472. b. Phoneus, Kaup, 1829.

Enneoctonus, p.,  $B\rho$ .

5978. senator, L.; Mus. Carls. t. 1; Naum. Vog. t. 51; Gould, B. E. pl. 70. rufus, Bp.; pomeranus, Sparrm.; rufus, Bechst. nee L.

C. S. Europe. W. & N. Africa. Persia.

rutilus, Lath.; ruficollis, Shaw; collurio, var. rufus, Gm.

5979. rutilans, Tem.

superciliosus, Lieht.; erythropterus, Rüpp. collurio, var. senegalensis, Gm. rufus, var.. Lath.

W. Africa.

5980, niloticus, Bp.

White Nile.

**1.473.** c. Cephalophoneus, Fitz. 1864.

Phoneus, Bp. 1853, nec Kaup, 1829.

5981. bucephalus, Tem. & Schl. F. J. t. 14. ruficapillus, Tem.

Japan.

Subfam. III. Malaconotinæ, Cab. 1850.

1474. TEPHRODORNIS, Sw. 1831.

Tephrolanius, *Bp.* 1853. *G. of B.* i. p. 289.

a. Tephrodornis.

5982. gularis, Raffl.; P. C. 256. 1.

virgata, Tem.

Java. Malacca.

1475. b. Keroula, Gr. 1833-34.

Kerula, Cab. 1850. Tephrodornis, Sw. 1837.
 Tenthaca, 1837, et Creurgus, 1841, Hodgs.
 Tentheca, 1841, et Tenthera, 1847, G. R. Gr.

Sw. C. of B. f. 3; G. of B. i. pl. 71, f. 6; Reich. S. A. t. 69, f. .

5983. pondiceriana, Gm.; Gr. Ill. Ind. Zool. pl. 23. 1, 2.

superciliosus, Sw.; griseus, Tick. indica, Gr.; muscicapoides, Frankl. leueurus, Hodgs.; sordidus, Less.

philippensis, Ind. auct.

India. Upper Burmah.

Assam.

5984. affinis, *El*.

Ceylon.

1-176. c. Tephrolanius, Bp.

5985. pelvica, Hodgs.

5986. sylvicola, Jerd.

pelvica, p., G. R. Gr.

Nepal, Sikkim, Arakan, Burm. Malabar Coast.

1-1-77. d. Myiolestes, Cab. 1850.

Cabanisia, Bp. 1854.

5987. obscura, *Horsf.*; P. C. 119.

hirundinacea. Tem.

Java.

1478. c. Fraseria, Bp. 1854.

Eucnemidia, Heine, 1860.

5988. ochreata, Strickl.

W. Africa.

5989. cinerascens, Tem.

Ashanti.

**1479.** f. Hypodes, Cass. 1859.

Eomelpusa, *Heine*, 1860. Eopsaltria, p., *Cass*.

5990. cinerea, Cass.

W. Africa.

1480. g. Cuphopterus, Hartl. 1866.

5991. **Dohrni**, Hartl.; Pr. Z. S. 1866, pl. 34. Prince's I.

1481. NILAUS, Sw. 1827.

Entomovorus, Less. 1839.

Entomophagus, Agass, nec Horsf.

Sw. C. of B. f. 121; G. of B. i. p. 291, pl. 71. f. 2; Reich. S. A, t. 69, f.

5992. brubru, Lath.; Lev. O. A. t. 71.

capensis, Shaw; frontalis, Forst,

afer, p., Shaw. var. niloticus, Sundev.

1452. PRIONOPS, F. 1816.

G. of B. i. p. 292, pl. 71. f. 9; Reich. S. A. t. 70. f.

a. Prionops.

5993. plumatus, Shaw; Lev. O. A. t. 80, 81; V. Gal. des Ois. t. 142.

Geoffroii, I'.

5994. talacoma, Smith, I. S. A. Z. pl. 5.

5995. Retzii, Wahlb.

tricolor, G. R. Gr.?

5996. poliocephalus, Stanl.; Rüpp, F. A. t. 12, 2. cristata, Rüpp.

5997, concinnatus, Sundev.

5998. graculinus, Cab.; Deeken, Orn. Ost-Afr. t. 3.

1483. b. Sigmodus, Tem, 1850.

5999. caniceps, Tem.; Sehl. Handl. Dierk. t. 2.17; Jard. Contr. Orn. 1850, pl. .

6000. rufiventris, Bp.

6001. scopifrons, Peters.

1484. EUROCEPHALUS, Smith, 1836.

Chætoblemma, Sw. 1837.

Eurycephalus, Agass.

Chatoblemma, Ep. 1853.

Sw. C. of B. f. 201; G. of B. i. p. 293, pl. 71, f. 4; Reich. S. A. t. 69. f. .

6002. anguitimens, Smith, I. S. A. Z. pl.

leucocephala, Sw.

6003. Rüppellii, Bp.; Rüpp. S. U. t. 27.

anguitimens,  $R\ddot{u}pp$ .

Schoa. White Nile.

S. Africa.

14%5. CHAUNONOTUS, G. R. Gr. 1837.

G. of B. i. p. 209, pl. 72, f. 5; Reich. S. A. t. 69, f. . . \*

S. & W. Africa.

W. Africa S. Africa.

Damara.

N. Africa.

"Rozeres ad Nilum."

E. Africa.

W. Africa.

Gaboon.

E. Africa.

6004. Sabinei, G. R. Gr.; Jard, & S. I. O. pl. 28. melanoleucus. Verr.

W. Africa,

1486. VANGA, V. 1816 (suppr. in 1818).

Spasornis, Van der Hoev. 1856.

G. of B. i. p. 299, pl. 72. f. 4; Reich. S. A. t. 71. f. .

a. VANGA.

6005. curvirostris, Gm.; P. E. 228. leucocephalus, V.

N., W., & E. Madagascar.

1487. b. Xenopirostris, Bp. 1850.

6006. xenopirostris, Lafr.; Rev. et M. de Zool. 1850, t. 1. Lafresnayi, Bp.

Madagascar.

6007. Damii, Schl. & Poll. F. de Madag. t. 30. albifrons, Poll.

N.E. Madag.

6008. Polleni, Schl.

1488. LANIARIUS, V. 1816.

Pelicinius, Boie, 1826.

Malaconotus, Cab. 1850.

G. of B. i. p. 298; Reich. S. A. t. 69. f. .

a. Laniarius.

6009. barbarus, L.; P. E. 56; Lev. O. A. t. 69; Sw. Zool. Ill. n. s. pl. 71.

S. & W. Africa.

6010. cruentus, Hempr. & Ehr.; Rüpp. Atl. t. 29; Jard. & S. I. O. pl. 30.

Abyssinia.

roseus, Jard.; erythrogaster, Cuv. cruentatus!, G. R. Gr.

6011. atrococcineus, Burch.; Sw. Zool. Ill. n. s. pl. 76.

S. Africa.

6012. erythrogaster, Rüpp. Wernei, Cab. Sennaar. Nile.

6013. modestus, Bocage.

Benguella.

**1489.** b. Meristes, Bp. 1854.

6014. chloris, Valenc.

W. Africa.

Peli, Tem.; lepidus, Cass.

6015. ----, n. sp.?

Tette.

1.190. c. Malaconotus, Sw. 1824.

Archolestes, Cab. 1850.

Mcristes, Reich. 1850. Vanga, Less. 1831.

Harcolestes, Verr. 1855.

Reich. S. A. t. 70. f. . . .

E. Africa.

Senegal.

Gaboon. W. Africa.

E. Africa.

Senegal.

Angola.

Gaboon.

E. Africa.

W. Africa.

Madagascar.

Zanzibar, Tette.

6016. icterus, Cuv.; Lev. O. A. t. 285; V. Gal. des Ois, t. 139. S. & W. Africa. olivaceus, V.; poliocephalus, Licht. Blanchoti, Steph.; hypopyrrhus, Hartl. 6017. hypopyrrhus, Verr.; Less. Cent. Zool. t. 65. W. Africa. cruentus, Less. 1491. d. Dryoscopus, Boie, 1826. Hapalolophus, G. R. Gr. 1837. Hapolophus et Hapalolophus, Agass. Malaconotus, Sundev. 1835. S. & N. Africa 6018. cubla, Shaw; Lev. O. A. t. 72. Var. Tette. 6019. affinis, G. R. Gr. W. Afr., Zanzib sublactous, Verr.; Verreauxii, Cab. 6020. gambensis, Licht.; Sw. B. W. Afr. pl. 23. W. Africa. mollissimus, Sw. 6021. sublacteus, Cass. Gaboon. 6022. æthiopicus, Lath.; Rüpp. S. U. t. 23; Ferr. & Gal. Voy. en Abyss, t. 4. Abyssinia. silens,  $R \ddot{u} p p$ . 6023. orientalis, Sw. S. Africa. similis, Sw. Zanzibar.

6024, atrialatus, Cass. 6025, cucullatus, Tem. & Hartl.

6026. bicolor, Verr. 6027, angolensis, Hartl.

6028. hamatus, Hartl.

6030. guttatus, Hartl.

6031. Bojeri, Pelz. 6032. picatus, Hartl.

6033. Salimæ, Hartl. & F. affinis, Hartl.

6034. lencopsis, Decken.

6035, thannophilus, Deeken, Orn. Ost-Afric. t. 8.

6029. Turatii, Verr.; R. et M. de Z. 1858, t. 7.

#### 1492. e. Rhynchastatus, Bp. 1853.

6036. leucorhynchus, Hartl. Abh. d. naturw. Ver. in Hamb. ii. t. 6.

6037. carbonarius, Cass. leuchorhynchus, p.

6038. funebris, Hartl.

E. Africa.

6039. lugubris, Cab.; Deeken, Orn, Ost-Afr. t. 7.

N.E. Africa.

1493. f. Tchagra, Less. 1831.

Tschagra, G. R. Gr. 1855.

6040. boulboul, Shaw; Lev. O. A. t. 68; Rüpp. S. U. t. 23. cafer, Forst.; rufiventris, Sw. æthiopicus, p., Lath.

S. Africa. Natal.

ferrugineus, Sundev.?

6041. major, Hartl. Abh. d. natur. Ver, in Hamb, ii. t. 5.

Ashanti.

6042. sticturus, Hartl. & F. maculicauda, G. R. Gr. MS.

Zambesi. Tette.

1494. TELOPHORUS, 1831,

et Telephonus, 1837, Sw. Laniarius, Boie, 1826, nee V. 1816. Sw. C. of B. f. 200, f; G. of B. i. p. 293, pl. 72. f. 1.

a. Telophorus.

6043. gutturalis, Müll.; Edw. B. pl. 321; P. E. 272; Lev. O. A. t. 67.

S. Africa.

zevlonus!, L.; bacbakiri, Shaw. ornatus, Licht.: collaris, Sw.

6044. viridis, V.; Lev. O. A. t. 286; Gal. des Ois. t. 143.

gutturalis, Daud.; torquatus, Sw.

Port Natal.

6045. quadricolor, Cass.

Natal.

1495. b. Chlorophoneus, Cab. 1850.

6046. rubiginosus, Sundev.; Lev. O. A. t. 75. 2. oleagineus, p., Lieht.

S. Africa.

6047. similis, Smith, I. S. A. Z. pl. 46.

S. & W. Africa.

aurantiopectus et sulfureopectus et affinis, Less.; chrysogaster, Sw.

Tette.

6048. multicolor, G. R. Gr. & M. G. B. pl. 72.

W. Africa. S. Africa.

6049. olivaceus, Shaw; Lev. O. A. t. 75. 1, and 76. 1. oleaginus, Lieht.

6050. superciliosus, Sw.

W. Africa.

1496. e. Pomatorhynchus, Boie, 1826.

Podobes, Less. 1831. Tchagra, Less.

Turdoides et Ixos, Cuv. 1817. Pomatorhynchus, Cab. 1850. Telophorus, G. R. Gr. 1847. Telophonus, p., Sw.

Sw. C. of B. f. 200, e; G. of B. i. pl. 71, f.; Reich. S. A. t. 69, f.

6051. cucullatus, Tem.; P. C. 297.1; Susemihl, Eur. Vog.t. 17.2. N. Africa. S. Europe. tschagra, Boie; senegalus, Licht. erythropterus, p., Hartl. & F.

6052. erythropterus, Shaw; P. E. 479. 1; Lev. O. A. t. 70. W. Africa. collurio, var. melanocephalus, Gm. melanocephalus, Tem.; coronatus, V. tschagra, V.; Lev. O. A. t. 70. senegaleusis, Less.

6053. trivirgatus, Smith, I. S. A. Z. pl. 94. australis, Smith.

S. & W. Africa.

6054. minutus, Hartl. Hartlaubi, G. R. Gr. MS. Ashanti.

6055. remigialis, Hartl. & F. Galtoni, G. R. Gr. MS.

White Nile.

6056. senegalus, L.; Briss. Orn. ii. t. 17. 1; P. E. 477. 2. collurio, var. senegalensis, Gm. erythropterus, p., Hartl. & F.

W. Africa.

d. Psalter, Reich. 1850.
 Harpolestes, Cab. 1850.

Sw. C. of B. f. 200, g; Reich. S. A. t. 57. f.

6057. longirostris, Sw. tsehagra,  $R\ddot{u}pp$ .

E. Africa.

## ERRATA AND APPENDIX.

11. chaugoun non changou.

64. infulatus non infuscatus.

85. B. M. Coll.

247. ægyptius non ægypius.

252. cayennensis non cayanensis (Lath.).

282. Sclat. & S. Exot. Orn. pl. 90; nitida, Cass.

282a. polionotus, Cab.

288. Sclat. & S. Exot. Orn. pl. 89.

288a. Nattereri, Sclat. & S. Exot. Orn. pl. 87. magnirostris, Max. & Pelz.

288b. ruficauda, Sclat. & S. Exot. Orn. pl. 88. magnirostris, Sclat. & Lawr.

316. Sclat. & S. Exot. Orn. pl. 85; Azaræ, Sclat. MS.

371. superciliosus non superciliaris.

379a. spilogastra, Heugl. troglodytes, Hartl. MS.

408. Wall. non Müll.

459. javanensis non javensis.

513. fuscescens non fulvescens.

520. B. M. Coll.

522. erase Spix, A. B. t. 10a.

531. cayennense non cayanense (Lath.).

606. longicaudus non longicaudatus.

639. B. M. Coll.

648a. inornatus, Heugl.

665. sericeo-caudatus non serico-caudatus.

680a. candicans, Natt. & Pelz. Ieucurus, p., V.

 $\left. rac{728.}{729.} 
ight\}$  B, M, Coll.

737. cayennensis non cayanensis (Lath.).

744. = 741.

789. 792. B. M. Coll.

794a. æthiopica, Blanf. tigrensis, Blanf. M8.; albigularis, Heugl. Costa Rica.

S.E. Brazil.

Mex., Guat. Veragua.

\_\_\_

N.E. Africa.

Abyssinia.

S. Brazil.

Abyssinia.

2D

```
808. B M. Coll.
```

821. = fusicapillus, Heugl.; velocissima, Würt.

826. = 833.

#### i\*. WALDENIA, Sharpe, 1869. 2238.

829 is the type.

833. = 826.

837. = fulva, V. apud Sclat.

845. albilinea non albilineata.

871. = 870, apud Sclat.

907a. crassirostris, Sclat.

916. javanicus, Horsf.; javanus, Cuv.

917. ochromalus, Raffl.; ochromelas, Reich.

#### c\*. UROSPATHA, Salvad. 1868. 2614.

939 is the type.

967a. Bairdi, Lawr.

1036. peruana non peruviana.

1052. Rev. Zool. 1850, t. 3.

· 1053a, poliopis, Sclat. Pr. Z. S. 1862, pl. 8.

1089a. cyanoleuca, V.; Sharpe, Alced. pl.

senegalensis, Mont. 1090. = chelucutensis, Hartl. & F.; tschelicutensis, Heugl.

1091. = tschelicutensis, var. major, Heugl.

1092. albiventris, Scop.; Sonn. Voy. t. 31 = fusicapilla.

1093. = striolata, var., Sharpe.

1094. Sharpe, Alced. pl.

1106. incinctus non unicinctus.

1110. ♀ = 1106, apud Finsch & H.

#### Ceycopsis, Salvad. 1868. 3168.

1150a. fallax, Schl.; Sharpe, Alced. pl.

1154. asiatica, Sw.

meningting, Horsf. &c.

1159. = coronatus, Smith, apud Sharpe.

1160. Sharpe, Alced. pl.

1161. An Alcyone, apud Jard. & Aliq.

1171. natalensis non coronata.

1173. Sharpe, Alced. pl.; Lecontei, p., Schl.

1176a. Lessonii, Cass. azurea, var. Lessonii, G. R. Gr.

1177. = diemensis, Cab.

1185a. Sharpii, Gould; Sharpe, Alced. pl.

1245. Pr. Z. S. 1869, pl. 18.

Solomon I.

Costa Rica.

Ecuador.

Angola.

Celebes.

New Guinea. Aru.

Gaboon.

```
1276. G. read Gilolo.
1302. Hartl, non Newt.
1319a. fantensis, Sharpe.
                                                                  Fantec.
1361. B. M. Coll. = 1390, apud Walden.
1363, to be crased, = 1987?
1384. = 1354, apud Walden.
1390. = 1361, apud Walden,
1454a, brevirostris, Cab.
                                                                  Porto Cabello.
1733a. Ivrura, Gould,
                                                                  Bahamas.
2016. = squameus, V.; Lev. O. A. t. 116.
2022. = melanodera, Quoy & G. Voy. Astrol. t. 8. 1.
2279a, arequipæ, Sclat. & S.
                                                                  Bolivia.
                                                                 ---- ?
2439a. notatus, Eyton.
2473. gutturatus non gutturalis.
2488. cinnamoventris non cinnamomeoventris (Cab.).
2506a. striata, Gould.
                                                                 Cape York.
2574. Voy. Pôle Sud, t. 19. 6.
2755. Strangei non Strangeri.
2775.
2776.
       B. M. Coll.
2777.
2778.
2780.
2827. textrix non tetrix.
2833. Heugl. Orn, N. O. Afr. t. 9.
2858, B. M. Coll.
2874, cautus non cantus.
2918. abnormis non abrornis.
2941 (2841). babæeula non beaticula.
2958. = 2833, apud Hartl.
3040. B. M. Coll.
3062a. habessinica, Blanf.
                                                                 Abyssinia.
3173a. fuscicaudata, Blanf.
                                                                 Bogosland.
3181.
3225. \ B. M. Coll.
3246.
3288a. semitorquata, Heugl.
                                                                 Abyssinia.
```

abyssinica, Blanf.

3394. flaviceps non flavifrons.

3531. Giraud, B. Texas, pl. 7. 1.

3569. maderaspatensis non maderaspatana (Bl.).

3598. = fuliginosus, Hodgs.

3647, roseaceus non rosaceus.

3767. = xanthosceles, Sclat.

3881a. subrufescens, Bocage.

3895. = 4003.

3918. A Hypsipetes, = 3991.

987. Meropixus non Meropizus.

3990. Holti non Holki.

3992a. Cantori, Moore.

4016. = 4059, apud Cab.

4192a. Delesserti, Jerd. Ill. Ind. Orn. pl. 13. griseiceps, Delcss.

4217a, cineraceus, Horsf. cinerascens, Hartl.

4239, = galeata, Bodd.; drongo, Shaw.

4283. B. M. Coll.

4402a, princeps, Sclat. & S. guatemalensis, Salv.

4811. grisola non griseola.

4820. = mugimaki, Tem. & S. F. J. t. 17, B; hylocharis, Swinh.; erythraca, Bl.

4870a. Finschi, Sharpe.

5361a. luteiventris, Sclat.

5372a. megacephala, Sw. B. Bras. pl. 47.

5515a. ochraceus, Sclat. & S.

5667a, ? = 5669, apud Sclat. & S.

5691a. longicanda, V.; Kittl. Kupf. t. 18. 2.

5735. B. M. Coll.

5735a. cinnamomea, Lawr.; ? = 5735, apud Sclat. & S.

5806a. rubrifrons, Sclat. & S. Pr. Z. S. 1867, pl. 30. 1.

6034. ? = 6023, apud Cab.

W. Africa.

Tenasserim.

Neilgherries.

Java.

Veragua.

Fantee.

Rio Napo. Brazil.

Costa Rica.

Paraguay.

Lower Amazons.





